REFERENCE COPY

DO NOT REMOVE FROM THIS ROOM



DLUME 8 NUMBER 3 FEBRUARY 14, 1989

> The Truth Behind the Hype: **PC Labs Tests** Nine 25-MHz 386 Machines


- Boost System Performance with 13 Low-Cost Disk-Caching Utilities
- Better Tools for Graphics: 17 Mice

Challenge Microsoft

11 8514 Monitors Surpass VGA

PC Lab Notes: CADD Smar





Introducin

For 1-2-3 printouts that

All of a sudden, 1-2-3° looks better than ever. And every worksheet you print looks crisper, more credible, and more presentable than ever before,

And all of it thanks to Allways," the only way to make professional-quality printouts directly from 1-2-3. Plus get speed, flexibility, and powerful features you won't find anywhere, not even in Microsoft *Excel, Which makes Allways and 1-2-3 the most effective way to dramatically improve the way you look on paper. But without changing

your software, hardware, or the way you work. We call it "The Spreadsheet Publisher."

And it's easy to see why. Allways gives you an astonishing range of formatting

and printing options. And its "what-you-see-is-what-youget" display eliminates all the guesswork. You get the tools you need, and the display you need, for total control over your printouts. Use up to 8 typefonts on any printout-apply them

cell by cell, or throughout ranges. Add emphasis with bold or underline. Highlight important information with light or dark shade. Add drama

with solid black. Incorporate 1-2-3 graphs into any spreadsheet

Adjust the height of a row with a few keystrokes. Or fine-tune the width of a column

Draw vertical and horizontal lines along any cell border. Enclose data in boxes, or outline entire ranges. And for the bottom line, double-underline.

The soul of your current machine.

Not only does Allways make printouts that look terrific, it also makes good sense. Because only Allways is ready to go to work for you today, using the hardware you already own.

In fact, Allways performs perfectly with all kinds of PCs. from a screaming-fast 386 to a trusty XT.

And with all kinds of displays. So if you have a graphics monitor, you'll get the benefit of the Allways WYSIWYG display-but even if you don't, you'll be able to use all the features of Allways on a text-only monitor.

And whether you have a dot-matrix or a laser printer, Allways will take your printer to the limit. You'll be able to use your printer's internal fonts as well as the fonts that Allways supplies, for an incredible variety of formatting options

And if you use an HP Laser-Jet * Plus or Series II, you'll get extensive font cartridge support, plus a full complement of









9 Pup into Allways to make it look great

g Allways. actually exceed Excel.

So you can really make the most of your laser printer investment.


Best of all, Allways runs right inside 1-2-3. So you can go on creating your worksheets in 1-2-3 as always. Then pop into Allways to make them look great.

pop into Allways to make them look great. So if you really want the best-looking printouts, get Allways. It's just \$149.95. Your spreadsheets deserve it.

Ask for Allways at leading software dealers nationwide. Or order directly from Funk Software with your check. Visa. or MasterCard. All Ways

To order call 1-800-822-3865 Ext. 115

(617-497-6339 in MA) CIRCLE 323 ON READER SERVICE CARD



l'his is abou

At this moment, millions of Lotus® 1-2-3® users are faithfully awaiting the arrival of a product called Release 3. A characterbased product that promises greater power and greater produc-

tivity for serious Mirmont Fred spreadsheet users. gets here.

In the meantime,

we have a question: If Release 3 is in fact character-based and the entire per-

As soon as it

Microsoft Excel. Or, how to see Lotus 1-2-3 Release 3 from a whole new perspective.

sonal computing industry continues moving toward graphics-based environments, is it wise to wait for Release 3? Or consider the

alternative. Actually, you can do both. Because you have

nothing to lose by seeing the other side of the spreadsheet story, and

trying it for yourself.

easiest, most enjoyable way to crunch your

numbers. Thanks to an incredibly intuitive

design that exploits innovations like Micro-

As you know, with 1-2-3 your ability to customize worksheets and charts is limited.

As you may not know, with Microsoft Excel the possibilities are limitless.

soft Windows, OS/2 Presentation Manager and, of course, the Macintosh."

You're a loyal Lotus user. If you're a bit skeptical, we fully understand that. We also anticipated it. So we've made sure your hardearned equity in 1-2-3

is not

obsolete. In fact, we've not only made a transition to Microsoft Excel attractive, we've also made it easy: Microsoft Excel actually reads and writes


















t Lotus I-2-:



1-2-3 files and even helps translate macros. It also offers the convenience of 1-2-3 on-line help-so you can expect a surprisingly smooth

transition. In fact, the West Come Sales slash key you punch to access your 1-2-3 commands is the same key that can access Microsoft Excel com-

mands-you don't have to relearn a thing. Yes, graphics-based Microsoft Excel was designed around a mouse. You can also use Another issue: it without one. hardware.

As Lotus may or may not have told you, Release 3 will need a substantial investment in new hardware. The same hardware that runs Microsoft Excel. All we're saving is, if you're committing to new machines, make the most of those new machines. Something Release 3 simply won't.

But, using is believing. So we've made it convenient to get a sample of Microsoft Excel in your hands. Simply call us at (800) 541-1261, Dept. J14 for a free sample disk of your own. It's worth

In fact, we're so confident about Microsoft Excel that we're offering a noquestions-asked. money-back guarantee good through January 1990. Which means we're actually willing to guarantee our current technology against Lotus tech-



call for a sample disk. The disk is free. But the experience is priceless.

nology that isn't even available yet. All of which brings us to a decision

millions of you are about to face:

Upgrade to character-based Release 3. or upgrade to the power and simplicity of a graphics-based spreadsheet. We're not saving it's an easy decision.

Just an inevitable one.

icroso Making it all make sense:

centre valid only if proclased after May 1, 1966. Commercia of Guada, call 1966 673 2000. Onnide North America, call 1956 682-8861. © Copyright 1989 Microsoft Construction, All rights reserved, Microsoft and the Microsoft America Commercia of Little Devices and Commercia. Majoritation of a resolution of the Commercia of Little Devices and Commercia. Majoritation of the Commercia of Little Devices and Commercia.

QUICK ACCESS

EASY / EDIT





Fast free-form retrieval any format, any disk path

Integral multi-window editing Hot links to your applications

Pull-down menus

Mouse support

DOS and OS/2


(800) 284-3269

R

\$270 US ships 35 CA orders add 7% GOLDEN BOW SYSTEMS 2870 5th Avenue San Diego, CA 92103 (619) 298-9349

EDIT WHAT'S INSIDE

How do the tools we use change both the way we work and how we think about the work we do? How do they change the nature of the work itself? And is faster always better-or even desirable? Fodder for the intellectual pleasure of debate that academics and writers thrive on? Certainly, but more than conversation topics for the classroom or the café, these questions relate directly to the practical decisions all PC users have to make. And they are especially



Operating at zero wait states: frequent contributor Alfred Poor.

timely, since faster and more-powerful computers, like the nine 25-MHz 386 machines reviewed by Alfred Poor in this issue's cover story, are increasingly within our grasp.

As much as a now-out-of-date 8-MHz AT used to frame our relationship to our work, shaping our behavior to match its clock speed, so will this new breed of PCs. Time was when a user could believe that he was also serving while he sat and waited for an 8088 or 286 to crank through a complex recale or compile-or that he could do some useful work away from the keyboard. That time isn't now. "The PC that's going to help me the most," says Poor, "is the one that I'm not aware of, that doesn't get between me and my job. that creates fewer wait states in me." If by necessity a tool must intrude between its user and the job he is trying to do, then using the tool minus its intrusiveness should amount to a net gain. Using the fastest PC maximizes the net.

Each new round of fleet footed PCs oncourages us to want to worf, faster at, the very least, gives us the impression that we are. But it is not long before an article tisement for a new, more-powerful meticine convinces us that the current speed king is moribund—and so is our productivity. Case in point: at least one maintturer has already stated that a 33-MHz PC. the next in the shilm gorder after the the next in the shilm gorder after the roud. What next?

For the most part, FC users want to own state-of-the-art cupipments to that they can speed up labor-intensive workaday operations that dull the senses and the spirit. Beyond that, purchasing the fastest machine is one way to become a participant in the technological revolution that is constantly being played out around us. But, of course, the state of the art is only a temporary condition: there is never a "fastest" in the computer industry for very lotted.

-Robbin Juris

IRRESTRICT - a published in workly except to July and August the SN ST for one year 122 on SC2 90 per year for Cuenda and all other foreign countries. Zell Davis Publishing Co. a division and as Davis Toth NY SDESS and as additional marker of Surv. NEEDBANDS & Address of



publishing power of the PostScript' page description language

The new OMS JetScript™

JetScript is the only Adobe PostScript controller ungrade authorized by HP and designed specifically for the LaserJet Series II. JetScript gives your printer the industrystandard page description language to accompany HP's PCL printer language. This expands your laser printing capabilities. Increases overall printer performance. Yet preserves HP functionality and warranties.

Do it yourself JetScript is easy to install. Just plug in two cards (one in your personal computer*, the other in your printer), connect a cable and install the software.

The result is a PostScript system with 35 resident Adobe typefaces, three megabytes of RAM, and QMS ASAP** (Advanced System Architecture for PostScript) proprietary technology for superior performance. All for less than half the cost of a new PostScript laser printer.

Series II a form of expression that's found only with PostScript.

Simply, PostScript opens up the full range of possibilities for desktop publishing. You have complete control over the final look of the page, down to the last exacting detail. PostScript allows for an infinite number of font variations and sizes. That makes PostScript's limitless flexibility and power the perfect complement to your LaserJet Series II, giving you the highquality output you require.

Impressive results People have come to expect impressive results from OMS-one of the first companies to bring the power of PostScript to laser printing, and now with more PostScriptbased products than any other company.

You'll get the same results from the new

JetScript, After all, it has HP's blessing, Laser Connection is a sales and marketing subsidiary of QMS, Call 1-800-523-2696 for

the location of your nearest Laser Connection dealer *JetScript available for IBM PC-XT*, IBM PC-AT*, HP Vectro** atible personal computers, or the IBM PS/200 Model 30.

LASER CONNECTION

A QMS' Company

CIRCLE 259 ON READER SERVICE CARD

© 1967 Lawer Connection

SOFTWARE

Getting the Most

Out of Memory Edward Mendelson/ Significantly reduce your time

spent at the computer by

access information on-

speeding up all operations that

disk-hard or floopy. Check

features table, and benchmark

tests to find the software that

MONITORS

VCA

debated topic, but display

Compromising

can greatly accelerate your

access to frequently used

Performance Tests ... 164

Resolutions: 8514

Monitors Build on

Winn L. Rosch/ The

viability of 8514 as a

graphics standard continues to be a hotly

compatibles manufacturers are

bringing the prices down and

out our in-depth reviews,



COVER STORY



25-MHz 386s: Fast, Expensive, and Worth It Alfred Poor! PC Magazine's first roundup of 25-MHz 386 machines includes nine of the fastest PCs money can buy. If your needs include software development, or use of a CAD or desktop publishing program that incorporates a lot of

graphics, or if you want to use a 386 as a LAN file server, our in-depth reviews, features table, and benchmark tests will show you the machine that could revolutionize your

working world..... Performance Tests

20,2

ALR FlexCache

25386DT

FEATURES

monitors that give you the resolution to perform detailed CAD functions 195 Applying the Standard: **Programming Applications**

for 8514 Charles Petzold/ The 8514/A adapter card poses programming challenges unlike those presented by other video display adapters. Here, a

master programmer discusses issues you'll face when writing 8514/A applications 233 Features Table....... 162

ALTERNATE INPUT DEVICES Tracking the Mouse's Progress

Tom Stanton/ Whether you're an engineer, an artist, or a businessperson, graphical user interfaces are moving into your workplace-and with them. mice. PC Labs evaluates 17 mice that could redefine the way you work Features Table

EDITORIAL PRODUCT A list of products reviewed in

INDEX this issue, plus a guide to utilities, programs, and tips in the Productivity section ... 430

state-of-thehinting that it won't be long before the 8514 standard is page 249

The intest and

greatest in

available for the PC and AT bus, as well as the Micro Channel architecture. Here we examine 11 8514-compatible

Cover Photograph: Thom O'Connor

IBM 1 Model

Hertz 386/25

Built on a motherboard and case package from Intel, the Hertz 386/25 uses quality com ponents and solid construction backed by an on-site warranty, but its price makes it a less attractive value than some of t

PC MAGAZINE . FEBRUARY 14. 1989

FIRST LOOKS

Hands On:

Ami: Samna's \$200
 Microsoft Windows-based
 word processor

- Perspective Junior: a lively, streamlined reincarnation of Boeing Graph
- Grammatik III and RightWriter 3.0, head-to-head
- Computer Database Plus searches articles from 48 computer-related publications
- Turbo EMS expanded memory manager
- Mechanical Engineering
 Workbench: An engineers'
- OPTune integrates disk utilities into \$100 package
 Terrific! Organization Chart
- Maker

 Two books to help you master the Hewlett-Packard Laserlet 33

AFTER HOURS

- Stickybear Numbers, Math and Me, and Math Rabbit introduce your children to math
- introduce your children to ma • KidWriter For budding authors
- authors

 Tales of Adventure can improve your reading comprehension
- Critical Thinking: building your thinking skills 442

PRODUCTIVITY

PC LAB NOTES CADD Programs Come of Age

UTILITIES

Smooth Scrolling Means Easy Reading
Michael J. Meffords SMOOTH. COM lets EGA and VGA
users browse bock and forth through text or other files at a
variety of speeds and without the full-line scrolling jumps than
make the words on the screen hand to read.
289

PC MAGAZINE

HELP FILE

Speaking the Language of the PM API, Part 2 Charles Petzold' Microsoft's introduction of new data types is essential for conversion to

the upcoming 80386 OS/2 . 305 POWER PROGRAMMING Comparing DOS and OS/2 File Systems

SPREADSHEET CLINIC Douglas Cobb and Steven Cobb/ Convert values into



ng skills are tested in Tales of Adventure, page 442.

USER-TO-USER

POWER USER

LANGUAGES

PC TUTOR

VIEWPOINTS

LETTERS TO PC MAGAZINE

PC ADVISOR

Joe Desposito/ Customizing help menus; inexpensive local area links; displaying scanned pictures; more on Agenda ... 27

BILL MACHRONE Pocket Computer Progress

The End of the Computer Dealer 71 Inside Track 73

IIM SEYMOUR

WILLIAM F. ZACHMANN OS/2—Ready to Take Off.85



STEPHEN MANES Prodigy: It Don't Get No Better Than This!

Direct Marketing

Connection 385
Marketplace 404
Index to Advertisers 429
Coming Up 431
Advertisers' Product
Index 432



Editoriai Director Paul Somerson

Advertising Office One Park Ave., New York, NY 10016, (212) 503-5100

Editor-in-Chief and Publisher Bill Machrone Associate Publisher J. Samuel Huey Executive Editors Bill Howard, Luisa Simone, Gus Venditto Workgroup Systems Editor Frank J. Derfler, Jr. West Coast Editor Lee The Senior Editor Mitt Jones Senior Technical Editor Robert L. Hummel Senior Editor, Technical Columns Craig L. Stark Managing Editors Greg Pastrick, Paul B. Ross Manager, Copy Edit Linda Louk Associate Editors Robbin Juris, Catherine D. Miller, Trudy Neuhaus, Edward L. Perratore. Donald P. Willmott Production Editor Diane D'Angelo Assistant Production Editors Jeanne Albrecht, Karen A. Carter Staff Editors Glen Becker, Kellyn Betts, Mary Kathleen Flynn, Jonathan Matzkin, Sharon Terder Jennifer Zaino Assistant Editors Elisa J. Hirsch, Stephanie K. Losee, Lonnie Lum, Michael W. Muchmore, Ann Ovodow, M. Stephanie Ricks, David Rosen, Juliann Sveda Editorial Assistants Fredric Burke, Alan Cohen, Lori Grunin, Susan L. Hayes, Stephanie Izarek. Ilona Price, Matthew J. Ross, Paula Secfeldt, P.J. Springer Proofreaders Joseph J. Antinori, Rink Murray General Business Manager Tom McGrade Associate Business Manager Allen Wollman David Baker Assistant to the Publisher Administrative Assistants Christina Okang, Freida T. Smallwood Editorial Secretaries Donna Alfred, Anthony J. Giglio, Wendy Murch Secretaries Mark Miller, Susie Shuttleworth Database Assistant Dolores Williams Contributing Editors Frank Bican, Douglas Cobb, Steven Cobb, Ray Duncan, John C. Dvorak, Stephen Manes, Michael J. Mefford, Edward Mendelson, Charles Petzold, Jeff Prosise, Robin Raskin, Winn L. Rosch, Neil J. Rubenking, Jim Seymour, Richard Hale Shaw, M David Stone Fithan Winer Manager, PC MagNet Christopher Barr Assistant Manager, PC MagNet Wendy W. Huang Editorial Liaison, PC MagNet Michael Cohn Sysop, PC MagNet Ross M. Greenburg Director, Design and Electronic Publishing Gerard Kunke Art Director Jerry Tortorella Associate Art Directors Charles Conover, Mariano Nicieza, Denise Piatkin Senior Graphic Designer Laurie Wance Assistant Art Director Natalie Chu
Layout Artists Leigh Margerison, Yvonne Valdenegro
Graphic Artists Gary W. Kaplow, Gerard Sarrantonio Director, PC Labs John Dickinson Manager, PC Labs Bruce Freeman Senior Project Leader Joe Desposito
Senior Programmers Stuart R. Greenberg, Salvatore P. Ricciardi Project Leaders Robert W. Kane, Pamela J. Milland, Bill O'Brien, Philip F.H. Rose, Randol Tigrett Network Manager Joseph F. Rizzo Network manager Joseph F. Rizzo System Support Specialists Mario Baldasserini, Stephen W. Plain, Charles Rodriguez Inventory Control Manager John R. Delaney Inventory Control Technician Peter Bastide PC Labs Coordinator Karen Williams Receptionist Janeen Collins Director, Marketing Kevin Russell Manager, Marketing Ellen Atkinson Manager, Market Research Nicholas Andes Public Relations Director Jessica Kersey Public Relations Coordinator Stacy O'Connell Subscription Director Paul Stafford Single Copy Sales Director Robert Woltersdorf Cherry Hill, N2 08034 Send S8 per soue (check or money order, \$9 Production Supervisor Susan DePierro Advertising Production Managers Michael Genzale, Vicki Egan Root Advertising Production Assistants Wendy Mylett, Maryann Pritchet Editorial Production Manager Dennis Fitzgerald Editorial Production Coordinator Melissa Maurer Production Systems Supervisor Linda Harms Production Systems Staff Melvin Foster-Poetsch, Charles Milbum Group Vice President William Lohse

THE DAYS BURNING COMPANY

President William Lohie Group Vice Presidents William Lobse, J Scott Briggs Senior Vice President, Marketing Paul H Chook Vice President, Operations Band Davis Vice President, Production Reger Horns

Vice President, Controller John Viaches, Vice President, Creative Services Herbert Sterr Vice President, Research Marian O What Vice President Classistics Det Loss Vice President, Circulation Services Janes Ranalcy Vice President, Marketing Services — Ann Pollak Adelman Vice President, Classified Advertising — Alicu Maric Ivans Vice President, Development — Seth Alpert

Director of Planning Gury A Gustafron Production Director Walter J Terlecks ZIFF COMMUNICATIONS COMPANY

Chairman William B Zell, & Vice Chairman Philip B Kersani President Kenneth H Koppel Executive Vice President Storben C Kahler Senior Vice Presidents Philip Sinc , Hugh Turyen Vice Presidents Donna Dorn, Steven C Fermun. J. Malcolm Morros, William Philips Secretary Bertrum A Aberry

HOW TO CONTACT THE EDITORS

The editors of PC Magazine want to hear from you. Compliant questions, and, of course, compliments should be sent by letter to One Park Ave., New York, NY 10016-e's probably the best way to reach us. You can also reach us electronically via MCI Mail (our account number is 157-9301) or by leaving a note on our lateractive If nothing but a human voice will do, call us at (212) 503-5255

We are unable to look up tout stones, recommend products, or agnose problems with your PC by phone. If you bought a product advertised in PC Magazine, are dissatisfied, and can't enotine the problem, wrate (do not call) Michael Gratzon, Advertising Depart

ment, at One Park Ave. Include copies of correspondence PC Magazine is under no obligation to review unsolicated prod acts. All subsciss ons accorded for publication become the property

PC MAGNET

PC MagNet, an on-line service, is a source for PC Magnetine's utilis ties (both programs and source code), the PC Labs Benchmark Test programs, and an undex of articles proped in the maragine. Callers can upload submissions to PC Magazine's Productivity section and join forum to discuss articles printed in PC Magazine with the authors and other readers PC MagNet provides electronic must and a gareway to CompuServe. For more information see the Productivity oction or call (212) 503,5106 PERMISSIONS REPRINTS

Material in this publication may not be reproduced in sey form without pennission. If you want to quote from an article or use PC Monpr's logo in conjunction with an Editor's Choice designation, write Jean Lamensdorf, Lucensing Director; for information on reprints, write Jenselev Locke, Zell Davis Publishing Co., One Park Ave. New York, NY 10016

SUBSCRIPTION OUTSTIONS If you want to subscribe to PC Monazine, if you have a gas about your subscription, or if you'm avoying, call or write rise, P.O. Box 54093, Boulder, CO 80322; (303) 447-9330 A 1-year subscription (22 issues) costs \$44.97. Canada and former and \$17.00 per year. New aphyrophony and address changes take 6 to 8 weeks to process. For back issues, write Februs Hunter, Back bisses Department, PC Magazine, P.O. Box 5995

Editorial and Business Office: One Park Ave., New York, NY 10016 Editorial CEL's 505-5255, Adventuring (212) 505-5100. PC Managine is an understand assembly not officiated as new way with International Barrier ness Machines Corporation. IBM is a registered tradernals of leas Business Machines Corp. Exerc contrats Copyright C 1989 225-Days Patriobine Co., a droppin of Ziff Companyation, Co. All notes as served, reproduction as whole or an part without persussion is per The following are implements of Zell Communications Co., PC, PC, The Independent Guide to IRM-Standard Personal Computing, PC Mag PC Mart. PC Labs., PC-Communiqués, PC Tutor, User-to-User, Power

Cinec, The PC Utilities, PC Lab Notes, PC

Adresor, First Looks, PC Pipeline, PC MagNet

IF ANYONE TELLS YOU THEIR MOUSE OUTPERFORMS MITSUBISHI'S, THEY'RE SLIPPING YOU A MICKEY

We proudly present three reasons why Mitsubishi will soon be the mouse you'll see scampering across more and more desktops:

M-Mouse, E-Mouse and S-Mouse. These fast-moving, versatile mice are now showing up in every field in America. And with good reason. Because Mitsubishi understands the importance of building a mouse that meets the user's standards of speed, comfort and reliability across a range of DPI

requirements. And with that in mind, we built three mice designed to provide you with performance that you can rely on time and time again.

M-Mouse: luxury features at a 200 DPI price -The Industry Standard.

Designed for a wide range of applications, the 200 DPI M-Mouse is completely compatible with all IBM or IBM-compatible PCs with serial ports. It features a rugged, two-button dual control system that uses reliable optomechanical encoding and single chip control circuitry. Best of all. M-Mouse fits comfortably in your hand and scoots along on Teflon™ feet and a silicon coated ball for incomparable movement. response. No external power or special pads are ever required.

E-Mouse: the only 400 DPI serial mouse available.

Combining microprocessor technology with super precise opto mechanical technology, E-Mouse provides you with the highest possi ble resolution ever in a serial mouse-400 DPL. What's more, you can

connect it directly to your PC's serial port without opening your machine and using up valuable expansion slots. Just plug it in and go!

And E-Mouse is completely MicroSoft® compatible too. Its 15 pop-up menus let you control cursor

movements even in applications that don't usually support mouse devices. S-Mouse: the only variable resolution

hardware-driven mouse available. For the first time ever, Mitsubishi offers a ner

generation mouse that provides exponential tracking from 200 to 800 DPL Armed with a self-contained microprocessor control, S-Mouse can go from 10 to

13.8 inches per second with just a flick of your wrist. It's perfect for window environments, graphics, desk top publishing operations and any other applications that require high resolution graphics and use today's new larger CRTs. And like all other Mitsubishi mouse devices, S-Mouse is comfortdesigned for hours of fatigue free operation.



Each mouse device can be purchased stand-alone, or bundled with any of the following programs:

Drafix/CAD, EGA Paint 2005, Byline 2.0

To order or to find out more about Mitsubishi mouse devices.

CIRCLE 233 ON READER SERVICE CARD

The Diconix 150 printer. Completes The silent partner



most any system. Quietly. that fits in a briefcase.



Give us an inch...



...and we'll give you
five outlets,
a master switch,
surge suppression,
noise filtering,
static protection,
low voltage indication,
and a swivel.
MasterPiece Plus



Convenient Master switch powers up your whole system. Master LED warns of any damage to your surge suppression circuitry.



Anti-static nameplate dissipates harmful static. Unique low voltage indicator warns of dangerous low power conditions.



Additional modem/phone line surge protection protects modem and data. Swivel lets you adjust your monitor.

That's right. Master Piece Plus gives you everything you need to protect and organize your entire personal computer system by adding just an inch and a half to its height.

Master Piece Plus blends in perfectly with any personal computer. Just slide it in between your monitor and system unit, and plug your equipment into its five outlets for complete power control.

Master Piece Plus offers a convenient master switch that lets you power up everything at once, and individual switches that let you control your peripherals separately. Touch the master switch to shut down and you'll never accidentally leave anything running overnight.

Master Piece Plus offers the most complete protection available. Its heavy duty surge suppression circuitry exceeds stringent UL and IEEE specifications. Its noise filtering circuitry protects against EMI and RFI. Its two protected phone jacks protect your modem (and computer) against surges and spikes on the telephone line. And its nameplate even dissipates harmful static whenever you touch it.

Master Piece Plus also offers a unique low voltage indicator that alerts you when your power level drops below the safety of 104 Volts, to warn you of dangerous low power conditions.

Master Piece Plus even offers a hidden swivel base that lets you adjust your monitor to the most comfortable viewing angle. (Easily detachable if your monitor already has a built-in swivel.)

Call 800-535-4242 or 212-475-5200 for the name of a Kensington dealer near you. Or write to Kensington, 251 Park Avenue South, New York, NY 10010.



Setting new standards of performance.

THE BUS STOPS HERE!

CompuStar: PS/2 and PC/AT Compatibility.

Ask any computer expert about what type of system you should buy nowadays and you'll likely get a "pass the bus" response. Somethise — "Well, uh, the PC/AT" bus is your best buy but, then again, the new PS/2* bus may become the next industry standard." Great advice, right? If trying to decide on a microprocessor weren't tough enough, now you're expected to pick a bus, too.

RELAX, NOW THERE'S COMPUSTAR[®].

The all new CompuStar from Wells American not only lets you interchange microprocessors, you can also mix and match buses — a PC/AT bus, a PS/2 bus or. . . both. As your computing needs change, simply snap in a new processor or add an extra bus, You'll never again have to worry about buying the wrong computer system.

William III

FOUR COMPLETE SYSTEMS IN ONE.

The CompuStar can be configured with any of four microprocessors — an 8086, an 80286, an 80386SX, or an 80386. The processor and up to 16 megabytes of user memory have all been combined, using the latest VLSI technology, on a single, plug-in CPU module. Plus, any time during the first year of ownership, CompuStar users can . "trade-in" the CPU module they initially selected toward the

purchase of any of the other more powerful modules. Nobody but Wells American gives you this kind of value.

A CONVERTIBLE BUS?

No, we're not. In fact, it may well be the most practical microcomputer innovation ever. Say you've selected an AT compatible CompuStar and later want to add PS/2 compatibility. No problem! Snap in a PS/2 Bus and Adapter Module and you can use both buses in the same system. Likewise, if you've selected a PS/2 compatible CompuStar and decide you want to add an AT bus, ust snap in an AT Bus.

Module. Depending on configuration, the CompuStar can have up to 13 bus expansion slots — all AT slots, all PS/2 slots or a "splitbus" of AT and PS/2 slots. No matter which bus becomes the

next industry "standard," you'll have peace of mind knowing your investment in a CompuStar will be protected.

The CompuStar is also easily expanded. That's because there are seven CompuStar disk/tape compartments — six accessible from the front and an additional full-height bay inside. All this in a sleek, compact tower design that will leave more room on your desktop than any of the so-called "desktop" models.

A NEW IDEA FROM AN OLD COMPANY.

The CompuStar® Multi-Processor, Convertible Bus™ dictoromputer. It's no surprise that our engineers invented it. After all, we've been making microcomputers longer than anyone else. . .even longer than IBM! And if that kind of experience doesn't impress you, CompuStar's service proms surely will. You can select an optional overnight module swap-out plan or on-site service from General Electric Corporation — one of the most respected names in consumer electronics. And, of course, every CompuStar carries a full one-vear factory warranty.

FINALLY, AFFORDABLE TECHNOLOGY.

Think all this technology sounds expensive? It's not. CompuStar 20MHz 80286 systems start as low as \$1995†. There are also inexpensive 8086 and powerhouse 25MHz 80386 systems

available. Plus, there is a wide variety of CompuStar display, tape and disk options including a one gigabyte erasable optical disk. You can choose a factory preconfigured CompuStar or custom design

one yourself.



Just unlock the front panel and literally "snap-in" a bus, CPU, memory or disk module in a matter of seconds. It's system flexibility never before available. . .at any price.

While one of our competitors (we won't mention any names) threatens you with "missing the bus," most simply pass the bus. Our new CompuStar, however, eliminates the bus problem altogether. Not to mention the processor problem. Even the expansion problem. Prove it to yourself. Call today about our 31-day trial offer. Oh, and by the way, the next time anyone asks, tell "em you know where the bus stops.



Corporate Headquarters: 3243 Sunset Boulevard West Columbia, South Carolina 29169 • 803/796-7800 TWX510-601-2645 • FAX 803/796-7029

LETTERS TO PC MAGAZINE



SUPPORTIVE REVIEWS

I read with incredulity and disbelief your Editor's Choices ("Take It or Leave It: Portables with Desktop Power," PC Magazine, October 11, 1988). The words warranty, service, and support don't appear



one single time in your review. Do you think these words might matter to an end user who has gone out and invested \$5,000 in a computer system?

Clark Atkins Kirkwood, Missouri

I believe that your reviews of computer products should include the quality of the technical support the company provides. Two recent experiences with software companies have gotten my gander up. If I had been aware of their support policies, I would have thought twice before making the purchases. PC Magazine's reviews of these products were at least partially responsible for influencing my purchase decisions.

Glen Susser New Milford, New Jersey

PC Magazine is aware of the support issue and hasn't found an easy solution to the difficulties of evaluating it. See Bill Machrone's column "Support: The Stumbline Block" in our November 29, 1988. issue.--Ed.

GETTING THE LAST LAUGH

If my old 8088 is doing the iob in a satisfactory and timely manner and I see nothing happening on the leading-edge computers that I can't do on my "obsolete" machine, then why should I be concerned

("Feelings of Inadequacy: Capitalist Tool, "Stenben Manes, PC Magazine, September 27, 1988)? So what if my colleagues laugh at me. When I finally do upgrade, it will be to a proven technology that has gone past the infancy and buggy stages into a fully developed, workable system.

S. R. Perry Valleio, California

WINNING IDEA

I was pleased to read Bill Machrone's comment that "a magazine is a magnificent random-access device" ("Computer Magazines' Electronic Spinoffs Give Readers a Quick Way to Talk Back." The Wall Street Journal, October 19, 1988). For years I have been an advocate of the concept that a properly designed and bound document is indeed a very good random-access device, but I have found few who can appreciate this idea

Henry W. Woolard Fresno California

THE RETURN OF XYWRITE I believe we can now lay to rest the question of the alleged difficulty with learning and using XvWrite III Plus. The newest version contains XvQuest's A La Carte Menus, which provide an excellent pointand-shoot capability.

XyWrite has always been the acknowledged speed demon of advanced word processors, and now it is as easy to use as any word processor in its class. When the word

gets out, I expect that XyQuest will finally capture the market share that its clearly superior product deserves.

Dr. Stephen Risik York, Pennsylvania

A NOVEL XPANSION

Once again, PC Magazine and Michael J. Mefford are to be commended for coming up with an innovative and useful tool that is also a good learning device for software developers ("Resize Your EMS RAMdisk on Demand," PC Magazine, October 31. 1988). XPANDISK is the first disk 1've seen whose dimensions can be changed dynamically. Keep those interesting programs coming!

> Ben Myers Harvard, Massachusetts

TOO MUCH TOO LATE

It is a mistake to call the NEC UltraLite a 4.4-pound laptop (First Looks, page 33, PC Magazine, November 15, 1988). With a 2-hour battery life, this machine is really a 5.6-pound, two-piece pain.

Remember the Convergent Technologies Workslate?

That machine weighs 3 pounds and measures 1 by 81/2 by 11 inches. Features include a built-in 300-bit-persecond modem and

a micro-tape drive, and the Workslate feeds its own battery-powered micro-

printer, which measures 2 by 5 by 81/2 inches. And, while it's not as powerful as the UltraLite, it was available 6 years ago. Douglas M. Rapp

Battle Creek, Michigan

New Software for the PC

hoose any 4 of these top selling programs for only \$1 when you send for your trial subscription to Sharewarethe only magazine in America that tells you about free software, low cost software and software you won't find from any

You are not required to huy anything else ever. Money back guarantee if you are not totally satisfied with your first issue of Shareware magazine! Just select the disks

you want and call our 800 number. Top 20 Best Sellers

- □ Edraw Draw schematics, block diagrams, flow-charts—even printed circuits, #628 Req. CGA or EGA AutoMenu Point and shoot to run all your programs, #506 Req. Hard Disk PC-Rie+ Database handles 71 data files, each with 65,000 records #5, #730, #1015 (3 disks) -Req
- Hard Disk Greatest Arcade Games Save your quarters! Here's Flightnave, Jurnisin, Joe. Spacewar to test your skills. #457. Rhig CSA. I Patrick's Beet Seven more tavorite arcade type games Bugs. Castle, 3d Padman. Spacewar & more! #419-Flee, CSA.
- ☐ EZ-Forme Design and print your own specialized business torms in minutes, 4404 Req. Hard Disk ☐ Side Writer Spreadsheet or report too wide to fit.
- 3 Sie Wiele Spreadheit or noort to wile in 10 ma. page? New plan on price throat otherwise? 853 a page? New plan or price throat otherwise? 853 a 1 teringum, date. 843? It seems that it spreach, Gar Carry C

- PC-Write Word processor of great popularity with Fortune 500 companies, #78, #627, #1235 (3 disks) PC-Deskiteem Deskipp organizer gives you calen-dat, notepad, dialer & more: #405
- CSI, notepido, craiser a more: #445 LQ Printer Utilities Brings near letter quality to you dot matrix #718 dot matte: #718

 Family History Tack, your family history and genealogy #351 -#622 (2 dieks)
 Home inventory Keep track of all you own for insurance purposes or to find things #395

 PC-Cates-Sprandsheet by Buren handles 16,000
 colls, does gragns & has hunnal #199, #1016, #1017
 [3 disks] -Right Hard Disk

mpts whenever
cked \$1

4 Disks for	\$1
1 year subscription to Shareware Magazine	\$20
Subtotal_ In CA add 7% state sales tax_	
Shipping and Handling_ TOTAL	\$4

Payment by: Card No . Exp. Date ____ Sig. Name _ Address



Offer good for 4 disks only. Expires Feb. 28, 1989

To Order Call 800-245-6717

LETTERS

THE MYRASE MYTH

I feel Donald Trivette's comments regarding MyBase were misleading (First Looks. page 56, PC Magazine, October 11, 1988). I have used MvBase for several months in a retail location and have found it to be superb. MvBase imports my inventory database to make pocket-size crossreference books, cross-references my customers' resale tax numbers, and allows me to place memos in the listings. More programs should be as easy to use, and as well supported.

Deer Park, New York

Steven Grad

SOUTHERN EXPOSURE

John C. Dvorak's comment on the Americanization of the South reflects poorly on his judgment and his respect for the rich diversity of our nation ("Canada, O Canada," PC Magazine, October 31, 1988).

No region has a monopoly on "Americanization." The contributions of Tennessee Williams and



ty and the Southern drawl compares favorably with the accents of Brooklyn or New England.

Stephen S. Entman Nashville, Tennessee

I must protest the prejudice of your acerbic columnist, John C. Dvorak. It is one thing to rail against products, but quite another to rail against people. In one article, Mr. Dvorak managed to "trash" millions of people in Canada and, for good measure, several million in the southern United States ("Canada, O Canada"). 'Americanization" is certainly not the apex of civilization. In fact, many people

would say otherwise. If the people of Canada and south Alabama have resisted the kind of "Americanization" that Mr. Dvorak seems to espouse, I say good for them. Charles E. Chaple

San Clemente, California

As an American living in Canada, I am very disappointed in John C. Dvorak's highly prejudiced view, which is based on a I-day visit ("Canada, O Canada"). His xenophobic view of anything that is not

Mr. Dvorak's viewpoint brings to mind the

"Ugly American" we experienced with Nixon's visits to South America.

"American" is rather pathetic. He even insults his fellow Americans from Alabama and the rest of the South. I wonder what his definition of "American" is? His viewpoint brings to mind the "Ugly American" we experienced with Nixon's visits to South America.

Kathlene Willing Toronto, Ontario Canada

John C. Dvorak should be told that the maiority of Canadians are against the Free Trade Agreement, and that it is only because we have political freedom and three parties that the Conservatives, with only 42 percent of the vote, are going to get their way ("Canada, O Canada").

K. Taylor Niagara Falls, Ontario Canada

Canada's historic economy has been one as a supplier of resources to the U.S. ("Canada, O Canada"), Our resourcebased economy is victim to a periodic boom-and-bust cycle because we're dependent on the health of the U.S. markets. Because of the stormy international economy of the present day, and because of an uncertain U.S. role in the global marketplace, many Canadians feel that it's time to diversify our economy and lessen our dependence on the U.S. economy.

Our software industry is one that is often held up as a model of economic diversification. The free trade deal will weaken our



You have multiple PCs, laptops, PS/2s* and ATs. Some 5 1/4" and some 3 1/2" computers. You need to move files between any and all of them... 3X-LIMK16* IS FOR YOU. BESIDES. 3X-LIMK16* allows you to share printers and automate backups.

3X-LINK16.

Your file transfer solution...

- is up and running in seconds.
 connects up to 16 compatible micros through
- their parallel ports.

 allows you to attach your printer through the
- allows you to attach your printer through the same port.
- transfers files at 500,000 bps.
 - copies files from remote micros in background, without interrupting remote programs.
 - supports cables up to 400 feet.

In addition, 3X-LINK16...

- automates repetitive file transfers with its autoscript features.
- allows you to send messages to any connected PC with its Internal E-Mail system.
- lets you share any connected printer with its spooling option.



ort

3X-LINK16 outperforms the competition

SUMMARY OF FEATURES	3X-LINK10*	Lap-Link*	Brooklyn Bridg
Maximum number of PCs linked	16	2	2
Connects to parallel port	Yes	No	No
Transfer speed (bps)	500,000	115,000	115,000
Transfers in background	Yes	No	No
Shares printers in background	Yes	No	No
Dual window interface	Yes	Yes	Yes
Cable supplied	12 Ft.	6 Ft.	6 Ft.
Automated file transfer	Yes	No	No
Check space before sending	Yes	No	No
Internal E-Mail system	Yes	No	No

THE CHOICE IS YOURS !

3X-LINK16 comes complete with 3 1/2* and 5 1/4* software diskettes, parallel connectors, and a 12 foot cable... all you need to connect two PCs for only \$199. Additional stations can be added for \$139 each

And you get our 30-day money back guarantee to insure your satisfaction.

The only thing easier than choosing 3X-LINK16* is using it.

For more information or to order 3X-LINK16*,

contact your local dealer or call: **800-327-9712**, or FAX: (201) 592-0908, or in N.J.: (201) 592-6874

3X-LINK16, PS/2, Lap-Link, Brooklyn Bridge are registered trade marks of 3X-USA, IBM, Traveling Software, White Crane Systems.



3X USA Corp. One Executive Drive Fort Lee N.J. 07024 Phone: (800) 327-9712

Hardware, Software, Any-

Software		Graphics		Hardware*		Emulation Boards	
Word Processing/		Chartmastar	\$ 219			AST 5251-11+	\$
Desktop Publishing		Design CAD	\$ 159 \$ 259	Computers		IRMA II PCA/MCA	\$
dicrosoft Word	\$ 229	Diagraph Diagram Master	\$ 209	AST Premium 286 Samsung S550 40 Meg	\$1475	Monitors	
Multimate Advantage II	\$ 269	Lotus Freelance Plus	\$ 329	w/EGA	\$1750	Amdek 410A	_
otus Manuscript	\$ 339		\$ 329				ş
Office Writer/Speller	\$ 259	Graph Plus Micrografx Designer	\$ 329	Toshiba Laptop T1000	\$ 850	NEC Mutrisync II	ş
Pagemaker 3.0	\$ 529	Harvard Graphics	\$ 279			NEC Multisync GS	S
FS:Professional Write	\$ 119			Multifunction Boards		Princeton HX-12+	
bublisher's Type Foundry	\$ 259	MS Chart	\$ 269	AST Rampage +286	\$ 549	Princaton MAX-12E	ş
SPF/PC	\$ 159	PC Paintbrush Plus Pictura Parfect	\$ 89	AST 6 Pak Plus (64k)	\$ 129	Samsung Color	\$
Sprint	\$ 129			AST Rampaga/2 (0k)	\$ 189	Zanth ZVM 1490	\$
/entura Publishar	\$ 469	Prasentation Pak	\$ 229	Everax RAM 4000	\$ 299		
VordPerfect 5.0	\$ 229	Publishers Paintbrush	\$ 159	Inboard 386AT	\$1129	Printers/Plotters	
Vordstar Pro 5.0	\$ 259			Inboard 386PC	\$ 799	Epson FX-1050	\$
Vordstar 2000+ 3.0	\$ 259	Project Management		Intel AboveBoard Plus	\$ 439	Epson LQ-1050	\$
write III Plus	\$ 219	Harvard Total P.M.III	\$ 449			H-P 7475A	\$
	4 213	Microsoft Project 4.0	\$ 329	Display Boards		H-P Lasarjat II	\$
atabase Systems		Superproject Plus	\$ 289	ATI EGA Wondar x 800	\$ 259	Epson LQ-500	\$
Apper	\$ 449	Timelina 3.0	\$ 349	Paradise VGA Plus	\$ 289	NEC 5300	Š
Base IV	\$ 469			AST VGA	\$ 279	NEC P2200	Š
Base III Plus	\$ 439	Languages/Utilities		AUT YOR	9 210	Okidata 320	s
ataease	\$ 389	Fastback Plus 2.0	\$ 99			Okidata 321	Š
ataPerfect	\$ 309	Lattica C	\$ 229	Moderns		Okidata 393	Š
oxbase Plus	\$ 189	Norton Advanced	\$ 79	Hayes 1200/1200B	\$ 299	Okidata 293E	Š
aradox 2	\$ 479	Microsoft C	\$ 299	Hayes 2400/2400B	\$ 449	Panasonic printers	•
FS Professional File	\$ 179	Mace Utilines	\$ 65	Practical 1200 Internal	\$ 79	Complete Hand Scanner	•
Base for DOS	\$ 469	MS Fortran 4.0	\$ 299	US Robotics 2400B	\$ 159	Toshiba P321SL	š
		Quick Basic/Quick C	\$ 69	Vantel 2400/2400B	\$ 389	Toshiba P341SL	š
preadsheets/		Turbo Basic	\$ 65	Intel 2400B/2 (PS/2)	\$ 279	Toshiba P351SX	S
ntegrated Packages		Turbo Pascal 5.0/Turbo C	\$ 99			Logitach Scanman	ŝ
	\$ 89	Turbo Pascal Prof/C Prof		Networking		Logilacii ocariiriari	۰
otus 1-2-3	\$ 309	10001000011010110		Arcnat Board - SMC	\$ 149	Mass Storage/Backup	
	\$ 269	Accounting		Novell Adv Natwara 286		Remouli II Dual	s
	\$ 99	AccPac BPI	\$ 279	2.12	\$1950	Irwin Tape drives	3
ucid 3-D	\$ 79	Great Plains	\$ 499	Novell ELS	\$ 450	Mountain 40MB Int.Tape	s
	\$ 309	Peachtree Complete II	\$ 159	Tons for DOS	\$ 119	Plus Hardcard 20	Š
	\$ 109	r dacratee complete it	4 155	1000 0 000	* 110	Plus Hardcard 40	Š
	\$ 209	ATTENTION		PORATE BUYER	20.	Seagate ST251-1	Š
	\$ 149	AIIENIIUN	LUK	PUKA I E BUTEI	19:		Š
	\$ 449	0/0777	737	CSIMILE ORDER SYST		Saagate ST225 w/int.	
	\$ 299	2000	S# FA	CSIMILE URUER STS	EM	Seagate ST238 w/int.	s
otus Symphony	\$ 459	6/1/4	718) 43	8-2315 or (718) 972-8	346	Sysgen Bridga	s
ommunications		2/14/	,	0 2010 01 (110) 012 0	010		
	\$ 119	Your Corporate Pun	chase Ord	er is guerenteed priority her	nd-	Input Devices	
	\$ 99			If exclusive SOFTLINE FAX		Keytronics KB101 keybro	
	\$ 125			and other communications	will	Logitech Hi-Rez Mouse	\$
	\$ 89	also receive prompt	attention			Microsoft Mouse	\$
	\$ 59	ATTENTION	INTER	NATIONAL BUYE	DC.	PC Mouse w/Paint	\$
	\$ 159	ATTENTION					
marterm(Persoft)	call	2/22/11	IT SO GL	OBAL ORDER SYSTEM		Accessories	
	\$ 149	2011		7-30170 or 910-240-3		Curtis Ruby	\$
	ə 149	GIG WAY SINE				Datashield S-100	S
atistics		Int'l.Fax	(IIInes [/	18) 438-2315 or 972-8	340	Logical Connection	s
	\$ 699	SOUTH INE TEL YOU	NTE meur	es prompt response for all v		Masterpieca Plus	\$
	\$ 569			es prompt response for all y t may be made by bank chac		256k Ram Set	
stat 4.0/w/graphics \$51				sa Goods are shipped via A		8087 Math Chip	\$
	\$ 369			orders) or Air Frieght Add fr		80287-8/80287-10 \$2	59
esktop Environments				are shipped freight collect.	en/kur		59.
S Windows 286	\$ 69	coats to prepayment	. v. 4000s	ere amppeo weight collect.			
dekick PLus	\$129					*CALL FOR SHIPPING	2

Celebrating 6 Years of Service
1-800-221-1260

Cuttor are size South State Mon-An

Country are size South State Mon-An

The Per Dirt State and Int. Lett [1916] 438-6557

line where. Delivers!

MAGAZINE CHOICE

winners at super low prices!

\$219







FOXBASE PLUS



VENTURA PUBLISHER















Ask for one of these great PC MAGAZINE tee shirts when you place your order.
A \$10 value, it's FREE with your order of \$500 or more, while supplies last!


AST PREMIUM 286 Model 80 1475





1-800-221-126 TELEX: 627-30170 or 910-240-3918 FAX: (718) 438-2315

It's 11:05 am. If you had our accounting software, you'd know where your business is.



"Purchase

more P.O.'s."

Orders are close to sales this month. I'll call Mary and but the brakes on any more P.O's for a while"

11:07

can pick up

sales volume

with some bromotious."

> Let's forecast where these unmbers will be at the end of the month."

PTB Gross Hargin-

11:08

Het Cash Forecast

"Last week's cash forecast was \$4,000. We're looking much better. We can but some into CD's."

18378.62

There's a lot to a business, and it's tough to know where all of it is, all of the time. That is, unless you have the Database Accounting Library" from SBT.

33292.31

Enter Choice (Forecast/Recalculate/Print/9sit) -> 3

It offers a Business Status Report that is a complete control panel for your business. A set of instruments that gives you up-to-the-second status on what you're selling and what you're buying. On what you owe and what you're owed. Right up to the last item entered.

Which means you know virtually everything about where your business is, right now, And with a single keystroke you can project those current results to the end of the month. So you can decide when to trim and when to spend.

We also provide 15 different accounting modules to choose from. That means your business gets exactly the applications it needs, and only those it needs.

Modules start at just \$295, run on all popular computers and multi-user

environments, and come with an unprecedented five year warranty. So at 11:05, or any other time of the day, the SBT

Database Accounting Library can help you know exactly where your business is. Call your nearest SBT dealer today. Or call SBT at

800/227-7193 (415/331-9900 within California). Or write us at One Harbor Drive, Sausalito, CA 94965. CIRCLE 470 ON READER SERVICE CARD

More than accounting. we stand for better business. C Conymobs SBT Corp. 1989. Trademark/corper: Datab







■ LETTERS

ability to plan our own economy at a time when we need it most, and possibly cripple such growing industries.

Stuart Morris Whitehorse, Yukon Territory

Canadian releases of most software come months after the American release and are almost always more expensive here ("Canada, O Canada"). Many users are

 It's unlikely that the economy of the U.S. will feel more than a brief tremor if the Free Trade Agreement is approved.

forced to buy gray-market software to support their fresh software, imported from the U.S. by a broker. This is usually a much cheaper alternative to buying the

"Canadian" release. Maybe free trade will mean a better market for users, if it can stop the manufacturers from ignoring (or ripping off) the

Canadian marketplace. Greg Potts Scarborough, Ontario Canada

Many Canadians are wary of the proposed Free Trade Agreement simply because no one can guarantee its exact effects on our country, its economy, and our way of life ("Canada, O Canada"), Our approach to business affairs is a conservative one, and we prefer the thoughtful to the reckless.

It's unlikely that the economy of the U.S. will feel more than a brief tremor if the Free Trade Agreement is approved, but it may have devastating results within our proportionately smaller population. Some of us feel that it would be better not to get into bed with the elephant-the risks are too great.

Gary Wagner Inuvik, Yukon Territory Canada

What's holding up the free trade deal? Canadian opinion. We don't all consider such a deal to be a benefit to Canada-as the egotistical Mr. Dvorak seems to think we should ("Canada, O Canada").

Murray McKenzie Toronto, Ontario Canada

Some Canadians fear the Free Trade Agreement ("Canada, O Canada"). This is mostly due to the difference in the sizes of our mutual economies. Whilst the biblical story of David and Goliath may be charming and reassuring spiritually, we all know what would happen in the streets of New York City under the same conditions. Andre Mullette

Saint-Leonard, Quebec Canada

OVERLOOKING THE OBVIOUS

The author of the VersaCAD Design review ("High-End CADD: Expanding to New Directions," PC Magazine, August 1988) appears to have been unable or un-

willing to come to F grips with some quite elementary aspects of a package that tyro CADD users find immediately productive. Reviewer Caroline

Halliday seems to have totally ignored

Joel Orr's suggestion of talking to existing

Failing to advise readers that the 2-D module can be nurchased separately as a standalone module is a serious omission because the average drafting office gains at least 80 percent of its revenue from 2-D work. In addition, some of the comments about the Multiline and Modify functions are misleading, and the paragraph on menu hierarchy and structure is drivel.

Bruce Bowditch Mentone, Australia

HOW TO WRITE TO PC MAGAZINE Send letters to PC Magazine, One Park Avenue, New York, NY 10016, or through PC MagNet. All letters become the property of PC Magazine and are subject to editing.

SPF/PC

Bridging the Micro-to-Mainframe Editing Gap

Now you can re-create the mainframe editing environment on your own PC with SPF/PC, the only PC editor functionally equivalent to editing with ISPF/PDF Version 2, Release 2 on MVS.

Files of virtually any size may be edited with SPF/PC because it uses all extended or expanded memory, or disk drive work space.

Mainframe users will especially appreciate SPF/PC's familiar commands, fast PC processing and micro-to-mainframe file portability. SPF/PC also offers:

- True split screen
 - Directory/member lists
 - Command stacking
 - Binary file editing
 - Hexadecimal editing Network support

Want proof? Ask for a free, interactive demonstration diskette.



SPF/PC® - so much like the real thing, you'll forget you're editing on a PC.

> Command Technology Corporation

1900 Mountain Blvd., Oakland, CA 94611 Phone: (415) 339-3530 FAX: (415) 339-3883 Orders only: (800) 336-3320 (Canada, U.S.)





talection, quelity, end service
Today, with a selection of over 1,000
items in stock, our goal is still to make

your every purchase convenient and hassle-frae.

Your Credit Card is not charged until

your order is shipped Orders enving before 3:00 PM our time will be shipped out the same day. We insure your order at no axtra cost. Tussey is a financially strong and well

Tussey is a financially strong and well established company.

Our horwiedgable sales staff is well treined and ready to asset you.

For the sales sales staff is well treined and ready to asset you.

I handling system assures your order is shopped out accountely and on lima.

30 Day Satisfaction Guarantee Your complete satisfaction is greatly and your property. Any Swen composer system may continue the sales and the sa

Technical Support is Toli-Free Our Technical and Service staff is on call Mon-Fri 9-5 EST to make sure that you get the most from your system.

1 Full Year Warranty
All Swan products include a full 1 ya
warranty on both parts and labor. A
second year SEW (Swan Extended

Call or write for deter's. Fast Delivery ... Wa ship within 24 hours."

vie anip Within 24 hours.**
Them sturned must be as new whould modificate or disrage. All vermons core, menutes and postaging must be included. Return shaping must be present and resurd, bearing a PAIC Plearing Autorozator Code in a shaping late! Sony - shaping draiges are non-shorable.

Swan 286/12

undstrie. Dustom configured systems may take longer

\$1099

12MHz/0 Wait State

80285 12/6 MHz 80285 12/6 MHz Phoentz BIOS 512K of RAM Expandabla to 1MB 0 Wast Stata 200W Power Supply 1.2MB Floppy Driva Ports: 1 Seriet, 1 Parallal, 1 Game

8 Expansion Slots

ationa: #0287 Coprocess Upgrade to 1M8 31/2" Floppy Drive SWAN/MS-DOS (3.3) add \$69

se System with 1.2MB Drive. sembled & Tested ISMB AT Compatible -DOS® OS/2® Compatible

Duel Floppy Dual H.D. Controller

101 Key Enhanced Keyboard Clock Calandar w/Battary Backup Swen Setup & Utilities Diskette

XT AT and CS2 are regelered trademarks of international Stanness Machines MS-COS a a registered trademark of Microsoft Corp.

VIDEO OPTION ve Options Mono 14" Flat EGA VG gle Floppy \$1249 \$1298 \$1648 \$17

of shipmant for a full refu

Swan XT10

\$549 10MHz/0 Wait State

6088-1 10/4.77 MHz Phoenix BIOS 640K of RAM

150W Power Supply Ports: 1 Seriel, 1 Parallel, 1 Game

Ports: 1 Seher, 1 Parame, 1 8 Expansion Slots Single 360K Floppy Drive 101 Key Enhanced Keyboard Clock Calendar w/Battary Backup Swan Setup & Utilities Diskatta

8087 Coprocesso 31/2" Floppy Drive SWAN/MS-DOS (3.3) add \$89

VIDEO OPTIONS Mono' CGA EGA VG \$979 \$1149 \$1379 \$147

20MD (65mm) \$205 \$1165 \$1304 \$14 Includes Single 360K Floopy Drive Liberarie Inch 12" in 14" Flat Screen, and 545

Swan 386/16

\$1999 16MHz/0 Wait State

Assembled 8 Tested ISM® AT Compatible MS-DOS®, OS/2® & UNIX® Compatible 80386 16/8 MHz Norton V4.0 SI 17.8

Phoenix BIOS 1MB expandable to 16MB RAM on 1MB axpandabla to 16MB RAM on 32 bit memory card 80287 & 80387 Coprocessor Sockat 200W Powar Supply 1.2MB Floppy Drive Ports: 1 Senal, 1 Perallel, 1 Gama Dual Floppy Dual H.D. Controller

8 Expansion Slots 101 Key Enhanced Kayboard Clock Calander w Bettery Backup Swen Setup & Utilitias Disketta

Upgreda to 2,4,6,10,16MB 80287 or 80387 Coprocassor

31/2" Floppy Drive SWAN/MS-DOS (3.3) add \$89

SWAN VIDEO **OPTIONS**

INCLUDE:

OPEN: 8:00AM - 11:00PM Mon - Fri, 10:00AM - 8:00PM Sat, 12:00PM - 8:00PM Sun East Coast Time

Swan 286/10

\$999 10MHz/0 Wait State e System with 1 2MB Drive, embled 5 Tested IBMS AT Compatible DOSE OS29 Compatible

80286 10/6 MHz Norton V4,0 SI 11.2 Phoenix BIOS 512K of RAM Expandable to 1M8

512K of RAM Expandable to 1MB 200W Power Supply 1.2MB Floppy Drive Ports: 1 Senal, 1 Perellel, 1 Game Dual Floppy (Dual H.D. Controller 8 Expansion Slots, 6x16 bt, 2x8 bit 101 Key Enhanced Keyboerd Clock Calender w Battery Backup Swan Setup & Utilities Diskette

80287 Coprocessor Upgrada to 640K or 1MB 31/2* Floppy Driva SWAN/MS-DOS (3.3) add \$89

VIDEO OPTI

\$2499 20MHz/0 Wait State Base System with 1 2M8 Drive, Assembled 8 Tested IBM8 AT Compatible MS-DOSR, OS/28 & UNIX8 Compatible

80386 20/8 MHz Norton V4.0 S1 22.0 Phoenix BIOS 1MB expandable to 16MB RAM or 32 memory card 80287 & 80387 Coprocessor Sockel 230W Power Supply 1.2MB Floppy Drive Ports: 2 Sensi, 1 Parellel, 1 Gama

Duel Floppy Duel H.D. Controller 8 Expansion Slots 101 Key Enhanced Keyboard Clock Calandar w Battery Backup Swan Setup & Utilities Diskette

Upgrade to 2,4,8,10,18MB 80287 or 80387 Coprocessor 3107 Floppy Drive SWANIMS-DOS (3,3) add \$89

...\$69 Swan Video Cards ALL CARDS INCLUDE I

SWITCHABLE from Hercules \$ \$69 ■ Parallel Port EGA

Swan Modems

\$129

w/PC Talk III software Hayes & competible
Auto eneweridial
Tone and pulse

2400 baud external ...

1200 baud external ...

2400 baud

1200 baud

internal

■ 640 X 480 Resolution ■ EGA/CGA/TTL ■ Parallel Port \$139

■ Full 1 year warrants

VGA Compatible with all 17 VGA Modes **** \$229

Street Hill

Swan AT-Style Keyboard ■ 101 Key Enhanced Keyboard ■ XT & AT compatible

Swan Tape Drive ■ QIC -40 operating sto Full 1 year warranty 40MB Drive Drive. \$299 40MB Drive, Externel \$399

\$69

Cell For Pricing on Taga Certridges:

EDUCATIONAL and CORPORATE ACCOUNTS

Wa offer a full line of ser catering to your needs.
To reach our Educational &
Corporate Sales Department Coll 1,800,468,9044

FAX: 814-237-4450

To ender: No surchange on MasterCard, Visa or AMEX III Your credit card is not charged until your order is shipped III COD orders accepted with no COD fee III We insure your accepted with no COO tee III We insure your order at no enthe cost to you. III Shippings. 3% or \$5 minimum for UPS Cleaned. Call for shipping charges on Express Art. APO, PPO, AK, Fill and Streign orders. III Mail Orders; We accept monity orders, certified checks, and personal checks Allow 2' seeks for personal and company chacks to clear III. We accept purchase orders. Inom qualified Educational.

replaced or repaired at our discretion. Pl deliveries add 6% sales tax. Prices and term ed to change without notice MMC TE GO FUE



DON'T SETTLE FOR LESS ...





ASHTON-TATE dBASE IV SCALL

> \$779 SCALL

HARDWARE

.\$199 .\$147

\$339 \$429 Only

TAPE BACKUPS

Swan Technologies

PC ADD ON BOARDS intal CHIPS Advarrage! (128K) Advantage Premium (512K) FOR 8087-1 Rampage 286 (512K)....PRICING 8087-2

SixPakPlus (64K).....ON SuPakPremium (256K) AST BOCA RESEARCH RAM Card XT or ATSCALL I/O Card XT or AT _____\$79

INTEL\$389 AboveBoard PS/286 Inboard 386 SCALL

TOPSOOS ... **ACCESSORIES**

Switch Box

SWAN

/mov \$79 Optical Mouse w/Dr.Halo III

6110' Primer Cable...... 8' Rt. Angle Printer Cab \$10/514 FLOPPY DISK DRIVES SONV ROCTEC 5-25 \$100

QTY. 360K 1.2 1-3 \$74 \$ TOSHIBA 4-9 \$62

PC HARD DRIVES MiniScribe

ST-4096 80MB (28 ms)....

8438 30MB (68 ms) Kit\$339 3650 40MB (61 ms).....\$349 3053 40MB (25 ms),.....\$579 6085 71 MB (28 ms).....\$779

Seagate ST-225 20MB (65 ms) Bare/Kit \$219/\$25 ST-238 30MB (65 ms) Bare/Kit... \$249/\$299 ST-125 20MB (40 ms) Bare/Kit... ST-251-0 40MB (40 ms)...... \$359 ST-251-1 40MB (28 ms).....





BUS SERIAL MOUSE MOUSE SCAN MAN

\$199 MSC TECHNOLOGIES

Omnimouse .

PC Mouse II

....\$89 EDUCATIONAL and

....\$45

CORPORATE ACCOUNTS eccepted from CALL 1-800-468-9044 or corporations FAX: 814-237-4450



iMTEC

TOSHIBA

LAPTOPS

VGA VIDEO CARD

CALL FOR OTHER TOSHIBA MODELS

Swan Technologies

\$439

\$359

Kits include cables, controller and mounting screws To enter this promise on Means Cost or YPA III. Your credit cont is not be specified by the promise III. COD or store accepted in a COD has all dragging 17% or 55 mile shope III. COD or store accepted in a COD has all Screen Ar. APC PPO AX. He and foreign orders. III AMIC Code AX. He section concept orders contributed between the present and the ARM order is the section company of the contributed by the contributed and present all releases ARM order in the section company of the contributed in the Code order of the contributed and present acceptance of the contributed and the contributed and the contributed and company of the contributed and contributed and contributed and acceptance of the contributed and contributed and acceptance of the contributed and contributed and acceptance of the contribute

ALL SALES AND FINAL.
Defective some regarded or reposed at our discussor. Processing some subject to change and en-

DISK-KOUNTS DET BOX of 10 2.50" 52.25" BONUS DSCO 517.95 50.95 VERBATIM DSCO 517.95 50.95 VERBATIM DSCO 519.955.50.95 SONY DSCO 519.955.50.95

\$629



tcp ships it



star/

EPSON



BORING Boerro Care

Print Spon Companion CENTRAL POINT

FIFTH GENERATION FUNK

LOTUS

\$19 \$90 Deluxe Option Board.... PC Tools Deluxe (5 0)...



Software orders over \$100 and Accessories under 6 pounds will be shipped Federal Express ven at these prices) You only pay TCP's standard shipping serge. Orders arriving before 3:00 PM our time will be sipped out same day. If part of your order is backprotered the mainder will be shipped UPS Ground FREE!

SECURITY

Your Credit Card is not charged until your order is shipped.

We insure your order at no extre cost to you in tussey is a linencially strong and well established company.

CUSTOMER SUPPORT After sales support
 Knowledgeable staff, all graduates
 Tussey's "Computer Boot Camp"
 Our advanced warehouse/materials
 hendling system essures your order

shipped out accurately & on time.

Our IBM AS400 allows instant on

JOI TWANE



Microsoft^{*} Windowe 286 PC Excel (2.1)

Word (5 0)	
PETER NORTO	N
Notion Utilities	
QUARTERDEC:	
Granwalk (II)	PTWA
SOFTWARE PUB First Publisher— First Publishing Fon Harvard PM (3.0) — Harvard Graphics —	5 . SCA

ING 174 CALL CALL 200 CALL 200 CALL 200 2116 SYMANTEC Q&A.W

Timeins 3.0 WORD PERFECT xecutive ...



П	PARADESE Automobile 480	-
ш	Autoswitch Mono	
П	GWAN 12	- 9 KGA
ı	BGA.	9149
П	VIDEO 7	
Ł	VEGA Delute	
ı	VGA	
ı		
ı	ATI VIP VOA	
	ORCHID	5299
3	VILL	****
	Designar VCA	E340
١.	PARADISE	N
П	Paradise VGA +	\$269 SCALL
ı	VGA Professional	SCALL
	RWAN	
ı		2540
ı	VIDEO T	-
1		- Hotel
ı	MISC.	200
ı	ATT	12.17
1	Graphic Solution annuals	

TTL Monochrome sek 410 Amber, Green RGB/CGA ung SC452C insubishi Diamond S SCALL

EGA NEC Multisync II..... Packard Bell 1431...

OPEN: 8:00AM-11:00PM Mon-Fri, 10:00AM-8:00PM Sat, 12:00PM-8:00PM Sun EAST COAST TIME

What's the most logical way to connect everve to a laser printer?







Most offices have only one laser printer. So user access can be a real pain. But a Local Area Network can cost twice as much as the printer. And buying a laser for each user is out of the question.

That's why The Logical Connection makes everyone happy. You, because the cost is low, your employees, because they each get a laser virtually at their fingertips.

With The Logical Connection you can put the printer in a central location. Users access it in seconds from their own terminals with the new

Everybody's happy with the Logical Connection.

SALES OFFICE: 1322 Bell A The Logical Connection is a trademark of Fifth Generation S Pop-Up is a trademark of Popular Programs. simple and convenient, memory-resident, "Pop-Up," switching menu. Then, The Logical Connection takes over. If the printer is occupied, it holds each job until its current work is finished,

automatically printing each new job in turn. No wonder PC MAGAZINE

has twice named The Logical

Connection its Editor's Choice. In fact, they called it, "... more than logical - maybe inspired."



The makers of FASTBACK and FASTBACK PLUS

CIRCLE 288 ON READER SERVICE CARD

PC ADVISOR



Advice on creating customized help menus, software for linking computers through serial ports, locating software to manipulate scanned images, and information on PIMs.

HELP WITH HELP MENUS

I frequently use programs that have inadequate help or reference screens. I can keep several lists of reference details taped all around the edges of my monitor or bind them into a book that I keep picking up and putting down, but somehow this seems contradictory to the whole idea behind using a computer. Is there such a thing as a TSR utility or program that I could use to pop up my own customized help screens when I need them?

Fred W Frickson Orem, Utah

In the December 22, 1987, issue of PC Magazine, there is an article entitled "Scratch Pads and Annotators: TSR Notes to Yourself." The class of software reviewed in this article is aimed at keeping notes, scribbles, and random comments at your fingertips. These pop-up notetakers fall into two basic categories: those that are essentially memory-resident scratch pads and thase that let you attach notes, as you write them, to other applications.

From your comments, it seems that you would be more interested in the former: memory-resident scratch pads. The product that won the Editor's Choice in this category was Tomado from Micro Logic Corp. (100 Second St., Hackensack, NJ 07602; (201) 342-6518). Tomado is memory resident and thus available by pressing a hotkey (Alt-J). To create a note, you simply tap N. A small window, which becomes the electronic equivalent of a blank piece of paper, opens up on your screen. You type whatever you like in the window, and Tomado creates a record for it and indexes the content of each note. To retrieve information, you press G, and then type any word or phrase that's in the note you're looking for.

A more recent review of Tomado appeared in the December 13, 1988, issue of PC Magazine, where Tornado was reviewed with a category of products called personal information managers. Tornado has a suggested retail price of \$99 (a scaled-down version of the product, called Mini Tornado, is also available for

A product that will let you create help menus in a more formal way is The Norton Guides from Peter Norton Computing (2210 Wilshire Blvd., #186, Santa Monica. CA 90403: (213) 453-2361). The Guides are mainly pop-up help menus for programmers for such languages as Microsoft C. Borland Turbo C. Microsoft OuickBasic, and others, However, the

 Is there a commercial TSR utility or program that can be used to pop up personally customized help screens when they are needed?

Guides also include a built-in compiler that allows you to create databases of your own, complete with an electronic index and cross-referencing. The compiler is the same one used to develon the Guides' databases. Suggested retail price of the Guides is \$100.

LINKING WITHOUT LANS

I would like to tie three computers together to share an appointment calendar, but I don't want the expense and complications of a LAN system. Is there a program that will allow access through a serial or narallel port to do this?

Ed Polz Murphysboro, Illinois

The type of product you're looking for is often referred to as a local area link. Among the available products, the one I recommend is BoxNet (BOX #1. P.O. Box 1. Bath, NY 14810; (800) 541-2691).

Since BoxNet uses your PC's serial port as the link between computers, the maximum speed it can achieve is 115 kilobits per second. The topology of BoxNet is distributed peer-to-peer, which lets every node on a network communicate with every other node.

The BoxNet starter kit, which sells for \$179.90. contains two floppy disks (either 51/4- or 31/2-inch), two BoxNet network adapters, one 25-foot RJ-11 cable segment, and a user's guide. The network adapters are the key to BoxNet. Inside what looks like an ordinary RS-232 serial connector shell is a custom integrated circuit chip that does the proprietary address decoding for the network. Additional | desktop publishing programs. nodes cost \$89.95.

USING SCANNED IMAGES

I have recently purchased a scanner and would like to "play" my scanned pictures. Unfortunately, I'm not familiar with the picture formats (.PCX, TIFF) that I get from the scanner. Please give me some information on these two formats or tell me where I can find a description of them.

B. Yuan Fribourg, Switzerland

In order to use the file formuts produced by your scanner, you must focute software thot occepts files in both of these formats. PCX is of file format used by PC Paintbrush PUIs (2-50f, 1950 Spectrum Circle, #A495, Morietua, GA 20067; (464) \$90-1950), which has a suggested retail price of \$149, TIFF, which stonds for taggedtimuse file format, con be used with most

desktop publishing progroms.

A more thorough explonation of these and other file formats can be found in the October 13, 1987, issue of PC Magazine.

SEEKING AGENDA INFO

I am interested in learning more about Lotus's new product Agenda. From the ads it sounds like a useful product, but I want to know more before I spend the several hundred dollars. Lotus wants for the product. Are there any other programs with similar features? How do the competitors compare? Our office already has a database. Couldn't we use it to perform the same functions that Agenda doces?

> Mindy Smith Dallas, Texas

Agenda (Lotus Development Corp., 55 Cambridge Pkwy., Combridge, MA 02142; (617) 577-8500) fits into a category of products that we of PC Magazine call personal information managers (PIMs). Products that we believe fall into this category were reviewed in the December 13, 1988, issue. If you read the orticle, one thing you're

sure to notice is the diverse noture of these products. Although oll ore categorized as PIMs, each company's offering deals with personal information management in its own woy. That article should help you understand the issues better, onswer your questions, and eventually help you decide on the right product.

By the way, our reviewer states that Agenda is on extremely powerful tool for managing and structuring bits of everyday personal information.

ASK THE ADVISOR

Send your questions to PC Advisor, PC Magozine, One Park Avenue, New York, NY 10016. Please specify your equipment.

Travel With A Fast Crowd.

Wherever your business takes you, take along the WorldPort 2300¹⁰⁰ Portable Modern. Lenning the office doesn't have to mean leaving behind the world of high-speed, 2400 bps communications. Worldwide, in virtually every situation, including hotel rooms and phone booths, your ability to communicate clearly and efficiently remains intact.

Representing the cutting edge of modern technology, the WorldPort line of portable moderns combine a broad range of features that bring you the best value in moderns today. Features that go far beyond costly internal units, such as Bell and CCITT standards, direct connect and acoustic interface (300 and 1200 bps), battery power, shirt pocket size, and a tiny price.

In fact, the WorldPort moderns are the ultimate for both portable and desktop applications. And the WorldPort 2400 comes with Carbon Copy PULSTM communications software, for even greater value.

If you want a modern that works where you do put the WorldPort Series to work for you. In the office. On the road. Or at home, For more information about our full line of WorldPort moderns, or the name of your nearest dealer, call us at 800-541-0345. (In New York, 516-261-0423.)

CIRCLE 231 ON READER SERVICE CARD



ouchbase Systems, Inc 50 Laurel Avenue orthport, NY 11768 516) 261-0423 ELEX, 6502848020

ort 2400 is a trademark of Touchbase Systems. Inc. Carbon Copy PLUS is a trademark



YOUR CHOICE

Austin Computer Systems: Heavy on Power and GE Service, Light on Price

AUSTIN 386/20

Standard Features:

- Intel 80386 Double Signs Processor runs 20 MHz
- · 30 MHz Throughput Performance · American Made Mother-
- board Expands to 8 MB. 32 Bit RAM
- 64K Static RAM Cache 6035 Nano's
- 1-32 Bit. 6-16 Bit.
- 1-8 Bit Slots · DeskTon Chassis - Tower Optional -
- · Dual Floppy/Harddisk Controller
- . 3.5" 1.44 MB or 51/4" 1.2 MB Floppy Disk Drive
- Keytronics Enhanced 101 Keyboard
- · 2 Serial Ports & 1 Parallel Port · Clock with Battery Backup
- 80287 & 80387 Math Co Processor Support
- Users & Technical Reference Manual
- · Built-in Setup & Diagnostics Program Fully DOS 4.0 & OS/2



- · VGA Color Monitor · VGA 640-480 Analog Display
- · 80 MB 28 mls Fast Access Hard Drive
- · 1 Full MB of 32 Bit RAM · GE 1 Year On-Site Service

H \$4795 \$5195 \$5295 \$5405



MIPS Test and Bottomline:



- · Paradise EEGA Autoswitch Display Adapt
- · 40 MB Fast Access Harddisk · 1 FULL MB of RAM · Supports EMS LIMM 4.0 Standard

· GE I year On-Site Se



AUSTIN 286/12.5

- Standard Features · True Intel 12.5 MHz
- 80286 Processor · Dual Floppy/Harddisk Controller with 1:1 Interleaving & 32K Harddisk
- · Western Digital Motherboard Expands to 4 MB. 16 MB total
- · Shadow RAM buffers slow BIOS into Fast RAM
- · 3.5" 1.44 MB or 51/4" 1.2 MB Floppy Disk Drives
- Phoenix BIOS Keytronics Enhanced 101 Keyboard
- 2 Serial Ports & ! Parallel Port
- 1 PS/2 Mouse Por · Clock with Battery Backup 80287 Math Co-Processor
- Socket • FCC Class B Approved Users & Technical Reference Manual
- · Diagnostic & Utility Program
- Fully DOS 4.0 & OS/2 Compatible




Compatible

1-800-752-1577 Fax (512) 454-1357 (0) -FRIDAY: BAM-7PM CENTRAL



AUSTIN 386 MIPS 4 22 154 3.50 2.52



Performance You Gan Really Count On

ı	PERMIT	200 12.5	COMP	0.86	-	2010	AND
ı	the year on ado parties included	YES					
ı	the serior need contracted	YES					
ı	Supports up to 4 mis of case on the	YES					
ı	Supports 1:5 antertorming	788		-		тез	
ı	I layer medicalismed	YES					
ı	All - 40 (CD) min	YES					
ı	Dalit-in comma part	188	-	-			
ı	Methodosel main	YES	-	-			-



The Power Of Choice.

When it comes to selecting name brand computers that satisfy a wide range of power requirements, AST makes your job simple. In five ways.

First, for CAD/CAE, LAN, multi-user and other applications requiring the most powerful personal computer available, AST provides the 25 MHz, AST Premium® 386/25. Based on the Intel® 386 chip with an integrated cache architecture, the AST Premium 386/25 provides the ultimate solution for sophisticated processing.

For applications that don't require quite so much power, AST offers the 20 MHz, AST



Premium/386C with cache memory, and the slim-line, 16 MHz AST Premium Workstation/386SX. With both you can use your current MS-DOS® appli-

cations. And take advantage of the nextgeneration, 32-bit operating systems and environments, including Microsoft® Windows/ 386, UNIX® System V/386, OS/2™ and more.

Of course, not every application requires 386 architecture. For word processing, spreadsheets or desktop publishing, the awardwinning AST Premium/286 is the power of choice. Built with FASTslot™ technology and unbeatable compatibility, the AST Premium/286 provides a top-notch 286 system today with built-in 386 CPU upgradeability.

And for extra value in a 286 PC that looks like it belongs in the executive suite,

choose the AST Premium Workstation/286.
As experts say, "This is one slick, attractive



machine. . . like other AST machines, it's built like a tank."*

No matter which AST Premium Computer you choose, you can depend on the same

dedication to technical excellence that earned the AST Premium/286 industry honors as the best-built 286-based PC available.

In fact, AST's reputation for providing high-quality, top-value products extends throughout our leading board-level enhancements and connectivity solutions.

So, give yourself the power of choice—AST Premium Computers. For more information, call (714) 863-0181, ask for operator BB1.



Times Have Changed.

*LAN Magazine, Jan. 1988 AST markets products worldwide—in Europe and the Middle East call 44 1 566 4359; in japan call 813 447 8309; in the Far East call 822 5 717221; in Canada call 416 866-7914. AST, AST logo and AST Premium registered trademarks AST Research, Inc. 80366 and 803065X trademarks Intel Corp. All other product and brand names are trademarks and registered trademarks of their respective companies. Copyright 10 988 AST Research, Inc. All rights research.



CONVERT YOUR PC, XT OR AT INTO A HIGHER FORM OF LIFE!

Don't let your PC give up the ghost — Hauppauge has arrived with a new spark of life: the 386 MotherBoard." Far more advanced than an accelerator card, our line of MotherBoards grace your PC, PC/XT, PC/AT or compatible with speeds equal to the IBM PS2 Model 80. And faster. Because we've built in 1 Megabyte of high speed RAM and a 387 math coprocessor socket for speeds that will make your PC glad to be alive.

UNIX/386 and OS/2 Compatible. To ensure a long, fruitful life, our 386 MotherBoards are compatible with the PCAT (BIOS and I/O) — so you can run the new generation of DOS, OS/2. Our Boards also run Windows/386, UNIX V, PC-MOS/386, and XENIX/386. For more power, you'll find 16-bit expansion slots that accommodate the latest I/O expansion cards. Plus, we can add up to 15 Megabytes of extended memory. No 386 accelerator card can give you so much versatility. Only our 386 MotherBoards give your PC s an unlimited future!

The Critics Applaud! PC Magazine awarded our Board called it "the Editor's Choice" for 386 Replacement Boards. PC World called it "the Upgrade Product of the Year." And PC Computing said: "The 386 MotherBoard is exceptionally compatible with existing IBM applications and peripherals — it will even run IBMs own version of 08/2."

Technical Features • 16 or 20 MHz 80386 • 1 Megabyte of 100 nsec 4-way interleaved RAM • PC/AT compatible 1/O and BlOS for support of OS/2 • Six 8-bit expansion slots and two 16-bit expansion slots (four on 386 MotherBoard for AT) • One 32-bit expansion slot for up to 15 Megabytes of high speed memory.

I	386 MotherBoard	
ł	for the PC, PC/XT, or Compaq portable \$	1695
ı	386 MotherBoard for the PC/AT\$	1795
ı	386 MotherBoard/20 MHz for PC/AT\$	2195
ı	32-bit RAM Board from	\$195
ł	16 MHz 80387 math coprocessor	\$695
ı	16-bit combination	
I	hard disk/floppy disk controller	\$245

Our 386 MotherBoard will give your computer a big step up. For more information, call: 1 (800) 443-6284. In New York: (516) 434-1600. All our products are available at your local computer dealer. (Ask about our GSA pricing!)

Hauppauge Computer Works, Inc. 175 Commerce Drive, Hauppauge, New York 11788. (In West Germany call: 0211-594-320) Hauppauge!



FIRST LOOKS

Ami: Samna's \$200 Windows-based **Word Processor Goes for Style**



BY CRAIG STINSON

Writing is a text-centered activity. Microsoft Windows is a graphical environment. So why write under Windows? Two of the better reasons are to get graphics-assisted (WYSIWYG) formatting and to take advantage of Windows' Dynamic Data Exchange capability.

The newest Windows-based word processor, Samna's Ami, Version 1.0, ignores DDE; you won't be able to program "live" connections between Ami documents and, say, your favorite Windows database program. But Ami is long on formatting services, and-particularly for those who write short documents that need a lot of vi- | sual punch-its formatting strength compensates nicely for

the slowness inherent in the graphics environment. Ami's formatting capability

Amí - (Untitled) me reports

Ami's Help screen comes up in a window that, like other windows, can be sized and moved, which means that you can leave it on while you work.

is built on two constructs: style sheets and frames. A style sheet is a stored set of formatting instructions. A frame is an island within a document-a region whose formatting is not affected by that of the main document. Frames let you import graphics into Ami documents and flow text around them.

The style sheet concept will be familiar to Microsoft Word users. but Ami's style sheets differ significantly from Word's. First, every Ami document is attached to some style sheet; the new-file command automatically presents you with a dialog box forcing you to choose from a list of style sheets. Second. Ami style sheets can include text as well as formatting.

(continues on page 35)

\$150 Perspective Junior Keeps The Best of Boeing Graph



HANDS ON

BY MARY KATHLEEN FI YNN

Perspective is back, and it's cheaper and easier to use than ever. After capturing the hearts of graphics-lovers everywhere-at PC Magazine, we gave it a Technical Excellence Award for 1986-the presentation graphics package dropped out of sight. Apparently, it had a bumpy ride at Boeing. But now Perspective has come home to Three D Graphics, where it's been streamlined, renamed Perspective Junior, and launched

again, Its spectacular 2-D and 3-D graphics still make the most jaded computer journalists ooh

At \$149.95, Perspective Junior is a whole lot less expensive than it was while under Boeing's wing. There, it went by the name Boeing Graph and was sold as a \$395 companion to Boeing Calc. To add insult to injury, Boeing canceled its licensing agreement in late 1987, and the program's been in a holding nattern until now.

As its new moniker suggests, Perspective Junior is slightly less powerful than earlier models. But what Junior lacks in power, it makes up for in ease of use.

Besides the price, the biggest improvement in Perspective is its smoother navigation. Gone are the labyrinthine levels of the earlier incarnation. With Perspective Junior, you'll never have to press Esc more than four times to get back to the main menu. Hopping around the menus is pretty intuitive. and context-sensitive help is there when intuition fails.

From the main menu, you use function keys to reach the five submenus: Graph Types, Viewing Angles, Data Manag-(continues on page 34)

HANDS-ON INDEX

COMPUTER DATABASE PLUS

Search and download from 48 computer publications 36

GRAMMATIK III RIGHTWRITER 3.0

Two grammar checkers ... 38 MECHANICAL

ENGINEERING WORKBENCH Engineering design tool ... 43 TURBO EMS46

Packs 80MB on one DC-2000

tape cartridge48 OPTUNE

Disk maintenance 54 COLORIX

VGA paint program 56

Perspective Junior (continued from page 33)


er. Files and Output, and Custom Ontions

Graph Types is a single screen with pictures of Perspective Junior's 13 3-D graphs and nine 2-D graphs. Choosing a graph couldn't be simpler: Just put your cursor on the one you want and press Enter, and Perspective Junior draws the graph you selected. The Viewing Angles screen works the same way, showing nine preset viewing angles. (You can also customize viewing angles in the Custom Options module.)

Of course, simplicity comes at a price-flexibility. Perspective lunior can't handle some things its predecessor couldlike 3-D stacked graphs, multiple-page data, and a variety of label sizes. But most users will agree that the payoff in ease-ofuse is worth the sacrifice of these features

What you will miss in Junior is a working spreadsheet-unless you splurge for the \$69.95 Special Option Pak, which also includes support for plotters and Polaroid Palette Plus.

Junior's Data Manager looks like a spreadsheet, but don't be fooled. It's just an entry form for the data you want to graph-it can't perform any calculations. As such, manipulating data is awkward because you have to keep exporting the file to a spreadsheet and then importing it back to the Data Manager. Although Perspective can read .WKS. .WK1. ASCII.



below. Perspective Junior tells you when your graph won't display all your data.

.ASC. .DIF, and SYLK files, it can only write to ASCII and to two proprietary file formats.

Unfortunately, you can't just load up a 1-2-3 file from within Perspective Junior (although a glance at the File Manager makes you think you could). First, you have to load 1-2-3, choose FILE, then XTRACT, then VALUES, and then define the range of values to extract, keeping in mind that Perspective has a limit of 4,096 cells. Then you can load Perspective, go to the File Manager inside the Data Manager, and load the data file. Even if you do it right the first time, the process is tedious and time-consuming.

Exporting is also annoving. When Perspective saves a worksheet as an ASCII file, it doesn't save the structure of the data. So your data ends up running together, sometimes in blocks that are too big for programs like 1-2-3 to accept. In addition to the import/ex-

port business, the Data Manager comes with its own irritations. Trying to make sense out of it is reminiscent of getting lost in the bowels of Boeing Graph. Instead of prompting you for labels, the Data Manager makes you move through layers of submenus to define ranges for data. titles, subtitles, and headers. (Three D Graphics believes this is an advantage when it comes to importing spreadsheets.) If you change a parameter that affects any other parameter, you have to go back and update the other by hand-I kept wishing Perspective Junior would do that automatically for me.

Similarly, if you add or delete a row or column, you may have to adjust your data range and redefine your parameters. My final complaint about the Data Manager is that in order to see how your tinkering will look, you have to Esc out of the Data Manager and into the main menu to draw the graph.

By contrast, Perspective Junior's Print Manager-located logically enough in the Files and Output submenu-works like a charm. (Perspective Junior supplies drivers for most laser and dot matrix printers. HP Paint-Jet. Xerox 4020, and Tektronix 4696.) Through a WYSIWYG preview of the page, you can see how each of the five different box patterns and five different 3-D riser patterns will look on your graph. With Page Setup-a new feature-you can easily adjust the position and

size of the graph on a page.

Another new feature in the Files and Output submenu is the Slide Show Manager, which lets you put together an onscreen slide show. If you want to make a real slide show, however, you'll have to buy the Special Option Pak.

Perspective Junior supports Hercules, CGA, EGA, Super FGA and even VGA (So did the final version of Boeing Graph, but it was only on the market for 6 months.) You can play with color at almost any point in the program. The cursor keys let you cycle through palettes, and the PgUp and PgDn keys allow you adjust colors within a palette. In addition, the Custom Options submenu lets you change the color of particular portions of the graph.

In making Perspective Junior. Three D Graphics has done a good job of improving ease of use while maintaining enough flexibility for most users. And they've done a great job in bringing down the price. making Perspective Junior as inexpensive as 2-D-only packages like Graph-in-the-Box and PFS:First Graphics. Of course, the best thing about Perspective Junior is the gorgeous 2-D and 3-D graphs it makes.




Perspective Iunior Three D Graphics 860 Via de La Paz Pacific Palisades, CA 90272 (213) 459-8525 List Price: \$149.95; Special Option Pak, \$69.95. Requires: 512K RAM.

graphics display, DOS 2.1 or

In Short: Though slightly less powerful than its predecessor, Perspective Junior makes generating spectacular 3-D graphs much easier. New features include an on-screen slide show, page setup, and support for PageMaker and Ventura Publisher, Not copy protected

CIRCLE 457 ON READER SERVICE CARD



Perspective Junior's 3-D Spectral Mapped Contour Surface graph, which creates a surface from numerical data, is aimed at scientific and engineering applications.

Ami (continued from page 33)

Having text built into the style sheet violates the principle of separating text and formating, but the violation makes sense. Samma has correctly perceived that in many standard documents (memos, for example) certain text clements (such as the to, from, date, and subject headings) belong to the document? a skel cton, not to its that do include set may be used either with or without their verbal contents, so Ami Jess you

have it both ways.

Ti.e style sheet's contents
may include bullets and numbers for numbered lists. The latter are really numeric variables;

Ami displays and prints the correct numbers no matter how you
rearrange the list.

Samna includes 26 prede-

to a paragraph, you just put the curvor anywhere in the paragraph and click the mouse on the desired element (or press the function key that you've assigned to that element). Changing style parameters and creating new style sheets is just as easy. Gorgeous dialog boxes guide you through the entire process and let you see the effect of any changes before you return to the document.

One important shortcoming in Ami's style-sheet implementation: nothing in the normal screen display tells you the name of the current style sheet.

Frames in Ami can hold either text or graphics. The program supports the .PCX Version 3 and .TIF Version 4 file formats, as well as all graphic formats supported by the Windows Clipboard. Putting text in a frame is hendy for such things as makine drose capitals to mark



nately, the package doesn't have a thesaurus yet.

over the frame (so there's no text to the left or right of the frame). Or you can simply run the text through the frame as though it weren't there—specifying whether the frame contents are either transparent or opaque.

onage...

What is less than fabrous about one of the control of th

are going to look on paper.
Writing in draft mode is
something like writing to the
Windown Notepad. The font is
the same, and the screen performance is comparable. As any
Windown user knows, you can
move through a page of Notepad a lot more quickly than you
can move through a page of
Windows Write (which is comparable to Amr's layout mode).
But it's still nothing like blassing through a document while

writing in XyWvise.
Three additional complaints:
search-and-replace options are
limited, and to search only, you
have to specify a null replacement field; scrolling in layout
mode is page oriented, which
means you never get to see the
end of one page and the begin
ning of the next at the same
time; and the manual is quite a

bit on the light side.

Ami has no thesaurus, but it

does include a decent spelling checker. It also has no merge capability. Look for more-advanced features such as these in Ami Professional, a souped-up version scheduled for shipment

in the spring.

The bottom line? For short, highly formatted and/or highly standardized documents, Ami is a capable product and a pleasure to use. For plainer output and high-volume production, use your favorite text-based processing.



Samna Corn

5600 Glenridge Dr. Atlanta, GA 30342 (404) 851-0007 List Price: Introductory, \$149; after 120 days, \$199. Requires: 640K RAM, 286- or 386-based computer, Microsoft Windows-compatible graphics display (Hercules, EGA, or VGA), hand dak, Windowscomputible mouse (optional),

DOS 3.0 or later Comes with runtime version of Microsoft Windows.

In Short: A style-sheet-driven, graphics-based word processor

well suited for short, highly formatted documents. Not copy protected.

CIRCLE 455 ON READER SERVICE CARD



Amis's Modify Styles command lets you change a style sheet—a stored set of formatting instructions—and see your changes.

fined style sheets along with a booklet describing their use. The included style sheets are designed for memoradia, reports, overheads, newsletters, propositions, and the style sheets are designed for memoradia, pross releases, and books; within each category are sheets for casual (and dott matrix) use and others for formal presentations. The booklet effectively demonstrates Ami's power to make beautiful documents and gently points out some aesthetic do's and don't?

Using Ami's style sheets is a snap. A Windows "child window" lists the style elements defined in the current style sheet. To assign a style element the beginning of major document sections.

When you create a frame,

Ami presents you with a small box in the center of the screen. After sizing and positioning the frame, you can import your text or figure. A graphic, once installed, can be kept at its full original size, resized to fit the frame dimensions, or simply cropped to please.

A variety of "flowing" options let you control the way the main document interacts with the frame. You can have the main text flow all around the frame, like a stream around a rock, Or you can have it jump

Computer Database Plus: Fast On-line Searches of 70,000 Computer Articles



HANDS ON

BY GUS VENDITTO

After years of referring people to PC Magazine articles with my own overloaded memory as the search engine, it's a great relief to be introducing Computer Database Plus, an on-line service that will find articles in most every computer publication and print either the full text or an abstract to screen.

Now available as a menu choice from PC MagNet, Computer Database Plus holds every article that has appeared in PC Magazine since January 1987. The text from 47 other computer-related publications, including PC Week, MacUser, Wall Street Computer Review, Mini-Micro Systems, Personal Computing, and Lotus Magazine, is also here, plus abstracts from more than 50 others. There's a total of over 27,000 full-text ar-

ticles and more than 43,000 ab-

That's a lot to look through. but searches go quickly. When I called at 2,400 bits per second, simple searches (finding all the occurrences of "Intel Above Board," for example) took less than 5 seconds. More-complex queries (all 1.043 articles in which both Lotus 1-2-3 and

macros are mentioned) took as

long as 11 seconds.

Computer Database Plus can be accessed only through the CompuServe-PC MagNet network, which handles billing via credit card accounts; the huge database resides on a series of DEC VAX 8650s run by Information Access Corp. (a subsidiary of Ziff Communications Corp., publisher of PC Magazine). It's not cheap, with a \$24per-hour surcharge added to the \$12 per hour billed by Compu-Serve. In addition, any full-text

article you print to screen costs

an extra \$1.50; abstracts, which

can be lengthy, cost \$1. But if

facility may be all you need. The software guides you

through searches with menu choices. You can take a broad scattershot approach or use a more scientific method. To begin your search with a wide net, you can choose to sift

through every single word in the database for any term, product name, or person. You can combine terms, use wildcards, and do proximity searches. For instance, I set out to find

references to 1-2-3 macros that dealt with amortization. I began the search by selecting, from the menu, a search for words occurring anywhere. It prompted me for the search term, so I entered macro* and [123 and

1231

In 11 seconds, I was told that there were 943 references. Then I chose to narrow the search. this time adding "amortiz" to the search string. Now I had a more digestible list of 23 hits to look at. When I entered "S1." I received a scrolling list of the 23 references with issue dates and

You won't need any help to find your way through the Computer Database Plus menu options, but it helps to have a modicum of CompuServe savvy. For instance, it helps to know that entering M will bring you back to the menu you last selected; and prefacing any menu choice with S will get your response scrolling quickly, instead of pacing in, screen by screen. If things are going by too quickly, enter Ctrl-S to suspend a scrolling screen (hitting any key will start it up again); and type Ctrl-C to cancel an in-

struction that's executing.

Right now, the help files stored on Computer Database Plus are less than useful: they're confusing. Fortunately, improvements are in the works. While you'll find all of the articles in PC Magazine covered, you can't get at features tables

and code listings just yet. Some tables will be added in coming months as binary downloads; program code and executable utilities are from PC Magazine stories is available now on PC

Computer Database Plus's performance speed is probably equivalent to Computer Library, the CD-ROM also published by Ziff Communications (see First Looks, page 46, PC Magazine, January 17, 1989); Computer Database Plus has the advantage of going back longer than the 1 year that Computer Library provides.

Computer Database Plus is a research tool, but it's probably going to be most useful as a way to better use old issues of PC Magazine and the other computer publications you read.

The ultimate test, I suppose, is whether you can find what you're looking for faster by dialing into Computer Database Plus or by poring through your back issues until you find the right page in the right issue. And that's a test of your own memory.

How to Join Computer Database Plus and PC MagNet

You need to be a member of either PC MagNet, PC Magazine's on-line interactive service, or CompuServe to use Computer Database Plus. When you're ready to join, you'll need to have your credit card at hand. your modem turned on, and your communications software

Set your communications protocol at 7E1 (7 data bits, even parity, one stop bit), and your modem at either 300 or 1,200 bits per second. There are more than 500

phone numbers (at least one in every area code) but choose one of these for now: Boston, (617) 542-1796; Chicago, (312) 693-0330; New York, (212) 422-8820; or San Francisco, (415) 956-4191.

Have your software dial one of the numbers.

When the modem connects, press Ctrl-C. At the HOST NAME prompt, enter CIS. At the USER ID prompt, enter 177000,5000. At the PASS-WORD prompt, enter PC*MAGNET. At the ENTER USER AGREEMENT NUM-BER prompt, enter Z10D8903.

You're now in PC MaeNet and can join conversations between readers and the editors, download utilities and batch files, or select the Computer Database Plus prompt from the menu. If you need to find a 2,400-bps access number or one

in your hometown, enter GO PHONES from any prompt. After you've used Computer Database Plus, you can return to

PC MagNet by entering GO PCMAGNET at any prompt. To sign off, enter BYE at any prompt.-Gus Venditto

FACT FILE

Computer Database Plus Information Access Corp. 364 Lakeside Dr Foster City, CA 94404 (800) 227-8431

Requires: Modem (300, 1,200, or 2,400 bits per second) and communications software List Price: \$36 per hour (a \$24per-hour charge is added to CompuServe's \$12-per-hour rate); \$1,50 per full-text article and \$1 per abstract printed to

In Short: A 24-hour on-line service that offers searching through the full text of 48

computer-related publications. CIRCLE 450 ON READER SERVICE CARD

BASICS II DECORATIVE BASICS Roman Coop Roman Italic Helvette Amertype Abber Rockland **Big City** Beget Chancelor Optimis Oma. BOOK SANS SERIF FIXED Avanti Garamet Courier Basque Gillies Prestige Centrum Olivia Letter Gothic

Galaxy

Any Two Glyphi Font Sets-\$149 hours of downloading and

Palatine

megabytes of storage because they're generated "on the fly" from within WordPerfect and/or Microsoft Word. Our unique font management software builds drivers and adds them to your standard list of fonts. You simply pick your fonts from the menu and your selections are created and downloaded to the printer when you print your document...in seconds.

And Glyphix fonts will work right alongside any Bitstream and/or Hewlett Packard soft fonts you may already own so once you have our font manager you can go right on saving as you add fonts to your library. That's important because using the right typeface can be as important as choosing the right words. That's why the WordPerfect 5.0 font menu supports up to 256 fonts. They add professional style, impact and just the right tone to your letters, memos,

Line Draw

Start saving today. Choose any two Glyphix font sets for just \$149.95. That's eight

scalable Laserlet fonts from 6 to 60 point*, in portrait and landscape, italic, bold and bold italic for \$149.95. And if you don't already have our WordPerfect or Microsoft Word Font Manager, order one and any set of four Glyphix fonts at our regular price and we'll send you a second set of four fonts, absolutely free! Both of these great offers are good through February 28, 1989.



"Chyphic form require in IBM PC, AT, XT, PS, 2 or compelies with 64K RAMA, a base driver. Laster, the RAME, Series II or composition prime. Mich 2005 2 or less of Park tells you print up to 30 point lype on a Liser, left Plas and up to 00 pt, on a Series II without additional memory. Chyphic Tolk Manages are wardlete for Microsoft Wood and World Print III of 1,42 & 5.0 Glyphic form work with most popular word processing software. Vertical Publisher and Aldon Representations. Glyphic is a trademark of SWFTF International Ltd. All other or

Grammatik III , RightWriter 3.0 : Grammar Checkers Get Smarter, but Not by Much



BY JONATHAN MATZKIN Writers scoff at grammar checking software with the same neryous disdain that assembly line workers once heaped on industrial robots. The latest PC-based analyzers, Grammatik III (\$99) from Reference Software and

I constructed a boobytrapped paragraph full of badly and run-on sentences. This litergave me some flours," though

misused words, comma splices, ary atrocity came through Grammatik III and RightWriter virtually unscathed. Neither package objected to the sentence "Charley, that sweat boy, RightWriter did ask, inappro-Flitte to

Merking Options Phrases Onit

Grammatik III's slick editing environment lets you fix problems in your document without returning to your word processor.

RightWriter, Version 3.0 (\$95). from RightSoft are improvements over earlier versions, but neither is likely to throw many scribes out of work.

Both programs now catch some mistakes they once ignored, and both have been significantly redesigned for greater ease of use. For the harried businessperson with too much to write and not enough time to write carefully, either program could be helpful. Anyone expecting the software equivalent of a human editor, however, will be greatly disappointed, since Grammatik III and RightWriter 3.0 still ignore many fundamental writing faults

Grammatik III and Right-Writer 3.0 use rule-based artificial intelligence techniques to analyze sentence structure. Both programs work fine within their knowledge bases but stumble when confronted with an unanticipated error.

priately, if I needed a comma after "Charley." Similarly, neither program found much wrone with "The cow tump over the moon when I get home I will has a drink of water the weather have being strange recently." RightWriter found nothing wrong at all. Gramma-

tik III flagged "has a drink" and "the weather have," but only suggested a correction for the first mistake. Suffice it to say that neither program caught some very basic mistakes.

They are very good at catchine certain writing weaknesses. however, like passive sentences, missing quotation marks, and, in some cases, faulty subject-verb agreement. The latter is a definite improvement over earlier grammar-

checking software. You can heavily customize both packages, but that defeats the purpose for users who want an expert to proof their work.

Both RightWriter and Gram matik III did well with subjectverb conflicts.

Grammatik III did a particutarty good job of catching gender references, which has become increasingly important in business writing. Both Grammatik III and RightWriter allow you to "turn off" rules that you don't want the package to act on. So you could, for instance, prevent either package from routinely flagging every occurrence of the words his or her. RightWriter also lets you select different rules by specifying the kind of writing you are doing,

whether it is business writing or

Both Grammatik III and RightWriter are simple to use.



Grammatik III Reference Software Inc. 330 Townsend, #131 San Francisco, CA 94107 (415) 541-0222 List Price: \$99; upgrade from

Grammatik II, \$29 Requires: 512K RAM, compatible word processor, DOS 2.0 or later. Not copy protected.

ORCLE 438 ON READER SHINGS CARE RightWriter, Version 3.0 RightSoft Inc. 4545 Samuel St Sarasota, FL 34233 (813) 922-0233

List Price: \$95; upgrade \$35 if earlier version bought before June 15, 1988 (upgrade free otherwise). Regulres: 384K RAM, DOS

2.0 or later. Not copy protected. CIRCLE 439 ON READER SERVICE CARD

Either one can be run from the DOS command line or from a menu. While RightWriter generates an output file, with comments merged into the text. Grammatik III allows you to edit your document without returning to your word processor.

After you tap Alt-B to initiate Grammatik III's analysis. the program throws you into its editor and highlights each suspected problem, allowing you to make immediate corrections if you choose.

RightWriter leaves your original input file unchanged and puts all of its comments in an output file. That seems less convenient than the on-the-fly editing Grammatik III permits. but you may actually prefer to have your original document left untouched For basic business writing,

Grammatik III and RightWriter 3.0 offer help with some commonly found problems. Neither will truly edit your work, however. As in the past, they tend to overlook most fundamental grammar mistakes while reliably reporting some of the finer points of style and usage.



RightWriter, Version 3.0, generates an output file with comments merced into the text You read and edit the file with your word processor.



Don't drag your PC along! Take the shortcut between programs and files with Software Carousel.

Why get dragged down by that old PC technology?

Despite the sophistication of today's PCs, there's one thing they still don't do. And that's work the way people work. mping from one task to another-from

edgets to memos to phone calls and back. So every time you need to change programs - or just look at another file - it's the same old, tiresome routine-saving, exiting, loading, retrieving. Not very con-venient. Not very human. Now you could wait for the "next generation" of computers. Or use Software Carousel, and get the speed and convenience you need today, with the software, and computer, you already own. Here's how to make Software Carousel work for you.

Software Carousel is the amazingly easy way to switch almost instantly from Word-Perfect to 1-2-3 to dBASE to DOS to whatever else you want. Or go from one file to another in the same program. All without saving or retrieving - or wasting a precious moment of your time. Or your computer's memory

It works by creating a number of independent software slots to load your programs into. You get up to ten of these software

slots, so you can load up to ten programs. Need to crunch numbers? Hit a key and there's your spreadsheet. Need your word processor? Don't bother saving your spreadsheet file. Just whip over to your document and do your work. Snap back to your spreadsheet and it's just like you left it. It's like all your programs are "pop-ups," just a hotkey

Or load the same program into a few different slots, each with a different file. Now go from one to another in an instant. Here's the best part of all.

You may have heard about some other "environment" programs that claim to do something similar to Software Carousel. But there are several important differences.

First, they make you split your memory up among the programs you want to use Software Carousel lets you use all available memory in each and every program. It even

supports expanded and extended memory. Other environment programs work with only some software. Software Carousel

works with everything. Period. It even resolves conflicts among memory resident

Other software creates a working environment that's complex, unfamiliar, with cramped little windows and strange commands. Software Carousel takes minutes to set-up just the way you want it. All your software looks and acts exactly as it always did. It's so downright useful, even IBM®

mends it. Even as you read this page, there are tens of thousands of Software Carousel users zipping through their work without laborious and repetitive commands. And without the usual 640K limit imposed by DOS. In fact, even IBM recommends Software Carousel for use with their most popular mainframe-

to-PC communications package We think you'll agree, that with this kind of speed, convenience, and next-generation performance, \$79.95 is a small

price to pay. Look for Software Carousel at software dealers everywhere. Or order direct from SoftLogic Solutions by calling us toll-free. If, after thirty days, you're not satisfied that Software Carousel is the right way to get that old PC technology off your back, we'll gladly

Here's what people are saying about Software Carousel: "Can't believe how well it works. Who needs 80386?"

-Ralph Evans, Attorney, Fullerson, CA

"Unlike other attempts (e.g. MS Windows, DesgView) yours works, is not fragile and does not intrude its "personality" on everything that we do." -Colm Ralph, Ralph & Panzer, Inc., Scattle, WA

"Fantastic program. Great book. Saves me an hour a day! Thanks." -Larry Pearsal, Rolling Halls Coverage Church, Rolling Halls Estates, CA.

"Solved all my problems with resident software." -Walter Afforaut, West Ishp. NY


arrange for a refund of your purchase price. Software, \$7995 arousel



Manchester, NH 03103 (603)-627-9900 in NH

CIRCLE 334 ON READER SERVICE CARD

PIPELINE





SURVEY

Integrated software is one of the quieter software categories; each of the major products receives regular revisions but fails to get the publicity that leaders in other categories receive, probably because the pro-

grams are unspectacular workhorses.

In light of recent upgrades to virtually every major program, we thought it was a good time to ask PC MagNet callers what they use. The biggest surprise was Microsoft Works, one of the newest entrants but clearly one of the most vibrant.

The surveys are open to all PC MagNet callers; see the sidebar "SMOOTH by Modem" in this issue's Utilities department for details on joining.



WILL COLOR LAPTOPS EVER BE READY?

The improvements we've seen in laptop screens over the past year have really been the result of manufacturers making use of existing techniques. Mitsubishi and Zenith made the greatest breakthrough of 1988 by putting fluorescent tubes behind their liquid crystal displays; others followed, Compay produced the first VGA screen by taking a fluorescent-backlit LCD display and manipulating the pixel intensity with logic chips to such an extent that 16 distinct levels of gray are possible

The technology needed to make the next leap is not likely to be so readily available. Both Sharp and Hitachi recently unveiled prototypes of portable computers with color screens that reveal a lot about the state of research in color displayed.

research in color displays.

Sharp found a way to add color with an ingenious but simple twist on current LCD technology: unfortunately, it's not a promising formula.

Sharp calls its technology "double super twist." meaning it uses twice as much of the technology used in other supertwist. LCDs: two separate multilayer sandwiches are used on either side of an RGB filter to produce color VGA emulation. It can register 512 colors at a maximum resolution of 640 by 480.

Unfortunately, the resulting colors are weak and the text characters dull. Without major improvements, this is not a technology with much

promise.
Hitachi, however, uses thin film transistors in an active matrix LCD to produce a screen with brightness and clarity equal to CRT monitors. The Hitachi prototype is a 640- by 200-pixel display in which each pixel comprises three separate dost, one each for red, green, and hute. A separate thin film transistor is used to switch each of the

384,000 dots in the display. Hitachi uses an unusual arrangement of color dots in a stripe pattern. There's a separate horizontal line for each of the three colors, repeating every three rows down the display (a red stripe, then a green strine, then a blue strine), CRT monitors use a triangular pattern; each horizontal line is an alternating series of red, green, and blue phosphors; the lines above and below are composed of the same series but the color order is staggered. Thus an interleaved triangular pattern is formed, making characters more complex and reducing the distorted effect that could be

caused by using separate dots in generating uniform color. Clearly, Hitachi's color stripe pattern was devised to save expense in working with the filters that are placed over the transistor-LCD combination generat-

ing each dot.

When viewed at a normal distance, the images and characters are remarkably sharp and vibrant. But Hitachi has built only a small, 6.3-inch screen, and distortion may be a problem if the technique is applied to a

more standard size.

In any event, Hitachi's success is encouraging and makes it likely that the first color laptops will be on sale in about a year.

The 486 is Due in 1989
As the new year progresses,
there's one product this column
is certain to follow: Intel's
80486, Although leading software and hardware companies
have been pricy to the chip's
specifications, so of this writing,
Intel still refuses to discuss the
chip's specs. Intel president
Dave House recently confirmed
that the chip will be fully compatible with its predecessor, the
80386, and would run DOS and

Current speculation among hardware makers is that the first 486 personal computers will represent a twofold performance boost over 386 PCs, with a

OS/2.

price probably halfway between a 386 PC and a typical Sun workstation. The most likely application for such a flying machine would be sophisticated CAD software.

Two of the strongest rumors: it will incorporate the bulk of the math coprocessing features of the 80387; and it will be able to virtualize the 286, meaning multiple sessions of 286-specific programs (like OS/2) could be launched. This second feature makes new blockbuster

server software possible.


It's far too soon to speculate on the chip's speed. As of this writing the first 33-MHz 386 chips were in testing, and it's safe to assume that the 486 will probably ship at a speed higher than the fastest 386 then avail-

able.
Intel refuses to say when it will be ready, but you can expect that the first 486 PCs will not ship before early 1990.


Meanwhile, Intel says it is developing a RISC (reduced instruction set chip) for the 80x86 line but refuses to say exactly what features it will of fer. The most likely RISC chip will be a 386 designed to provide Lotus 1-2-3-style number crunchers with their dream machine. Other, application-specific chips are likely, such as RISC server chips.

—Gus Vendito

Which integrated software programs are used at your company?



Where did you buy this software?





chmate Corporation, Bellevue Washington, has trademarked EXTRA/ Connectivity Software IBM is a registered trademark of International Business Machines Corporation

arry Houdini had one theory anyone could appreciate: If you want to stay out of a bind, you've got to be flexible.

We agree. In fact, that theory is exactly what's behind EXTRA! Connectivity Software,"

For instance, if you're currently linked via coax or modem but you plan to switch to a LAN, EXTRA! gives you the freedom to connect all three ways. And that includes LANs using IBM's Token-Ring Interface Coupler (TIC).

It's flexibility like this that prompted PC Magazine to name EXTRA! as its Editor's Choice for PC-to-host software running on LANs.

There's something else we don't want you to forget about EXTRA! It's your memory. EXTRA! uses so little of it, you'll have plenty of RAM left on your PC.

Plus. Attachmate's devotion to total IBM® compatibility assures you that you'll never get dead-ended by proprietary protocols.

Which reminds us of something else Houdini used to say, "Don't get into anything you can't get out of later"

> EXTRA! 3270 CONNECTIVITY SOFTWARE **Attachmate**

In Washington state: 206-644-4010

Presenting The Houdini Theory Of Micro-To-Mainframe Connectivity.

Engineering Design Environment Links Sketches to Mathematical Models



HANDS ON

BY JEFF PROSISE

A big part of any engineer's job in designing mechanical or structural components is conceptualizing the design, analyzing it, and documenting the calculations on paper. CAD systems help in the conceptualization phase but provide little analytical support. Mechanical Engineering Workhench, a new software package from Iconnex, seeks to change all that by

assembled from "mechanisms." For types of mechanisms are supported. Equations are entered in the Equation Mechanism. Input parameters are defined and assigned names and units in the Worksheet Mechanism, which has the same tener orwand-column format as a spreadsheet. Illustrations are created and constraints applied in the Geometry Mechanism, the Geometry Mechanism or the contraints and the contraints and the contraints and the contraints and the contraints are created and contained in the other three contained in the other three

mechanisms, are produced with

With ME Workbench, an engineer can define an equation, provide inputs, and get instant graphical feedback.

letting engineers play "whatif" with their designs the same way accountants play "what-

if' with their spreadsheets.

ME Workbench might best
be characterized as an engineer's spreadsheet. It allows the
engineer to define the equations
that govern a problem, provide
inputs, and get instant graphical
feedback on the results. Parametric design studies are a snap
as you vary the inputs and gauge
their effects on the output.

For example, to determine the end deflections of a cantilevered beam for a range of point loads, you would build a mathematical model with load magnitude defined as a variable. By entering a range of possible values and recalculating each time. you could quickly determine the resultant deflections. And by tying in a sketch illustrating the geometry of the beam, its end conditions, and the locations and magnitudes of the applied loads, you could set the problem up so that ME Workbench updates the sketch to show the beam's angle of deflection under each loading condition

The components of a design problem—which ME Workbench terms a "project"—are the Report Mechanism.

The beauty of ME Workbench is that all the elements of a design are linked together, even though they reside in different mechanisms. For example, if you construct a cylinder in the Geometry Mechanism and tie its diameter back to a value in the Worksheet Michanism, changing the diameter within the worksheet will automatically update the sketch in the Geometry Mechanism. Re-

sults derived from the Equation

Mechanical Engineering Workbench helps you sketch your design problems. Sketches include such desails as constraint placement and can be linked to mathematical models.

Mechanism will reflect the new

input diameter. ME Workbench even understands units. The default system of units can be set to CGS (centimeter-gram-second). MKS (meter-kilogram-second). English, or a user-defined combination. Type "1 in" in response to an input prompt with ME Workbench in CGS mode, for example, and it will automatically convert your entry to 2.54 cm." When you enter an equation in the Equation Mechanism, it calculates the correct unit notation for the result based on the terms on the right-hand side of the equation. It's even smart enough to recognize pounds per square inch as a

pressure term and report it as

psi." ME Workbench runs in a rich graphical environment based on Digital Research's GEM interface. Each mechanism occupies its own window. Under mouse control, windows are easily moved around the desktop and resized to larger or smaller proportions. One minor but annoying drawback to running an application based on GFM is that after it's installed, you'll suddenly find your hard disk's root directory cluttered with several GEM-related subdirectories. But it's a small price to pay for the convenience of the clean and



Mechanical Engineering Workbench, Version 3.5 Iconnex Corp 1501 Reedsdale St. Pittsburgh, PA 15233 (412) 321-8890 List Price: \$2,950 Remires: 640K RAM IBM PC AT or compatible, hard disk (10MB minimum), EGA with 256K RAM, math coprocessor mouse, DOS 3.2 or later In Short: A graphical design and analysis environment that lets engineers play "what-if" with their designs by linking

sketches to mathematical models. Copy protected by parallel port key.

CROLE 440 ON READER SERVICE CARE

logical windowed interface. The ME Workbench documentation is composed of a well-written Reference Manual housed in a three-ring binder, a Learning Guide, and a Techniques Manual. The 119-page Learning Guide provides a selfpaced tutorial that steps you through the process of constructing and exercising a model gas piston. The Techniques Manual offers additional example problems and insight from the authors on what ME Workbench is and how it should be used. The overall quality of the documentation ranges from very good to excellent. And the \$2,950 list price includes tollfree telephone support and free upgrades for a year.

ME Workbench is not a drawing-production package in the
same sense that AutoCAD and
Cadbey are, although it does have
provisions for IGES and ,DXF
output of geometric entities. It is
easy enough to learn that you can
expect to be analyzing real problems with it in a matter of hours.
For the engineer who frequently
finds himself iterating to reach an
optimal design configuration, the
cost of ME Workbench could be
justified based on nothing more
than the precious time it would
save.

Watch for our weekly ads in the centerfold of Sunday's New York Times second main section.

EPSON' \$29995

EPSON





Secont \$24995 Panasonic



Matrix Prints draft, 48 CPS NLQ, 10, 12 proportional Friction



(hp) HEWLETT

Call







\$49995 Microsoft^{*}







52H\$11995 \$9995



ATA

7 Cartrido







o most word pros ocessing codes Publish Pac provides image scanning capabilities that can and complines for use with most desiron publishing software Complete Package includes PC Scan 2020, Text/Publish Pac, interface for XT, AT or PS/2

Our Reg. Low Price \$2890 NOW Only \$1589

FOR CONNECTIVITY OUR NETWORKING

MAXUM 286

30 DAY MONEY-BACK GUARANTEE! Buy with confidence. The acclaimed 286 computer offers his

quality with exceptional performance and value. You also get one-year on-site "CE" service and access to our direct Technical Support Hotline, We're so sure you'll be satisfied that we back your QBS purchase with a 50 day money-back guarantee pro viding its in the original configuration and packaging as d

MAXUM 286 TURBO

WITH 12-MONTH ON-SITE LIMITED WARRANTY* Hard Drive no-Graphics Systems RCSSS processor • Stax RAM
 R suparsion slots • 1296 disk day Battery backed clock-caler
 Hard-floopy disk controlle

40MB Hard Drive et men 4149 1549 40M8 Hard Drive up need

44MB Hard Drive as need MR Hard Drive os muo

1699

4749

386/20e *4899

NEC

Cast hard drive
 Gas planna disp
 Parafiel serial &



COMPAQ Deskpro 3869

Deskpro 286 : 286-20 2046 drue 12295 286-40 40M8 enve \$2695 Portable II a full function p

Portable II-4 with 2048 thive Portable 386 A 20eer soss portable computer 386/ Model-40 state \$5695 386/ Model-100 100m \$6995

Monitor optional on all Deskpro systems All Compaq Computers are waranteed solely by 47st. Photo.

67 West 47th St. 116 Nassau St. 1-212-608-6934

1-212-398-1410 115 West 45th St. 1-212-398-1410

E. Meadow Plaza Shopping Ctr. 1-516-794-3660

SOLUTIONS, CONSULT GROUP(212) 254-3105



Come in for our low prices! NEC MATIONS B-2 \$1449

LAP-TOP OPTION HES FOR TOWNING, ZENVEN & MECHENTY

MODEN



184 1 Dual Try moves 525570RT286 sel-2b with 20ME

ENITH

Special

NEC owerMate* 1 Plus 0286 Desktop



LEADING EDGE el D2-30 Mono System \$1595 N 02-65 with 60MB 11995

Lease It with LeaseCard

36 (domming)

To order in N.Y. State call 1-212-608-6934

Corporate Accounts Welcome

Volume purchase pricing available, please call. For store locations, please see information box below



Quattro \$14995 mec/ \$1249S















Laser Paper & Fil

500-81/2 XTT White 250-81/2 XTT Mony, Gray

LASER ULTRA COAT







An Easier Way to Manage Memory



HANDS ON

BY LORI GRUNIN An expanded memory manager can be a valuable but all too arcane program: it's very easy to become entangled in memory addresses and page frame calculations when all you want is to stash your worksheets in that

3MB of memory. Turbo EMS, which is actually an upgrade of Tele-ware's Above Disc, makes sense of the madness. (Don't be confused if you still see Above Disc in the stores: Tele-ware, the company that originated the program, has also upgraded the program and is still marketing it under the Like its predecessor, the

program simulates expanded memory by swapping applications from DOS memory into the high memory. With Turbo EMS, the swap medium-the place that a file or application temporarily resides-can be on-

disk or in extended memory. The package conforms to LIM EMS 4.0 and therefore can address up to 32MB of expanded memory. It also sports a menu-driven installation and configuration program that makes configuring Turbo EMS almost painless.

The installation program, supplemented by a useful manual, provides explanations of each option and gives the information needed to calculate the number of 16K page frames you can allocate (each 64K page frame holds 4 16K pages). When calculating available memory, the software senses the presence of RAMdisks created with VDISK, IBMcache in PS/2s, and other expanded

example, Microsoft Windows' SmartDrive) Turbo EMS handles some of the known problem children of memory management, such as Windows and DESOview, by providing custom page-frame alignments: the intrepid users can choose their own starting

memory managers that use the

highest memory possible (for

FACT

Turbo EMS Lantana Technology Inc 4393 Viewridge Ave., Suite A San Diego, CA 92122

(619) 565-6400 List Price: \$99.95: registered Above Disc users (Versions 1.0 to 1.3) may upgrade for \$40. Requires: 256K RAM, DOS 2.0 or later. Not copy prot-

CIRCLE 452 ON READER SERVICE CARD

tected.

memory addresses or even directly modify their CON-FIG.SYS, bypassing the configuration program entirely.

Word Processor Specializes in APA Style



HANDS ON

BY EDWARD MENDELSON At a time when many programs try to be all things to all people, Manuscript Manager: APA Style is a tack of one trade.

If it's essential that your docents follow the format specified by the American Psychological Association, Pergamon Software's \$210 academic word processor will enforce conformity in page layout and print attributes. It takes you by the hand and leads you through menus that guarantee that your footnotes have every title underlined and every date in parentheses. It automatically capitalizes top-level headings and underlines a lower level. On request, it can scan a document and report that you neglected to insert text in a footnote or that you left the title page incomplete. If you want to cite the same book in more than one article. Manuscript Manager can store a library of references and let you import them without retyping.

Manuscript Manager, unfortunately, does a much less impressive job with any word processing function that isn't di-

rectly related to APA format. The IBM version has been ported from an Apple II version with a few enhancements, but not enough. You get mail-merge, nonprinting comments, two editing windows, and a primitive redlining function that makes you specify redlined or strikeout text. But you'll find no spelling checker, and the pack-

age's editing and printing functions are startlingly primitive. For instance, to delete a word you have to turn on a block, define the word, then delete it. You can select from a use proportional spacing on any of them. You can't even name the file you want to edit on the DOS command line when you load the program

Manuscript Manager is copy protected, and the setup routine leaves hidden files on your hard disk. You can install the program twice from the master disk. After that, if your hard disk fails, you won't be able to restore the program from a backup. Manuscript Manager uses a file format that no other software understands. It exports

files only in ASCII. Dragonfly Software's Nota

Manuscript Manager: APA Style

Pergamon Software Maxwell House Fairview Pari Elmsford, NY 10523 (914) 592-7700 List Price: \$210 Regulres: 512K RAM, DOS

2.0 or later. Copy protected. CIRCLE 451 ON READER SERVICE GARD

Bene is another package that supports APA style (and other academic formats), but it doesn't automatically support every detail-like underlining book titles. Nota Bene does automatically convert documents from one stylebook format to another, and it provides one of the richest sets of editing, printing, and textbase functions that is available from any word

Although the American Psychological Association has approved Manuscript Manager as the official software version of its publication manual, individual APA members may find it easier to produce successful articles using less official soft ware.



Manuscript Manager: APA Style provides menus for all formats used in articles published in psychology journals.

Get out of the danger zone with ORACLE®



nnouncing Ouicksilver

All the database Top Guns are flying SQL, the industry-standard data management language first delivered by Oracle. Now, ORACLE Quicksilver adds SQL and connectivity to your dBASE applications, so you can fly them into the 1990s.

Your ticket to the future

ORACLE Quicksilver is a compiler that turns your dBASE programs into fast, secure, multi-user applications that can access both distributed ORACLE and dBASE data. It delivers all the capabilities of dBASE, plus powerful extensions like windowing, graphics and user-defined functions. You can even add SOL statements to your dBASE programs for more powerful, flexible data access.

ORACLE database included

ORACLE Quicksilver comes with the ORACLE RDBMS. So you can get automatic indexing, comprehensive security, and

Why wait until dBASE IV can talk to SQL Server?

dBASE IV doesn't talk to SQL Server yet. When it finally does, it will only talk to SQL Server on OS/2-not on any other operating system. Which means you'll still be isolated from corporate data on minis and mainframes.

Add connectivity to your dBASE applications today

Your ORACLE Ouicksilver applications can talk to ORACLE SOL databases on your PC today. And with our optional networking software, you can build distributed databases across ORACLE servers on PCs, minis and mainframes - including IBM DB2 data.

No-risk Money Back Guarantee

Test fly ORACLE Quicksilver now. If you're not out of the danger zone in 30 days, return it for a full refund. Limited Time Free Offer: Order now and, for a limited time, vou'll receive ORACLE SOL*Tutor - our online SQL training program - absolutely free.

Call 1-800-ORACLEI, ext. 4425 today. Or fill out and return the attached no-risk

Dear Oracle...

Oracle PC Direct • 20 Davis Drive • Belmont, California 94002 1-800-0RACLE1, ext. 4425

Send me the following ORACLE products for

PC.* Enclosed is my
check or
VISA

MasterCard
AMEX credit card number and authorization for:

ORACLE SQL*Tutor free ORACLE SQL*Tutor ONLY for \$199
 Please add appropriate state sales tax
Total enclosed/authorized.
Lunderstand Oracle will pay for ship-

NAME	nn.e
COMPANY	
STREET (no P.O. boves, pinese)	
city	STATE 7:0
CITY	STATE ZIP

mainframe-class data integrity. coubon now.

Call 1-800-ORACLE1, ext. 4425 today.

20 Davis Drive Belmont CA 94002 • World Headquarters (415) 598 8000 • ORACLE Canada (800) 387 • 4407 (except Quebec) • Quebec (514) 337 0755 • ORACLE Systems Autorula 61:2-959-5080 • ORACLE Europe 44-1:948-8911 • ORACLE Systems

poyright © 1988 by Oracia Corporation Uhinutic to a re-mark of Oracle Corporation. Also trademarks: dBASE of 1 e. Quicksilver of Quicksilver Software, Inc D82, OS/2 and Characteristics mentions.

Organization Chart Maker Stresses Flexibility


PE HANDS ON

BY MARY KATHLEEN FLYNN

If you want to create an organization chart quickly, easily, and inexpensively, ny KD Systems, Terrifie! Organization Chart Maker, a \$79.5 package designed specifically for the task you have in mind. Of course, you don't have to buy a package just for making org charts, but a full-featured graphics package may be more than you want. On the other hand, a word processor is probably less than you want.

Unlike its competitor, Org Plus (also \$79.95), which imposes a fill-in-the-blanks structure and does most of the drawing automatically, Terrific! excels in flexibility. You date the chart. You determine the chart's structure. And you

When you want automation, Terrific! is there to give it to you. Press F2, and a box appears around your text, which



Terrific! Organization Chart Maker lets you draw the org chart, rather than forcing you to fill in the blanks of a predetermined structure.

automatically gets centered. Press the Ins key, and you can draw lines with the cursor keys.

Terrific's Make Pretty feature will clean up your chart. It will center material, clean up lines, and arrange the chart in an aesthetically pleasing way. If you don't like the changes Make Pretty made, you can go back to your original chart. Terrific! handles page preview superbly. You're always working on a screen that's about 90 percent WYSIWYG. In addition, one of the steps in the priming process shows you exactly what the chart will look like on the primed page. Terrific!'s screen and page-preview step are both far superior to the supposed page-preview feature in Org Plus, which displays a small diagram of flashing squares.

If you're looking to buy a package designed especially for organization charts, Terrific! is well worth its price—particularly in comparison with Advanced Org Plus, which, for \$129.95, provides similar features.



Terrific! Organization Chart Maker KD Systems Inc. P. O. Box 97024 Raleigh, NC 27624 (800) 345-3908

(800) 345-3908 List Price: \$79.95 Requires: 256K RAM; printer (HP LaserJet Plus, Series II, or compatible; dot matrix; or character-based), DOS 2.0 or later. Not copy protected.

CIRCLE 453 ON READER SERVICE CARD

Irwin Crams 80MB on a Tape



HANDS ON

BY WINN L. ROSCH

IBM chose an 80MB internal tape system based on the small DC-2000 cartridge for its PS/2 models. Now the same drive is available in another guise as the Irwin 280. Using a proprietary embedded-servo storage format, the \$749 Irwin 280 is able to pack 80MB on 205 feet of 1/4inch tape by stacking 32 tracks across its width. In addition, the firmware contains code support for 300-foot cartridges, which, when available, will stretch the system's single-cartridge capacity to 120MB.

Tapes must be formatted before use, a time-consuming process that also writes the servo information. Cartridges are available from Irwin with the servo tracks already written for \$35; blank tapes sell for \$30. The drive itself fits a standard 3½-inch form factor. In-

dard 3½-inch form factor. Installing it in a Micro Channel PS/2 requires a special \$100 adapter kit, the Irwin 8470. The kit includes a sled that attaches to the drive and lets it slide directly into any Micro Channel PS/2 drive bay. You can manually install the drive within half an hour.

As with other Irwin tape drives, the 280 takes advantage of your system's floppy disk controller instead of using a dedicated host adapter. While this strategy cuts the system cost, it prevents the use of a second floppy disk drive in your PS/2 and holds back the transfer rate of the backup system.

Compared with its 40MB predecessor, however, the 280 delivers dramatically improved performance: a 2MB-per-minute backup rate. During testing, however, overhead functions such as indexing and building tape directories and headers stretched the total time needed to back up one IOMB file to 7 minutes. 42 seconds.

The İrwin 280's handling of elaborate directory structures is even more impressive. It backed up the PC Labs 1,500-plus directory, 3,000-plus file Scatter test environment in 18 minutes. 15 seconds.

The control software for the 280 is an updated version of Irwin's EZTape system, updated to Version 2.0. Offering both menu- and parameter-driven operation, the system is quick to put to work and easy to program. All normal file-selection options are available, including date, tagging, and by list.

Irwin's software is not without its faults. The performance



FACT FILE

Irwin 280

Irwin Magnetic Systems Inc. 2101 Commonwealth Blvd. Ann Arbor, ML48105

(800) 421-1879 List Price: \$749

Requires: Micro Channel PS/2, vacant floppy disk bay. Irwin 8470 installation kit (\$100).

CIRCLE 454 ON READER SERVICE CARD

of the menu-driven section of software drags when the disk directory structure gets complex, and the software deals only with files, offering no image mode.

The bottom line? The Irwin 280 isn't the fastest system available, but its numerous virtues—including an 80MB capacity—make it a good backup choice.

How to speed up your accounting

cycle

Whether you're shopping for your first computerized accounting system or wrestling with some other "solution", you owe it to yourself to see why Bedford's Integrated Accounting software is acclaimed as the fastest and easiest way to get your small business from transaction to report

Ouick to setup...

Installation is as easy as copying the single program file onto a working disk and typing BEDFORD.

Easy to learn...

Within minutes you will be breezing through the six fully integrated modules using only cursor and escape keys. Sample data files and a self-paced tutorial allow you to get comfortable with the program before entering your own company's data.

If you require additional help, our exclusive Comfort Guarantee provides free technical support and program updates for your first thirty days.

A snap to use ...

With Integrated Accounting you'll need to enter transactions only once.



Payroll, Payables and Receivables data are instantly transferred to General Ledger, Inventory and

Jobcost as required. On-screen lists

of your chart of



Unlike other software that was never built for speed, integrated Accounting has been optimized to give your small business the boost it needs.

accounts, suppliers, customers, employees and inventory pop up automatically when needed.



Integrated Accounting topped 15 other programs to win this prestigious award

If you need your bottom line in a hurry or a quick check of a client's payment status, a few keystrokes is all it takes to display any report instantly.

Stop wasting time...

Blast down to your nearest Bedford dealer or Radio Shack Computer Center today and, for only \$249 complete, let Integrated Accounting show you the easiest way to speed up your accounting cycle.

Call 1-800-255-8361 to order.

Timeslips interface now available.

making software comfortable

CIRCLE 482 ON READER SERVICE CARD

Bedford Software Corporation • 15311 N.E. 90th Street • Redmond, WA 98052 • Fax (206) 885-0859 • (206) 883-0074

When you think about speed, think about Spield.

Truly one of the fastest 386

computers on the market

today. Memory expansion of up to 16MB of 32 Bit

RAM. Includes socket for Weitek, 80387, or

80287 math Co-processors.

· 220 Wett Power Supply Sockat for an 80287

Sockat for an 80387

a Accente Waitak 1167 Chin set

Tower Casa Available (add \$225,00)

20 to 320MB in ESDI, SCSI, RLL and MFM

. Ona 32 Bit, Fiva 16 Bit and Two 8 Bit

 Landmark spead tast aquals 33.6, Norton SI rating equals 31.6.

Larga salaction of Hard Disks available from

386-9

Up to 16MB of 32 Bit RAM. Sockets for Weitek, 80387 and 80287 on board.

- 80386 Running et 16/20MHz and 0 Wait
- 1MB of 32 Bit 0 Weit Stete Ram.
- Spaed salectabla for 8/16/20MHz.
- Clock Celendar with bettery beckup.
- . 101 Enhancad Kayboard.
- Western Digital 2F-2H
- . 1.2MB Floppy Disk Drive.
- AT and OS/2 Competibi
 220 Watt Power Supply.
- Sockat for Waltak, 80387 end 80287. . One 32 Bit Slot, Five 18
- Bit Slots, Two 8 Bit Slots
- . Norton SI rating equals 27.

Model 286-1 12MHz

Nearly as fast as some 386 computers.

- · 80286 Running et 12MHz, 0 Wait Stat 512K of 80NS Ram.
 Speed Selectable for 6/12MHz.
- Clock Calendar with Bettery beckup 101 Enhanced Keyboard.
 Western Digital 2F-2H Controller
- Western Digital 2F-2H Controll
 1.2MB Floppy Disk Drive.
 AT and OS/2 Compatibility.
 220 Watt Power Supply.
 Socket for 80287 Coprocassor.

80386 Running et 20/25MHz and 0 Weit

1MB of 32 Bit 0 Wait Stata Ram

Keyboard salactebla for 8/25MHz.
Up to 8MB of Memory on tha
motharboard (using 1MB chips).
Clock calendar with battery backup.

Clock calendar with battery backup.

101 Enhanced Keyboard.

Wastern Digitel Dual Floppy end Dual Hard Disk Controllar.

1.2MB Floppy Disk Drive.

AT end OS/2 Competibility.

Compag

memory boards

- 386 Running at 16MHz and 0 Wait

- State.

 IMB of Static Column Ram.

 Speed selectable for 4.77/6/8/16MHz

 Clock Calendar with battery backup.

 101 Enhanced Keybourd.

 Western Digital 2F-2H Controller.

 1.2MB Floppy Disk Drive.

 AT and OS/2 Compatibility.

 220 Wat Power Supply.

 Socket for 80287 (daughter card for answr
- 80387). One 32 Bit Slots, Five 16 Bit Slots, Two 8 Bit Slots.
- n SI rating equals 20.5.

386 and 286 portable systems available in LCD 640 by 400 resolution

DEALERS

Call for our 25MHz motherboard pricing

> Hauppauge replacement boards for AT's. XT's, and PC's. Always in stock. Call for pricing.



Custom designs to meet your specific requirements.

All hardware hes e 30 dey money back guarantee and a 1 year werrenty on parts end labor. All computar systems ere assambled in the USA, burnad in, end fully tested before being shipped. Mastar Cerd, Visa, American Express, and COD's accepted. Leasing a with one doller or 10% buy out at the customer's option.

All prices subject to change without notice. AT, XT, PS/2, and Micro Channel are tredamerks of International Business Mechines Corp. OS/2 is a trademark of Microsoft Corp. Compaq is e tredemerk of Compeq Corp.



FeedThru Modem Offers Solution To Serial Port Scarcity

Adding a modern to your system usually means using up a precious late on your computer or attaching the device to your system's sole serial port. Xecom's FeedThru Modern offers a space-saving alternative: the 2,400-bit-per-second modern plugs into your RS-232 port and provides an RS-232 output port on the other side.

Since it has an internal power supply, the \$349 Hayes-compatible modem is ideal for laptop computers, according to Xecom. When the modem inst in use, signals transmitted to the port travel directly to and from the second peripheral attached to the FeedThru. Xecom supplies Mirror II for communications and a converter cable for use with ATs and F8/2s.

Just in case you don't know what to do with this serial-port windfall, Xecom also sells the FeedThru Modern bundled with a Z-Nix Hi-Res Mouse, TurboCAD, and Dr. Halo III for \$499. List Price: FeedThru Modern, \$349; with Z-Nix Hi-Res Mouse,

List Price: FeedThru Modem, \$349; with Z-Nix Hi-Res Mouse, TurboCAD, and Dr. Halo III, \$499. Xecom Inc., 374 Turquoise St.,

Milpitas, CA 95035; (408) 945-6640.



Xecom's FeedThru Modem connects directly into the RS-232 port of your computer.

Printer Controller Boosts Laser Printer Grav-Scale Output

Users of any of the Canon SX-based laser printers, including the HP Laserlet Series II, can benefit from the ability of the Mierotek GIZ printer controller board to deliver output with resolutions of up to 150 lines and between 64 and 128 shades of gray. After replacing the undercarriage of the printer with the S2.995 controller, you then connect the printer to the PC through a traditional Central PC through a traditional Cen

tronics interface.

The controller, which performs its gray-scale magic by varying the regular dot size produced by a standard 300-dotper-inch laser printer, features a programmable Motorola 68000 processor and 2MB of RAM onboard to handle graphics. Text and non-gray-scale images are output normally.

The Microtek GLZ provides support for various desktop publishing programs, including Ventura Publisher and Page-daker. The controller is also offered as an option with Microtek's TurboPrint, a 300-dpi laser orinter.

List Price: Microsek GLZ, \$2,995. Requires: Laser printer with Canon SX-based engine. Microsek Lab Inc., 680 Knox St., Torrance, CA 90502; (213) 321-2121, (800) 367-6933.

CIRCLE 446 DN READER SERVICE CARD

The NEC MultiSync 3D cabaset has a built-in tilt:swivet base and a smaller footprint than its predecessors.



NEC Adds Two Monitors to Its MultiSync Family

Although both bear the NEC MultiSyne name, only one of the two newest members of NEC Home Electronles' line of displays is a true frequency-switching monitor. The \$1,049 NEC MultiSyne 3D offers compatibility with IBM's 8514/A display—interfaced 1,024- by 768-pixel resolution—as well as backward compatibility with

lower resolutions and Apple's
Macintosh II display.
While the NEC MultiSync
CRCLE 445 ONR

3D accepts both TTL and analog input, the \$799 NEC Multi-Syne 2A is a dedicated VGA monitor, accepting only analog input and supporting resolutions as high as 800 by 600 extended VGA

Both monitors have a 13inch viewing area and NEC's newly designed, smaller-footprint cabinet with concealed ca-

ble connections. List Price: NEC MultiSync 3D., St. 049; NEC MultiSync 2A, 5799. NEC Home Electronics Inc., 1255 Michael Dr., Wood Dale, IL 60191;

CIRCLE 445 ON READER SERVICE CARD

\$595 80386\$X Upgrade for 80286 Machines

Intel's 803865X chip has been heralded as a way for people to run programs written for 80386-based machines without paying the stiff prices charged for them. Cumulus's 803865X Card now makes it possible for twers to reap the same performance benefits without having to scrat pheir old PC ATS.

The card, which has an area of less than 3 square inches, replaces any 80.286 CPU with a clock speed of up to 16 MHz. Units operating at 8 MHz or slower experience a 15 percent improvement in performance, according to Cumulus. The company will also be offering an adapter for an 80.3875X floating-point coprocessor.

List Prizes 83336X Card \$5.05

Requires: 80286-based PC. Cumulus Corp., 23500 Mercantile Rd., Cleveland, OH 44122; (216) 464-2211

CIRCLE 441 ON READER SERVICE CARD

NEW ON THE MARKET

Bus-Mastering Token-Ring Board For the Micro Channel

The Cypress/2, a 16-bit Token-Ring adapter that can be configured as a bus master controller in Micro Channel systems, is Lantana Technology's recent entrant in the rapidly growing LAN adapter business.

The 5995 board features compatibility with existing Token-Ring inctivors, a 4-megabit per-second dust transfer rate, and comes with drivers for Novell's NetWare. All board settings are software-configurable, Options included 1284 of on-board RAM to hold the IEEE 80.2.2 logical link software, a 32K EPROM module for the same purpose, and a RFL (nemote program-load) EPROM module for diskless workstations. Cryptess/2 also has diagnostic LED indicators to all trouble-boording LAM managers.

List Price: Cypress 2, \$795 Requires: 80286/386-based system, DOS 2.0 or later. Lantana Technology Inc., 4393 Viewridge Ave., Suite A, San Diego, CA 92123: (619) 565-

Inc., 4393 Viewridge Ave., Suite A, San Diego, CA 92123; (619) 565-6400.

PostScript Adapter
Works with HP

DeskJet, Epson FX-80
For those people who have stuck loyally by hier dot matrix printers over the years but still yearn for PostScript-quality output, Everex's \$1,795 PostCard Plus printer controller gives Epson FX-80, HP DeskJet, and HP LaserJet printers and compatibles PostScript-em-

ulation capabilities.
The full-length card fits into an expansion slot in an IBM PC AT or compatible and comes with Bauer Enterprises. Post-scrip interpreter, software that performs translations into HP's PCL graphics command set or Epson's FX-80 graphics com-

mand language. PostCard Plus employs a 16-MHz Intel 80C186 processor and an Intel 82786 graphics coprocessor to speed translation, according to Everex.

The standard 3MB of onboard memory is enough to hold the 13 Bitsteam downloadable font outlines that Everex bundles with the card. For S895, an additional 2MB provides enough memory to hold a total of 35 font outlines.

List Price: Everex PostCard Plus. \$1,795. Requires: 80286/80386based system, DOS 2.0 or later. Everex, 48431 Milmont Dr., Fremont, CA 94538; (415) 683-2100.

CIRCLE AM ON BEADER SERVICE CARD



The Everex PostCard Plus printer controller converts PostScript graphics was bumapped graphics.



The Vendex HeadStart PRO comes with both 1.44MB and 1.2MB floppy disk drives.

20-MHz 80386 Machines for Under \$5,000

Once a technology is no longer on the frontiers of change, economic forces conspire lo push prices downward: three new 20-MHz 80386-based systems prove that they are no exception to the rule.

Standard features on the Vender Headstart PRO include 4MB of RAM (expandable to 16MB), a V6A graphics adapter, a 2,400-bit-per-second modem, and two high-density flooppy disk drives—one 5W-inch, noe 3V-inch, A configuration with a 23-millisec ond 8MB hard disk drives are SA-89. Local behalf of the same shaped of the per-white monochrome or a 5695 color display. DOS 3.3, six 16-bit slotes, and one 32-bit six 16-bit slotes and six 16-bit slotes and six 16-bit slotes are six 16-bit slotes and six 16-bit slotes and six 16-bit slotes are six 16-bit slotes a

slot complete the package.

Tussey Computer Products offers the \$2,499 Swan
386/20 configured with IMB of
RAM (expandable to 16MB), a
1,2MB floppy disk drive, and
fived drive baye—two 3½-and
three 5½-inch. Users can also
opt for a system with a VGA
card and monitor and an 80MB
hard drive for \$3,678.

A stripped down version of

the CompuAdd 386/20, with

and 1MB RAM (expandable to 16MB), costs 52,295. The same configuration with a 110MB hard disk drive and a VGAcompatible monitor costs about 53,845. The 386/20 has seven expansion slots—six 16-bit and one 8-bit—a math coprocessor socket, two serial ports, and one parallel port. List Price Vendex HeadStart

only a 1.2MB floppy disk drive

List Price: Vendex HeadStart PRO, 80MB hard disk drive configuration, 54,495; monochrome display, 5249; color display, 5695. Vendex Technologies Inc., 40 Cutter Mill Rd., #438, Great Nock, NY 11021; 5161-482-4255.

CIRCLE 447 ON READER SERVICE CARD List Price: Tussey Swan 386/20, 52,499 Configured with 80MB hard disk drive, VGA card, and monitor, 53,678. Tussey Computer Products, P.O. Box 1006, State College, PA 16804; (814) 238-

CIRCLE 448 ON READER SERVICE CARD List Price: CompuAdd 386/20, \$2,295; with 110MB hard disk drive and VCA monitor, \$3,845. CompuAdd Corp., 12303 Technology Blvd., Austin, TX 78727; (512) 250-1489, (800) 531-

CIRCLE 449 ON READER SERVICE CARD

ASTMICR 1-800-441-FAST

WordPerfect 5.0

can't lose



processor is now even better than ever! Version 5.0 adds multiple font support, graphics integration, page preview and ich more. WordPerfect 5.0, still retains its feel and ease of use that made it #1. Combine All this in a battery-powered 7 pound package. A 768K ram card is just \$269 and can be set as this with the best support in the industry and you

TOSHIBA T1000

\$749 The Toshiba perfect second PC! It comes with 512K of ram, a 720K floppy drive, a supertwist LCD screen and MS-DOS in rom!

base, expanded, or a non-volitile ram disk.

TOSHIBA ATT Printers These 24 pin models are feetures and are priced right.
You can select multiple fonts and pitches right from the menu-driven front control panel. With paper parking, you can insert a single sheet without removing the continous

form paper. All this and multiple emulations with no dip switches. P321SL Narrow \$459

\$629

P341SL Wide

PRINTERS PRM749 VG/ Allegro 24 349 399 249 FAST 9CM082 VGA 419 219 itsubishi 1409 RGB 229 259 449 599 899 145 165 299 645 339 259 399 489 1410 EGA Diamond S NEC 429 599 249 Multisync II Multisync Plus 1200 Baud Exte 179 899 1399 575 869 2400 Baud Inlama 2400 Baud Externi 499 299 Call 149 129 Max15 Utitrasync Utitre 16 389 849 1375 995 549 549 379 499 Super EGA Hi-Res-Super VGA #5100 VGA Hi-Res #5200 elko CM1430 339 1302 Multiscan 1303 Multiscan 659 479 599 hic Card + 299 LC890 MP-286L Dual MP-286L 20mb IEC ntel 8087-2 80267-10 162 Plu 319 499 699 1399 3195 2449 249 Above Board Plus 459 finiscribe 40MB AT #3650 229 319 393 (8 enasonic KXP1080-2 Designer VGA Multispe ed HD 2249 399 296 326 526 749 945 T1000 T1200F T1200FB Backit T1200HB Backit T1600 KXP1091i-2 KXP1124 185 2099 1369 1499 2399 Call 3695 4595 267 287 349 449 549 30MB XT Kit #238 40MB AT #251 40MB AT #251-1 169 259 299 Call KXP1595 349 399 499 799 VGA Plus VGA Plus 16 VGA Professi 519 T3200 5799 7499 80MB AT #4096 77 1599 720K 3.5" Floppy 1.2MB 5.25" Floppy 1.44MB 3.5" Floops 87 87 100 Sport 20mb 3599 2399 149 CALL FOR LAPTOP SPECIALS Call On No

						WARE					
Clipper	699	FAST	,	JU	/U U	WALLE			Easy Extra	LIST	FAST
DataEase	600	379	Graphi			Progra	-		Easy Extra		55
dBase IV	795	449	Graphi	LIST	FAST	Progra	LIST	FAST	GEM First Word Plus	199	117
dBXL Diamond	199	105	Deluxe Paint II	105	67	******	150	PAS1	Grammatk III	89	49
Foxbase Plus	395	185	Draw Applause	495	269	Macro Assembler		58	Manuscript	495	Cell
Foxbase Plus	395	185	Draw Applause	495	269	Norton Guides (Spec	oly) 100	58	Multimate Adv. II	565	247
Peradox	725	399	First Graphics	129	Call	Turbo Basic	99	58	Professional Write	199	105
Quartz	795	449	Freelance Plus	495	Call	Turbo C 2.0	149	90	Rightwriter	95	49
RapidFile	295 700	179	GEM Draw Plus	299	165	Turbo Pascal 5.0	149	90	Sprint	195	119
Rbase for DOS	700	419	Genenc CADD	99	49	Quick Basic	99	59	O & A Write	199	119
Reflex	150	84	Graph Plus	495	299	Quick C	99	59	Webster's Writer	60	47
08A	349	179	Harvard Graphics	495	Call	Spread	sheets		Word	450	Cel
Desktop	Publishing		Perspective Jr.		Call	Excel	495	Call	Word Perfect	495	Cal
Bylina	295	175	Integra	ted		Lotus	495	Call	Word Parfect Library	129	59
GEM Desktop Pub	299	169	First Choice	159	95	Lucid 3-D	149	79	WordStar Prof. 5.0	495	219
Pegemaker 3.0	795	Call	Works	149	69	Quattro	248	139	XyWrite III Plus	445	299
PFS First Publishe	129	69	Windows 286	99	59	Worksheet Utities	100	55	Call On Non-L		
Publisher's Painton	ush 285	149	Windows 386	195	117	Utili	ities				
Ventura 2.0	695	459	Mice			CoreFast	149	67	TERMS: Most Orders Shi	g Within 4	65 hours No
Fine	encial		Logitech C7 Sensitius	119	65	Desklink	170	95	Charge for Viva or MasterCar Min. 541. Product warrant	d. Shippen	Charge M
Bedford Integr. Acc	1 249	149	Logitech HiRes Bus	150	79	Desaview	130	73	handled by the manufacturer	All otters .	St. craeric Mr.
RPI		Call	Microsoft Senal/Rus	150	95	Fastback Plus	189	99			
Computer Associat	05	Call	Microsoft W/ Windows	200	129	FastTrax	50	33			
DAC 3.0	99	59	PC Mouse It Sensithan	149	62	Formtool	95	54	checks delay shapping Com	parability no	st guaranteed
DAC Payroll 3.0	99	59	Power Pro	tection	-	Laplink Plus	140	77	APO's add \$15 Procestment	ability sebje	ct to charge
Dollars & Sense	179	99	Curtis Ruby Plus	115	59	Notion Advanced	149	74	For your protection, we ches	h fire window	centil canta
In-House Accounts		109	Datasheid 85	90	50	PC Tools Deluxa	80	36			
Managing Your Mo		117	Datasheid 100	99	57	Sidellick Plus	195	119	1721 E. Gerre St., Phoenix.	AZ 85040	
Peachtree Comple	to II 100	149	Isobar 4-6	80	42	XTree	70	34	To place orders only call: It	ID-441-32	78

OPTune's All-in-One Disk Maintenance Defragments Files, Sets Interleave



HANDS ON

BY EDWARD MENDELSON If your collection of hard-disktesting and -maintenance utilities is threatening to occupy your entire hard disk, consider replacing them all with Gazelle

Systems' OPTune. This \$99.95 utility integrates into one program a variety of functions normally divided among separate packages. OPTune defragments files and packs them at one end of the disk. It tests the disk's interleave performance and can change the interleave while performing a low-level format that leaves the data intact. And it tests the disk with a variety of tests ranging from a quick surface scan to an all-day workout.

OPTune's defragmenter is startlingly fast. Although it outruns all rivals, it completely packs the disk yet lets you interrupt it safely by pressing a key. It doesn't include all the options and safeguards that you'd find in some defragmenter programs, such as Bridgeway Pub- 1 lishing's FastTrax, but it offers a unique combination of speed,

safety, and thoroughness. The low-level format and interleave functions work accurately with standard drives and partitions larger than 32MB. The program knows enough not to try to reformat or change the interleave on RLL diskswhich is just as well, because its optimum-interleave test yields

wildly inaccurate results on such disks.

The function that tests the disk surface is reliable on any disk and uses test patterns that match the ones used by drive manufacturers. OPTune does as well as any program can that measures disk errors that have been filtered through DOS. It can't measure up to SpinRite or Disk Technician, programs that dig into the hardware for errors

FACT Gazelle Systems 42 N. University Ave., #10 Provo. UT 84601 (800) 233-0383 (801) 377-1288 List Price: \$99.95 Requires: 256K RAM, DOS 2.0 or later. Not copy protected.

and irregularities.

OPTune fills out the package with an unformat program, a disk parker, and a CHKDSK equivalent that verifies a complex directory structure 20 times faster than DOS's version and gives a more detailed report

CIRCLE 432 ON READER SERVICE CARD

when it's done. OPTune's manual tries so hard to be accessible to nontechnical users that it tends to advertise rather than explain the program's functions. If you're reasonably knowledgeable about DOS, you'll find the built-in help screens and menus a lot more informative than the manual



OPTune can sest the disk surface quickly or use his natterns of varying complexity. The disk map (above) illustrates a quick surface test in progress.

Two Information-Packed Books Attack The HP LaserJet from Both Directions



BY FOWARD MENDELSON Combine two books to learn everything you need to know about the care and feeding of the

HP LaserJet. LaserJet Unlimited, by Ted Nace and Michael Gardner. now in a rewritten second edition (Peachpit Press, \$24.95), covers hardware and software issues for all LaserJet models, from the original to the Series II-and everything in it applies equally well to the new HP Laserlet IID

Nace and Gardner's no-nonsense prose leads you from the printer's control panel all the

way to the arcane commands that enable laser printing in applications not designed for lasers. Along the way, they offer street-smart commentary on products designed to make laser printing easier.

LaserJet Unlimited covers paper feeders, print buffers. control programs, font cartridges, soft fonts, font generators, font managers, drawing programs, graphics utilities. PostScript add-ons-everything except the \$30 dust cover you can buy from Hewlett-Packard. And their bug reports can prevent hours of frustration.

The appendices include a clear listing of LaserJet command codes and a catalog of car-

tridge fonts. And the book's hundreds of troubleshooting tips-obviously the fruit of long experience-more than justify the price of admission

LaserJet Unlimited is designed mostly for the days when you want to get the best out of third-party software and hardware. When you want to get your hands dirty by experimenting directly with the LaserJet's command language, try Alfred F. Poor's The Hewlett-Packard LaserJet Printer Handbook

(Dow Jones-Irwin, \$24.95). Poor uses simple BASIC programs to illustrate LaserJet functions ranging from simple margin changes to complex control macros. By the time you



List Price: LaserJet Unlimited. Edition II, by Ted Nace and Michael Gardner, \$24.95. ISBN: 0-938151-02-9. Peachpit Press, 1085 Keith Ave., Berkeley, CA 94708; (415) 527-8555.

CIRCLE 433 ON READER SERVICE CARL List Price: The Hewlett-Packard LaserJet Printer Handbook, by Alfred E. Poor II, \$24.95. ISBN: 1-55623-156-3, Dow Jones-Irwin, Homewood, IL. 60430; (312) 798-6000. CIRCLE 431 ON READER SERVICE CARD

work your way through Poor's exercises you'll be able to make the LaserJet do almost anything except lift itself off the table.

Through Basic training? Graduate to Turbo Pascal

Turbo Pascale is easy to learn, fast, powerful, and the most popular Pascal compiler in the world.

When you graduate from Basic to Turbo Pascal, you have entirely new freedoms and powers. Modern, modular programming for one. Basic doesn't support that. Complete control over your computer's memory is another. Basic doesn't give you that.

Turbo Pascal's .EXE files are streamlined and fast, just like the pros'. And Pascal doesn't promote

Basic flaws like "GOTO" that lead to spaghetti code. None of which matters as much as the spectacular difference Turbo Pascal makes to the size and speed of your programs. Basic

is big and slow. Turbo Pascal is just the opposite.

You'll like Turbo Pascal 5.0's environmental impact With Turbo Pascal, you're in a completely integrated environment that includes source-level debugging. You can step code, watch

expressions, change variables and set breakpoints. Edit, compile, run and debug. You are not alone

We're here to help-whether on CompuServe, by phone to Tech Support or through User Groups. Borland revolutionized programming languages, made Pascal the worldwide favorite, and we're committed to supporting you. Our manuals and tutorials-unlike most others-are clear, concise, and thoroughly professional.

We also offer an extended family of Turbo Pascal Toolbox programs including source code: Runtime Library, Database Toolbox, Graphix Toolbox, Turbo Pascal Tutor, Editor Toolbox, Numerical Methods Toolbox, and GameWorks. Borland is the Pascal one-stop shop

60-Day Money-back Guarantee.*

Turn pro for only \$250 with new Turbo Pascal Professional

This special package-Turbo Pascal Professional—includes everything you need for professional programming in Pascal.

- New Turbo Pascal Version 5.0 New Turbo Debugger*
- New Turbo Assembler

Turbo Debugger, recent recipient of PC Magazine's Technical Excellence Award in the development tools category. lets vou debug any size program

and have up to 12 views of your code. Turbo Assembler is much faster than MASM and more compatible with MASM than MASM is with itself. Turbo Pascal Professional: it's nothing but the best.

A fast look at 5.0

- · Fully integrated development environment · EXE files bigger than 64K
- New source-level debugger Demand Overlays 34,000 lines a minute on PS/2 Model 60 - EMS support
- RAM-resident context-sensitive Help Separate compilation by Uni

Forget the Basics for only \$149.95 Ready to move onward and upward from Basic? You can make

easy entry to Pascal with 5.0 for only \$149.95.

And if you're a current Turbo Pascal 4.0 user, you can upgrade to the new version 5.0 for \$49.95.** To upgrade only call (800) 331-0877, or for the dealer nearest you, call (408) 438-5300



Code: MA02

Paint Program Supports 256 Colors, 800 by 600 dpi



ColoRIX, a \$199 VGA paint program from RIX SoftWorks, contains a plethora of nifty features, such as 256-color support at a resolution of 800 by 600 dots per inch; a good, flexible airbrush; and a zoom that allows you to make changes on the enlargement while viewing their

effect on the big picture Unfortunately, the program doesn't always perform as expected, or even as desired. After some operations, you have to move the mouse around-a lot-in order to find the cursor. When performing a fill on top of a pattern or graduated color, ColoRIX fills only one pattern element at a time. Since the area around an object must be defined within a rectangle, you can't move or adjust an object without also dragging a chunk of background.

Most other paint programs use drop-down menus or everpresent icons; ColoRIX uses

pop-up menus instead. The advantage of pop-up menus is that the user can control where the menu appears on the screen so that it doesn't obscure a needed section of a work-in-progress.

ColoRIX's zoom feature lets you magnify and edit your pictures concurrently.

Some aspects of the Co-IoRIX menu system are irritating. For instance, instead of having one file menu from which to save screens and environment settings, these operations appear on different submenus. It's very easy to exit the program thinking you've saved

your screen when you've saved

only your environment. At presstime, Version 1.1 was scheduled for release in late 1988; it's expected to provide 16-color support drivers and some bug fixes. As it stands, ColoRIX shows promise but isn't yet ready for prime time. List Price: ColoRIX, \$199.

Regulres: 384K RAM, VGA graphics adapter, DOS 2.1 or later. RIX SoftWorks Inc., 18552 MacArthur Blvd., #375, Irvine,

CA 92715: (714) 476-8266, CIRCLE 435 ON READER SERVICE CARD

4c Lets Developers Edit C Code



HANDS ON

BY STUART R

GREENBERG 4c lets programmers view and edit C source code. The \$89 menu-driven package scans your C programs and creates a database of all the functions, globals, #defines, typedefs, and structures. Then, it lets you jump around C code without worrying about how it's structured or where it's stored.

4c's magic becomes apparent when you place the cursor on a function name and hit F9. A window containing only the code for the selected function suddenly appears. You can then edit that code, open other windows, switch between windows, or hit Esc to close the window. 4c offers the same flexibility with globals, #defines, typedefs, and structs. 4c keeps track of the parts of the files you're changing.

4c won't restrict you to its editor. Hitting Alt-X from any window calls up a temporary file with the text in your editor. When you exit, you're returned

to the updated file in 4c. With its Hypertext-like point-and-shoot functions, 4c is ripe for mouse support, but it won't support the pointing de-

In general, 4c's operation is elegantly simple. Using Btrieve (runtime module provided), the database is quite speedy. If you need to make order out of C pro-

gramming chaos, try 4c. List Price: 4c, \$89. Requires: 512K RAM, DOS 2.0 or later. Not copy protected. Tri-Technology Systems, 1225 S.

Elein, Forest Park, IL 60130: (312) 366-7595

CIRCLE 436 ON READER SERVICE CARD

\$100 Neural Network



BY BARRY SIMON BrainMaker from California Scientific Software is one of several recently released programs that let you build your own neural networks. The \$99.95 program is an intriguing tool for exploring neural nets.

Neural networks represent the opposite end of the artificial intelligence spectrum from rulebased expert systems. Rather than formulating a set of welldefined rules based on intelligent analysis, neural networks involve forming interconnections in a system based on feedback training. Once the connec-

tions are right for the trial set,

the system has an uncanny knack of giving good answers for nearby inputs.

With BrainMaker, you choose the representation of input and output as patterns, numbers, or symbols. You also choose the number of neurons in the input and output layers and one or two hiddeo layers. Brain-Maker also allows you to adjust some more-technical parameters. As you run a set of trials through the network, the connections between the neurons are adjusted via a simple feed-

back mechanism until the trials are right. A number of sample network-definition files, which you can see train, are included. BrainMaker comes with a slick drop-down menu, a mouse-driven interface, and two thick manuals-one for the program and one on neural networks in general. It is an ideal tool for those interested in learning about this technology.

Other new arrivals in the neural network arena include The Brain Simulator (\$99) from San Francisco-based Abbot, Foster & Hauserman, and NeuroShell (\$195) from Fredrick, Maryland-based Ward System Group.

List Price: BrainMaker, \$99.95. Requires: \$12K RAM, mouse highly recommended, math coprocessor used if found, DOS 3.0 or later. Not copy protected. California Scientific Software, 160 E. Montecito Ave., #E. Sierra

Madre, CA, 91024; (818) 355-1094 CIRCLE 437 ON READER SERVICE CARL

Appearances count.



Quattro: The Professional Spreadsheet

Good ideas usually vanish in bad presentations. Important data is missed because it can't be shown. Quattro*, meanwhile, lets you make colorful, graphic improvements in the way you make your spreadsheet presentations.

Quattro does the impossible.

Quattro's advanced graphics include graphs that can't be done by the leading spreadsheet. Quattro also includes more graph types than the best-known spreadsheet—like horizontal bar, line-bar, 3-D bar, and area charts.

Quattro's spreadsheet graphics are also completely and easily customizable. With Quattro's color at your fingertips, you can easily highlight, compare, analyze, print, present, discuss and decide.

Quattro is 100% compatible with the Other Spreadsheet. Quattro is file, macro, and keystroke compatible with

Lotus" 1:23". Quattro can read and write 1:23 and Symphony" files, so none of your existing files are lost when you make the graphic switch to Quattro. Quattro also understands database programs like

Quattro also understands database programs like Paradox* and dBASE* and can directly load and use their files.

Because Quattro is so compatible with the Other Spreadsheet, you can switch to Quattro without having to learn a new program.

It's all so easy and batteries are included. Quattro's presentation-quality graphics are part of

the spreadsheet program, not a separate program which you incidentally pay separate money for. You print out your graphics from inside your spreadsheet, instead of being sent off to a separate print program.

Quattro is the way things should be instead of the way things are with the leading spreadsheet.

Quattro does it all now.

Quattro is colorful, picture-perfect and about half the price of the leading spreadsheet. At \$247.50 Quattro is an exceptional value and leading-edge technology.

Software Digest ranks Quattro #1 for "Overall Usability," so it isn't hard to make you and your work both look good.

After all, appearances count.

60-day money back guarantee.* For the dealer nearest you, call (408) 438-5300



BORLAND

Mother Nature Can Teach Us A Lot About Hard Disks.

It can happen with no warning. The sky goes dark and then it's there. A whirling funnel that destroys everything in its path, leaving little or nothing that can be retrieved. Just the way that disaster can strike your hard disk, scattering your data to the wind.

Virtually nothing is safe from a tornado, but fortunately there is a way to protect your hard disk data from a crash.

It's called FASTBACK PLUS. And though you can find cheaper programs, you won't find a better one, at any price.

With FASTBACK PLUS, daily incremental backups can take as little as a minute a day. In fact, backing up a full 10 megabytes on your hard disk takes only about 4 minutes.* And that makes FASTBACK PLUS the world's fastest backup program.

And now, with
version 2.0, there are more
features than ever While supporting DOS 33 to 75 hinch flooples, it,
simultaneously reads your hard disk as
it writes data to flooples, tape, cartridges or
any other logical DOS device. With data compression, it cuts the number of backup disks intetiated by the disk of the state of the disk of the
interest of the disk of the disk of the
interest of the disk of the disk of the
is easier than ever to use. So easy, and so fast, you actually
ufflus eit. Ever ved x and that his whole noint. But you

don't have a minute to lose. Your hard disk may be brewing up a storm right now. Protect it with FASTBACK PLUS, before it's too late.

A Minute A Day Keeps Disaster Away



"Bids PLAT or equivalent. XT reachings may take for

> Fifth Generation Systems, Inc. 11200 Industriplex Blyd.

11200 Industriplex Blvd Baton Rouge, LA 70809 (800) 873-4384, (504) 291-7221

PC UPDATE

edited by Paula Seefeldt

CADvance Goes 3-D

CADvance, from ISICAD, now offers true 3-10 capabilities. Providing a visual reference while the user draws, the 3-D Visual Guidance System incorporates a 3-D reference grid, a working Palner, and a 3-D cursor. Version 3.0 also has an improved link to dBASE and better mechanical and engineering functionally. Upgredules are free to users who practices are free to users who practices are free to users who practices to the state of t

Opus Cuts Prices

Opus Systems has implemented price reductions on its coprocessor products as a result of lower DRAM prices. The RAM-adder charge for Opus Systems Series 220, 340, and 350 personal mainframes has been reduced by 26 percent, from \$157 per megabyte to \$130 per megabyte. Opus Systems, Cupertino, Calif.; (408) 465-21.

Signal Works With DESOview

Signat, the financial information service from Lotus Information Network Copt., is now compatible with DESQview. Version 2.2.1 In addition, Signal, Version 2.1, gives capaned data to futures and options traders and provides a feature that enables traders to change expiration dates in their portfolios. Upgrades are available for \$55.5 Signal, Version 2.1, retails for \$505. Lotus Information Network Copt., San Mateo, Calif.; (800) 367-4670.

Topaz Provides Database

The Research Group has released *Topaz Tool-kit*, a database and programming tool kit for Topaz by the Pascal 4.0 and 5.0. *Topaz* creates a programming environment in Turbo Pascal with



Topaz Toolkst tronsfers files into Turbo data entry and screen features, such as multifield editing and unlimited data input validation. Topa: also provides data storage with full read write access for ten open dBASE database files. Topat Tookit retails for 549.95. The Research Group, Brisbane, Calif.; (800) 468-9273.

Windows Express: Customizing Options

Windows Express, the graphical menu system from hDC Computer Corp., has increased its number of display preferences and customizing options, including personalized library options. Windows Express also runs applications that directly modify memory and has more



Windows Exptess now offers o larger disolar menu

885-5550

speed than hDC's previous menu system, ClickStart. Upgrades from ClickStart are free to those who purchased the product after June 1, 1988, and \$20 to those who purchased prior to that date. The new product, Windows £xpress, Version 2.1, retails for \$79,95. hDC Computer Corp., Redmond, Wash.; (206)

Mirror III Adds Language

SOIKlone has added a new data communications programming language to Mirrur III. data data communication package, PRSI MI; Programmable Integrated Script for Mirror caables users to design new interfaces and script and the state of the state of the state of the state Mirrur III also provides a Daling Directory. Compliers: De Protocol, and a file (encopyssion) were fined to the state of the state of the STP 939 and connec complete with a 60-94 money-back guarantee. Upprades are vasiable 578-855-65.

ModelMate Plus Adds Primitives

Control Automation is shipping a new release of ModelMate, its 3-D modeling software. ModelMate Plus supplies additional primitives and Boolean operations to enable users to create models with constructive solid geometry methods. In addition, the updated version provides dithered light source shading for low-end graphics cards. Two new option modules are also being released with the software: MPROP allows users to analyze models and determine properties, and MPRINT supports extended memory and virtual screen printing. Model-Mate Plus retails for \$1.495. MPROP is available for \$249 and MPRINT for \$149. Control Automation Inc., Altamonte Springs, Fla.; (407) 682-7077.

Bulldog loves low prices!

		QUADRAM EGA PLUS	176
COMPAO	COMPATIBLE	w/mouse	230
		STB CHAUFFEUR HT	135
386 Desk Pro 40/60/130	8 MHZ TURBO	STR Multi Rec II	169
\$3950/4895/6289	1 floppy, 640K, AT style keyboard,		189
286 Desk Pro 12 mhz	8 slots, 4 drive bays, monographics card,		265
Compag II Model IV2879	mono monitor\$725		
Compan Dort 296	Color System add \$150 w/20mb add \$269, w/30 mb add \$289	MULTI FUNCTION BOAR	D5
Model 40/1005649/7199	90 day warranty through Buildog	AST Advantage w/128K	\$220
Compaq III	50 day wariany anough ballong	AST Advantage Premium w/512K	300
20mb/40mb3595/4150	286 BUILDOG 10 MHZ	AST 6 PACK PLUS w/384K	
Compag 386-S model	1 mb Ram, 12 fcccov	AST 5251-11 PLUS Enhanced	
1/20/402925/3465/3695	Bulldon 386 16 mbz 1 mb Rem	AST SZST-TT FLOS Elitianceu	33
Compaq 386-25 110/300 7195/9395	1.2 forms \$1795		30
90 day warranty through Bulldog	One year on-site warranty! \$50	for MODEL 50/60	E 44
		AST HOTSHOT	35
IBM	AST	EVEREX MINI MAGIC w/o K	33
	ASI	FAST 88/V20 w/Switch	
PERSONAL SYSTEM/2	AST Premium 286 Model 80, 10 mhz, 0 weit	INTEL Above Board 286 w/512K	27
PERSONAL STSTEM/2	state, 512K DOS keyboard, 12	INTEL AUGVE BOARD 200 W/312K	37
Model 30 w/2 floppy\$1310	floppy\$1495	INTEL Above Board PS286 W/512K INTEL Inboard 386 w/Adapter	107
Model 30 w/1 floppy		INTEL Inboard 386 w/AdapterINTEL Inboard 386 for PC w/1 mb	.10/:
& 20 mg1725	AST Premium 386 Model 300		19
Model 50 Z - 20/30/60 2550/	20mhz, 1.2 floopy, 1 mg, DOS.	INTEL Above Board II	000
	keyboard \$2875	for PS/2 w/o K	25
2750/	All AST computers carry a 1 year warrenty	IRMA BOARD II	68
3450	70 707 Camputers Carry 9 T year warrany	LOGICAL Connection	
Model 60 - 40 meg3295/	LAPTOPS	256K/512K42	9/49
Model 60 - 70 meg3650	LAFIOFS	ORCHID Ramquest Extra w/o K	27
Model 70 - 60 meg4325	NEC Multispeed EL1549	ORCHID Ramquest XT/At w/o K	22
Model 80 - 40 meg4270	NEC Multispeed HD2299		16
Model 80 - 70 meg4875	NCC Munspeed FID2299	ORCHID Tiny Turbo 286	25
Model 80 · 115 meg6195	Toshiba 1000 825	ORCHID Twin Turbo	34
	Toshiba 12002299	MICE & MISC	
90 day warranty through Bulldog	Toshiba 1200F1395	GENIUS MOUSE GM6+	0.00
	Toshiba 31003095	MICROSOFT MOUSE w/windows	120
MATH COPROCESSORS	T3200 3745		130
			0.0
80387-20 \$499	T5100 4795		9
80387-25 799	Zenith Super Sport		
803-87-16	Zenith Super Sport 20 mb2325	Plus/Hi Res	60/00
802-87-8	Zenith Super Sport	LOGITECH Scan Man	180
80287-10		Z-NIX Supermouse w/Dr. Halo III	103
8087-3/8087-2104/149	200 20 1110	KODAK DATA SHOW	750
256K Chips/64K Chips	cpson Laptops!!Call	MICROFAZER II w/64K	220
Sales Hot I	ine 1-800-438	-6039 Nov. 84 18 1940 A	COO shoom

ATI VGA..... EVEREX MICRO ENHANCER

HERCULES GRAPHICS
HERCULES IN COLOR
ORCHID DESIGNER VGA
PARADISE Auto Switch 480
PARADISE VGA Plus
PARADISE VGA Professional

199 239/359

179

U ___

1-E Washington Road • Martinez, Georgia 3090 For information, technical, shipping or returns call: (404) 860-7364 or (404) 860-6905 or impaired at one descretivill within the nerth and limits of the manufacturers wa card, Tile cannot guarance compatible. All sales are heal and neumed shipmen are subsect to a restocking fee. All return must be essigned an RMA number for to the control of the control of the card of the must be essigned an RMA number for to the control of the control of the card of the the control of the card of the card of the must be essigned as RMA number for the card of card card of card card of card card of
PRINTERS	DRIVES	
PRINTERS EPSON LX 800 180 CR 80 NO	DRIVES Seagast 20mb w/contr. \$7225 \$269 Seagast 30mb w/contr. \$7228 \$299 Seagast 30mb w/contr. \$7228 \$299 Seagast 40 mb (or Al \$7251 \$349 Seagast 40 mb (or Al \$725 S	Adus Pagemaler 30 Charmaster Clipper
292 240 CPS, 100 NLQ	Plus Hard Card 20	D Base IV DBXL
393 450 CPS, 120 LQ925	Priam 43 mb AT469	Enable 2.0 w/Perspective
TOSHIBA	110000110	Fastback PlusFoxbase +
321 SL 216 CPS, 72 NLQ. 469 351 SX 350 CPS, 100 NLQ. 885 341 SL 216 CPS, 72 NLQ. 589 NEC 349 5200. 349 5200. 519 5300. 669	WOLF WORD	Freelance Plus Framework II Harvard Graphics IBM Display Write IV Lotus Lotus Hal Managing Your Money 4.0 Microsoft Word 4.0 Microsoft Excel Microsoft Excel
1080i Model II189	MONITORS	Microsoft Windows 386 Multimate Advantage II
1091/1092 Model II199/339 1524	NEC S589	Multiplan Office Writer 6.0. Peachtree II Complete PES Prof Write PES Prof File Paradox Quattro R Base for DOS Revelation Super Calc IV 1.0. Symphony 1.2 Ventura Desktop Publishing
Proprinter III495	MAX12\$149	Volkswriter III
Proprinter III XL589	HX12419 HX12E449	Wordstar 2000 + 3.0 Wordstar Pro 5.0
6 foot parallel cable\$19	Ultrasync. 529 MAGNAVOX Amber 776. 74 RGB80. \$259 EGA 9CM053. \$369	TAPE DRIVES Everex 60 m.b. Teac int/ext
We also carry printer ribbons for all of the	AMDEK 410 \$145	Achives 40 mb internal CMS 150 mg internal
above printers. Call for pricing		Maynstream 60 PS/2 w/card for model 50 60 & 80



SULLMARE	
Aldus Pagemaker 3.0	\$495
Chartmaster	205
Clipper	419
Corefast	99
Crosstalk XVI	99
D Base IV	469
DBXL Enable 2.0 w/Perspective	125
Enable 2.0 w/Perspective	379
Fastback Plus	105
Foxbase + Freelance Plus	189
Freelance Plus	329
Framework II	399
Harvard Graphics IBM Display Write IV	265
IBM Display Write IV	289
Lotus Hal	203
Monada Van Marando	105
Managing Your Money 4.0 Microsoft Word 4.0	100
Microsoft Excel	183
Microsoft Works	
Missage Winds 206	110
Microsoft Windows 386 Multimate Advantage II	260
Multiplan	135
Multiplan Office Writer 6.0	230
Peachtree II Complete	140
PES Prof Write	119
PFS Prof File	169
Paradox	369
Ouattro	149
QuattroR Base for DOS	439
Revelation	469
Super Calc IV 1.0	285
Revelation Super Calc IV 1.0 Symphony 1.2 Ventura Desktop Publishing	439
Ventura Desktop Publishing	459
Volkswriter III	149
Word Perfect 5.0	219
Wordstar 2000 + 3.0	239
Wordstar Pro 5.0	239
TAPE DRIVES	
Everey 60 m h	_
Everex 60 m.b. Teac int/ext \$5	50/645
CMC 60 - L (-1/)	20/645

For Orders Call: 1-800-438-60





or information, technical, shipping or returns call: (404) 860-7364 Or (404) 860-6905

COMMUNIQUÉS

Edited By Bill Howard

Except Maybe for The Application Software

'IBM and Microsoft met their Halloween deadline for shipping their Presentation Manager software, the final piece needed to make OS/2 computers run well."

-New York Daily News, November 1, 1988 (item reprinted in full)



Duck!

"The [International Business Service) provides much of the added bandwidth needed for inexpensive international communications via a communications satellite in stationary geosynchronous orbit 23.000 feet above Europe."

-PC Week, June 28, 1988

Amazing Facts

"The [new Macintosh] machine

will feature an 80-megabyte

drive, compared with the 40megabyte drive of the current Macintosh II, analysts predicted. Thus the new model will double the Mac's processing power to 80 million pieces of

data per second." Reuter news service story Investor's Daily, September 13, 1088

Image Scanner for \$299 Is Among Inexpensive Products Out Recentil

RAM576 Memory expansion board for IB

Features:

- Fully socketed memory exp with pan'ty check.
- Users switch selectable me φK, 64K, 128K, 256K,
- This product is made to our

IBM, PC XTTM are registered to Business Machines Corp.

Features label on a box containing a Sunsek Information Systems RAM576 memory board. No wonder novices have trouble telling hardware from software.

Hello? Hello?

The Rupp Brothers' Fastwire II license agreement tells users, "You (the buyer) may use the program on a single machine." Fastwire II is a PC-to-PC file transfer utility that works only by installing the program on two machines.

"The winners in publishing systems will be those whose software can be easily ported to different computers. At the low end that means word processing programs like Xerox' Ventura Publish-

-Forbes, October 31, 1988

Do as I Say, Not as I Do

"The VAX Grammar Checker, billed as the world's first software to corrects documents that analyzes sentence structure, will spot those embarrassing little flaws that make you wince when you reread old business correspondence. You know, the mistakes that wind up tacked to the bulletin board and circled in red, or highlighted in the company newsletter."

-Philadelphia Daily News, July 29, 1988

Have you seen anything offheat or unusual about the computer industry? Send submit sions to Communiqués, PC Magazine, One Park Avenue, New York, NY 10016, Please print your name legibly and include your T-shirt size. Contributors receive \$50 and a PC Magazine T-shirt.

Winners for this issue: Ed Perrotore (PM ships), Yole Jay Lubkin (scanner), Clay Harris (pan'ty check), Stephen Moss (23,000 feet over Europe), Bryn Koufman (Ventura). Charlet Stablecker (grammar checker). David Klein (Fastwice II). Tom Barkume (Mocintosh)



THE POWER FILE MANAGER DOES DATABASE WORK SO FAST, IT LEAVES THE OTHERS IN ITS WAKE.

If you want to cruise through database work at full speed, you need Q&A, the power file manager. Because Q&A's power makes database work easy. For example, by using Q&A's multi-file capabilities, you can pull an address from one database and pricing from another. And automatically include both in a separate

- Single command multi-file lookup for automati-cally filling out forms and creating reports
- Two-keystroke mail merge, and built support for all popular mailing labels
- True local area network support with record locking for sharing databases, password protection, and automatic screen update



easiest way to get even the toughest database work done. No wonder Q&A is the best selling file manager, and far and away the critics' choice.* Power file management with Q&A. It's the wave of the future.

invoice database or report. Quite simply, Q&A is the

CALL FOR A FREE DEMO DISK (800) 228-4122 EXT. 450P CIRCLE 736 ON READER SERVICE CARD

The # 1 Rated And #1 Selling File Manager





SYMANTEC. Symantec Corporation, 10201 Torre Avenue, Cupertino, CA 95014, 408/253-9600. ON NOW AVAILABLE. See package for details: * # 1 best-selling File Manager according to a recent survey of National ager 2/88: InfoWorld 9.3 rating 5/88: PC Magazine Editor's Choice '87 and '88. Q&A is a trudemark of Symantec Corp. &A received PC World's Best Buy 7/88 and World Class 9/88: Software Direct

How to move a mountain, level a building. rule the world. erase the past, make a million. and draw attention to yourself.

You can draw anything with AutoSketch." But that's only the beginning. Then, you can move it. Make sure it's level. Scale it to size. Or draw in rules.

Don't like it? Erase it. Want it bigger? Stretch it. Need details? Zoom in. Want more of the same? Duplicate it.

AutoSketch is the precision drawing tool that does amazing things. In up to 10 working layers. And because it's also easy to learn (takes about an hour), you won't have a long, drawn-out start-up process. That makes it the perfect complement to

your word processing or desktop publishing package.

So get AutoSketch for your PC*. For just \$99.95, you'll accomplish things you never thought possible. And who knows what kind of attention that might get you.

To order AutoSketch directly, or for more information, call 1-800-223-2521. For the name of your nearest AutoSketch Dealer, call 1-800-445-5415, ext.1, or write to AutoSketch, 2320 Marinship Way, Sausalito, CA 94965. AUTODESK, INC.

POCKET COMPUTER PROGRESS REPORT



Sharp's new Wizard qualifies as a true pocket computer. The key to its success, however, is not its diminutive size, but a companion program you run on your PC.

harp just barely avoided a disaster with its latest wonder, the Wizard OZ-7000. In a nutshell, it is the first practical pocket computer, no larger than your Day-Timer. It offers the usual calendar, alarms, scheduler, to-do list, world clock, and notepad. Two things separate it from the Casio and other, lesser electronic organizers: application cartridges and a serial port.

The cartridge slot is important since it makes the machine expandable, both in memory and function, but the serial port is critical. With it, the Wizard becomes wise. Without it, it's just another clever toy. Yet Sharp almost left it out.

Mark Eppley, the ebullient owner of Traveling Software, is the author of Lap-Link, Battery Waich, and half a dozen other handy products that no on-the-go computer user can afford to be without. Sharp approached Eppley to write its expense manager plug-in module and to do a Wizard-specific version of Lap-Link. Eppley, an enthusiastic proponent of portable computers (the wrote Expense Manager, one of the first applications for the Radio Shack Model 100), jumped at the opportunity. His resulting program, Wizard Link, makes the Wizard useful.

HARDWARE AS SOFTWARE In order to evaluate any software product properly, you have to give yourself over to it, immerse yourself in it. Otherwise you come hard up against your own prejudices.

The Wizard, although it looks like hardware, is actually software. The essence of hardware is that it's programmable; the Wizard isn't, It's a self-contained set of integrated application programs with a hardwired user interface. The myriad buttons are actually icons, working just as they would on a Mac, calling up applications or modifying their functions. The screen, at 8 lines by 16 characters, is actually sufficient for the Wizard's intended roll.

The Wizard is a very good calculator, a better-than-average telephone directory, a perfectly terrible notebook, and a superb scheduler/calendar. With the addition of the Time Expense Manager card, it becomes a very good way to manage your expenses—if you hook it up to a PC.

TYPING BLIND The Wizard's biggest and most obvious fault is its keyboard. The keys are laid out ABCD-style instead of QWERTY. They might as well be laid out randomly for all the good it does when you try to enter anything. The ABCD layout reduces everyone to the same common de-



nominator—helpless hunting and pecking. Of course, a QWERTY layout wouldn't fit the Wizard's vertical orientation. Sharp's product people based the layout on focus group research that said businesspeople want their electronic doodads to open vertically, not horizontally. I finis they asked the wrong people the wrong questions. Of course, you wouldn't be able to touch-type on a QWERTY keyboard that size, but at least your fingers would know where the letters are relative to one another.

Fortunately, the Wizard's software is geared to minimize typing. The Time Expense Manager, especially, is extensively table driven. You set up your expense categories the way you want them, or use the defaults. Methods of payment are in another table, also customizable.

You can load the Wizard's personal dictionary with common places of travel, client names, even favorite restaurants. These items can become part of the expense record with as few as two keystrokes in lieu of the tedious pecking from the keyboard. The user dictionary also enforces consistency in your responses. In addition, the Time Expense Manager sports a to-do list, time accounting, an hourly billing feature, and a decent little report generator that summarizes expenses, projects, and time in a number of useful ways. If you upload through Wizard Link, it'll convert the Time Expense Manager records into a .WKS file for you.

REALLY HELPFUL One of the Wizard's most useful features is its superb calendar and scheduler. With Wizard Link,



ACCOUNTING AT ITS BEST!

MULTI USER Professional Accounting



ALL 6 MODULES

ONLY

+ 11.50 Shipping & Handling

VALUE, FLEXIBILITY, POWER, SECURITY,

PERFORMANCE, INTEGRITY AND PRICE
COMPARE AND SAVE

LOOKUP WINDOWS THROUGHOUT

GENERAL FEATURES
"LOOKUP" Windows throughout.
Menu driven with 2 help reference
Multi company and report generate
Sample data files included.

GENERAL LEDGER

Complete audit trail.

All modules can post to multiple profit centers

User defined chart of accounts, account numb and stock numbers up to 15 alphanumerics.

can process transactions 2 periods into next

poorts LIFO, FIFO, weighted averages and s

orting. ws recurring journal antries.

Open invoice and/or balance forward. Allows unapplied payments.

indles recurring accounts receivable, pports partial payments and finance chi ows unapplied credit memos.

ACCOUNTS RECEIVABLE

50050

was designed from inception for multiuser accounting with true record and file locking capabilities. IT HAS BEEN TIME PROVEN since 1982.

WE SUPPORT the following networks: Novell, IBM PC LAN, MultiLink Advanced, LanLink, PC-MOS 386, Network-OS, Vianet, Grapevine, STARLAN, PC-NOS. Other LANS are continually being added. Call for information.

NOT \$5995*

NOT 1995™

NOT 14200%

TO ORDER CALL (800) 344-2540 8:00-5:00 MST — Monday-Friday

Our guarantee is your assurance of quality!

UNCONDITIONAL 30-DAY MONEY BACK GUARANTEE Product must be ratured in resalable condition. Restocking taa applicable.

GUARANTEE applicable on all products bought diractly from COUGAR MOUNTAIN SOFTWARE.

TRADE-IN OFFER

60 trade-in on your single use
accounting software that offers
you DEADEND FOR GROWTH
Send first diskatte with order

COUGAR MOUNTAIN

2609 Kootanai, Box 6886 Boise, ID 83707 208-344-2540 *MS-DOS and XENIX Microsoft *PC-DOS internal Business

SALES INVOICING Supports service or priduct oriented businesses. User-defined tax tables including multiple sales

User-defined tax tables including multiple sale taxes.
Prints packing slips.
Prints invoices.
Alerts user to customer exceeding credit limit.

Sales history reports.
Automatic updating of inventory delty.
Allows return credit memos.
ACCOUNTS PAYABLE

ACCOUNTS PAYABLE

Can post up to 200 general ledger expense accounts per invoice.

Prints checks.

Automatically prepares payments.

Automatically prepares payments.
Supports partial and handwritten checks.
Processes credit and debit memos.
Computes discounts and records discounts taken.
PAYROLL

Generates automatic payroll.
Provides up to 8 user-defined rates.
Allows post facto payroll.
Allows distribution of payroll expenses to user-defined departments.

Benefits and deductions are calculated on fixed amounts.

Hourly amounts, percentage of gross or variable

Hourly amounts, percentage of gross or variable. Aflows additions to gross which may be taxable, the property of the property of the property of the Handles ADIX and cafeties. All tax tables easily uddated by the user. Handles payrol draws, per dism pay, contract and plece work, hourly and salary.

Handles payrol draws, per olem pay, contract and piece work, hourly and salary. Handles tip accounting. Prints checks and W-2s. HANDWARE REQUIREMENTS 19M PC* or compatible. HAND DISK REQUIRED.

ports markup, margin or list.

Prints checks and W-2s.

HARDWARE REQUIREMENTS

IBM PC* or compatible. HARD DISK REQU

■ BILL MACHRONE

you can download your schedule and the Wizard will remind you of appointments, display a weekly agenda, and even show a Gantt-like chart of meetings throughout the day so you can easily spot open time slots and conflicts.

Here again, Wizard Link saves the day. At the recent Comdex in Las Vegas, my appointment calendar was a back-to-back nightmare. I would have worn through the pages of my usual pocket calendar with all the erasures and changes. Instead, I fired up Wizard Link, selected the Schedule application, put it in create mode, and typed in every appointment, event, and activity I wanted to attend. Wizard Link presented a handy prompt window in which to enter them. In seconds I zapped a week's worth of chaos across the line to the Wizard and headed for the plane. Then, at my leisure, I reviewed the week through the Wizard's daily calendar mode. Suddenly it didn't look so chaotic. I eliminated a few items that I knew I wouldn't make, set alarms on a few that I had to make, and even set my wake-up times on a day-by-day basis. Boy, did I feel smug.

TEACHING A LESSON You can get Wizard Link from Sharp or from Traveling Software. Sharp's connecting cable is an unbelievable kludge that belies the sleekness and miniaturization of the Wizard. It's a big tin box with wires coming out of it and an external power cord. On the other hand, Traveling Software has built all the electronics into one end of the cable and takes its power from the PC's serial port, just as Lap-Link does. Could the Japanese learn something about miniaturization from the Americans? The software, in either case. is identical.

Is the Wizard a real productivity tool or an executive toy? It's the lead product in the Sharper Image catalog, the ancestral home of executive toys. Sharp has advertised it in newspapers around the country and is continuing a major media blitz to make everyone aware of the Wizard.

Sharp believes in the Wizard from a consumer standpoint. Mark Eppley believes in the Wizard because it extends the reach and utility of your PC. I believe in the Wizard because it's a solution to a big problem. It's not the best solution or the only solution, but it's a great start.

XENIX* Version Also Available. Call For Information.



DacEasy™ Accounting. More Than 400,000 Growing Businesses Worldwide, DacEasy Accounting leads the industry as the number one selling, award-winning program Two-time winner of PC World's World Class Award and PC Magazine's

Editor's Choice, DacEasy Accounting recently was named InfoWorld's Product of the Year. Again and again, DacEasy proves that it makes a difference.





Since its introduction in 1985, DacEasy Accounting, feature for feature, has won acclaim as the leader in accounting software. Now Version 3.0 features a new interface with transaction-oriented pull-down menus that makes it think like you think as a business person rather than an accountant. Readily installed with five quick questions, your business accounting is operating within 10 minutes! Choose the predefined Chart of Accounts that are tailored for service or inventory-based businesses, or modify. All seven modules (General Ledger, Accounts Receivable, Accounts Payable, Inventory, Billing, Purchase Order and Forecasting) are fully integrated. Data posted once is automatically posted to all other related modules saving you time and ensuring accuracy as well.

In fact, it provides you with more than 700 reports and "what if" forecasting scenarios based on three-year historical information - great for projecting expenditures and revenue. And, in addition to the program, you'll find the 460-page documentation is written for ease of understanding with helpful hints, screens and examples.

The only accounting software to win all four readers' contests in the past three years!







The DacEasy™ 3.0 Series. A World of

Difference in Business Software. Naturally, out of the best-selling accounting program grew the need for related business programs such as DacEasy Payroll. The 3.0 version also features a new intuitive design, pull-down menus, flexible pay periods, current federal and state tax tables, automatic withholdings, printing of checks, W-2's and 1099 forms, and much more. It's no wonder DacEasy is the world's best-selling payroll and personnel management program!

Also new for 1988 is DacEasy Graph+Mate, a RAM-resident program that interfaces with DacEasy Accounting or Payroll. Its easy graphic reporting features pie charts, line charts, bar charts, stacked-bar charts and perspective bar charts. Plus custom file viewing, macros, pop-up calculator and notepad, and more make it the ideal companion.

DacEasy™. The World's Best Ongoing Customer Support and Training! Disk-based tutorials, FREE Getting Started Support, and a brand new video tutor are just a few of the many products and services Dac offers. Accounting and Payroll Tutors serve as on-screen supplements guiding you through installation to complete set-up with colorful graphics, sounds, primers and examples. And now, you can enjoy at your convenience, DacEasy Accounting Video Tutor, a twohour VHS tape for a fun way to learn Accounting 3.0. Toll-free Extended Support plans and nationwide DacEasy seminars are also available.

A World of Difference in Price!

DacEasy offers the growing business a world of products excelling in performance and price! Priced at \$99.95 each are DacEasy Accounting (all seven modules). DacEasy Payroll and DacEasy Graph+Mate. And for a significant savings is the DacEasy BonusPack which includes DacEasy Accounting, Accounting Tutor, DacEasy Payroll and Payroll Tutor, for only \$199.95. A great start to computerizing your growing business the DacEasy way.

To order DacEasy™ Accounting, Payroll a Graph+Mate by mail s \$99.95 (each), BonusPack \$199.95 to Dac Soft (address below). (Pi

DacEasy Accounting's strength is its capability for generating reports that provide you with fast information and ultimately better management decisions

Call 1-800-877-8088

Dac Software

True CPU Power.



State of the art power usually comes with a state of the art price. Except at Computer Products United. At CPU, we design compatibles to extend the limits of technology and reliability. Not the limits of your budget.

Consider our 386/25. It gives you the performance of a real 80386-25. Not just a 20 trying to run like a 25. In addition, to get the most out of your standalone applications, we offer MS-DOS* and MS*0S/2 support.

386/25 \$3,295

- · 80386-25 CPU running at 25MHz
- · 32K cache memory
- · Zero wait state, Norton V.3 SI rating: 29.7
- 1 MB memory (expandable to 8 MB using S1MM on board)
- · 384K shadow RAM
- . 1.2 MB floppy disk drive
- · 1:1 interleave dual floppy/hard disk controller
- Ports: 2 serial, 1 parallel, 1 game
- · Clock/calendar with battery backup
- · 101-key enhanced keyboard
- · AMI/Award BIOS
- · CPU80387 math co-processor socket
- · 8 expansion slots

If you need a few workstations to plug into your LAN, a fileserver that can handle a bigger load, or a complete turnkey network package complete with NetWare* CPU is your single-source answer offering all the security of our Novell Gold-authorized support.

For state of the art technology at a hands-on price, CPU is an exceptional value. With no exceptions.

386/20

\$1,995

- 80386-20 CPU running at 20 MHz
- · Zero wait state, Norton V.3 SI rating: 23
- 1 MB memory (expandable to 8 MB using SIMM on board)
- 384K shadow RAM
- · 1.2 MB floppy disk drive
- · Dual floppy/hard disk controller
- · Ports: 2 serial, 1 parallel, 1 game
- Clock/calendar with battery backup
- 101-key enhanced keyboard
- IUI-Key ennanced keyboar
 AMI/Award BIOS
- · 80287/80387 math co-processor socket
- 8 expansion slots
- · 64K cache memory system, \$2395

Unbelievable CPU Prices.



386SX

\$1.695

- · 80386SX CPU running at 16MHz
- · Zero wait state, Norton V.3 S1 rating: 18.7
- . 1 MB memory (expandable to 8 MB
- using SIMM on board)
- · 384K shadow RAM 1.2 MB floppy disk drive
- · Dual floppy/hard disk controller
- · Ports: 2 serial, 1 parallel, 1 game
- · Clock/calendar with battery backup
- · 101-key enhanced keyboard
- · Award BIOS
- · 80387SX math co-processor
- · 8 expansion slots

286/12

\$995

- 80286-12 CPU running at 12MHz
- · Zero wait state, Norton V.3 S1 rating: 15.3 . 512K memory (expandable to 4 MB
- using SIMP on board)
- · 1.2 MB floppy disk drive
- · Dual floppy/hard disk controller · Ports: 2 serial, 1 parallel, 1 game
- · Clock/calendar with 10 year battery life
- · 101-key enhanced keyboard
- · Phoenix/Award BIOS
- · 80287 math co-processor socket
- 8 expansion slots

NOVELL. Gold-Authorized Dealer

To order, call (800) 824-2936. In California: (800) 662-6111. Local inquiries: (818) 338-5959. Hours: Monday through Friday, 7 a.m. to 6 p.m.; Saturday 10 a.m. to 3 p.m. PST.

All systems carry a 30-day money-back guarantee excluding shipping charges. All basic systems carry a comprehensive I year parts and labor warranty. During this period, we will repair or replace, at our option, any defective part at no additional charge. Add-on products (hard drives, monitors, etc.) carry manufacturers'

We accept VISA, MasterCard, and cashier's checks. Purchase orders and personal checks welcome.



NetWare is a registered trademark of Novell, Inc.

12803 Schabarum Avenue, Irwindale, CA 91706. Copyright © 1968 Computer Products United. All rights reserved Pricing and system configurations are subject to change without MS-DOS and MS are registered trademarks of Microsoft, Inc.

CIRCLE 163 ON READER SERVICE CARD

PROFESSIONAL OPINIONS.

". Clarion Professional Developer 2.0 makes...dBASE and R:base look tired, crotchety and limited in scope?" PRC. WEEK

".automates the process of creating complex custom applications, ...leaving you little to do but sit around and bask in the praise your programming garners?" _P.C. MAGAZINE

.it does just about anything an applications developer could wish for??
—PC. WEEK

"Serious applications development is a disease. Clarion is the cure." INFOWORLD

"... we give Professional Developer our highest recommendation. It sets a new standard for application developers?"_P.C. WEEK



In order to form your own opinion about the world's most powerful relational database and programming language, we suggest you invest in your very own edition of Clarion's Professional Developer. Call today and ask for the Clarion dealer nearest you.

800-354-5444 or 305-785-4555





150 East Sample Road, Pompano Beach, FL 33064

The Clarion Professional Developer is a total programming environment that runs on any IBM PC, PS/2, or true compatible with 384K of memory and a hard disk. The retail price is just \$985. Clarion Professional Developer and Clarion Software are trademarks of Clarion Software. Copyright 1988 Clarion Software. dBASE is a registered randemark of Abnor-Tale. Pubase is a trademark of Microrim.

THE END OF THE COMPUTER DEALER



The computer store of today is a cold and heartless place, peopled by obnoxious sales types who know a little about computers and a lot about sales.

A July 1988 market research study conducted by Techtel Inc., a Calicandiscted by Techtel Inc., a Calicates than nearly half of the respondents
who had an opinion about computer stores
had a negative opinion. ComputerLand,
Businessland, Microdge, and Entré were
joke) Apple prezy John Sculley and yours
with, John C. Dornak, were included in
the study. Both of yas got higher opinion
ranings than any of the stores.

I've been fascinated by the computer store phenomenon since it began as a series of funky Byte Shops back in the 1970s. Run by people who knew little about retailing but plenty about computers, they made money without effort. Many of these guys had to make mistake after mistake to finally lose money. Eventually, they died only to be replaced by today's retailer.

MUTANT STORES The change is depressing. Over the years the stores per mutated from comfortable places where more could see and play with computers and software into slick, almost slimy, polished facades peopled by fast-talking salesmen or ascoila nerds wearing how ties. The negative store image is a direct result of the aseptic controlled and uncomfortable atmosphere found in the majority of today's computer stores. These stores are professionally designed, I might add.

Fact: It's difficult to walk into a computer store and actually enjoy the experience. The stores are cold, heartless, depressing. The idea seems to be to keep you from exploring—to keep you from straying. Heaven forbid you should touch a computer and learn something. Whatever you do, don't handle the software.

The notion that the customer should remain uneducated by the stores' eschewing computer magazine assles for no other reason than that computer magazines advertise compositive, low-proed mail-order software. You'd never know computer magazines even existed when you go into some of these places. In the old Byte Shops, magazines were exywhere. How endearing is a dealer who keeps the customer in the dark about expedition. The control of the old of the state of the customer in the dark about expedition. The customer in the dark about expedition, and the customer in the state of the software answer is that few dealers carry much of the software answer.

The magnitude of this dealer image problem dawned on me recently when I walked into a new computer store that is part of a chain appealing to Macintosh users. You'd think this would be a cool and



loose crowd. Hardly. It was a typically creepy and oppressive slick layout with carefully arranged workstations and sales stations and software stations. The floor was carpeted and so was the bald owner. The salesperson was a Mac geek who had the personality of a herrine.

MULTILEYEL GEEKS This Mac may new was as out of place as imaginable, but he dressed in a cost and tie and did what had to do to keep his job so he could buy stiff wholesale. If he annoyed you, then you were confronted with the next level of geek, the used car salesman. Go up another level and you had the car lot owner. All moniced was that these stores and these but work of the car to towner to the place of the car to the place. It sick-end me. According to the study cited above, I'm obviously not alone.

acove, i motovossay not autotic ions, and hunting the business and are largely responsible for their declining reputations, proceedings of the problem. It validated the supervisid, approach with the now-defunct BMP steal attores. You couldn't find anytheir properties of the properties of the properties of the properties of the "DOS" stood for. The legions of me-loo sheep saw this and copied the notion. They recruited obnoxious salespersons (salesment) who knew a little about computers and too much about sales. Maybe if they men't work the men't work the little should be and to the whole should be the should be the little should be the properties of the should be the should be the should be should should be should be should sh

Then again, maybe all it takes is to turn the stores back into the comfortable places where you felt welcome. Don't hold your breath.

barriton Seve Dining



More Powerful

BLACKOUTS 500

BROWNOUTS 102 volts

OVERLOADS Automatic shutdown in overfood a

OVERVOLTAGE UPS runs on Inverter (117 volts) with SURGES/SPIKES Clamps transients above 200 volts will an energy rating of 100 joules or less

EMI/RFI Three stage filtering for clean AC power

• FILL ONE YEAR WARRANTY ORDER-SHIP SAME DAY

1 MILLISECOND TRANSFER TIME*

SYNCHRONIZED SINEWAVE*

*250 watt and 500 watt units offer 4 msec transfer time PWM waveform

1455 LeMay Dr

(214) 446-7363

1-800-238-7272

50 WAT 300 WAT1 \$ 549.00 N/A 500 WAT1 \$ 699.00 \$ 799.00 S 899.00 S1049.00 600 WAT 900 WATT \$1249.00 1200 WATT \$1499.00 \$1749.00 1600 WATT \$1999.00 \$2299.00

120 Volt Models

230 Voit Mode

Power Output

Suggested Retail





INSIDE TRACK

A final look at Comdex's tenth anniversary show.

It's not that last November's tenth aminwersary edition of Comdex was a bust. I enjoyed the show. It's just that there was no theme and no focus and nothing really happened. In fact, the show has become what Comdex has always wanted it boe a Computer Dealers Exposition, COM-D-EX. It has matured. As such, if was about as exciting as a furniture dealers' show or pet shop accessories convention.

Dealers and vendors did well talking to each other about their new boxes and new logos and elaborate promotion plans. But was anyone looking for exciing new products? Naw! Except for three or four new products (out of thousands exhibited) there wasn't much to see. I wonder whether the few hot items were worth the journey.

Here are the (up four hot products.) The first great product I saw was the flat panel full-color 640 by 200 active-matrix LCD from Hitschi. This 649-inch CGA display was breathtaing, affect panel. This 163 a Biller, An engineer marning the booth said that Hitachi is working on a 10-inch version and another 649-inch prototype that has 640 by 400 resolution. To me, this was the highlight of the show and the true direction of fairsis of the show and the true direction of the play. Sunnings.

Meanwhile, in the Panasonic booth i discovered the second and third great products of the show. First was a disk drive that was the size of a cough-drop box. It utilized the new Matsushita (a.k.a. Panasonic) 2-inch floopy. Unlike the unusuble Sony analog 2-incher found in cameras, this "real" 800K floopy disk is compatible with 3½-inch and 5½inch controllers. This is what we're looking for and what Zenith decided to use on its new super-lightweight portable.

Massashia is the heir apparent heft floppy disk of the future. It was Musashia to the heir apparent of the floppy disk of the future. It was Musashia that made the joint venture with Shagart during the heyday of the 8-inch drives a docade ago. Most of the technology was transferred to technology was transferred to the technology was transferred to the point where most engineers feel this company now makes the hest disk drives available. I expect this drive to become a standie.

Elsewhere around the show there were the third between the high density drives, things client [log-ficialities] of the state of the properties of the state of th

The fourth hot item was a little device called the Private Eye from Reflection Technology in Cambridge, Massachusetts. Employing a proprietary plasma, this display is worn like a monocle over one eye. The device looks like a black film can that you peer into. A Herculescaliber high-resolution (actually 720 by 280) monochrome image is clearly visible "floating" in air. Expected to cost \$100 orso in OEM quantities, this device will make practical the subminiature, cigarrette-pack-sized portable computer in the years ahead. Ray Kurzweil and a group from the MIT Media Lab are the monex and brains behind this thine.

Back to the show. This year's Comdex was even more spread out than in years past. Luckily, there seems to be some attempt to stop the disorganized nature of the event. The promoters intend to start MacDex, a concurrent show specifically aimed at the Macintosh market. The Mac vendors were up in arms about being split off. Fact is, this is a good idea. Comdex actually needs to be sectioned into moresevere partitions. I think software, peripherals, hardware, and furniture are perfect examples of "segments." The problem is that many vendors have a reserved spot in the middle of the main hall and don't want to end up in some back room of the Sahara MacDex is at least a step in the right direction.


Reorganization notwithstanding, there was still the coy Taiwanese fellow standing outside the main hall holding a big sign. It read: "Need DRAMS? We have

them!" Hoved it.

If anything was missing from the
show, it was that inexplicable nervous
vitality one perceived in years past. Unlike before, there wasn't the worry about
the recession or the incessant handwringing over the demise of the industry
or of IBM's taking over everything. It
was a "What? Me, Worry?" kind of
show. That iddoit tune "Don't Worry,
Be Happy," was plaved everywhere.

Last year people fretted. This year they relaxed. I never saw so many people carrying tennis rackets on board the planes before. It was like Leisure World. I never saw so many optimists. I had to conclude one thing: something terrible is about to happen.

Intel announces



Announcing the first non-stop communications route between businesses anywhere in the world.

Intel's Connection CoProcessor."

It's a whole new way to send and receive programs, files, text, graphics and electronic messages. Not just between PCs, but with fax machines as well.

The Intel Connection is a new communications coprocessing board that frees your PC from the task of communicating.

Which means you can work on your computer non-stop-even while

sending a document as big as the New York phone book. Now your faxes or files can fly cross country. And you


can still be zooming around in your flight simulator. Or writing that letter to your biggest account. Or recalculating your spreadsheets for tomorrow's meeting. Without interruption or downtime.

Include Connection CoProcesso

And when you fax, there are no more stopovers at the printer, or cooling your heels in line at the fax machine. Because Connection lets you do everything without leaving your PC.

And when you send files directly to

non-stop flights.



another Connection-equipped PC, you won't have to fiddle around with mode mparameters or protocols. Because the Connection CoProcessor sets them for you. At 9600 bps. Best of all, Connection supports CAS; a new

communication standard that is supported by major software and hardware developers like Symantec." Borland; DCA; Microsoft; and WordPerfect* Which means you can send, for example, a word processing file to your London office, without ever exiting your WordPerfect program.

You just send the document directly from your application. That's it. There isn't any complicated Corporation DCA to a registered trademark of Digital Communications Associates, lat. Microsoft is a registered And everything is backed by toll-free technical

support and a five-year warranty from Intel. So what are you waiting for? Call 800-538-3373 now for a free demo disk.

Because with Intel's Connection CoProcessor, communication is really going to take off.





How we made the most powerful integrated software a whole lot easier to use.

Yes. There are ways to take something that's very powerful and make it easier to use.

Actually, with Symphony* 2.0, not only is this latest version of the world's most popular integrated program easier to use, but it's also more powerful than ever. So it can keep up with you as your capabilities grow.

For starters, since there's no copy protection, you can get Symphony up and running with much quicker and easier installation.

Once up and running, bingo, you have instant access to five key business functions: spreadsheet, word processing, database, graphics and communications. So you can prepare budgets, write memos, create inventory lists without having to go through the hassle of changing programs.

But Symphony is really more than five separate programs. Because, unlike other integrated packages, Symphony lets you dynamically integrate functions. For example, when you change spreadsheet data, your graph of that data and your memo containing the same numbers automatically reflect the changes. So you get greater efficiency, and you're able to work faster too.

Plus, the Symphony spreadsheet is the fastest and most powerful spreadsheet available in integrated software, based on Lotus* 1.2.3*, the industry-standard spreadsheet technology.

We could go on about the many features of Symphony 2.0—how its macros let you automate complex or repetitive tasks and create customized applications. How the word processor now has a spelling

checker and text outliner. And how database and communications have been improved.

The bottom line is that Symphony is one high performance package that's made to be opened up.



Lotus Symphony 2.0

Mousing around with lotus



A devoted fan of alternate input devices has long despaired of getting a mouse to work well with 1-2-3. Now he's found a solution to this difficulty.

m a big fan of that category of peripherals known in the trade as "alternate input devices." I use a digitizing tablet regularly, I really like trackballs (I even hope to find a decent one for PCs someday), and my collection of mice could fill a drawer.

It's not that I have anything against keyboards. But for much of what we do on computers—from navigating around the screen to entering something other than teters and numbers—keyboards are exceedingly blunt tools. So I continue search through the desert of PC alternate input devices, booking for that fabled Better Way.

While they're not perfect, I'm convinced mice are our best bet. From Doug Englebart's very early hand-carved wooden models through Pierthigi Zappacostaearly gray plastic lumps to Logitech's sleck C7s to today's champ, the Bauhaus Mass from Microsoft, computer mice offer the right kind of hand-eye link to what was ocon-scroon.

The conviction has sent me down some continged the continging bardwarding paths. A recent walk on the wild side was with Felix, a good dea that fails on execution. Felix consists of a stubby control sick, that you move beck and forth in a horizontal box on your desk. It's a cross between a trackball—the base stays still while you move something within that defined boundary—and a pystick. The ballistics of the curver movements that result from a many control of the control of the curver movements that result from a read-that a you move its little blue are good, but a you move its little blue.

back and forth with your thumb and forefinger, you realize how much it needs better viscous damping, for smoother move-

Actually, what really caught my attention about Felix wasn't its odd shape and construction but the software that comes with it. For the first time, I was confronted with new ideas about how to use a mouse with 1-2-3.

THE TROUBLE WITH MICE I ve become convinced that the real problem with mixe devices is that they're poorly integrated with application software. Using a Macintosh forced me to that conclusion, while the Mac has had terrible mice, the while the Mac has had terrible mice, the value of the level of integration between the mouse and the software is so high that you soon forget that unfortunate thing in your hand and retallet strictly to what's happening on-screen.

In the end, as much as I truly like mice, I use them on PCs only with Microsoft Win-



dows'and with one other application program. (Windows so demands a mouse that to use its keystroke alternatives is sheer madness.)

Felix's software did a good job of increasing the power of the 1-2-3 user, in effect replacing Lotus's set of paradigms for moving around the spreadsheet with another set (Felix's). But in the end, that was exactly what I didn't like about it.

KEFING THE FEEL I want a mousedriven program to behave the same way it would when not not the keep board. The other program is not the PC with a mouse is Microsoft Word, which uses the alternate input device to expedite the textediting process, never departing from but accelerating the approach used when you not the program exclusively from the keyton the program exclusively from the key-

A program such as 1-2-3 has an idiosyncratic (and for many of us, deeply ingrained) scheme of doing things, and I want a mouse-control program that expands on rather than replaces that scheme. Put more simply, 1-2-3 run by Felix just didn't feef much like 1-2-3 anymore.

So I went back to using a mouse with Microsoft Excel (and noticed how much I liked that), while using I-2-3 strictly from the keyboard. And I noticed how much I didn't like that.

Then, a couple of months ago, I came across Marq Technologies' little 1-2-3 mouse-control utility, MarqMavigator. With the cynicism of the world-weary, I put it on the desk, booted up 1-2-3—and fell in low.

■ JIM SEYMOUR

SOMETHING REMARQABLE Look, even if you don't like mice, and maybe if you don't even use 1-2-3 on a regular basis, you've still got to see what this wonder can do. It dramatically speeds and eases

using 1-2-3 while keeping the Lotus look and feel.

MarqNavigator wraps the blue Lotus border all around the screen and drops the 1-2-3 function-key assignments into the

right border. The usual 1-2-3 commands appear in their familiar positions across the top of the screen. Just roll the cursor over one of those familiar Lotus top-of-thescreen commands and a drop-down menu appears. Keep moving till the cursor is over the command you want, click the left mouse button, and you've executed the command. To use function-key commands, just click on the function-key hot spots on the right side of the screen.

One of the glories of MarqNavigator is the incredibly fast, smooth navigation it offers when you move around a large worksheet. Using MarqNavigator gives you an incredible feeling of speed and fluidity as you work with 1-2-3. I invited a handful of coworkers who also rely on 1-2-3 to use my machine for a while to see what they thought of it. Without exception, their reactions were like mine-and more than one used the word fluid to describe the feeling you get as you swoop around the worksheet.

 One of the glories of MarqNavigator is the

incredibly fast, smooth navigation it offers when you move around a large 1-2-3 worksheet.

I don't often get this excited about a utility program. Indeed, I held off writing about it for a month, to see if that first blush of enthusiasm would fade. It hasn't. You can reach Maru Technologies at

(800) 336-8366. MarqNavigator lists for \$149 and supports the Logitech and Microsoft mice. If you're half as interested in mice as I

am, you really owe it to yourself to have a look at MaraNavigator. Even if you're a crusty "real men don't use mice" type. take a look.

Fair warning, though, for the determined curmudgeon; it'll change your mind



THE \$1195 A*STAR



YOU WON'T FIND A BETTER **80286 SYSTEM VALUE ANYWHERE.**

Looking for a better value in PC/AT compatibles than our A * Star is like looking for a needle in a haystack. You're more apt to come up with a case of havfever.

The A * Star was the world's fastest, most inexpensive AT compatible when it was introduced in 1986. Today, thousands of satisfied customers later, the A * Star is equally well known for its rock solid reliability and unparalleled manufacturer support.

Dollar for dollar, the A * Star gives you more of what you want in a low cost AT compatible - a multi-speed CPU (6, 8, 10, 12, & 14/16MHz), your choice of "soft" or "firm" touch keyboards, super high speed disk options and a hefty 220 watt power supply. Best of all, the A * Star is quality built right here in America by Wells American Corporation - a company with

more PC manufacturing experience than anyone else.

Impressed? Why not try out an A * Star for yourself. Call us today to arrange a no obligation 31-day trial* at your home or office.



THE ROCK-SOLID, RELIABLE AASTAR. Available in multi-speed 14/16MHz models.

AN A+STAR FOR ONLY \$1195? THAT'S NOTHING TO SNEEZE AT!

Sure, you can buy a knock-off clone for a few dollars less, but you'll never find an allaround better value than the A * Star.

I'm tired of sneezing! Send me a com information package including pricing and available options.

NAME:	
COMPANY:	
PHONE:	
ADDRESS:	
CITY:	
STATE:	7IP-



The #1 Utility Just



Many utilities have a DOS shell. Ours is anything but run of the mill. PC SHELL actually outperforms and is easier to use than DOS 4.0. It even includes an applications "run list" to simplify starting programs.



With our PC SECURE you can encrypt, compress, even hide sensitive files and programs. PC SECURE uses DES encryption and meets the Department of Defense's standards for data encryption.



NOTEPADS allows you to do a lot more than just write short notes. It's really a very capable word processor with block cut and paste, headers and footers, and spell checking. You can even use it to create form letters.



PC Tools takes the agony out of backing up your hard disk. With PCBACKUP you know how long and how many disks you'll need before you even start. It can even compress data to reduce the number required.



PC Tools COMMUNICATIONS allows you to perform data transfer as a background application so you can continue to use your computer. Connecting to logged-in systems just takes a click of a mouse.



To manage your appointments and to-do list, there's SCHEDULER. It includes full calendaring functions, reminds you of upcoming apointments, and can even show you a week full of appointments graphically.



Obviously we can't leave a good thing alone. Just when it seemed PC Tools Deluxe was everything you could want in a utility package, we go out and make it a lot better.

Not only have we found ways to significantly enhance the industry's top selling utilities, we've added a complete new set of capabilities. We've given PC Tools one of the most elegant and advanced desktop managers the world has ever seen. It includes a notepad, database, appointment scheduler, outliner, clipboard, background communications, keyboard macro processor, calculators, and more.

Got A Lot Better.



PC Tools doesn't just organize your files and hard disk. It can organize your thoughts. The OUTLINER allows you to quickly create outlines with a hierarchy structure.



You know how easy it is to erase a file. What surprises people is how easy PC Tools can recover it even if your hard disk has crashed. Not in bits and pieces, but in its entirety. Automatically.



PC Tools has not one, but three calculators. An HP12C^{ro.} compatible financial calculator, an algebraic calculator with a tape you can edit and a programmer's calculator that does base conversions.



You're in the middle of writing a letter and need something from a database file. Stay right where you are. DATABASE lets you access dBASE® compatible files, make changes, even create new ones.



Some utility products toss in a disk optimizer. Ours is anything but thrown in. COMPRESS allows you to "unfragment" and rearrange your files to improve your hard disk's performance.



PC Tools' windowed environment allows you to run up to 15 of our applications at once. You can easily "jump" from one window to another, resize them as necessary, and if you're stumped, access our context-sensitive HELP.

All with easy-to-use pull-down menus and a windowed environment that lets you run up to 15 of them at once.

The operating environment is so consistent that once you've learned one application, you'll be skilled at them all. And, if you have a mouse, you can speed

through operations with just a point and a click.

Naturally, these desktop features are all resident. So they can be called up in the middle of any application. But what's really amazing is PC Tools takes less than 40K of your computer's memory. So it doesn't crowd even the most memory-intensive programs.

It's impossible to tell you everything PC Tools Deluxe does. You really should

see for yourself why the world's best just got a lot better.

PC Thole is a trademark of Central Point Software

Central Point Software INC

Call for the dealer nearest you (503) 690-8090.

Give this to and you hear from

Upgrading mass storage used to mean one interruption after the other.

Your users were very easily

confused.

And you weren't always free to answer questions like, "How do I set up a subdirectory?" Or, "How do I upgrade the DOS on my hard disk?"

But, all that's changed. With Plus Hardcard™ 40 you can upgrade your users to 40MB easily and never have to worry

about it again. Because Plus

Hardcard has been specifically designed with the end user in Plus Technical Support Line 1-800-826-8022

mind. It's completely different from other hard disks. For example, you won't have to personally install the Hardcard. Most of your users can do it in minutes. There's no system reconfiguration. No connector cables or adapter cards. And there's plenty of simple documentation ready to help those who don't know their keyboards from their clipboards.

There's even a toll-free technical support number for installation and user information. So if any of your

your users will never them again.

people have immediate questions, you won't have

compatible with some of the biggest names in the



to be the one with all the immediate answers.

More importantly, Plus Hardcard is the most reliable (60,000 hours MTBF) fixed disk available. It also happens to be extremely fast (effective access time 28ms) and durable (100 Gs). And it's business.IBM.COMPAQ.Wyse. And more. So if upgrade interruptions have kept you from getting to bigger issues, call us for complete compatibility and other technical information at 1-800-

826-8022

A New Way To Tell Your Bills Where To Go.



And Get Away With It.

CheckFree.* The Nationwide, Personal Electronic Banking Service. It Pays All Your Bills And More—In Just Minutes Per Month.

You've never had this level of control over your finances. In just minutes per month, you can pay all your bills through your home computer. Simply and easily. No matter where you bank!

Thanks to CheckFree's easy-to-use software, you'll never have to mail another check. Just enter the payment information into your computer, and the software automatically records transactions, adjusts your balance, and transmits payments via modem* to the CheckFree Processing Center.

Checkfree Corporation-the nation's leader in electronic payment services-will record each transaction and direct your payments to their destinations. Fixed monthly

payments are entered only once, and made automatically on the dates you specify. Now you can forget about late charges and maximize the interest on your money.

Besides being fast and reliable, CheckFree is also extremely secure. All data entry is off

line and all payment information is sent via burst transmission to the CheckFree Processing Center. The payments are then processed through the Federal Reserve System—the same, safe system used by banks everywhere. Plus, CheckFree also provides you with instant budgets and analyses of your income and expenses.

All this for the basic subscription fee of only \$9.00 a month.** If you pay only 18 bills, you'll already have saved \$4.50 in postage alone.

So, isn't that a small price to pay when you're getting away with so much?

CheckFree Servisware, including complete software and subscription kit plus one month of service is available

for only \$29.95 (suggested retail price). Visit your local Computer Retailer or call 1 800 882-5280. (Monday-Friday, 9AM to 9PM Eastern Time).

CheckFree



"No modern? No modern? No problem. We'll help you got one: "Nominal extra change for more than 20 monthly transactions.

HARDWARE REQUIREMENTS: IBM* 9FO or constable, 265K ReM or greatest, 18/100°S* of or greatest, 18/100°S* or greatest or large-or groundsthe modern, and work only or who only or who only or the change of t

OS/2-READY TO TAKE OFF



For some time, OS/2 has been an operating system without a purpose. But at last, the hitherto unrealized promise of OS/2 is becoming a reality.

wen though IBM and Microsoft mean BMS and Guivery date for OS2 Standard Edition 1.1, that product so far has been of little practical value. The primary problem is that IBM met its self-proclaimed shipment deadline with a product that wasn't quite ready for prime time.


In fact, it wasn't ready at all. The real miracle was that the joint IBM and Microsoft development team was even able to deliver the product. Although the development groups headed by Steve Ballmer at Microsoft and Dick Hanrahan at IBM did a tremendous job, the delivered product was missing some critical pieces.

Specifically, IBM OS/2 SE 1.1 was shipped with but a single output device driver (PRINTER1.SYS) supporting the basic IBM 4201 Proprinter. To put it mildly, 9-pin dot matrix printer output of Presentation Manager graphics (through a single IBM printer model) isn't good for much. In fact, an operating system that cannot produce output with non-IBM printers isn't really good for anything at all. That is exactly the kind of system OS/2 SE 1.1 has been so far.

The second problem is that applications using the Presentation Manager, while slightly more numerous than hens' teeth, haven't been falling off the shelves of software stores, either. Not only did the number of CS/2 applications fall far short of the 1,000 that, in early 1988, 1BM had claimed would be available by year's end, but none of them made any use of the Presentation Manager.

All of that is finally starting to change. IBM's OS/2 "Device Support Supplement" diskette, promised for February 28, will at least provide drivers for the most widely used IBM printers and plotters. Drivers for third-party printers are beginning to appear and will soon be generally available. Other personal computer vendors are starting to deliver OS/2 Standard Edition 1.1. And, even more important, software that truly makes use of the Presentation Manager is starting to ship.

READY FOR SPRING FLOODS? April 2, 1989, will mark the second anniversary of the announcement of OS/2. By that time, the promise of 2 years ago (at least as far as OS/2 is concerned) will finally be matched by a corresponding reality. By Spring Comdex in Chicago—April 10 through 13—there will no longer be any doubt that OS/2 is on its way. By then, the trickle of Presentation Manager applica-



tions will have become a flood!

As has already become obvious, however, the adoption of OS/2 and the Presentation Manager does not mean we will see a radically different set of application software. Word processing and spreadsheets, followed by communications and database management, are still going to be the most widely used applications on personal computers running OS/2 with the Presentation Manager.

Artificial intelligence, expert systems, personal information managers, "groupware," object-oriented programming, and all the rest of the hot topics writers like to write about and experts like to pontificate about, though useful and important in their own domains, won't overtake mainstream computer applications as a result of OS/2.

What's more, many of the applications appearing for "the real" OS/2 are already familiar to those who have been using the Apple Macintosh since 1984 (and the Lisa even before that), or Microsoft Windows as early as the end of 1985. The Graphical User Interface of the OS/2 SE 1.1 Presentation Manager does not offer capabilities that are dramatically different from those already found on the Mac or with Windows.

As a matter of fact, many of the new applications appearing for OS/2 have been adapted from the Mac or have already appeared as Windows applications. Others, even though first appearing under OS/2, are similar to applications found in the Mac and Windows eraphics environments.

Nevertheless, it would be a mistake to dismiss the emerging OS/2 applications

■ WILLIAM F. ZACHMANN

(and OS/2 with them) as nothing new. While the differences between the environment of the OS/2 Presentation Manager and Windows, for example, are not dramatic, they are still significant.

NEW OPPORTUNITIES For many users, the differences certainly are great enough to justify the incremental costs of OS/2. For although OS/2's multitasking and access to a larger memory space don't affect the look and feel of applications as much as the move to the Graphical User Interface in the Presentation Manager. they do offer opportunities that were not available with DOS. For instance, the elimination of overlay structures, the management of large data structures in memory, and the creation of background processing threads will result in significantly faster execution for many programs.

Moreover, OS/2's multitasking, combined with its capabilities for handling keyboard input, permit the creation of farmore-powerful versions of DOS terminate-and-stay-resident utilities. Since OS/2 provides an orderly environment for such programs, the numerous problems with conflicts among TSR programs under DOS can be eliminated


As software written for OS/2 matures. users will also be able to toggle among applications, exchange data among them, and gain access to far-more-powerful capabilities than were possible with DOS.

One of the biggest benefits of OS/2 will be in the handling of communications tasks in general and local-area-network connections in particular. All LAN and terminal drivers normally require a fairly large resident driver under DOS. This not only takes memory away from DOS applications but often causes problems with TSR programs as well. OS/2's multitasking and larger memory space eliminate these problems, making OS/2 a superior alternative for LAN-connected systems.

The greatest advantage of all, however, will be in the combination of the Graphical User Interface of OS/2 SE.1.1 Presentation Manager with the "across-the-network" interprocess communication capabilities made possible by the OS/2 LAN Manager. These provide more than just improved personal-productivity applications. They are the key to developing truly enterprisewide, mission-critical systems designed around personal computers.

So while OS/2 won't drastically change what users do with PCs, it is important that we not underestimate its impact. Microsoft intended that OS/2 would be the office operating system for the 1990s and designed in the capabilities to do the job. As OS/2's promise becomes reality, the chances are very good that OS/2 will meet those expectations.

Memory Hogs Eating Up Your RAM?



HE4DROC

Memory

HEADROOM increases the amount of memory available on your system by swapping out both TSRs (memory resident programs like Borland's SideKick) and entire applications. You get complete control over your memory.

- Frees ALL memory used by TSRs
- · Eliminates TSR conflicts
- Enhances TSR performance
- · TSRs remain active when swapped out · All TSRs available at ALL times
- Provides access to multiple applications
- Switches instantly between applications Controls 32Mbytes of TSRs/applications
- HEADROOM swaps out all, or any TSRs so that they use NO MEMORY WHAT-SOEVER, but are still FULLY FUNCTIONAL.

HEADROOM also swaps out any program or application allowing you to SWITCH QUICKLY BETWEEN PROGRAMS without having to save and exit from one program and then load and open another.

All swapping may be to Disk, Extended memory or Expanded memory.

Works with Expanded and Extended memory of all kinds (LIM 3.2 or above and compatibles, including LIM 4.0 and EEMS)

Increases Available Works with any Hard-disk drive. Swapping a full 640K to and from a hard disk to switch bet-Works with any Hard-disk drive. Swapping a ween programs takes under 4 seconds (on an AT/compatible, 20 seconds on 4.77MHz PCs. All memory swapping in under one second).

> Completely transparent. You don't have to change the way you work, and you get more available RAM to work with.

HEADROOM itself uses only 50K. Load up to 32 TSRs or applications.

Runs on IBM-PC/XT/AT/PS/2 and 100% compatibles with HerculesTM, MDA, CGA, EGA,


VGA, MCGA or compatible display systems. Guarantee: If you find that HEADROOM does not live up to our claims we will fix it or refund your purchase price.

\$95. orders call **(800) 451-0551** in NY (718) 262-8787 9am to 5pm EST; (\$5 per order shipping, \$20 outside U.S.) VISA, M/C, COD, or write to us at:

SOFTWARE CO., INC. d. N.Y. 11435 • (718) 262-878

Dealer/distributor inquiries invited

Patent Pending HEADROOM is a trademark of Helix Softwara Co., Inc. He



"JUST GET ME WHAT I NEED, NOW

"Don't just sit there.

Let's move . . .

"We've got 15 minutes to put together a complete dossier on the competition-annual report info, company vs. industry data, breaking news, stock quotes, everything,

I hear myself asking a lot of my staff: and others asking a lot of me. It's not unreasonable, not if you want to come out on top.

I recently made our job easier. I subscribed to Dow Jones News/Retrieval*

It's the premier source of online business and financial information from Dow Jones & Company, Inc., publisher of The Wall Street Journal. And all you need to get it is a personal computer and modem.

I'll get that complete dossier within 15 minutes, maybe less. With their over 40 other services. I can get everything from the full text of the Journal, to current stock quotes, and detailed financials on thousands

of companies. I can get exactly what I need. No fluff No waste

Make the job easier on yourself, and your staff. Call to start your

membership today. Get what you need, NOW.

Using their QuickSearch service

Get 8 FREE* hours online. Show me how News/Retrieval can help. Send me a \$49.95 Bu

Membership including: passwords for me and my staff, one year of Dowline Magazine." and waiver of my first year's \$12 annual service fee, or a Personal Membership at \$29.95 with 5 free hours.

S \$29.95 Personal Me

\$49.95 Business Membership Bill me Check enclosed Charge to my AmE

Acct. No._ Signature (required)
If you pay by credit card, future charges will be billed to that account

OttyState/Zip

Dustine Phone

Please wod more information Mail to: DJN/R Membership Kit. P.O. Box 186, Dresel Hill, PA 19026-9973 For faster service, call 1-800-221-7700, Ext. 131B today!

Dow Jones News/Retrieval

From Dow Jones & Company, Inc. The information that powers today's business:

must. New donestic and Casadian customers only Free time must be used within 30 days after remipt of passwork. Some services have specus that an excluded from the fee-tune offer Tim offer expans february 28, 1990 01988 Daw Joses & Company Dr. All Rights Steament.



om**ni**Page

Customer Profile

Regis McKenna

Age: Old enough to remember the day that Intel Carporation was founded.

Profession: Chairman of Regis McKenna Inc., a major marketing company based in "Silicon Valley." A general partner in the venture capital fitm of Kleiner Perkins Coufield & Beyers. Author of the Regis Tauch and mast recently, Who's Afraid of Big Bluet?

Hobbies: Enjoys doing extensive research on innovative new technologies. He recently became involved in building and archiving an extensive database, using state-of-the-art page recognition software.

His Page Recognition Software: Omniffage of course. According to Regis: "Omniffage represents one of the met complete page recognition software products; providing incredible flexibility to customize data which can be easily accessed totar. All of a sudden the cost of archiving and retrieving data has dropped significantly. The "Information Age" is upon us and we have an exciting new tool".

Favorite Quote: The New Yark Times: "OmniPage could be the mast significant advance in personal computing this year."

in personal computing this year."

Things Distilked Most: "Technology that is not easily accessible or powerful enough to serve the needs of people."

Feworite Scen: "I'm using Omnifinge to build on extensive selectronic liberary than personian to the growth and evolution of technology over the past 25 years. Being oble to can literarily any article, regardless of leyour or column format, has suddenly made this call possible. It is deminated the labor intensive took of data entry. I'll be able to share this information with employees, cutemas and collection of business can extend for further reference."

Future of Page Recognition: "Omnifoge has provided me with the customizable to all that I need. I can use the Partial Page feature to scan only that text which is relevant to my needs. Howing a version that run in MS-Windows should impress those who are committed to that environment. What we're seeing here is the emergence of a new product category."

For More Information Write: Carre Corporation 100 Cooper Court Los Galos, CA 55000 For Call: \$400-55.55CAN Normality in supplement trademark of Carre Cooperation, NS-D05 and Normality of Carrest Cooperation, NS-D05 and Cooperation, "Rept Notemark serving now hand, it link Mond of Big Blace, in smalled on headsoner and published by Addison Newly Publishing," Coppright 1000, Corper Corporation, Mill cylink sensored.

CAERE

PRODIGY: IT DON'T GET NO BETTER THAN THIS!



IBM and Sears are mass-marketing their on-line service like dog food or beer. Unspoken motto? "No one ever went broke underestimating the taste of the American public."

eer Mr. Progidy:

I wood of cent this mess age over vore service, but you dont except Is this long. But let me remark write off the bat I think yore service is grate. It is every bit as enformative & innertaining as Bowling for \$ or the Weakly World Nooz & as satisfying as Old Milwaukee Light. Like they say, "It just don't get no better than this here.

I seen vore TV ads staring Linda Elerby of TV fame & Davy Joneson of hated NY Mets fame & some gy named Elvin Troffler I never seen b4 & then I stubbed upon vore empressif demon stration at the maul & I sined up then & their

I did have some trubble with the in stallation part cuz it din't fine any disx called B or D on my sun's machine but after 2 or 3 cauls to yore tole free # yer peeple fixed me up & soon I was typing my id & pass word & after a littel weight for the WORK-ING sign to stop I was hooked to your Inter Active Personal Service & romed the bildings & floors, witch my sun what went to colledge calls metalfors.

NONSTOP ADS In the weaks to come I got to no that WORKING sign even better than all them great nonstop ads that show up in the little box at the bottom of the pitcher tube like this:

She'd love him forever. If only he'd let her. Lovelight series novels.

I just luv 'em! In fact, I will enclude some faves here witch I copied strate off the tube frum time to time just like you do. But yore ads also let you push the Tab key to the box marked LOOK 4 fasinating info such as the following:

Dupont's CORIAN is the aristocrat of surface materials.

It's tough. Elegant, with the opalescent beauty of marble and the permanence of stone. It resists stains, scratches-in fact, CORIAN is virtually indestructible.

And like a true aristocrat CORIAN is only found in the best homes ... like

I new this was ment 4 me & so therefore orderd my FREE broshoor.

A MITE STRANGE I am specially empressed with yore stuff 4 kids. My dotter tys up the phone 4 hours wasting time with this which the Mrs. sez is better then TV she hopes. I was specially pleesed to see that the Cycleopedea Botanica Ouiz spelt Gibralter just the whey I taut hur. & whut she learnt from NOVA she rote down to lern by hart & show off at dinner:

Mites primarily eat, defecate, and copu-



late. A heap of fecal pellets, as many as there are stones in the Great Pyramid, could fit on the period at the end of this

I also lyked the way the ads for tax beln & romance books & tires & home furnitings & such appeard wile my dotter was lerning such useful enformation. No sense hiding kids from the reallies of life, sez I.

A fiberglass tub scrubbed with COMET sparkles WITHOUT a scratch on it!

Their are meny fasinating stars you can read tips from & even rite to like H. Cosell & H. Eloise but hear I have a complaint. It sez "Send a message to Jane Fonda & get a perconel reply," witch I red rite after the Singles Colum witch sed:

Commitment is the buzzword of the 80s. And now sex without commitment is only for madmen. The only way out is to practice the skill of committing-and practice some more

Sew I rote ole Jane I wanted to practice with hur, but she dint respond to my very personal preposition atall. Her mind must of been on other glands 4 her colum said

Thyroid disorders are not responsible for feeling cold, fatigue, or weight gain. However, if you suspect a thyroid disorder, consult your physician.

TOUGH AVOCADOS My college edgacated sun is 2 snooty 2 use Progidy. He sez it takes longer to figger out how 2 order groceries with the service then to get in the car & get 'em & bee sides they probly stick you with the hard little avocados the ones that never get so as you can eat em with out a sledge hammer & I am afraid the Mrs.

STEPHEN MANES

agrees so we aint tryed it yet sorry. A XXYmonth CD yield of XXXXXY? Earn it at Key Bank USA.

Sunny objex that you fokes only put 15 lines 40 caracters wyde on the screen at

one time not counting the ads & stuff, but perconly that is OK with me my brane sells get all confused wen sum body learns me too much at one time. An other thing that steems him is that if yer fone gets messed up, you get a dum massage & half to reboot ver machine. Sunny specially hates the fact that when ever u are weighting for a pitcher to change if u press any keys the system just ignores 'em but I say what is his smartypants hurry to beet the system.

Is your upholstery as vibrant as it was 5 years ago? Maybe your windows are to

Sunny sez if you realy need 15 min, delaid stock quotes, you also need to bee able 2 down load them to disx, which Progidy cant do. He also ennoys that u cant print out the Consoomer Retorts on account of the soft ware wont let you. But that is OK by me cuz wen I try printing the pitcher goes goofy & I half to reboot anyhow.

I dew agree with him on I point, I used Easy Saber to find this grate fair \$158 r.t. twixt NY & Seatle but it only sed restrictions apply & you half to call up to see what they are, witch kind of defects the porpoise. So when I call up I find out that the restriction is that I half to be under 12 & traveling with my parents. Sunny sez E. S. on CompUSurf shows you that & whether 4 casts too, but I sez they don't show purty pitchers like you do, so there.

As you can tell I am a fan. I luv yore bulletin boards ware people ax about food & wine & have perconly recommended sum of my very favorite gormay frozen dinners & coolers and cant wate till Providy is on tap all over the country insted of just a few

burgs like mine. I luv the snappy tips of "Dress 4 Success" Malloy like: If you purchase a custom or made-tomeasure suit, insist on functional-button

cuffs. They are one of the hallmarks of custom tailoring. But I have a little bone to pick with that Jeane Dixon horror scope. I am a Capri

Com & she sed: Your chances of finding fame and fortune get a big boost this weekend. An act of kindness will be richly rewarded. Recent worries disappear. Extra cash accumu-

lates I still got plenty of worries, but nun of that there fame, fortune, reward, or cash she promised. My sun sez I could get sum of it by canceling Proeidy and getting back my \$9.95 no charge for conneck time per month but I say no way I am waiting for Allen Bloom to get him a colum so I kin ax

SINCE 1983 RACORE HAS PROVIDED

Drive Two Plus Gives your IBM PCjr the performa pabilities of e PC by adding e second drive plus enhanceents. The unit includes e parallel port, e second disk drive, clock calendar with battery back-up, edditional power to the side bus end e memory expansion slot. You PCir can now run PC software

Drive Two Plus \$299°

Drive Two Plus with DMA Direct Memory Access es data entry during diak drive operation. Now you can use softwern that requires direct use of DMA

Drive Two Plus with DMA.

\$359°°

vides up to 640K of memory in 256K increments. Memory Expansion 256K

\$199°° *159° "AT" STYLE KEYBOARD Features lerge return key, adjustable oter cable for your PCir.

Expand to 640K

Give your PCir the memory

it needs with RACORE's

plug-in board fits into the

Drive Two Plus and pro-

Boards

512K

expansion boards. This

height and separete 10-key ped. Includes \$9900 20 MEG HARD DRIVE Can be used with the Racore Drive Two Plus or with the PCir elone. \$679[∞]

We guarantee our products to be free from defects and to perform as promised. If you are not completely satisfied with any product you purchase from Triton, simply return it to us within 30 days for a prompt replacement or refund.

TO ORDER OR ASK A QUESTION CALL TOLL-FREE 800-227-6900



TRITON PRODUCTS COMPANY 1159 Triton Drive, Foster City, CA 94404

RACORE, Drive Two Plus are registered trademarks of RACORE Comp IBM, PC, XT, AT, PC); are registered trademarks of IBM Corporation

Prices effective 9/15/88 & subject to change without notice.

him his sign perconly.



COMPUTERS

SOFTWARE

HARDWARE

PRINTERS

2500 WEST COUNTY ROAD 42 . #5 . BURNSVILLE, MN 55337

\$139

\$239

EsayTalk EMS1100 for the T1100+ & T1200

EssyTelk EMS3100

Good Things Come In Small Packages!!!







WonUnder \$299



Turbosport 386







WonUnder II \$399















AdaptaPAKIII (Compag II, Toshba T3200, i and NEC PowerMate)
ExtraPAK

\$99

\$299

CIRCLE 125 ON READER SERVICE CARD To Order Call:

 Competitive Price Corporate Volume Discounts

Mitsubishi

- · Net Terms to Qualified Corporate Accounts
- Prices Subject To Change Without Notice

800-255-4012 FAX: (612) 894-6175

1.2 MB \$249.00

IN MN: (612)894-0595

Why LAP-LINK Has Connected Over 200,000 Computers.



In less than two years, LAP-LINK has connected over 200,000 computers to become the standard in accessibility software for IBM's and compatibles, laptops, and Apple Macintosb computers But outstanding sales aren't the only way to recognize

great software. Consider what the experts have to say. Fast and accurate.

"... LAP.LINK... sets a record for the fastest serial trans-fer on a P.C."Howard Marks, P.C. MAGAZINE — July 21, 1987. And LAP-LINK is not only the fastest, it's also the most accurate. LAP-LINK's error checking system guarantees that all data is transferred with 100% accuracy. Easy to set up.

"LAP-LINK is the absolute easiest, simplest and most convenient." Harry Newton, TELECONNECT - April 1987. LAP-LINK comes with everything you need to set it -including 31/2" and 51/4" disks, documentation, and up -- including 3½" and 5¼" disks, documentation, and Traveling Software's universal cable with both 9-pin and 25-pin connectors.

Easy to use.

... I don't how if the manual is any good or not: I've never had any reason to open it. LAP-LINK is so thoroughly intuitive, fast and simple to use, the manual is blooming near superfluous: Jerry Pournelle, BYTE MAGAZINE—July, 1987. All you need to do is connect our high quality university. sal serial cable (no need to unplug your printer's parallel cable), type "LL" on both computers and LAP-LINK will automatically connect itself, ready to transfer single files, entire sub-directories, or hard disks.

Award winning.

"If you like a package that's fast, efficient, and easy to use, LAP-LINK is clearly the...program of choice." M. David Stone, P.C. MAGAZINE — January 12, 1988. P.C. Maga-CIRCLE 223 ON READER SERVICE CARD

zine was so impressed with LAP-LINK's performance that they gave it their Editor's Choice and "Best of '87" awards. LAP-LINK

LAP-LINK transfers files between IBM and compatibles, laptops and desktops, including the new IBM PS/2. It installs in seconds, features a split-screen design for show-ing files in both computers, and transfers data at incredible speeds of over 115,200 baud.

LAP-LINK Plus

With all the simplicity and file transferring capabilities of LAP-LINK, LAP-LINK Plus also offers the option of direct disk drive and printer sharing between any two connected computers. It's like having a two computer network. You can easily switch between local and remote printers using a pop-up window without leaving your application.

LAP-LINK Mac

Everything you need to share files between any model of the Apple Macintosh (512, Plus, SE and Mac II) and an IBM compatible laptop or desktop computer (including the IBM PC, XT, AT, and PS/2). It's easy to use and it's fast, over 57,000 baud. LAP-LINK Mac is also fully compatible with both Macintosh Finder and MultiFinder, as well as AppleTalk, TOPS, and 3Com. New release 2.0 nov

So for the best Accessibility Software, stop by your local computer or software dealer today. Or call us at: 1-800-343-8080 or in Washington: 1-206-483-8088. Ask about our free catalog.

LAP-LINK is surprisingly affordable at \$129.95, AP-LINK Plus \$139.95 and LAP-LINK Mac \$139.95 (Suggested retail prices including cable).

Traveling Software

Traveling Software • 18702 North Creek Parkway • Bothell, WA 98011



COMPUTERS FROM IOWA SURPASS ALL OTHERS!

eleway 2000 firmly believe that we are the best source for computers in the weare over 2000 configurations available, all priced incredibly low and hat we are the best source for computers in the nation.



all backed by our unsurpassed service

"We are very happy that our system is at the top of the stack in both price and performance but it is your courteous service that is uncontested by the competition.

 Pierce Haviland – Kingston, NY "Overall, I feel that your product is out-

ing and your service has been gren - Stonington, CT



20 Mhz 386 EGA 1 Meg 60NS Ram 1.2 Meg 51/4" Drive 1.44 Meg 3.5" Drive

80 Meg Hard Drive (28 MS) 1 to 1 Interleave

EVEREX EGA Board

1 Parallel / 2 Serial Ports

14" EGA Monitor

16 Mhz 286 EGA

40 Meg Hard Dri 1 to 1 Interleave EVEREX EGA Board

14" EGA Monito 1 Parallel / 2 Spriar Po 101 Key Keyboard MS DOS w/GW Basic

\$2395.00

12 Mhz \$2195.00



\$2995.00 \$2995.00 386 SX \$2695.00

Steve Apiki & Stanford Diehl Oct. 1988, EVIE

"Emerging as truly exceptional..."

"The Ga's way

he s

ating the whole cacked

The GATEWAY 386





80 Meg Hard Drive (28 MS) 1 to 1 Interleave 16 Bit VGA Board NEC MULTI SYNCH II

\$3995.00

Gateway 2000 . P.O. Box 2000 . Sgt. Bluff, 1A. 510

80 day Money Back Guarantee a



PC MAGAZINE . FEBRUARY 14, 1989

EXPENSIVE, AND WORTH IT

The history of technology is the story of a constant effort to go past the existing superlatives-to explore farther into space. to plunge deeper in the oceans, to examine smaller particles of matter. And to build faster desktop PCs.

Microcomputers may not rank on the same level as space shuttles and particle accelerators, but then again the computer is a far more visible, more prevalent influence on the way most of us work. The MS-DOS micro market is our best hope of being able to own a piece of leading-edge technology, and today that means an 80386 machine running at the incredible rate of 25 MHz.

The reviews that follow take a hard look at the vanguard of this new performance standard. You will find that some issues are much the same as with any other class of PC-compatible computer, but you'll also find some surprising aspects to this class of machine.

WHOSE NEWS? Not so surprising is that these top-speed marvels command some of the top prices in the market. So the first question has to be. Who is buying

these lightning-fast machines?

There are a number of answers. As with any other development that breaks old limits and establishes new ones, there will be a number of people who must have a 25-MHz 386 simply because it is the latest. These pioneers are in the minority, since few of us have the resources to upgrade with every innovation that comes along. But many others will buy these machines

for more-substantial reasons. And the basic reason is pure performance. These machines jump. Here you will find all the latest advances coming to-





25-MHz 386-based Computers: Summary of Features

The following commentary analyzes some of the terms in this table of features. The phrases in bold type are listed in the same order as in the left-hand column of the table.

Basic configuration. Because hardware vendors requestly offer a chose among various hard disk, drives and monitors—all different prices—we are resporting the price of a completely strapped-down model as a "basic" configuration. Note that these prices are not swipsy strictly comparable because some vendors will not self their computers without a hard disk. Therestive, when comparing products, please consult the "etandard configuration" prices as well.

Software included Hardware manufacturers may or may not bundle software with their computers. Bundled software may include DOS, setup and install programs, and various utilities. DOS is often awaitable only at an additional cost. (Disk caching software appears under "memory specifications" near the and of the table.)

Reset switch Many computers now come with a reset switch ellowing a cold reboot of the computer This switch saves wear and tear on the power switch.

Standard configuration Purchasers will normally want a more dishorts system than out "basic" configuration. For the sake of price comparisons, our "standard" configuration includes 1MB RAM, e hard disk of at least 30MB, one floopy disk drive, a monochrome disapility at least one patielle and one senial port, DOS, and a keytoand. The price of each system is followed by the size of its hard disk; total RAM is also indicated in cases where the package include more than 1MB.

Tasted configuration. The specifications (and lat prices) of the evaluation units depend on what consumation each manufactured has decisted to send us for listing. Upgrades and additions to the basic configuration summarizes the distinctive features of the models that were actually reviewed. Bus clock speeds (MHz) Bus speed becomes

Bus clock speeds (MRZ) Bus speed becomes more important as computers in neal states clock speeds. A computer is bus speed may actually be loo fast for expansion cards, most of which operate at 8 or 10 MRZ. Time-out periods, sometimes called wall states, ere often used to slow down the bus.

ME 386-25 PC Brend 385/25 Dell System 325 BASIC CONFIGURATION \$3,999 \$4,799 List price DAM 1MB oppy disk drives ne 1.2ME One 1.2MB 51/4 One 1.2MB 514-1.44MB 3½-inch 1.44MB 3½-inch Herd disk drive Five half-height Drive bays Five half-height Five half-height Selup, diagno Softwere Incleded elup, diegnostics, utilities, 0 3.3, GW-BASIC Optional (\$325) 08/2 evellable Optional (\$145) Optional (\$290) Two senal Ports Dae seriel One serial one perallel One 8-bit, six 18-bit, one 32-bit Sinte vo 8-bit, four PC Brend Power copply (watta) Keyboard cable length (inches) 108 STANDARD CONFIGURATION Price of monechrome ayalem with 1M8 RAM, herd disk, end OOS \$2,990 (40MB) \$4,239 (40MB) \$7,119 (150MB)

\$4,823 (40MB)

\$7,319 (150MB)

8 MHz

Price of VGA system \$3,500 (40MB)
TESTED CONFIGURATION

List price Opgrades and additions to the basic 2MB RAM, 150MB MB RAM, 140MB 2MB RAM, 150 hard disk, VGA, 80387 coherd disk, 84MI hard disk, 150MB tage backup, 1.44-MB 3½-inch end tape beckup, 1,44MB 3½-inch processo nOS 3.3 1.2MB 51/4-inch and 1.2MB 514disk drives, VGA B0387 coproces sor, DOS 3.3 inch disk drives Microprocessor elock apeeda B/25 MHz B/25 MHz 4 77/8/25 MHz Well siales ٥

Bea clotk speads B-12.5 MHz 8-33 MHz

____Editor's Choice ●—Yes ○—No NA—Not applicable this product uses discrete logic.

ertz 388 26	Zecs 388-25 V	Everex STEP 386 25	ALR FlexCeche 253860T	Compeq Oeskpro 386 26	t8M PS 2 Modet 78-A21
5.765	\$6,145	\$6,399	\$6,690	\$8,299	\$11,295
мв	1MB	tMB	1 M8	t MB	2MB
ne 1.2MB W-inch	One 1.2MB 51/4-inch	One 1 2M8 51/4-Inch	One 1 2MB 51/4-inch	One 1.2MB 5%-inch	One 1.44MB 3½-inch
one	120MB	None	66MR	60MR	120MB
ve halt-height	5rx halt-height	Five halt-height	Four half-height	Four half-height	Three half-height
etup, diagnos- os, Disk Manager	None	Olagnostics, OOS 3.3	Setup, diagnostics	Setup, diagnostics	Setup, diagnostics
ptional (\$350)		Optional (\$325)		Optional (\$325)	Optional (\$325)
one	None	None	None	None	None
wo senal, ne parallel	One serial, one parallel	One serial, one parellel	One senal, one parallel	One serial, one parallel	Two sengl, one parellel
ne 8-bit, five 5-bit, two 32-bit	One 8-bit, six t6-bit, one 32-bit	One 8-bit, six 16-bit, one 32-bit	One 8-bit, six 16-bit, one 32-bit	Two 8-bit, trve 16-bit, one 32-bit	One 16-bit. two 32-bit
del	American Megatrends	Everex	ALR	Compaq	IBM
30	230	200	220	192	132
5	•	•			0
12	1t4 (plus 9-toot extension)	72	138	114	129
3,457 (40MB, MB RAM)	\$5,419 (40MB)	\$7.222 (40MB)	\$6,856 (66MB)	\$8 674 (60MB)	\$11,720 (120MB, 2MB RAM)
7,183 (40MB, MB RAM)	\$6,114 (40MB)	\$7,696 (40MB)	\$7.613 (66MB)	\$9,717 (60MB)	\$12 608 (120MB, 2MB RAM)
0,375	\$9,308	\$14,291	\$9,517	\$20,213	\$15,958
MB RAM, 300MB and disk, 1.44MB 2-stch disk we, VGA, 80387 iprocessor, DS 3 3	157MB hard cisk, VGA, 80387 coprocessor, DOS 3 3	4MB RAM, 160MB hard disk, EGA 80387 co- processor	2M8 RAM, 120M8 hard disk, VGA, 005 3.3	3MB RAM. 300MB hard disk, 135MB tape backup, VGA, 80387 co- processor, 00S 3.3	4M8 RAM, VGA. 80387 co- processor. 005 4.0
25 MHz	8:25 MHz	8/12.5/25 MHz	8 25 MHz	25 MHz	25 MHz
	0	0	0	0	0
MHz	8 33 MHz	4.16/8.33 MHz	8 33 MHz	8 33 MHz	Variable

gether to create a synergistic whole that can change the way you view your favorite (and not-so-favorite) programs. These machines offer an 80386 processor operating at more than four times the speed of the original IBM AT, but that's only the start. System memory caches handle as much as 90 percent of memory calls with no wait states. In the video arena, 16-bit VGA adapters with video BIOS remapped to fast RAM make displays more responsive. And hard disks are appearing with response times around 15 milliseconds, and that's before you install caching software that can make disk operations from two to ten times faster.

What does this performance mean to you, the end user? If you've tried running Microsoft Windows applications on an 8-MHz AT, you may have grown impatient with response immes. Deaktop publishing programs are also power-hungry, performing thousands of calculations to define the layout for each page. Computer-aided design (CAD) and other calculation-intensive graphics programs are often painfully slow on older machines.

Even mundane applications such as accounting programs and database management programs can become slow as file sizes increase. How long do you currently have to wait to close a month's transactions in your general ledger, or to reindoyour customer database? These types of applications can run like molasses in as multiuser environmen—whether a LAN or an operating system that lets you use terminals attached to your PC.

The extra speed of a 25-MHz 386 goes a long way toward solving these problems. Windows applications and desktop publishing programs can now join the land of the living. CAD programs will be able to put your drawings on the screen in less time than ever before. Your database applications are more likely to end up waiting for you than the other way around. And you can expect better response times from file servers and multiser installations.

Be aware, however, that these computers may appear only slightly faster than some 20-MHz machines. Depending on configuration and application, the 25-MHz models may at best be 10 to 25 percent faster than a typical 20-MHz 386. Many users will find the difference be-



encoding scheme.

25-MHz 386-based Computers: Summary of Features

Disk controller manufacturer and type Several interfaces are used to control the way data is transferred from the hard disk to the computer. The most common disk interface standard is the ST-506 412, common data interface standard is the 3 in-300 -4cs, used in the IBM PC-XT and PC AT. Two other com-mon data transfer interfaces are SCSI (Small Com-puter System Interface) and ESDI (Enhanced Small Device Interface). Both SCSI and ESDI require special hard disk controllers and cannot run

off existing PC-XT or PC AT controllers. Disk encoding techniques currently include RLL (Run Length Limited) and the older MFM (Modified Frequency Modulation) scheme. All data is en-coded onto and read from your hard disk as a series of polarity-reversing bits representing ones and zeros. Nine such bits would be needed to store 12 bits of data in MFM format, and only six polenty changes are required with RLL formal; thus, MFM takes more space than RLL but provides e more stable environment and is more commonly used ST-506 technology, for instance, uses the MFM

BIOS version and date. The BIOS data is important to those planning to use 315-inch disk drives. Early BIOS versions cannot handle this format.

Memory chip type in this context, Kb and Mb refer to kilobits and megabits, respectively. Chip packaging Memory chips come in e variety of styles: DIPs, SIPs, and SIMMs. The Dual In-line Package (DIP) is the traditional bugilike computer chip sprouting 8, 14, 24, or even 40 or more metal legs (eventy divided between right and left sides). Single In-line Packages (SIPs) are single-package arrays of computer chip logic assembled so that all connecting legs are in a straight line, like the teeth on a comb. Single In-line Memory Modules (SIMMs), on the other hand, are individual logic devices that are installed on their own small circuit board, creating a component module that can be plugged into a larger device. Their physical arngement duplicates the integrated structure of e P but allows for the possibility of replacing an

ndividual memory component if necessary

RAM chips RAM chips come in two basic types: static and dynamic. Static RAM chips (SRAMs) are faster and more efficient but costlier. Dynamic RAM chips (DRAMs) cost less and are more common, but the trade-off is in slower processing and operation

interleaved memory CPU speed is usually fast than memory speed, interleaved memory increase processing speed by splitting the memory into two or more portions. The CPU then sends information to a section at a time, allowing one section to process while another receives data.

Shedow RAM Shadow RAM is a technology that loads system BIOS or video BIOS directly into fast RAM on boot-up of the computer. The BIOS then operates much taster

Disk cache software Some companies provide their own software to facilitate caching. Other com-puters can generally take adventage of the caching facility within some version of DOS.

TESTED CONFIGURATION	PC Brand 386/25	Micro Express ME 386-25	Deli System 325	Hertz 386/25	Zeos 386-25-V	Everex 8TEP 385/25
Disk controller manufacturer and type	OMTI (ESDI)	Data Technology Corp. (ESDI)	Western Digital (ESDI)	Western Digital (ESDI)	Western Digital (ESDI)	Western Digital (ESDI)
System drive capacity	Controller card handles two floppy and two hard disk drives.	Controller card handles two floppy and two hard disk drives	Controller card handles two flopp and two hard diek drives			
BIOS version and date	AMI BIOS (April 1988)	AMI BIOS (September 1988)	Phoenix BIOS, Version 1.10A1 (January 1988)	Phoenix BIOS Plus, Version 1.10 (January 1988)	AMI BIOS (August 1988)	Everex BIOS (de- rived from AMI; October 1988)
Bystem board manufacturer	PC Brand	American Megatrends	Dell	Intel	American Megatrende	Everex
386 chip set manufecturer	Chips and Technologies	NA	Chips and Technologies	N/A	N/A	NA
MEMORY SPECIFICATIONS						
Memory chip type	256Kb, 1Mb	256Kb, 1Mb, 4Mb	256Kb, 1Mb	258Kb, 1Mb	256Kb, 1Mb, 4Mb	1Mb
Chip packaging	DIP	DIP, SIMM	SIMM	SIMM	DIP, SIMM	SIMM
RAM chips	DRAM	DRAM, SRAM				
Interleaved memory	•	0	•	•	0	0
Shadow RAM	•	•	•	•	•	•
Type of cache controller	None	Discrete logic	Intel 82385	Discrete logic	Discrete logic	Discrete logic
Diek cache softwere	•	0	•	•	0	•
Maximum RAM on motherboard	None	8MB	8MB	SMB	SMB	8MB
Maximum 32-bit ciotted RAM	16MB	BMB	8MB	16MB	16M8	8MB
Maximum total system RAM	16MB	16MB	16MB	24MB	24M8	16MB
OTHER						
Warranty	5 years	1 year (90 days on hard disk)	1 year on-site service	1 year on-site service from intel	1 year	1 year
FCC cartification class					A	8

Maximum 32-bit elotted RAM. There is currently no standard for 32-bit cards, and not many cards are available today. Many computer manufacturers, however, have designed their own 32-bit slots for memory expansion cards 32-bit slots for memory cards are especially important in the ere of OS-2, a memory-in open y operating system.

FCC certification clase Two classes of FCC (Federal Communications Commission) approval may be given to computers. Class A and Class B. Those classes concern levels of radio-frequency interference. With Class A approval, a computer may be operated in a business locale. The fougher Class B rating allows home use as well, where computers are likely to be placed neer radios and tellvenson sets.

ALR FlexCache 2S386DT	Compaq Deskpro 386 2S	IBM PS/2 Model 70-A21
Western Digital (ESDI)	Compaq (ESDI)	IBM (ESDI)
Controller card	Controller card	Motherboard
handles two floppy	handles two floppy	handles two
and two hard disk	and two hard disk	floppy, one hard disk drive
411100	4740	4444
Phoenix BIDS, Versing 110	Compag BIDS, Revision K 2	IBM Advanced BIDS
(September 1988)	(May 1988)	(April 1985)
ALR	Compag	IRM
ALD	compaq	IOM
NA	N/A	IBM
286Kb, 1Mb	256Kb	296Kb
DIP	DIP	SIMM
DRAM, SRAM	DRAM, SRAM	DRAM, SRAM
	0	
•		•
ALR's Extended	Intel 82385	Intel 82385
Emulation 82385		
0	•	•
1MB	None	8MB

16MB

16MB

1 year

8MB

16MR

1 wear

13MB

14MB

1 year

tween "fast" and "incredibly fast" too slight to justify the extra cost of going with the top machines.

A CLOSE RACE Assuming that you need the extra edge offered by a 25-MHz model, the question that naturally follows is, What differences can you expect to find among these machines?

You may be surprised by what you wor't find, such as great differences in performance. All of these computers were at least three times faster than an 8-MHz. AT on the PC Labs benchmark tests. On the Floating-Point Calculation test, for example, the range of results (with one exception) was from 4.0 to 4.4 times as fast ss an 8-MHz AT.

In most cases, any differences among processor performance were more than offset by other factors. Some machines came with faster hard disks than others. Some came with faster video displays than others. As a result, the actual performance differences you! In encounter depend on the application you run and which hardware it's most dependent on.

THE GREEN FACTOR So if you can't let these unis agent by performance, what differences can you expect to find? The awar is one word: price. Comparing the lowest-priced basic unit with the most expensive tested configuration reveals an in-credible range from \$2,450 to more than \$20,000—almost a tenfold difference in a field of only nine computers, all performing at essentially the same specel.

This unusual phenomenon is the result of a fascinating development in the PC-compatible market. Just as processors are reviving up to higher speech, the manufacture of the production of the pr

releases from the bigger players.
This wide price spread splits the PC-compatible market into at least three distinct segments, which end up offering the

buyer some clearly defined choices.

At the top in terms of both price and quality, you find the major brand names of the industry. Compaq and IBM offer welldesigned and well-built equipment, with broad support for their products.

At the bottom of the price list are the bargain clones. These machines exhibit unerven design and construction: sometimes you'll find inspired technical embellishments or high-quality components, and sometimes you'll find evidence of cut corners and poor workmanship. Often examples of both good and bad appear in the same machine. But the bottom line is the bottom line, these manufacturers are out to bottom line to the manufacturers are out to grab all beats a small section of the macket.

The wide spread between top and bottom has opened up room in the middle. This gap is filled with machines that aim to compete not just on price but on less-tangible features such as quality and support. Their midrange prices make them more attractive than the top-level products, but they also offer more security than some of the lesser-known mail-order brands. Buyers have more confidence in computers that have a significant presence in the market, are solidly built, and (perhaps most important of all) come with on-site service as part of the warranty. Not even the big companies make that a standard part of their systems.

un in your book or to go for a 25-MHz 386, your choice will be affected directly by two opposing factors; your confidence in the manufacture and the size of your badget. If you feel more comfortable with a brand name and have a substantial budget, then you will be drawn to the better-known hocices. If your resources are limited and you're more of a risk taker, you will probably the proposed of
Development of new 25-MHz screamers is continuing at a brisk pace. In addition to the nine computers reviewed here, production machines from Omega, PC Designs, Proteus, and Systems Integration Associates, among others, were unavailable for testing.

And finally, hang on to your hats, be-

cause here we go again. A least one manifeature has soppoin in-bouse development of a 25-MHz 386 motherboard. Why? Because it expects the new 33-MHz 640 flow to be in adequate supply by first quarter of 1989 and therefore has stopped the 25-MHz development project in favor of the faster design. We'll have to wait and stater design. We'll have to wait and whether he manifeatures will be able to wait of the desired of the de

At least for the moment, these 25-MHz machines hold top honors in terms of speed and power. If you can't wait for something even faster (or if this level of performance is high enough), these nine candidates should satisfy your need for speed.

ADVANCED LOGIC RESEARCH INC. ALR FlexCache 25386DT

There's no doubt about it the ALR Flex-Cache 23386DT is fast, and it's priced right at the middle of the market for this class of machine. Its state-of-the-art performance makes it a choice candidate for today's computer, but it has a few minor flaws that might make you think twice before plunking down the 59,217 it would cost for the configuration tested at PC Labs.

The FlexCache 25386DT produced benchmark-test figures that ranked near the top of the class in many of the processor tests. Much of the machine's speed stems from the ALR-designed motherboard, which includes a proprietary RAM cache that uses 64K of 25-nanosecond static RAM.

The hard disk provided with the 25386DT was read a better than 25 millseconds, but it was a bit slower than some of the disks that accompanied the other machines. The FlexCache was also relatively slow on some of the video tests; these figures were a little surprising because the 25386DT does use shadow RAM for video BloS and came with a 16bit VGA adapter. But since none of the performance differences were huse. most



people will find the 25386DT as fast as any other 25-MHz screamer for most applications

The tested configuration had IMB of 60-ns. RAM installed on the motherboard. According to company spokespeople, a new motherboard that can handle up to 4MB of RAM will be included in upcoming machines. Going beyond that requires a proprietary 32-bit expansion card. The evaluation machine had this card installed,

with an additional 1MB of 80-ns. memory; the card is designed to take up to three daughterboards sandwiched on top. These come in either 1MB or 4MB configurations, and the machine can handle up to 16MB of 32-bit memory.

There are seven other slots besides the 32-bit memory card slot: one 8-bit and six 16-bit. In the evaluation machine, three of these were filled with a 16-bit VGA card, a Western Digital ESDI controller, and an



and Durability been available in floppy disks. Introducing the new RD Series from Maxell Twice the durability of the disks you're now usi. Twice the resistance to dust and dirt. And the RD Series is ten times more reliable than conventional floppy disks. The Gold Standard has always meant maximur sifty for your data. Now it means even more.





IS THE 82385 GOOD ENOUGH FOR 25 MHz?

The secret to getting top performance from a 25-MHz computer is memory caching. A small cache of expensive, high-speed static memory helps couple the fast microprocessor with slower and more affordable dynamic random access

memory.

The issue of caching has only recently arisen in PCs because the 80386 is the first widely used microprocessor with the speed to outrun memory.

Intel Corp, provides a very powerful tool to aid computer designers in the quest for the perfect cache. The 82385 cache controller chip's extensive set of features serves as the cache's foundation. This one-chip solution has been adopted by several computer makers, including such familiar names as IBM (in the 25-MHz PS/2 Model 70-A21), Compaq. Dell. and Tandy.

Several makers of 25-MHz 80386based products haven't adopted the 82385 solution, however, and some of them produce top performers. Both Advanced Logic Research and Everex use proprietary cache designs in their highest-nerformance models.

The quest for ever-higher performance made these manufacturers look beyond the limitations of the 82385 to find unique solutions that would make their products stand out. The 82385 is designed to handle a 32K memory cache a good compromise between cache cost and performance but not the ultimate in technology.

reclinoogy:


For some companies, particularly those in the shadow of the more established manufactures, a performance increase of a few percentage points is exactly what they need to stand out. Consequently, ALR and Everex have properly far larger cases sizes that cannot be realized whige the \$2285 abone. ALR unique, scalable cache that consists of 64K to 256K, depending on the size of main memory.

Another reason these manufacturers have avoided the 82385 cache controller is development speed. Although Intel has tried to ensure that the speed ratings of the 80386 microprocessor and its support chips remain in step, the ratings of the 82385 have lagged slightly behind. When the ALR and Intel 25-MHz system boards were being developed, for instance, there was no assurance that 2385 chips with the speed rating would

be available in sufficient quantities to support quantity manufacture of the boards. Avoiding the 82385 ensured that its unavailability in the needed speed rating would not hinder system board production.—Winn L. Rosch

Winn L. Rosch is a contributing editor of PC Magazine.

ALR FlexCache Architecture:
Upping the Ante in the
25-MHz Performance Wars




A LTs senser to the limitations of the intel 8285 can be lound in the ALR Extended Emulation 8285 cache controller and the size of its static PAM cache. Both the ALR and intel controllers and the of critical concessed controllers chack for direct accesses of the cache and the controllers chack of the cache with the contents of the cache with the contents of the cache with the contents of main memory. If the information being accessed is not in the cache, intel[®] accessed in the cache, readeding the data if

and when it is requested again. The ALR controller, assuming that the data is already in the cache simply because it is needed, goes shead and copies the altered data from main memory into cache memory, so that the information is cache memory and the information is cache memory and in the information is called the information in the information in the information is called the information in the information in the information is called the information in the information in the information is called the information in the informati

war of speed, a few ticks of the clock

can put you at the front of the pack.

PC MAGAZINE . FEBRUARY 14, 1989



"Remote access to my PCs!"

"Ashton-Tate, Borland, IBM, Lotus, Microrim, Novell and 3Com all use Close-Up for their remote support. And now I know why. What a powerful management tool!"

It's true Every major hardware and software manufacturer that offers remote services and support uses Close-Up.* Here's why. Close-Up, It sets you work in anoten with your associates, share their screen and keyboard, access their DOS and run programs on their computer, all remotely. Business solutions. Just imagine the possibilities.

Customer Support

Take IBM for example. Our agreement covers over 100,000 copies of Close-Up for their support centers. Now IBM personnel can use their PCs to dial a customer's PC and be connected to their mini or mainframe. Linking





screens and keyboards as one unit. IBM and their customers can now diagnose problems together. Simultaneously.

Remote Order Entry Novell uses Close-Up for its entire North

American order/entry system. Their regional offices can call into any one of the 45 central office workstations running Close-Up become part of Novell's order entry network. With file server access at full network speeds, 24 hours a day. And, using our print feature, reports are printed remotely at the regional sites.

Franchise Training & Support

Companies like Computerland, Kwik Kopy and FPI are opening new stores all the time. With Close-Up, they are able to train new employees, set up operating procedures, and monitor results instantly from their corporate offices. In fact, Computerland supports its large dealer network by using Close-Up with its Store Management System.

Point of Sale

Softsel uses Glose-Up exclusively for their new Dial-Up SalesNet order/entry inventory system. They like Glose-Up's error-corrected keystrokes and screens, ensuring that orders are entered accurately. Dealers can call in from around the country to check current inventory levels and review product/price descriptions. With ease.

Close-Up works at night ... so you don't have to.

Close-Up automates routine jobs day or night. Imagine an automated invenory and sales data system that calls all your offices, say 25 of them, each night (when phone costs are down). Back at your home office, Close-Up will run the inventory spreadsheet with a macro to consolidate the information. Close-Up then sends back the accumulated data. Even printing it out at each location for morning meetings. All this, while you sleep.

Join the Leaders

Close-Up is the clear choice of Fortune 500 companies and for compelling reasons. Why? Close-Up is quite simply more versatile, easier to use, and more reliable than any remote software on the market. Call us for an even closer look into:

▶ Remote Support ▶ Remote Order Entry
▶ Home to Office Communications ▶ PC to PC
Communications ▶ PC to Mini or Mainframe
▶ PC to Information, Telex, & Electronic Mail
Services ▶ Automated Communications
▶ Cateway to LNS

Gateway to LNS

Call: 805/964-6767

Norton-Lambert*
PO Box 4085, Santa Barbara, CA 93140 USA

Telex 709170
Copyright Norton-Lambert Corp. 1988 IBM/PC/XT/AT,
PS/2 and Compatibles



FOR THE PAST FOUR YEARS ITS ONLY BEEN IBM OR COMPAQ. BUT FOR THIS YEAR,

ALR IS PROUD TO BE THE WINNER



FOR TECHNICAL EXCELLENCE IN DESKTOP COMPUTERS



In a field of powerhouse machines there can only be one winner, and the Flex-Cache 25386 is it. ALR is a young company that keeps coming on strong by providindustry with a steady flow

ing the PC industry with a steady flow of advances in the state of the art, delivered at amazingly low prices. ALR's heads -up engineering produced a proprietary caching system that gives the FlexCache 25386 top honors in virtually all of PC Magazine Labs Benchmark Series of tests. ALR also chose flexibility of packaging the 25386 in both an industrial strength tower cabinet and a sleek desktop configuration. The tower has enough drive slots to make any configuration LAN file server do its best and the desktop provides plenty of capacity for any standardseried and the state of the provides plenty of capacity for any standardseried and the desktop provides plenty of capacity for any standardseried and the desktop romatices and the desktop the provides plenty of capacity for any standardseried and the desktop romatices and the desktop the provides plenty of capacity for any standardseried and the desktop the provides plenty of capacity for any standardseried and the desktop to the provides plenty of capacity for any standardseried and the desktop to the provides plenty of capacity for any standardseried and the desktop to the provides plenty of capacity for any standardseried and the desktop to the provides plenty of the pr

lone power user. For fast fileserving,

individual data crunching, or top-flight program development, the ALR Flex-Cache 25386 can't be beat ⁹⁹

ALR products are sold only through authorized resellers and VARs. Please call us at; 1-800-444-4ALR

Advanced Logic Research, Inc.

(65) 258-1286 FAX: (65) 258-1285

9401 Jeronimo, Irvine, CA 92718 (714) 581-6770 FAX: (714) 581-9240 For our Canadian office, please call; 1-800-443-4CAN For our United Kingdom office, please call; (714) 581-6770 FAX (714) 581-9240 (USA/Temporary) For our Singapore-Asia/Pacific office, please call;

Winner of PC Magazine Technical Excellence Award 1988
CIRCLE 493 ON READER SERVICE CARD



ALR floppy disk controller including parallel and serial ports. That leaves only four open slots; you should be sure that will be enough for your applications if you are going to buy this machine.

CRICLE 660 ON READER SERVI

CONSIDER THE CASE A more serious expansion limitation is inherent in the AT-like cabinet that houses the 25386DT. It has the standard power and disk access indicator lights and a system keylock but no hardware reset or processor speed switches. So far, so good; but then you notice that the case is so true to the original IBM design that it includes only two halfheight drive bays that are open through the front of the case. In today's working environments, many people want or need at least three internal devices with removable media, such as a 51/4-inch floppy disk drive, a 31/2-inch floppy disk drive, and a tape backup drive. With the 25386DT, you'll need to resort to external housings for any device after the second.

ALR does offer the FlexCache in an upright case version, which will accept a 3½inch floppy disk drive as well as two halfheight devices. It will also hold two fullheight internal devices. This other version uses the same motherboard as the 2336DT; only the case and configurations differ. The tower version of a given

configuration costs about \$300 more.

In the end, the question is how much extra equipment you intend to plug into the 25386DT. As long as you don't expect to add too much in the way of drives or adapter cards, you should be more than happy with the overall performance of this machine.

COMPAQ COMPUTER CORP.

Compaq Deskpro 386/25
If the Texars down in Houston who design
and build Compaq computers had at theme
song, perhaps it would be "Don't Fend
In." With the Deskpro 386/25, they
have proved once again that they are willing to push the limits of 386 technology
while pursuing their own ideas of what
shape the technology should take

When IBM let the world know that the next generation of desktop computers would have a new expansion bus, Compag stuck to its six-shooters and the venerable AT-style bus. The manufacturer has a number of innovative new designs, including small-footprint and 386 machines. And this latest computer, which lists for \$20,213 in the configuration we tested, clearly wears the Compage Tank

The Deskpro 386/25 has a number of features that set it apart from some of the competition. The most obvious is the high quality of its construction. Lots of metal is used throughout the machine, including the shielding around the disk bays and the cross brace that gives added strength to the left side of the case.

The disk drives are mounted on nonstandard rails. White most machines use rails that are attached with two screws, the Compaq rails have three mounting holes.

Compaq has also used Tork headed screws in its machines recently, and while these are more reliable and durable than standard hex-headed or slotted hardware, they can be a pain to work with if you don't have the correct-size Tork driver handy. The 386/25 uses Tork screws throughout, but on items that an end user might wish to remove, the screws are also slotted for a standard IIIah-blade screwdrive.

NO-MEMORY MOTHERBOARD The motherboard is Compaq's own design. It comes with a 25-MHz 80386 processor

and 32K of 25-nanosecond cache memory. Unlike most other designs, Compaq's does not allow for memory on the mother-board; all must go on a proprietary 32-bit expansion board. The test unit came with 3MB of RAM; you can expand up to 16MB, and it all fits on the single card.

16MB, and it all fits on the single card.
There are seven other slots on the
motherboard: two 8-bit and five 16-bit.
Our test machine came with a Compaq 16bit VGA adapter (using Paradise chirps), a
Compaq 16-bit combined floopyphards of
controller (based in large part on Western
Digital chips), and a controller for the inpital chips, and a controller for the inbit parallel and serial port connectes on
its mounting bracket, which lapin conserve slots while providing needed 1/O
ports.

The evaluation unit also had a full-heigh 300MB hard disk from Miniscribe. Compaq provided its own version of DOS 3.3 with the disk. This is significant in that DOS 3.3 can dortes the entire 300MB as a single volume without resorting to special drivers. If you've ever had to struggle with dividing a large drive into a slew of smaller partitions because of DOS's 32MB barrier, you'll appreciate this fea-

The case has room for just four halfheight devices, although all bays are open



Compaq Deskpro 386/25 Compaq Computer Corp 20555 FM 149

Houston, TX 77070 (713) 370-0670 List Price: With 1MB RAM, 60MB hard disk. 1,2MB 59/-msh floppy disk drive, 88,299; with monochrome monitor, DOS 3.3, 58,674; with VGA monitor, 59,717; with 3MB RAM, 300MB hard disk, 135M tage backup, 80387 math coprocessor.

3.3. S.8,674; with VGA monitor, 59,717; with 3MB RAM, 300MB hard disk, 135MB tape backup, 80387 mith coprocessor, 520,213, 1,44MB 3½-mch floppy disk drive, \$275. In Short: As in the past, Compaq has pro-

duced one of the best-built machines in its class and is selling it at a premium price. Its average processor performance is bulanced by its fast video, and it remains the best choice for those who can afford to go with a top brand name.

OPELE 600 ONE ASSESSITATION CAND

An Anti-Virus Vaccine Plus Seven RAM Resident Productivity Modules For Under \$100 Is Nothing To Sneeze At.

Today's advances in networking and connectivity mean more computers are sharing more information than ever before. That's good news!

That's good news!

But it also means that now, when one PC becomes infected by a virus, thousands of others across the country start sneering almost immediately. And that's not so good.

The Cure For The Common Virus And More

For virtually any computer user concerned with protecting valuable data from infection, new MultiPass is just what the doctor ordered. MultiPass continues a powerful anti-virus vaccine and seven other RAM resident productivity mobiles into the most comprehensive desktop management package

ver offered.

Constant Data Protection

MultiPlus is RAM resident, you me to worry about letting your guard computer machief and crime, it is a detected. MultiPlus firshes an urgent, on-screen an immediate course of the problem.

With I get more value from your you'll be able to take full of bulletin boards and nervous without worry about your

The Added Plus Of A Powerful Productivity

MultiPlus is more than just an anti-virus vaccine. It's a full-featured PC desktop management package, designed to enhanci user productivity in business, scientific, academic, programming and home compute environments. The programm's internated

- modules provide:

 Full-featured word processor with a useful typewriter mode
- Dotabase file manager that makes printing making labels or 3"15" cards a snap
- printing making labels of 3°x5° cards a sm;
 Telephone message center featuring a notepad, mailton and time date stamp
- a notepad, mailton and time date stamp
 Five different calculators for: scientific, financial, statistical, metric-anglo conversion and programmer computation
- An infinite calendar and 24-hour appointment planner, including a his indicator

phone directories.

PC utilities such as DOS utilities,
 ASCII table, system infrastron and vaccine status
 An auto-dialer that dials ; howe numb and allows you to most out.

Cone Low Price

You might easily expect to pay handress of dofters for anti-versa protection alone. Let as a special introductory offer, you'll get all eight whath'll has models, including the potent Muhil'hlas vaccine for only \$59. That's a 50% savings of the regular retail price. This is a lamited time offer, so call out foll-free number, or mail in the courson below, today!




K. ST. El and BM 1957 compatible Repairs hard dec. NO.14 to Edit at greater and 64 th. Notices, compatible 2014 and 1957 are responsed trade-marks of Borrandsouth houses Markett Loyeczane. Middles and No.16 to

\$99 Special Introductory Offer.

| The 's Bis Advage of low good look of the day of the

SunFlex Software
1447 Practices Street, N.E. Sute 515 Atlanta, Georgia 3006

Or Mail this order from to:



Bitstream Type — The power to stop readers on the page.

Bitstream type has rapidly become the most popular way to give printed documents the crisp, professional appearance you get only with superior type.

But there's actually a more important reason to use it. And that's for the power it gives you to create precisely the image you want for each of your documents. So they'll stand out, get read, and be remembered.

And with Bitstream type, it's easy to do. We offer more than 50 different typeface packages, each with 4 distinctive typefaces. And each with its own style and personality. They work with just about every leading MS-DOS' word processing and desktop publishing package. And with PostScript', HP* Laserfet* Plus, Series II and compatible printers.

Best of all, each Bitstream scaleable type package gives you hundreds more sizes—and far more flexibility—than font cartridges, and for about the same price.

Lct us show you how to put the stopping power of Bistream type to work for you. Just call us at 1-800-522-FONT, ext. 2010 (617-497-6222, ext. 2010 in Massachusetts) for a free copy of "Express Yourself," and the name of your nearest Bitstream type dealer.



Bitstream type works with these and many other popular software packages.

Bitstream*

FONTWARE THE

S C A L E A B L E T Y P E CIRCLE 218 ON READER SERVICE CARD

CITACLE 218 ON READER SERVICE CARD

0 1988 Bristream Inc., BITSTREAM is a registered trad
mark and FONTWARE is a trademork of Bitstream Inc.
All product names are registered trademorks of their



of price, the Compaq competes well against its IBM rival. But if you're trying to maximize performance for your dollar, however, you will find other machines that may not be built as solidly but will offer equal performance for considerably less money.

Dell System 325

Dell System

At a time when many computer manufacturers appear to be moving toward an a la carte approach to system configuration, Dell seems to be heading in the opposite direction. When you buy a computer system from Dell. you get just that—a complete system. And the new top-of-the-line Dell System 325 is a flagship worth putting out in front of the fleet.

Dell's systems are competitively priced in about the middle of the pack. Our evaluation unit came loaded with options and enhancements—and still managed to stay under five figures, at just over \$9,500.

Compared with some of the PC's Limted/Dell designs that preceded it, the System 325 presents a sedate and conservative image. There are no extra switches or lights winking on the front panel—just the power light, the disk access indicator, and a lock. The one variation from the classic AT case is that all three half-height drive

FACT FILE Dell System 325 Dell Computer Cor 9505 Arboretum Blvd Austin, TX 78579 (800) 426-5150 (512) 338-4400 List Price: With 1MB RAM, 1.2MB 5%inch or 1.44MB 31/2-inch floppy disk, \$4,799; with 150MB hard disk, mono chrome monitor, DOS 3.3, \$7,119; wit VGA monitor, \$7,319; with 2MB RAM, 150MB tape backup, 2 floppy disk drives 59 519. IMB RAM upgrade, \$1,000; 80387-25 math coprocessor, \$1,000. In Short: The Dell System 325 keeps pace with the best in terms of performance, and the combination of price, on-site service warranty, and support muterials makes it an excen

tional value. CROLE 688 ON READER SERVICE

to the outside through the front of the case. In the evaluation unit, with one floppy disk drive and a tape drive, there was no room for another half-height device. In this configuration, a second floppy disk drive would have to be mounted in an external housing.

In terms of performance, the Deskpro 386/25 turned in mixed results. It was not as fast as most others in the processor tests; it came out in the bottom third of the field. On the other hand, its ESDI hard disk was one of the speediest we saw, and its display times were among the fastest of all. It is likely that the fast hard disk and video results will cancel out the slightly slower processor times in terms of what you will receive a machine with each confliction.

see when working with real applications.
The main question on the Compaq has
to be whether the extra effort in design and
construction are worth the extra price. If
you're ready to buy a top brand regardless



two serial ports on the back. Depending on your configuration, this design could save some important slots.

SOFTWARE AND OTHER GOODIES

The System 325 also comes with some unfeil software. In addition to DOS 3.3 and OW-BASIC as standard features, you got VGA utilities, a powerful collection of VGA utilities, a powerful collection of teresting extensions to DOS. The setup disk performs a wide range of diagnostic tests and can also be used to perform a low-level format on a hard disk. The DOs extensions include cruities country, disk each testing of the performance of the performan

Dell's documentation is generally lucid, well written, and filled with ample illustrations and examples. Compared with the haphazard collection of manufacturers' pumphlets that pass as documentation for some of the smaller competitors, it presents a shining example of coherence and clarity.

Like many other manufacturers, Dell offers a 1-year warranty and a 30-day refund policy. Unlike most others, however, Dell's warranty covers on-site service for the entire year.

Assemble all these elements and you have a complete system. And this system runs fast. In fact, compared with the other eight computers in this group, it produced above-average performance figures for nearly every benchmark test. There is nothing conservative or typical about the speed of this one.

Not all is perfect in Dell heaven, however. Some parts of the machine fail to exhibit the same polish and attention to detail shown in other areas of the design. The most notable example is the case itself. The box is made of a sturdy gauge of metal, and there is plenty of extra shielding in evidence, as around the disk drive bays. But the drive bays themselves have not been finished thoroughly in the manufacturing process: the slots that take the drive rails were not smooth. As a result, it was difficult to slide the disk drives in and out-at times it was a definite struggle. To make matters worse, the drives came with soft metal rails that tended to snag on the

bays on the right are open through the case front. The evaluation machine had all three filled, with 5½-inch and 3½-inch floppy disk drives and a Wangtec 150MB streaming tape drive.

Inside, the same conservative design prevails. The motherboard accepts SIMMs, and our evaluation unit held 2MB of 80-nanosecond RAM. The System 325 offers two 8-bit slots and six 16-bit slots. There is also a proprietary 32-bit connector at the front of the case in line with the leftmost slot. The evaluation unit also came with some standard components, such as a Video Seven 16-bit VGA, a Western Digital floppy/hard disk controller, and a fast 150MB CDC hard disk drive.

Not every feature is typical of the other machines in this roundup. The System 325 is one of the three machines in this group that include I/O ports on the motherboard. There are connectors for one parallel and

ONCE IN A BLUE MOON...COMES A STROKE OF GENIUS.

SCANMAN," HANDHELD SCANNING FOR \$299.

Pop any image up to 4" x 11" straight into your PC. Clip it, crop it, color it Resize and rotate it. Merge, save, and store it.

Choose between high contrast or high detail. Import images into any best selling publishing application— PageMaker, "Ventura" and many more. All you need is \$299, an IBM PC, XT, AT or PS/2 (or compatible) with a spare slot, and five minutes to set un.













Scan directly into graphics editor for a full range of paint utilities.



Ideal 4" scanning window





TO ORDER—or for the nome of your nearest dealer— CALL: 800-231-7717, IN CALIFORNIA CALL: 800-552-8885.

Or fill in the coupon

lome.....

City/State/Zip___

Phone ______ Send to: LOCITECH, 6505 Kaiser Drive, Fremant, CA 94555

ScanMan
The Hand-Held Scanner



-



computing power-but we've added one feature no other computer on the market We've designed our PC's with all the features you'd expect from a great microsystem-speed, flexibility and today offers.

The Wang Microsystems Account Representative.

From your very first our products inside and questions quickly and Someone who knows Nang-trained expert. questions to ask you. efficiently. Someone who knows the right Someone who can inquiry, you'll be peaking with a answer all your

In short, an expert who will deal with fumbling with spec sheets and manuals. out, who won't put you on hold while We encourage you to call 1-800 962-4727 for a sample of the kind of you on a professional level

ment. What improvements technology is developed. Your Wang Micro service you can expect. Ask your account representative your toughest questions. Find out how a ical support. And what expect. Ask about technappens when a newer with your current equipn productivity you can Model 381 or 382 fits in

sentative can help tailor a system to your needs and your current equipment systems account repre-

delays. Show you how to make the most And provide on-line technical assistance of the computer's superior technology. Help you get up and running without

IMB, 2MB, or 4MB of base memory expandable to 16MB (utilizing the standard dedicated 32

32 bit paged/interleaved memory controller card 1.2MB or 1.44MB diskette drive

bit high speed expansion slot)

Intel 80386 microerocessor running at 16MHz for the PC381, and at 20MHz for the PC382

SPECIFICATIONS: Wang Microsystems PC381 and PC382*

Because when you purchase a Wang Microsystems PC, you're buying more every working day

ship in an information and service network than a computer. You're buying member-To discover for yourself what our that will stand behind you.

more direct approach can do for you, cal 1-800-962-4727 today. You'll get a whole one of our Account Representatives at

new perspective on buying a computer.



5232

 Choice of keyboards (12 function key IBM enhanced compatible or 16 function key Wang/IBM 100 nanosecond IMB, or 256KB memory SIMM Modules. Additional 5.25" 360KB or 1.2MB Diskette Drives. Intel 80387 math coprocessor (16MHz or 20MHz). VGA analog monochrome or color monitor. Additional 3.5" 1.44MB Diskette Drive. Partial listing of Wang PC options VGA color plus controller 8 industry standard expansion slots (two 8 bit, six 16 bit) Two serial and one parallel port 229 Watt power supple 143MB 23ms ESDI 321MB 18ms ESDI Four hard disk drive options 42MB23ms 68MB 28ms

CIRCLE 537 ON READER SERVICE CARD

*ASK ABOUT THE OTHER MODELS AVAILABLE IN OUR COMPLETE FAMILY OF PCS.

■ 25-MHz COMPUTERS

rough spots. The soft rails also made it too easy to cross-thread the mounting bolts used to hold the drives in place; in spite of extra care, I managed to do that in one instance. But these problems should be minor; most users will never have to change a drive since the systems will be configured by Dell'

The Dell System 325 is not priced at rock-bottom close prices, nor is it at the top of the heap. Given the company's statute and increasing reputation for high-quality products, I would tend to downsplay her problems with the disk bay first and fin-sist. This computer provides performance that is only slightly slower than the fastest in its class—and provides it in a complete package at a competitive price with an outstanding warranty. The Dell System 325 is a good value, well worth consideration.

EVEREX COMPUTER SYSTEMS Everex STEP 386/25

When Everex Computer Systems released its first computer, the impressive Everex STEP 386/20, the only question to ask was, What does the company do for an encore? The answer: Add 5 MHz of power to come up with the Everex STEP 386/25. Now all the company has to worry about is curtain calls.

The STEP 386/25 has a base price of



Everex Computer Systems 48431 Milmont Dr. Fremont, CA 94538 (800) 356-4283 (415) 683-2246 List Price: With IMB RAM, 1.2MB 514inch floppy disk drive, DOS 3.3, \$6,399; with 40MB hard disk, me \$7,222; with VGA monitor, \$7,696; with 4MR RAM, 160MR hand disk, EGA moni tor, 80387 math coprocessor, \$14,291. In Short: Unique design features give the Everex STEP 386/25 a performance edge, but its price also places it amid the upper half of the competition. Even so, it's a good value, representing a good mix of performance and quality for the money RCLE MIT ON READER SERVICE CARE

Everex STEP 386/25



The Everex STEP 386/25 is one of the most communicative machines in the batch. The VGA color system lists for \$7,696 with 1MB RAM and a 40MB hard disk. The case sports a front panel that keeps you posted on its internal operations through messages that flash on the eight-character LEO.



about S6, 400; our fully equipped test unit weighed in at a hefty S14, 291. After gasping at the price, the casual observer will immediately be struck by the computer case. It's clearly NYACC: Not Your Average Clone Case. All five half-height disk drive buys are open to the outside, for in these days of multiple floppy-disk formats, backup tapes, and optical disks, you often need more than the typical two or three open bays.

Next to the drive openings is a space overed by a sliding plastic door. Open it up and you will find a collection of useful controls. The top line is dominated by an eight-character LeD that flashes messages during the machine's operation. On power-up, this line keeps you posted on the POST (power-on self-test) results, reporting either success or difficulty in abbreviated English. For example, the parity test returns either "PRTY OK." or

Rated #1 business graphics package



"They (Harvard Graphics)...made the best even better."

-Jim Seymour, "Best of '87" PC Magazine



"Product of the Year"-Infoworld 1988



Winner 1988 Personal Computing Graphics Challenge

Award Winning Tormance.

There are a number of prestigious honors in the graphics business. But only one program has captured them all, Harvard Graphics.

Harvard's flexibility, ease of use, and high quality output make it the unanimous choice of the nation's leading software evaluators.

We couldn't be more honored. But Harvard isn't resting on its laurels. New Harvard Graphics 2.1 adds a unique spelling checker, over 200 new symbols, improved editing

capabilities and more. There's one more recommendation we'd like to have. Yours. Call for a free trial disk and

Graduate to New Harvard Graphics 2.1 with Spelling Checker.

For a free trial disk call 1-800-345-2888, Operator 53. For upgrade information call 1-800-255-5550.



SHAKEOUT OR SHAKE-UP? A HISTORICAL PERSPECTIVE

History repeats itself, and the PC market is no exception. Is it an illusion, or are we at the beginning of another market shakeout?

B efore IBM stabilized the microcomputer market with the successful introduction of the IBM PC in 1981, the theme that best described the industry was "shakeout." This theme seems to be reemerging in 1989.

It's not that things are out of control. If anything, the market has stabilized with the advent of the fast 25-MHz 386, which should remain the power-user standard for some time.

But the world of desktop computers has become a commodity market dominated by clone manufacturers making remarkably similar products. The same thing occurred in much the same way just about a decade ago. Back then, dozens of brand-name machines were essentially pieced together much like today's clone. The result was the popular CP/M machine with its 64K of main memory, a couple of disk drives, maybe a 14-inch hard disk, and a daisy wheel or dot matrix printer attached. This box had a Hazeltine or Televideo or any number of other terminals booked to it. Price: \$3,000 to \$5,000 or so. If you saw one, you saw them all.

Consumers discovered that the brand name mattered less than compatibility and price. Nobody really offered better performance than the others. In essence, the boxes were all the same. There was the White Computer, the Equinox 100, the Horizon, the CompuPro, the CrompuPro, the CrompuPro, and the Management of the Mana

Today isn't much different, since many buyers know one 25-MHz 386 box is as good as another. The machines have become a commodity, and it boils down

to price/performance once again.

As price consciousness swept the industry back in the late 1970s, some smart operators discovered that they could cheaply make a single-board, all-in-one machine more cheaply than an S-100 system with its expensive cards and expensive backplane. Tandy and Commodore had already figured this out and were doing famously by selling their TRS-80 and Commodore 64 machines. in a bargain hunter's market. For serious CP/M machines, though, it was Altos that took advantage of the single-board price breakthrough. Other companies such as Morrow Designs (with its Microdecision) followed suit and designed single-board machines, which were so successful that Morrow failed to see the rest of the world passing it by when IBM introduced the PC

And during the present commoditymarket explosion, we are seeing the reinvention of the single-board machine in the form of the Toshiba T3100/T5100, the Zenith SupersPort 286 and TurbosPort 386, and other so-called laptops. This is just the beginning for the singleboard ohase of the business.

FUTURE PHENOMENA? Is all of this a shakeout or a shake-up? It's really hard to say, because the people with the hot machines at the right prices are doing very well for themselves. It's certainly no shakeout for them.

What can we expect next? Did we learn anything from the last time around, the pre-PC era? We learned that the PC saved the day. Maybe if it hadn't been for the PC, the madness and cost cutting would have continued to this day, giving the low-ball Asian vendors most of the market (since they seem more adept at high-volume production).

What to look for in the months ahead? Three curiosities began to appear just before the final death of the CP/M world,

and we may see these repeated. There

■ The Incredible Shrinking Machine Phenomenon. This happened during the days of CP/M with the "computer in a disk drive" marvel. It was originally an entire Z-80 system with all the necessary ports sold as part of a disk drive in a small disk-drive sized box. Today's sudden eschewing of the large AT box for "smallfootprint" machines is a step in this direction. The only 25-MHz 386 to go this route so far is the IBM PS/2 Model 70-A21. But some users may see this as the machine's biggest drawback, rather than as an evolutionary advantage, because of the expansion-hungry applications for which they are buying the computer.

m The Computer-on-a-Card Phenomenon. Another curiosity from years back is the complete computer on a small back is the complete computer on a small card to which one only has to add a disk drive and a terminal to make a complete CPM machine. The card can then be installed inside the terminal. There's no real analogy for this in today's market, although the Taiwanese replacement motherboards come close in concept.

■ The Mysterious Appearance of Oddball Systems. Last, there is the introduction of one oddball system after another, each looking to attract attention to itself by some sort of uniqueness. Early Z-8000 machines come to mind from years ago. The NeXt machine comes to mind today.

These phenomena will develop until another "IBM PC" kind of product comes along to save the day. We may have a bit of a wait because the 25-MHz 386 will be with us for some time.

—John C. Dvorak

John C. Dvorak is a contributing editor of PC Magazine.

Why Pay More?

"You can have the power and performance of the IBM PC/AT for half the price."



ALTEC-XT / 10 TURBO SYSTEM \$595.00

* 8088-1 PROCESSOR * 4.77/10 MHz DUAL SPEED * 640K RAM

* 150W POWER SUPPLY *1 SERIAL/1 PARALLEL/1

GAME PORT * CLOCK / CALENDAR W /

BATTERY BACKUP *84-KEY KEYBOARD

* 360K FLOPPY DRIVE PHOENIX BIOS

ALTEC-286/10 \$ 875.00 ALTEC-286/12 \$ 975.00 ALTEC-286/16 \$1275.00

* 80286 PROCESSOR RUNNING AT 6/10 OR 12 OR 16 MHz

* 512K RAM

* 80287 SUPPORT

* DUAL HDD/FDD CONTROLLER

* CLOCK/CALENDAR WITH BATTERY

BACKUP

200W POWER SUPPLY

1 SERIAL/1 PARALLEL PORT

* 1.2MB FLOPPY DRIVE * ENHANCED 101 KEYBOARD * PHOENIX/AWARD BIOS

ALTEC ZIP -386/16 ZIP -386/20

\$1795.00 \$1995.00

* 80386 PROCESSOR RUNNING AT 6/8 /16 OR 20 MHz

* 1MB RAM (EXPANDABLE TO SMB)

* 80287 / 80387 SUPPORT

* DUAL HDD/FDD CONTROLLER

* CLOCK/CALENDAR W/BATTERY

* 200W POWER SUPPLY * 1 SERIAL/1 PARALLEL PORT

* 1.2 MB FLOPPY DRIVE * ENHANCED 101 KEYBOARD * PHOENIX/AWARD BIOS

TO ORDER, CALL 800-255-9971

International inquiry: 213-888-9100 Technical support : 213-888-0269

: 213-888-6687



5751 Rickenbacker Road Los Angeles, CA 90040 MON - FRI 9-6 SAT 10-4

*All Prices and specifications are subject to change without notice.

*ALTEC can not be responsible for errors in typography or photography.

*We reserve the right to substitute equivalent parts.

*All brand of product names are trademarks or registered trademarks of their respective company. CIRCLE 270 ON READER SERVICE CARD



Meet Our High Powered Boards Of Directors

MICRONICS 386 MOTHERBOARDS

acknowledged as the best in the business by experts such as PC Week, Byte, PC World and New York University, is proud to

announce its third generation of products. Micronics motherboards provide faster throughput, greater memory expandability and software compatibility. A tremendous performance advantage at a very affordable price.

Unlike the clones, Micronics motherboards run all major operating systems and offer true 32 bit memory expansion with 0 wait states.

Finally there is a company that fully utilizes the power of the 386.

The Chairman of the Board is our newest and most powerful member.

is our newest and most powerful member This 25 MHz board supports Weitek and 80387 math coprocessors. It has cache memory and the fastest 386 CPU available. This board has the power to analyze, communicate and compute data faster than any other.

Vice President of Engineering

with 20 MHz and cache memory, supports Weitek and 80837 math coprocessors. This board member is ideal for CAD/CAM, graphics applications and engineering simulations. It is also a superior data processing manager.

Our Founder and Chief Operating Officer is our tried and true workhorse. It is the member most responsible for building our company and over the years has developed

a loyal following. It is available in a 16 MHz model or 20 MHz models with or without cache memory.

Junior Executive

is our smallest and most compact unit. It fits into a small footprint or portable case and has all the power and performance of our full sized boards. It provides on-board support of the 80387 math coprocessor and due to its size, offers the user maximum flexibility.

For more information, pricing or your nearest Micronics dealer please call: (800) 234-4386 • (408) 732-0940 Fax (408) 732-6048



935 Benecia Avenue, Sunnyvale, California 94086

"PRTY ERR." The same display reports other status information during operation, such as the drive, cylinder, and head being accessed.

This hidden front panel also includes power and disk-access indicators, and another set of lights to show whether the system is running at its high (25-MHz), middle (12.5-MHz), or low (8-MHz) speed. A switch allows you to choose between high and low, although you can also use the keyboard to select the sneed.

The panel also holds the system lock and a handy hardware reset switch. Another feature, which is found on few other systems but can be priceless in some circumstances, is a switch that lets you toggle the speaker on and off.

The computer comes with equally friendly printed material. The system manual is well written, sufficiently illustrated with clear and concise drawings, and filled with useful information. For example, it contains a listing of the different hard-disk-drive types and their numbers for the configuration program.

INTERIOR DESIGN Inside the computer you'! If find further evidence of a unique approach to design. The STEP 380-625 uses Evere's own mothers, which offers a typical complement of one 380-62 uses Evere's own mothers and a propriet of the 8-bit and sist. 16-bit slots. The righth slot is a proprietary 32-bit design, but the extend of connector is located toward the front of the case. This leaves a standard 8-bit connector at the back that can be used from a bit expansion card in case you do not need the 32-bit memory expansion card.

And you may never need the memory card. The STEP 386/25 uses SIMMs on the motherboard. The base unit comes with IMB of memory, but you can install up to 8MB on the motherboard. This will be more than enough for most users now, even if you are running OS/2.

The memory is laid out so that it lies at the end of slots 3, 4, 5, and 6, You can use the end of slots 3, 4, 5, and 6, You can use full-length cards in these slots even with a full complement of memory installed, as long as the cards are not thick. You may have trouble if you're using a hard disk card or expansion cards with daughterboards, but since you can use the other four slots for these thicker cards, this is not likely to be a problet you be a problet.

The STEP 386/S uses Evenes's com-BIOS, based on the popular AM BIOS, and includes CMOS configuration setup routines in ROM that can be called during power-up. This computer is stypical in that it uses EEPROM (electrically erasable programmable read-only memory) to store motherboard configuration settings. While most users will never have to exploit this feature (and indeed, the manual warms against casual exploration of this capabilpite and the state of the state of the state of ShiPod and the state of the state of the three of ShiPod and the state of the state of the analysis of the state of

One unusual aspect of this "switchless" configuration approach is that it includes the size of the memory cache. Un-

The STEP 386/25 lets you increase the size of the cache to a total of 256K, far larger than competitors offer.

like any other machine tested here, the STEP 386/25 lets you increase the size of the cache to a total of 256K, far larger than competitors offer.

TESTED RESULTS This machine really performs; it finished first in two out of three processor benchmark tests. Everex shipped the evaluation unit with a CDC 160MB hard disk, which was one of the fastest drives tested.

The one place where the STEP 386/25 really fell down was on the video benchmark tests, where it was among the slowest. Perhaps that is because the evaluation unit came with an 8-bit EGA adapter, while its competitors were running VGA, many through 16-bit cards.

This computer is built solidly and is

based on careful design, as confirmed by its Class B PCC rating. It runs shead of the pack in performance, although others pack in performance, although others sails. The Everex STEP 386/25 is a little other than much of its competition. Its price also past is up in the top half of the pack, however, so you may consider careful; by how muches tray out are willing to spend to get the fastest machine going. If money this condition is not provided to the past of the pack in the past of the past o

HERTZ COMPUTER CORP. Hertz 386/25

The Hertz 3867.5 is a machine of remarkable quality and finish that is built around the Intel System 302. In this instance, Intel supplies not only the mother-board but also the power supply and the case. The system has been designed as a total unit, in part to meet F2C radio-frequency-emission standards. As a result, the Hertz 3867.5 computer comes with the prestigious Class B sticker.

sticker.
While this quality costs more than some of the alternatives, the price of the Hertz 386/25 falls in the middle of the field. Our fully configured evaluation unit, complete with 300MB drive, costs \$10,375.

Don't think that Hertz is getting stuck by having to use the Intel case. While the 386/25 is about the same size as a standard AT-style computer, the two-tone front sports an attractive and dramatic stepped panel next to the disk drives. This extension creates extra space behind the left side of the case.

When you take off the cover, you see the reason for the extra space. There is a large 5-inch muffin fan mounted on the front of the expansion card cage. This fan moves plenty of air across the motherboard and any expansion cards, helping to dispel the heat that is a computer's worst enemy.

The inside of the case is a model of solid construction. Heavy-gauge metal is used throughout, including a hefty shield around the disk bays. The surfaces have been anodized with a gold-colored coating, presumably to help control RF emissions, but adding an attractive aesthetic touch that demonstrates extra production



The Hertz 38/25 not only comes with a 25-MHz intel 80395 processor, it has an Intel chassis, case and power supply. The case, and power supply. The CARA color system is midgined at \$7,163, but comes with a hull 2MB FAMI in addition to a 40MB hard disk. The machine is solidly designed and buttle, as demonstrated by the large mutifin farm mounted on the fornt of the case to cool the motherboard and expension cards.



effort at the same time.

There are five half-height drive bays, and all three on the right side can be opened through the front of the case. The evaluation machine had a full-height Micropolis 300MB hard disk on the left and a pair of TEAC 5½- and 3½-inch floppy disk drives on the right. With three openings in the case, there was still room for another device such as a tape drive.

The motherboard also boasts a solid de-

sign. Memory is installed in SIMMs, and the evaluation machine had 2MB using 256Kb chips rated at 60 nanoseconds. You can also buy 1Mb chip packs, yielding up to 8MB of RAM on the motherboard without resorting to an expansion card.

Should you need more memory, you can add up to two cards using the pair of proprietary 32-bit slots running at the full 25-MHz speed. Expansion cards come equipped with 8MB of memory, meaning



Hertz 386/25 Hertz Computer Corp. 325 Fifth Ave.

325 Fifth Ave. New York, NY 10016 (212) 684-4141

List Price: With 1MB RAM, 1. 2MB 5%inch floppy disk drive, \$5,765; with 2MB RAM, 40MB hard disk, noncoherome monitor, DOS 3.3, \$6,457; with VGA monitor, \$7,183; with 300MB hard disk, 1.44MB 3½-inch floppy disk drive, 80387 math coprocessor, \$10,375.

In Short: Built on a motherboard and case package from Intel, the Hertz 386/25 uses quality components and solid construction backed by an on-site warranty, but its price makes it a less attractive value than some of

CRCLE 664 ON READER SERVICE CARD

that you can configure the machine with a whopping total of 24MB if you wish.

The motherboard includes a 64K bank of static RAM rated at 30 nanoseconds.

The motherboard is also designed to move

of static RAM rated at 30 nanoseconds.

The motherboard is also designed to move system and video BIOS into shadow RAM to improve performance.

There are five 16-bit slots and one 8-bit

slot on the motherboard. On the evaluation unit, these contained a Western Digital unit, these contained a Western Digital ESDI centroller and a 16-bit Video Seven VGA adapter. This configuration leaves plenty of slots open for expansion. You may notice that there are no parallel or serial ports on the expansion cards; that's because the motherboard includes one parallel and two serial ports (with 9-pin connectors), mounted on the back panel to the left of the card cage that

NO PRIZES FOR DOCUMENTATION

The documentation is just adequate. The system manual is merely the Intel documentation "written primarily for the OEM user. I (containing!). much information that can be passed to the end user." Here's concept of passing the information along is reprinting the manual. All the information required is in there, but it helps formation required is in the order of the or

Worksheet Report Writer

Create presentation-quality reports in any layout, quickly, directly from Lotus® database worksheets.

R&R handles the tedious and timecomming tasks of creating and modifying reports. It is thi-featured and flexible, so you can concentrate on making reports show the standard of show it. Monthly assis analysis, purchase orders, mailing labels, invention; oosi summaries, mode active accounts, emptoyee benefit listings, even involces and form teletra.

Place fields and text in any layout. Do complex calculations. Print up to eight levels of subtotals. Report from up to 10 related databases at once. Lotus-like menus make it easy.

Use standard field formats such as currency, commas, and word-wrap, or create your own. Print in underline, bold, italics, and different fonts. R&R has hundreds of features for fast results with Add-in convenience.

Only \$149! Satisfaction guaranteed.*

To order, or for more information and the name of your nearest dealer, call:

800-325-9035 In Mass., call 508-366-1122.

If you sent sensited for any reason, return R&P within 30 days of purchase for a return of it surchased directly. 30 days of purchase for a return of it surchased directly with 1-2.5° and 5% symphony's on 18MP FOC and comprishes with FOC-DOS 21 or fater and a hard days. Requires 20 K&P at a walled be emercy for use his Lobas Add-in, and 20 K&P for standardown use Operation on networks that control to the control of the standard contro

CIRCLE 113 ON READER SERVICE CARD

Concentric Data Systems, Inc. 18 Lyman Street Westboro, MA 01581-4063



A Lotus detabese is a range or an entire worksheet having field nemer in the first row envirocords of data in



A report is any printout or screen displey of deta fror your detabase. Anything beyond simple listings of data requires complex macros, or cen't be done with Letter.







A report writer is tool that lets you specify what date to select, what additionat calculations to perform, where to place everything, end exactly how it should look. supplies Ontrack Computer Systems' Disk Manager on a floopy disk, which includes a file of documentation.

Warranty service, by contrast, is outstanding. Hertz includes a full year of onsite service through Intel. This service is available throughout the U.S. and Europe as well as other foreign locations.

System performance was among the slowest on every processor test. But keep in mind that the difference between the too and bottom performers in this group is fairly small when compared with the difference between the slowest 25-MHz machine and a typical 16-MHz 386. Also, the 386/25 had some of the fastest display times and came with a hard disk that turned in results under 20 milliseconds, so you are not likely to notice the speed differences between this and most of the other machines tested here.

The biggest problem faced by the Hertz system is its price. It costs significantly more than some of the other lesser-known brands, although it does list for less than some of the better-known players in the market. The extra cash covers the solid, integrated design provided by Intel, along with the on-site warranty coverage.

Overall, the premium price of the Hertz 386/25 does not appear to be matched by premium performance. Some users may be attracted by its thoroughbred heritage and quality construction, but most will probably decide that better values are available elsewhere.

IBM CORP.

IBM PS/2 Model 70-A21

The IBM PS/2 Model 70-A21 asks the question, How many expansion slots would you sacrifice in order to reclaim the space on your desk? This machine does offer a tempting amount of 386 power from Big Blue itself, running at a hyperactive 25 MHz. But it also has an imposing price tag-\$15,958 for our evaluation unitmaking it the second-most-expensive unit in its class

The Model 70-A21 shares the familiar small-footprint design of its PS/2 compatriots. Its construction recalls the DEC Rainbow, which was the only other computer I know that could be disassembled completely and put back together using no



The IBM PS/2 Model 70-A21 is the top performer in the PS/2 line. At \$12,608 for a VGA color system with 2MB RAM and a 120MB hard disk, it is also the top-priced machine among the 25-MHz computers reviewed ile it includes video and I/O ports on the motherboard, the sign is still limited by the existence of only three expansion slots, two 32-bit and

only one available half-height drive bay in addition to the hard and floppy disk drives already present.



tools aside from a dime and a pencil. The components go together like Lego pieces. Everything slides, clicks, or snaps together, it's incredible how uncluttered the interior looks without the typical mess of power connectors and ribbon cables

The internal components are all IBM (or built for IBM) and for the most part have a look all their own. The evaluation unit had a single 31/2-inch floory disk drive and a hard disk buried in the back of the

machine. There is room in the case for one other floppy disk drive, but no room for a second hard disk.

The motherboard uses SIMM chips to hold the RAM, and the evaluation unit came with a 32-bit expansion card as well. Both the motherboard and the expansion card use 80-nanosecond RAM chips. Each can hold up to 8MB of RAM, although the test unit had only 2MB installed in each. The motherboard also includes serial.


Make expert business forecasts in minutes with Lotus and TrendSetter Expert ...

Business forecasts drive business decisions. Better forecasts mean better decisions.

How many units will be sold? How many parts to order? How many assemblies to manufacture? How high will expenses be? How many students will register? How many rooms will be rented? How much cash will be needed? How do you know?

You can hire a forecasting expert. A statistician who may use Auto-correlation. Brown's Double Exponential Smoothing, and Linear Regression Analysis. And then apply exper-ience and judgment to arrive at your forecast. In a day, or maybe a week. For \$100 an hour.

Or you can buy a forecasting expert. The TrendSetter Expert. It does the same thing. In minutes, For \$149, Period,



Make expert business forecasts. Verify forecasts made by others. In four easy steps.

Start with history data, such as monthly sales for the last two years, on a Lotus 1-2-36 or Symphonys worksheet. Then invoke the TrendSetter Add-in, and

- O Show TrendSetter where your data is.
- @ Tell it how far in the future to forecast
- Show it where to put the results, and
- O "Go".

TrendSetter puts results directly on your worksheet, rowing upper and lower bounds for the forecast plus other seasures of statistical accuracy. The manual explains what ey mean. You can easily modify forecasts with Lotus to fect your own judgment. TrendSetter even writes Lotus acros so you can graph your forecasts at the press of a key. That's it! With Add-in convenience

TrendSetter Expert makes consistently

better forecasts. Here's how.

TrendSetter Expert uses time-series extrapolation chniques to forecast future values based on the past. Proprietary expert-systems logic examines the history data and combines several sophisticated statistical analysis techniques to produce the forecast. TrendSette Expert even allows for seasonality to accommodate, for example, yearly holiday sales peaks.

Just how good are TrendSetter Expert forecasts? Just now good are Trendsetter Expert forecasts? Superfative! In a widely respected forecasting compe-tition, 24 different forecasting methods were pitted against 111 sets of diverse real-world data. Using the same data, TrendSetter produces more accurate fore-casts for 88% of the test cases, and better than the average for the rest! (Details available on request.)

Satisfaction guaranteed, or your money back!*

Don't misunderstand. No forecasting method is perfect. But TrendSetter Expert will help you make better foreca: than you do today. Guaranteed. Or your money back.*

So don't wait! Make an expert business decision right now. So you can make expert business forecasts in the future. Buy TrendSetter Expert.

Only \$149!

To order, or for more information and the

800-325-9035


In Mass., call 508-366-1122

u aren't satisfied for any reason, return TrendSetter for a refund (if ased discrify from Concentric or an Authorized Resisier). Softer Expert works as an Add-in with 1-2-3 Releases 2 and 2.01, ith Symphony Releases 1.1 and 2.0 on IBMP PCs and compatibles PC-DOS 2.1 or later and a hard disk 5.25" and 3.5" disjecties.

Another timesaving tool from the authors of R&R Relational Report Writer® for dBASE® and R&R Worksheet Report Writer® for Lotus.



Concentric Data Systems, Inc. 18 Lyman Street, Westboro, MA 01581



With incredible ease, Wizard remembers and reminds.

SHARP INVENTS



IT WOULD HAPPEN.

Translates and defines. Stores memos, secrets, and world times. Even swaps data with your PC.

Let Wizard take you into the future. Find out more. Call 1-800-BE-SHARP.

THE WIZARD





Benchmark Tests:

25-MHz 386-based Computers

Processor and Memory Benchmark Tests

The NOP benchmark test is designed to measure raw clock speed and memory access time while minimizing differences in microprocessors and the effect of memory caching. This test executes almost nothing but NOP ("No Operation") machine code instructions in a big 128K loop.

The 80386 Instruction Mix benchmark test measures the time it takes to execute a selected senies of processor-intensive tasks. The test program uses 80386 instruction code These instructions are a subset of the

total processor instruction set. The 90386 Instruction Mix implements a number of 32-bit operations. In the 80386 processor these become single instructions, whereas in the 8086 and 80286 versions of the benchmark test they remain multiple instructions.

The Floating-Point Calculation benchmark test measures process speed by looping through a series of floating-point calculations, including multiplication, division, exponentiation, and logarithmic and trigonome ric functions. The benchmark program uses the floating-point library included with Microsoft C

The Conventional Memo benchmark test allocates 256K of conventional memory and treats it as a series of 64-byte records. Then, 16,384 random records are read into and written from this memory. The result shown is the average of the read and write times.

Compiler 4.0.

The Extended Memory benchmark test allocates 256K of extended memory and treats it as a series of 64-byte records. Then, 18,384 random records are read into and written from this memory. The result shown is the average of the read and write times.

481.00

Relative Times (Compag Deskoro 386/20+100)

Performance Times (Times given in seconds)	NOP	80386 Instruction Mix	Floating- Point Calculation	Conven- tional Memory	Extended Memory
8-MHz IBM PC AT	4.17	N/A	35.60	0.77	11.62
Compaq Deskpro 386/20	1.65	2.91	10.50	0.40	2.87
PC Brand 386/25	1.34	2.58	10.01	0.49	4.96
Compaq Deskpro 386/25	1.35	2 38	8.55	0.39	5.47
Hertz 386/25	1.40	2.35	8.86	0.34	12.85
Dell System 325	1.34	2.31	8.35	0.30	1.33
Zeos 386-25/V	1.34	2.30	8.53	0.31	4.13
Micro Express ME 386-25	1.32	2.29	8.33	0.31	4.14
IBM PS/2 Model 70-A21	1.34	2.28	8.35	0.28	1.69
ALR FlexCache 25386DT	1.34	2.24	8.30	0.28	13.81
Everex STEP 386/25	1.33	2.22	8.07	0.32	4.50

he current crop of 25-MHz 80386-based machines continues the push toward faster processors, but standard bus speeds remain. Like their 20-MHz cousins, most of these 25-MHz 80386-based machines maintain an 8-MHz bus (8.33 in many machines) to assure hardware compatibility with older third-party boards.

On most of our tests, the entire group achieved impressive speeds without dramatic differences between the slowest and fastest among them. Compared with the other computers, the Hertz 386/25 and the Compaq Deskpro 386/25 were undistinguished on processor and memory tests, although the Compaq was in the forefront on disk benchmark tests.

The fastest processor was the Everex STEP 386/25, and the Dell System 325 was close to the top throughout all the tests, with no weaknesses. The IBM PS/2 Model 70-A21 was a front runner on processor and memory tests, and the ALR FlexCache 25386DT kept pace with it (except on Extended Memory); both of these use 25-milli-

second drives however which is slow for this class of machine The Zeos 386-25/V and PC Brand 386/25 use blazingly fast 15-millisecond hard disks--you can't do much better than that. Otherwise, the Zeos takes the middle road in processor

and disk access tests. The PC Brand came in last on two out of three processor tests, with slower memory times than the older Compag 386/20

(not reviewed here, but reported for the sake of comparison, along with the IBM PC AT). That result is primarily caused by the lack of an optional memory caching board in the unit we tested. The PC Brand's fast VGA

Disk Benchmark Tests

and hard disk, as well as its low price, still make it a standout.


The DOS File Access benchmar test measures the throughput rate of the disk being tested. In this case, throughput times are measured in terms of how long the disk takes to perform common DOS file management functions. Five tasks-file creation, sequential file write, sequential file read, random file write, and random file read-are timed

and the results summed The test is carried out for two different types of files-small-record files and larga-record files-that are

used by common PC applications. Files created using smell records ere typically used by database managament programs, and large records are typically used for word processing and spreadsheet files. Loading a DOS program is also simulated by the large-record test.

The BIOS Disk Seek benchmark test measures the time it takes to do a rendom seek using the disk's ROM BIOS. The test result includes minimal software overhead and may not parallel the manufacturer's claimed avarage access time. The test program performs 1,000 seeks The average result is shown in

milisecond (continues)



Performance Times (Times given in seconds

DOS DOS RIOS (heteologi stady togoted) File Access File Access Disk Seek (small (large (millirecord) seconds) record) 8-MHz IBM PC AT 72.63 19.74 29.20 Compaq Deskpro 386/20 56.78 9.34 18 10 PC Brand 386/25 15.16 Compaq Deskpro 386/25 53.65 4.88 16.20 Hertz 386/25 54.04 5.28 19.66 Dell System 325 55.17 Zeos 386-25/V 55 26 5.05 15.10 Micro Express ME 386-25 4.86 28.78 IBM PS/2 Model 70-A21 24.79 ALR FlexCache 25386DT 5.29 25.01 Everex STEP 386/25 55 67 4 86 17.48



Benchmark Tests:

25-MHz 386-based Computers

ompag, Micro Express, Hertz, and Dell all deliver very fast video speeds with their 16-bit VGA cards. The Everex machine that we tested was equipped with an EGA video card and, not surprisingly, turned in the slowest video times. The Zeos used an 8-bit VGA video card and vielded mediocre times. IBM and ALR have no such excuses. Both use 16-bit VGA cards, but IBM's video times are no better than so-so, while ALR's very fast Direct

to Screen time and poor Video BIOS test speeds suggest


a fast 16-bit card crippled by slow BIOS.

Video Benchmark Tests

The Direct to Screen benchmark test measures the bandwidth of the video adapter by writing directly to the by memory buffer. The test is rmed in video mode 3. The entire screen is updated using the assemble language REP STOSW instruction with register CX equal to 2000. This is done 1,000 times, and the result shown is the total of the 1,000 trials.

The Video BIOS Routine with Scrolling benchmark test meas the speed of the BIOS Teletype routine with scrolling. The test is performed in video mode 3. The screen is cleared and 240 lines of 60 characters each (including a terminating carriage return and line feed) are written to the display throug the BIOS Teletype routine. Although the first 24 lines written to the display do not involve scrolling, all the remaining lines scroll the display

The Video BiOS Routine Withou Scrolling benchmerk test measures the speed of the BIOS Teletype routine without scrolling. The test is performed in video mode 3. The creen is cleared and 24 lines of 60 characters each (including a insting carriege return and line feed) are written to the display through the BIOS Teletype routine. This is done ten times, and the result shown in the total of the ten trials



Performance Times (Times given in seconds)	Direct to Screen	Video BIOS Routine with Scrolling	Video BIOS Routine Without Scrolling
8-MHz IBM PC AT	4.90	7.60	4.50
Compaq Deskpro 386/20	3.70	3.20	0.65
PC Brand 386/25	2.75	1.65	0.49
Compaq Deskpro 386/25	2.01	1.32	0.46
Hertz 386/25	3.49	1.39	0.33
Dell System 325	3.26	1.57	0.40
Zeos 386-25 V	4.23	2.52	0.66
Micro Express ME 386-25	2.85	1.33	0.37
IBM PS/2 Model 70-A21	6.57	3.41	0.68
ALR FlexCache 25386DT	2.09	3.79	1.87
Everex STEP 386/25	4.84	5.56	3.39





At NEC, we've seen the future. And it measures precisely 8.3" x 11.75" x 1.4". Introducing the UltraLite." The lightest, thinnest, full-function laptop computer. Weighing in at 4.4 lbs., it boldly goes where no laptop has gone before: right in your briefease.

Of course, the true measure of a laptop is not just its width and length. Equally important is its depth.

With a 10MHz NEC V-30 processor, the UltraLite has 90% of the power of the original IBM AT. Plus a main memory of 640K, a full-size industry standard keyboard, and built-in Microsoft DOS Manager and Lap-Link software. It also has a large, bright backlit screen that supports both text and graphics.

For storage, it has an innovative one or two megabyte silicon hard disk, which provides access to data several times faster than a conventional hard disk.

And what's more, there's also a slot for NEC's unique high-speed ROM cards which give you the opportunity to increase your storage capacity. Each ROM card contains a popular software program, yet it's about the size of a credit card.

Impressed? So was PC Magazine, which just named the UltraLite "Portable Computer of the Year for Technical Excellence." See your NEC dealer for a demonstration. You'll agree, when it comes to laptops, there's never been anything NEC UltraLite quite as big.

Wherever you can put this magazine, you can now put a computer.

Introducing the laptop computer

Problems, problems, problems.

Computers were designed to solve them.

But sometimes they've been known to cause a few of their own. Example: You just purchased a laptop. At first, every-

> thi soc yo

thing seems fine. But soon you want to expand your data base. Use more

sophisticated

software. Link-up to local area networks. When you realize you can't, you begin to ask yourself: Where's the power? Where's the expandability?

Where's the receipt?

The ProSpeed 286

Expansion Station gives you the flexibility and expandability of

a high-performance desktop computer.

Introducing an end to all your problems. The ProSpeed" 286, from NEC. Weighing under 15 lbs., the ProSpeed 286 is surprisingly light. But in other areas, it's a real heavyweight. Like expandability, connectivity and speed. In fact, it offers the full func-

tionality of a high-



performance desktop. The
ProSpeed comes equipped
with one megabyte of
memory that's
expandable to five.
And, it comes with either
20 or 40 megabyte hard disk
drives. There's even an advanced
model that provides a high-speed
100 megabyte drive for
special applications.

As for its display, it clears up a very serious problem: clarity. NEC's Monograph" CTN screen gives you crisp, backlit images that provide CRT quality with VGA resolution.

For power-hungry executives, the ProSpeed 286 is powered by a CMOS 80286

> processor running at 16MHz. Meaning it's fully capable of

The ProSpeed 286 screen is so clear and crisp you can even display multiple windows.

that solves problems others can't.



In order to make the ultimate desktop comp

Our sincere apologies to desk makers everywhere.

But when we set out to make the ultimate desktop computer,

we knew it
had to have
three critical
components.
Awesome
power.
Unequaled
expansion
capabilities.

Smap the ProSpeed
386 into the Docking
And most importantly—a handle.
Station, and it's a
desktop. Snap it out
and it's a lautop.
Introducing the ProSpeed* 386

from NEC. The first personal computer to offer the portability of a laptop and the power of an 80386 desktop.

With the ProSpeed 386, the designers at NEC did more than create a new computer. They

> You've never had this much power sitting in your lap.

established a new class of computers—the first modular workstation.

To realize how this can benefit you in the future, let us remind you how it was in the past.

With ordinary laptops you had to hook and unhook peripherals, phone lines and all sorts of cables every time you left the office.

But thanks to a revolutionary Docking Station" design, the ProSpeed 386 leaves all that behind.

You simply slide the laptop out of the Docking Station, and then slide out of your office. Leaving all your connections

connected for when you return.

And saving yourself



uter, we had to remove one major obstacle.

one of the most precious commodities $\label{eq:commodities}$ of all-time.

Most importantly, the Docking Station can accommodate a full range of expansion options; it has four fullsize card slots, and two standard drive bays for tape back-up, CD-ROM or 51/4" floppies.

Take away the Docking Station and what have you got? One of the world's most powerful laptops.

Running at 16MHz, it offers two megabytes of 32-bit memory that's expandable to 10.

It's equipped with a hard disk and is available with either 40 megabytes or 100 megabytes of storage capacity.

As for its 101/2" diagonal black-on-white

display, it's positively brilliant.

Advanced screen technology delivers a paper-white image and EGA resolution. In more ways than one. NEC's advanced screen technology, called Monograph' CTN, provides CRT-quality video with a paper-white image and EGA resolution.

higher level of contrast and increased resolution for graphicsoriented programs, such

Which translates into a

Which helps to make the ProSpeed 386 not just the ultimate desktop, but the ultimate value. Whether your

the acclaimed 386 chip, ProSpeed delivers exceptional speed and full multilasking capabilities.

NEC ProSpeed 386

desk has four legs or just two.

as Windows.



For a closer look at the future, see your NEC dealer. For product literature, call 1-800-826-2255. For technical details, call NEC Home Electronics (USA) Inc. at 1-800-FONE-NEC. ProSpeed™ 386. 40 or 100 megabyte modular workstation with all the power of an 80386 desktop. MultiSpeed™ HD. Lightweight 20 megabyte laptop. ProSpeed™ 286. The fastest 80286 taptop. UltraLite." The lightest, thinnest, full-function laptop. NEC parallel, and mouse ports, as well as VGA adapter circuitry. There is 64K of static RAM as a memory cache to enhance performance

Since this is a PS/2, the motherboard also has two types of Micro Channel expansion slots. Of the three expansion slots in the machine, one is of 16-bit design with display adapter extensions, while the other two are of 32-bit design (and incompatible with the 16-bit). The video extensions are for use with an optional 8514/A video adapter.

Thus, you have few expansion slots to start with, but only one 16-bit. This can severely limit your options. The power supply offers a mere 132 watts, which is not likely to be a major problem since you can't add too much in the first place.

The 70-A21 turned in respectable performance times. Its processor times were better than average, and its conventional and extended memory results were some of the best. On the other hand, its 120MB ESDI hard disk was one of the slowest tested. And in spite of having VGA on the motherboard, the computer produced some of the slowest display speeds.

POINTS OF STRENGTH The 70-A21 has three strong points in its favor that distinguish it from its competitiors. It takes up less real estate than any of the other machines in this review (with the exception of the Zoos in a vertical case). The 70-A21



IBM PS/2 Model 70-A21 IBM Corp. Contact your nearest authorized IBM dealer. (000) IBM-2468 List Priece Win 2-MB RAM, (20MB hard List Priece Win 2-MB RAM, (20MB hard S11, 295; with roto-chrome monitor, DOS 3.3, S11, 726; with vGA monitor, S12,668; with 4MB RAM, 80387 math coprocessor, DOS 4.0, S15,958. In Short: This desktop saver offers premium

performance for a premium price. Its sleek design may be the one reason it's wrong for you, with only three expansion slots and three half-height drive bays, you may not be able to add all the extras you need for storagehungry applications.

CIRCLE 655 ON READER SERVICE CARD

also has the IBM keyboard, which may be noisy—it does make little boings caused by the spring within each key—but it still has the touch that many users consider the standard of comparison. And third, the machine comes from IBM

The IBM PS/2 Model 70-A21 was one of seven small-footprint computers reviewed in "The Size Is Right: Packing 386 Power into Sleek PCs," (PC Magazine, November 15, 1988), As the only 25-MHz machine in the group, it received Editor's Choice for its sleek design and quicksilver times. When the 70-A21 is compared with its 25-MHz 386 competitors, however, that sleek design is precisely what loses points. Anyone in the market for such a powerful computer will most likely need the expansion opportunities offered by other computers in this roundup. If you buy the 70-A21, you can't expect to add much to the base machine you initially purchase

The \$11,295 question (base price without monitor) is whether you focus on the strengths or the weaknesses. If you want a 25-MHz 386 machine and it has to say IBM on the front, you won't regret investing in the 70-A21. If expansion is an issue, if you need tape drives and network adapters and large hard disks, then this isn't the machine for you at any price. If you fall somewhere in the middle, you'll probably find that the 70-A21 doesn't represent an optimal value in the current market, and you would do better to look at what some of the others have to noffer.

MICRO EXPRESS INC. Micro Express ME 386-25

It looks like an AT clone. It's priced like an IBM AT (back when you could still get one). But its performance figures are anything but ordinary as it sits firmly in the middle of the 25-MHz 386 pack. If you're budget-midded and power-crazed, sit up and take a look at the Micro Express ME 386-25. A complete system can cost as little as \$4,239, and even with extra memory and a large hard disk our evaluation unit cost itust slightly more than \$7,100.

This computer comes in a standard ATstyle case. It has five half-height drive



Micro Express ME 386-25

Micro Express Inc 2114 S. Grand Ave Santa Ana, CA 92705 (800) 642-7621 (714) 662-1973 List Price: With IMB RAM 40MB hard disk, 1.2MB 51/4-inch floppy disk drive, \$3,999; with monochrome monitor, DOS 3.3. \$4.239; with VGA monitor, \$4.823; with 4MB RAM, 140MB hard disk, 80387 coprocessor, \$7,122, 1,44MB 31/2-inch disk drive, \$129; 60MB tape backup, \$599 In Short: Low price coupled with high performance makes this machine worth a second look. Its power and flexibility are offset by poor documentation and the use of some unfamiliar components, but for the technically self-reliant user, it remains a terrific value. CIRCLE 654 ON READER SERVICE CARD.

bays, and all three on the right have openings in the case front. You can fit in both 5¼- and 3½-inch disk drives, as well as a tape backup unit, without having to resort to an external housing for one of the three. The case has power and disk-access indicator lights, as well as a handy reset switch.

When you take off the cover, you'll find an American Megatrends mother-board—the same as the one used in the Zeos machine reviewed here (and these were the only two duplicate motherboards in the entire pack). The design has a single 32-bit slot, an 8-bit slot, and six 16-bit slots. The 32-bit slot is based on a proprietary design, but the extra edge connector is placed toward the front of the case, leaving a standard 8-bit connector at the back.

One curious feature is that this motherboard will accept a wide variety of memory components. There are sockets for DIP chips and strips for SIMMs. The sockets are an unusual shape, a result of their ability to accept 256Kb and 1Mb chips as well as the 4Mb chips that have yet to become available in significant quantities. The SIMM slots are equally flexible; they can accommodate modules with 256Kb, 1Mb, or 4Mb chips. Perhaps most remarkable is that you can install memory of both sorts. Using 1Mb DIP and SIMM memory, you can get a full 8MB of memory on the



The Micro Express ME 386-25 is one of the least expensive machines in the group; the color VGA system with 1MB RAM and 40MB hard disk checks in at \$4.823. Like the Zeos 386-25/V. it uses an American Megatrends motherboard, which has unusual sockets for RAM chips. These sockets can accept either 256Kb or 1Mb chips, as well as the new 4Mb chips once they become available in quantity.



motherboard without resorting to an expansion card. And in that glorious future when you can pick up 4Mb chips for a few bucks apiece, you'll be able to get a whopping 32MB of RAM all on the motherboard.

The motherboard also incorporates a full 64K memory cache, operating with 25-nanosecond static RAM chips. Teamed with the 25-MHz CPU, the cache helps the computer churn through instructions with

impressive speed. The ME 386-25 turned in benchmark-test performances that placed it in the middle of the competition, comparing respectably with machines from better-known sources such as Comnag and Dell.

ASSORTED COMPONENTS That leads to the main problem with this computer: Who is Micro Express? The company does not have the production power or reputation of some of the more famous competitors. In fact, the ME 386-25 is essentially a "stock" product assembled from third-party components.

Many of these "off-the-shelf" parts are familiar, from the Maxi-Switch keyboard to the TEAC floppy disk drive and the NEC MultiSync II monitor. It should be no surprise that the machine comes with AMI BIOS, with setup software in ROM, since AMI built the motherboard.


Other items are less well known, however. For example, instead of the typical Western Digital disk controller, Micro Express included one from DTC (Data Technology Corp.). The serial/parallel I/O card is from Everex.

While these various components may be no better or worse than the more proprietary designs offered by the big names, there is one area that clearly suffers as a result. Documentation is minimal at best. For the most part it's a bunch of pamphlets from the manufacturers of the various components. There is also a Micro Express booklet that purports to cover its 286 and 386 computers, but the manual appears to apply more directly to IBM ATs than to Micro Express products. The illustrations look so much like those in the IBM manuals that one picture of the case shows the initials "IBM." as does the diagnostic diskette label in another picture. The text instructs you to "get the Diagnostics diskette located in the back of your 'Guide to Operations' manual." It's a curious instruction, since Micro Express does not provide a manual with that title.

The upshot of the documentation problem is that you'd best be fairly self-reliant and confident in your ability to work with MS-DOS computers in general if you're going to live with this one. You can find most of the information you'll need in one place or another, but you must have some prior knowledge to locate and correctly in-

If you feel up to that challenge, however, and are in the market for champagne performance on a beer budget, then you'll want to check out the Micro Express ME. 386-25. For less than half the price of some competitors, you can end up with a computer that looks unassuming but quietly keeps up with some of the fastest machines on the market.

To Choose The Right Computer, You Have To Look A Little Deeper,



These days it seems a lot of PC makers would rather show you a beautiful outside than reveal what's behind it. But at AMAX, we're so proud of our line of high performance, IBM*-compatible PCs that we want the world to see exactly what makes them the best in the business, inside and out.

Of course, building a truly dependable computer requires

more than quality materials and quality fabrication. It also takes a commitment to quality control, and that's where we're



at our best. Before an AMAX PC leaves the plant, all systems and components undergo rigorous testing and evaluation including an extended "burn-in" period at temperatures ranging from 110° to 130°F. And our commitment continues after the sale, with long-term technical phone support, quick turnaround service and a 12-month limited warranty.

Scratch the surface a little deeper, and you'll find that AMAX PS run all PC and MS-DOS compatible software with ease. And that our architecture meets or exceeds industry standards for PC compatibles. And speaking of scratches, we certainly don't neglect our sleek exteriors, either. If there's so much as a single blemish on an AMAX chassis, it's immediately rejected.

Finally, you won't have to dig a little deeper to pay for it all, because our price/performance ratio makes AMAX an eminently affordable buy. For a dealer near you, call us today at

800-888-2629, ext. 386. Once you look into AMAX, we think you're going to like what you see.

We're Building A Computer You Can Live With.

IBM is a registered trademark of International Business Machines Corporation. AMAX Engineering Corp., 47315 Mission Falls Court, Fremont, CA 94539

All It Takes To Make The News.





The news is out! GEM* Desktop Publisher* Release 2 is the easy-tolearn, easy-to-use solution to all your publishing needs.

With the touch of a key (or mouse), you create professional-quality, image-enhancing newsletters and documents using a DOS-based, highend workstation or personal computer. Incorporate input from almost any source. Then produce state-of-the-art output from laser, dot-matrix, thermal and ink-set printers.

It's sophisticated, but it's also fun and easy.

You see exactly what you're going to get—on screen—as you edit, cut, paste and experiment.

So give your publications something extra, and boost their circulation. GEM Desktop

Publisher is all takes to make any document a newsworthy event.

For more information, contact your nearest dealer or call (800) 443-4200. All artwork shown was created using Desktop Publisher and Artline. CEM Desktop

The state of the s

From III DIGITAL RESEARCH

PC BRAND INC.

PC Brand 386/25

You might expect that your choices are limited to either paying a lof or innovative design or saving money with a "me too" clone. But fortunately you can get unusual features in a low-cost box. The PC Brand 386/25 is living proof. Our fully configured test until lists for just under \$6,000—less than the cost of most competitors' base-level systems.

Before praising the other attributes of this computer, I should point on the benchmark-test results, It is true that the benchmark-test results, It is true that the PPG Brand machine finished last in soft of the processor tests. In order to put these results in perspective, remember that this computer is typically 19 times as fast as a 16 MHz Compa, 305, on the fast seat as a chaine in this group is about twice as fast as that Compa, 305, etc., and a consideration of the many users will actually see the difference sees.





Chicago, B. 60607 (800) 722-7263 (312) 226-3500 Lat Price: With IMB RAM, I. 2MB 5%-inch or I. 44MB 3%-inch ficepy disk drive, 24, 459, with 94MB hard disk, monochrome monitor, DOS 3.3, 52,900. with VGA monic in, 53, 500; with VGA monic or Martin Child (1998) and the processor, 53,900; with VGA monic monitor, DOS 3.3, 52,900. with VGA monic or Martin Child (1998) and the processor AS 5950; Carle cand, 5500; tower processor, 53,950; Carle cand, 5500; tower


case, \$2.20. In Short: Here is an instance where choosing as off-brand computer is worth the risk. Will an abundly low bees-system cost, PC Brand makes it possible to buy two complete systems for ies so than not competitors extens for ies so than not competitors extens for ies so than not competitors consume the low vareage; you would probably do well to get the optional cache card. Even with that extra queenee, this computer offers uniouschable value in his market.

**EACL_EBS_OFFERED_EBS_ERC_EDS_ERC_ESS_OFFERED_EBS_ERC_ESS_ERC

PC Brand 386/25



The PC Brand 388:25 is an unusual machine for many reasons. One is its rock-bottom prior; the color VGA system with 1MB RAM and 40MB hard disk is \$3.500. The mother-board has no RAM (all RAM being relegated to a 32-bit expansion card) and saves additional real sestate by overlapping the sockets for an 90:287 and an 80:387 math coprocessor.



set by the high performance of the 16-bit VGA adapter and the fast 15-millisecond hard disk in the tested configuration. In practice, 1 expect you will find this computer about as fast as any of the others in-

From the outside, the 386/25 looks fairly typical. It has three half-height disk bay openings on the right side with another two hidden inside the case to the left. Our evaluation unit held 51/4- and a 31/2-inch floopy disk drives, as well as a 64MB Irwin tape drive. There are the standard power and disk-access indicator lights and a handy hardware reset switch.

hardware reset switch.

When you open up the machine, you'll find that it's much less typical under the bood.

DISTINCTIVE ARCHITECTURE PC Brand uses its own motherboard design, which has a number of distinctive features.

SPLITTING THE BUS: THE 386 SOLUTION

The fastest PCs are using flex-bus architecture to overcome the speed limitations of the old PC bus.

When the PC was introduced, its expansion bus was a simple thing, just a means of connecting peripherals to the computer. It treated all attachments—menory, video, mass storage, and communications—the same way. The power of the PC's 808 micro-processor, not the bus, set the overall performance limit for the system.

performance limit for the system. While this design served well in ATclass computers, 80386-based PCs quickly revealed its shortcomings. Expansion boards designed for the original PC (and even the AT) were not capable of handling the extreme speed and data throughput of an 90366 microprocessor. To maintain compatibility with these to the expansion but had to be set at a speed within their capabilities, generally the 8 MFI used by the IBM AT.

This slow expansion bas creates a major problem. If memory operated at the laggardly 8-MHz bus speed, little would be accomplished by running an 80386 microprocessor at high speeds such as 16, 20, or 25 MHz beauen entryl allopcrations that the microprocessor carries out require accessing memory. Whenever, or the microprocessor reader by the form memory, it would have to slow down to access the bus. Although the microform instance, in effect it could oppose for instance, in effect it could oppose only at the 8-MHz speed of the expansion bus and memory.

One way around this problem is to discard compatibility concerns and design a new high-speed bus to support both bus and memory in a simple, PCstyle direct connection. The drawback of this strategy is that it requires abandoning all existing expansion boards. For most people the cost of making the transition between standards can outweigh any speed benefits, at least in the short term.

Case in point. IBM's Micro Channel architecture. Although it was only a step toward this radical solution (the Micro Channel did alter the bus design but didn't push bus speed up to that of the highest-performance microprocessors). He Micro Channel has been slow to gain acceptance because of its incompatibility with the did PC bus standard.

The alternative strategy is to break the bus, to split it functionally into two sections. One would operate at 8 MHz to achieve compatibility with expansion boards; the other would serve memory only and operate at the same speed as the microprocessor. All practical 80386-equipped PCs (even Micro Channel models) function this way.

In effect, these machines have two expansion buses, one for memory and ore for input/output (I/O) expansion boards. In fact, many 80386-based computers provide special expansion sloss, incompatible with normal PC expansion boards, that accommodate only high-speed memory. These special slots also expand the normial 16-bit width of the PC bus to the full \$2\$ bits used by \$0386

memory. Current cached-memory designs improve on this split-bus design scheme by allowing the operation of the two buses separately and simultaneously. Often termed "flex-bus" architecture, such a design endows the system with two independent data pathways that can move data at the same time, helping the rest of the system to keep up with the fast micro-processor.

Typically this design is implemented by a VLSI controller such as the Intel 82385. The 82385 and other flex-bus designs allow the system microprocessor to access the memory cache while transfers are being made between the I/O bus and the main system memory.

Although two operations may occur at the same time in a Bre-bus system, this approach does not allow multiprocessing or true parallel processing. One micro-processor still serves both data paths; the parallel operation of the two paths serves only to get information to that micro-processor faster.

Arbitrated-bus designs like Micro Channel architecture and the proposed Extended Industry Standard Architecture (EISA) allow several microprocessors to share the computer's memory and expansion facilities. With such designs, cached flex-bus-style architecture becomes a significant advantage. While one microprocessor is operating through the memory branch of the bus, the arbitration system can allow another microprocessor (or similar device, such as a DMA controller) to use the I/O channel. The result of all of this is true parallel processing, which can result in a quantum improvement in system performance.

-Winn L. Rosch

Perhaps the most striking is that no system memory appears on the motherboard. All memory is contained on a 32-bit expansion card that sits in one of the two proprietary-design 32-bit slots. You can fit from IMB to 8MB on a single memory card, depending on how many banks you fill and wheth-

er you use 256kb or 1Mb chips. You can use the second 32-bit slot for more system memory or for an optional cache controller—which also accepts additional memory, so you don't limit your maximum system memory by adding the cache.

There are two 8-bit and four 16-bit full-

length expansion slots on the motherboard. On the tested unit these contained a combination serial/parallel port card, a 16bit VGA adapter, an OMTI ESDIMFM disk drive controller, and the interface for the Irwin tape drive. The OMTI was connected to the two floppy disk drives and a

AccountMate Q PLUS IV

Business Accounting Software Designed for Change.

AccountMate

AccountMate 2.0 PLUS IV. Designed to Run Quickly and Efficiently on dBASE IV While Maintaining Compatibility With dBASE III".

Use our powerful, full-featured library of account ing programs as they are, or take advantage of AccountMate's free dBASE® source code and modify them to meet your business needs

AccountMate grows with your business. Each menu based AccountMate module can fully integrate or stand alone. Add more program modules as you need them. AccountMate is also compatible with most popular spreadsheet programs

Authorized AccountMate consultants are available throughout the U.S. and Canada for dBASE program modifications. Our Clipper**-compiled version runs without dBASE.

Call today and find out how productive you can be with the software solution, designed for change.

"An easy-to-run, full-featured system with

excellent documentation and performance." PC Manazine

 General Ledge · State Ta Accepts Broglysi • Accounts Payable

Investory Cont · Teelbex

* Time & Billie 800-877-8896

SourceMate[®]

We Produce Solutions.

IRCLE 227 ON READER SERVICE CARD

screamingly fast 150MB Miniscribe hard disk, rated at 17 milliseconds but performing closer to 15.

The motherboard sports another interesting feature: it supports both the 80287 and 80387 math coprocessors. In a spacesaving move, the sockets for both year overlap (one is long, the other square). Our unit came with a 16-MHz 80387, but the difference in clock speed wasn't a problem. According to a PC Brand representative, the motherboard is designed with a

The PC Brand
386/25 is priced
lower than some
fast 286s that can't
possibly keep pace.

PAL chip that can automatically adjust the clock timing for the coprocessor, no matter what its speed.

THE RATING GAME The CPU is a possible source of contention. The schine came with an 80386 clearly labeled as having only a 20-MHz rating. According to the PC Brand representative, the different-speed chips are made on the same production line with the same dies and are production line with the same dies and are then tested for different speeds. In many ways, the situation resembles the old simple-sided versus doubtle-sided florpys disserted versus doubtle-sided florpy disserted versus distribution of the
Is this a safe approach? Well, if the CPU fails, go to PC Brand. It's willing to back the machine with a nearly unprecedented 5-year warranty. Obviously the company has confidence in the design. If you're still uneasy about it, you can opt for a 25-MHz-chip at an upgrade cost of \$400. The computer uses a new version of the

Chips and Technologies CHIPSet, which has a software program that lets you make far-reaching adjustments in the basic configuration of your system. The variables include memory mapping, the bus speeds of various slots, wait states for various components, and more. Clearly this is not for novices or for the timid, since you can create a configuration that will make your system dead as a doornail and the only way to recover is to short a pair of pins on the motherboard. On the other hand, the software gives the knowledgeable user the tools to customize the configuration for maximum performance. Configuration files can be stored and loaded from disk files, and PC Brand has prepared a number of files designed to work with a variety of

popular expansion cards. Overall, the PC Brand 386/25 is a fascinating machine. It offers flexible configurations and enough expansion options to satisfy most applications. It comes at a bargain price-lower than that of some fast 286 machines that can't possibly keep pace. And the company backs it all with what may be the longest warranty on the market. The price you pay is the computer's reliance on proprietary or less-wellknown components. In the end, your decision about whether to spring for this one might be based on your level of confidence in the company, because the machine itself certainly offers an attractive value.

ZEOS INTERNATIONAL LTD. Zeos 386-25/V

Leos 386-25/VThe Zeos 386-25/V is in many ways a

computer typical of its class—that is, if you can safely characterize screaming speed as typical. In most cases it meets or exceeds the standards set by its competitors, from benchmark-test performance to affordability. The Zeos 386-25/V is agressively priced, with the tested configuration listing for 59-308.

The 386-25/V's most interesting feature is its vertical case; it's the only floorstanding model in this roundup. (Most of the other companies offer optional vertical cases or floor stands for their computers; Zeos offers a desktop model as an option.)

The case is well constructed, with cross braces at strategic locations. The top half of the case holds a stack of six half-height

drive bays, all of which can be accessed through space in the front. You don't attach rails to disk drives before installing them; the mounting screws go directly through the disk cage into the drives' sides

The case has a power switch, a reset switch, and a turbo switch on an angled front panel, along with some indicator lights. The turbo switch is for looks only at present—it has no effect on the processor speed. You can change the CPU speed using a combination keystroke, which toggles between 8 and 25 MHz.

gles between 8 and 25 Mrs. based on the Inside, the computer is based on the Inside, the computer is based with a variety of good design features. Like many of the others, it comes with a full 64K memory each to 425-anosecond state is RAM. Unlike most other designs, or both at the same time. You can use the Part 256Kbc in Mich plays of both types. So if you use all available DIP and SIMM is canous on the moderbeard, you can accumulate a full 8MB of RAM on it. The DIP Add to this when they become available in

quantity.

The flexible memory design on the motherboard makes it possible to get the most from the expansion slot capabilities. The proprietary 32-bit slot can accept standard 8-bit cards as well. You'll also find one regular 8-bit slot and six full-length.



Zeo. 386-25V Zeo. International Ltd. 539 Fifth Avenue NW. #1000 St. Paul, MN 5312 (800) 422-3899 (612) 633-459 List Price: With IMB RAM, 120MB hard disk, 1.2MB 59'-inch floppy disk drive, 56,145' with 40MB hard disk, monchrome monitor. DOS 33, 55.419; with VGA moni-

tor, \$6,114; with 157MB hard disk, 80387 math coprocessor, \$9,308. In Short: The Zeos 386-25/V offers solid performance and a flexible design using industrial transfer of convenients, all her a conve-

petitive price. DRCLL 652 ON READER SERVICE CARD

One Drive Fits All.



Only Tecmar Can Back Up All Three With One Tape System.

It's what you told us you need. A single tape backup system to work with your PS/2s; your classic-bus PCs and – here's the clincher – your Macintosh' Ils. Three very different architectures supported by one high-speed, high-capacity tape system.

Tecmar's not only done it, we've made it easy! Any external Tecmar Quality Tape™ drive from 60-to-150MB capacity, including the ones you may already own, can now be shared between PCs, PS/2s and Mac Ils. The QT drives easily connect to a Tecmar host adapter board inside the computer - including the brand-new NuLink® Host Adapter for Mac II. If you have more than one architecture, then this is the solution that

makes sense! And only Tecmar has it. More companies choose Tecmar tape systems than any


others - for our speed, relia-

bility and support. And now, one drive fits all. For more information, call Tecmar at (216) 349-1009 or (800) 624-8560. Or write Tecmar, Inc., 6225 Cochran Road, Solon, Ohio 44139-3377.



Copyright Termet, Inc., a relesshary of Bassen, Inc., 1988. All rights reserved.
All Some products are trademarks or registered trademarks of So. Inc. Other broad and product names are trademarks or segment trademarks of an electrical product transcription.

TAKE THE BUS *THRU* T



If heavy traffic is slowing your network response time to grid-lock speeds, you need an alternative. Take the Bus with Advanced Digital's 2HCG* Personal Network Stations.*

Since 1980, the people at Advanced Digital have been building a better, faster, and more efficient way of getting data across a network Advanced Digital's 2HCG is the latest of these high performance, low cost networking solutions.

Each 2HCG board is essentially two self-contained




The 386 Network Manager from Advanced Digital is an extremely powerful and versatile 80386 file server, with all electronics on a single expansion board for easy field repair. **NOVELL Certified**

personal computers. Since the 2HCG installs directly into the file server's bus, there is no need for network hardware and complicated communications protocols. Up to 32 users may be connected to a single IBM AT,* PS/2* or compatible server. Advanced Digital provides Novell NetWare* compatibility, so the 2HCG may be used side-by-side with any of the LAN topologies supported by NetWare, such as Advanced Digital's ArcNet controllers; ADNET-1* and ADNET-4*

HE NETWORK TRAFFIC







The Zens 386-25/V is the only machine in the group to come in an upright case, but it was still in the lower third in terms of the price of a VGA color system: \$6,114 including 1MB RAM and a 40MB hard disk. It offers flexible design, including room for up to 8MB RAM on the motherboard using both DIP and SIMM memory, room for six halfheight storage devices, and cutouts for eight I/O con-

nectors in the back of the case.



ix half-height drive bays

16-bit slots. There are no I/O ports on the motherboard, but our evaluation unit came with a parallel/serial card in the 8-bit slot.

The large number of available slots makes the Zeos design attractive for a variety of applications, including network servers and multiuser operating systems. In the latter application, where a number of ASCII terminals hang off the main computer, the Zeos case provides an added adfor five 25-pin connectors and three more 9-pin connectors.

STANDARD EQUIPMENT The Zeos machine makes good use of industrystandard components. It came with an 8bit Paradise VGA card, which performed adequately but not as fast as most of the 16bit adapters found in other machines. It used the same Western Digital ESDI convantage: there are knockouts in the back | troller as four of the other computers in this EDITOR'S CHOICE

Dell System 325

More dollars don't always buy you more performance. With such a massive span between the top and bottom prices for fully configured machines in this roundup (over \$17,000), you've got to wonder where the return on your investment stops. It stops at the Dell System 325, a consistently respectable performer throughout our benchmark tests. The Dell offers some bonus design features, such as three open drive bays in the front and ports built onto the motherboard. Best of all, a VGA color system with IMB RAM and ISOMR hard disk casts only \$7,319.

If bigger brand names make you more comfortable, don't overlook the Compaq Deskpro 386/25. The company's reputation was built on machines such as this one with careful construction, industryrenowned video, and a speedy ESDI hard disk. These advantages come at a steep price; with IMB RAM, 60MB hard disk, and VGA display. the Deskpro 386/25 lists for a steep \$9.717

PC Brand offers the best lowcost alternative around: the PC Brand 386/25. The configuration we tested had a 20-MHz 386 processor oscillated up to 25-MHz, but if you'd rather go for the higher rating, you'll add only \$400 to the already astounding price of \$3,500 (with IMB RAM, 40MB hard disk, and VGA display). If less-familiar components are cause for concern, PC Brand's 30-day refund policy and generous 5-year warranty should put your mind at ease. Be-

sides, at these prices you can hove two 386/25s, keep one in reserve on the shelf, and still spend less than you might pay for one of the compe ing machines.

The Network Hardware Solution.

Famous CORE Reliability. CORE file servers, workstations, subsystems and peripherals give you the reliability needed to protect your network investment.

Powerful File Servers. The ATomizer 366/20 and 366/25 floor-standing file servers provide mini-computer performance with five full-height or ten half-height drive slots and up to 2.8 gigabytes of capacity.

The ATomizer 386/20 desktop file server (not shown) provides up to 1.4 gigabytes of capacity. All offer uncompromised growth capability.

High-Performance Workstations. Complete your network configuration with

ATomizer 266/12 full-size and small footprint workstations. Both increase user productivity with fast system performance and high-speed network throughout.

High-Capacity Peripherais.

CORE 90 to 700MR, 9 to 16ms disk
drives, high-speed 10 or 15MHz controllers and external LAN subsystems
let you upgrade a system to a file
server without sacrificing performance. Protect your valuable data

with COREtape backup units.

Compatible with such operating systems as Novell, Star LAN and 3Com, as well as industry-standard cabling, cards

and other network components.

Contact your nearest dealer or CORE repre-

sentative today.

Northeast Region: Southern Region: 203/357-1339 407/997-6055

Central Region: Western Region: 312/439-0511 213/312-8130

International Sales: 407/997-6044 FAX: 407/997-6009

Distribution through GBC Distributors, Gates, Graydon Sherman, Ingram, MICRO D-TPO and Vitrorix. In Canada, contact Markham international

> ts listed are registered trade marks, of their respected manufacturers, DDRE, Alfornizer and DDRE tape are registered inademarks of DDRE international, Inc.

CORE® INTERNATIONAL

Connect to GenTech

PASSWORD: 1-800-843-4302



exp. upto 1MB FMS memory, ser par clk \$39

includes Novell ELS software, 4 arcnet cards, network cabling, Pasive Hub and connectors to network a 4-user network

For Arcnet \$99

GENTECH 386-20 \$1995

 80386-20 Processor, 20MHZ III Was state 1 MB RAM expandable to 4MB on Motherboard. . Using 1 MB static column RAM, upto 12MB . 80387-20 support, 21 on Norton's Benchmark

· Runs Novell, Xenix/Unix, CAD, O/S 2 . AWARD Bios, one 32BIT, five 16bt, two GENTECH 286-20 \$1325

GENTECH 386-16 \$1859 . 80386-15 Processor, 16MHZ, 0 Wait state . 1 MB RAM expandable to 4MB on Mothe

 Using 1 MB stetic column RAM, upto 12MB
 80387-16 support, 16.5 on Norton's Scale . Otherwise same as 386-20

GENTECH 286-12 \$885

 80286 Processor, 20MHZ Clock, Shadow RAM . 80286 Processor, 12/6 MHZ Clock, 0 Wat state . 512K RAM exp. to 16MB using 80ns 256K D RAM 512K RAM exp. to 16MB using 100ns 256K D RAM 8 Slot, EMS 4.0 Driver, 80287-10 Support · 8 slots upgradable to 1MB on Motherboard Phoenix Bios, Norton Si 22 rating, superlas . Standard bos, built-in hard disk set up

> All our 286 and 386 systems include 1.44MB or 1.2MB floopy drive. dual floppy/hard drive controller, 220 Watt power supply Dual senal and parallel ports, and 101 key enhanced keyboard *1YEAR WARRANTY: All parts and labor

GENTECH Turbo XT-10 \$495 . Nec V-20 CPU processor, 10/4 77 MHZ switcha

* 512K RAM expandable to 640K on motherboard . Rates 40 on Norton Scale One 360KB Floopy Drive, ser/particlock

84 key Keyboard

GENTECH 286-10 \$819 . 80285 Processor, 10/6MHZ Clock, 0 Wart state 512K RAM exp. to 16MB using 120ns 256K D RAM · 8 slots, upgradable to 1MB On Motherboard . Standard bios, built-in hard disk set up

 CALL FOR HARD DISK OPTIONS: 20MB MINISCRIBE

COMPUTERS AST RESEARCH

ZENITH

Premium 80, 512K RAM, 10 MHZ 80286 Premium 140x, 1 MB RAM, 40MB Hard disk \$2241 um Workstation 103/105 80286, 10MHZ, 512K RAM, 1.44MB/1 2MB FDD Premium 386C Mod300, Cache Mem 1MB RAM \$2799 COMPAG COMPUTER Deskpro 386/20e Model 1 Deskpro 386s Model 40 Laptop SLT Model 20

Supersport SE w/20MB MATH COPROCESSORS (Lowest Prices!!)

8087-3/8087-2 80287-8/80267-10 80387-16/80387-20 80387-25/80387-4x

SACNNERS/DIGITIZERS/PLOTTERS DEST 2020 Scanner

HP Scariet LOGITECH SCANMAN handheld KURTA IS/ONE 12X12 SUMMAGRAPHICS SU HEWLETT PACKARD 7570A Draft

Draftpro DLX/ELX plotter 7475A/7550A plotter 401-732-5556

800-843-4302

401-732-5518 VISA, MC, COD, CORPORATE PO ACCEPTED 217 Broadway Suite 615 NY NY 10007

 CALL FOR OUR VIDEO OPTIONS: Monochrome, EGA and VGA

\$Call

\$2899

\$1399/2999

PRINTERS BROTHER HL-8 Laser Printer ML-1709/1724L

EPSON all models HEW ETT PACKARD Lasenet II / Lasenet IID Deskjet / Paintiet FUJITSU DL3400 OMS PS 810

NETWORKING

NOVELL Advanced Netware/SFT V2.12 NOVELL ELS 4 user / ELS II 8 user Ethernet Interface Card TIARA Arcnet Card TIARA Ethernet Card SMS 16-bit Arcnet Card Arcnet Active Hub/Pa 3 COM Etherink Card

International Inquiries Welcome We handle all your paper work



Add 2% for COD. Minimum PO \$500. Prices subject to change. Return authorization required for defective merchandise. All returned non-defective merchandise subject to 20% restocking change.

25-MHz COMPUTERS

group, driving a 157MB Maxtor hard disk rated at less than 16 milliseconds. In PC Labs benchmark tests, this was one of the fastest drives in the group.

In the other benchmark tests, the 386-25/V delivered results that were usually a bit better than average. Since most of the other machines excelled in some tests while producing slower times on others, I expect that they would all appear about the same for real applications. The Zeos hard disk speed might give it a slight edge, however, in disk-intensive use.

The 386-25/V sported a variety of

The Zeos 386-25/V falls right into the middle of the pack in most respects.

handy extras, such as the keyboard and monitor extension cables required to reach the system unit when it is standing on the

The Zeos falls right into the middle of the pack in most respects. Its performance is essentially on a par with the others. It is well constructed-not as sturdily as some of the more expensive machines but better than some of the cheaper ones. Zeos is not a widely known manufacturer, but the computer uses the same standard components found in many of the others, such as the AMI BIOS, Western Digital controller, and Paradise VGA. Even its price places it in about the middle of the field. Only its case visibly rises above the competition.

In the end, the Zeos makes a good compromise choice, midpoint between the top and the bottom of the list. Its features and price represent a good value; you won't be making a mistake if you select this one.

Alfred Poor is a microcomputer consultant based in Perkasie, Pennsylvania. He is a frequent contributor to PC Magazine.

Spin your favorites with push-button ease.

DIRECT ACCESS. The leading menu system for hard disk management.

IRECT ACCESS is to your softwere whet a iukebox is to records. Both ere fun end easy to use. Simply choose a title from an organized listing, push a button and play your selection.



DIRECT ACCESS lets you hop over complicated DOS com mands, reduces errors, provides complete usage tracking, end secures your date with pass word protection.



DIRECT ACCESS toos ell the netional best seller charts-it's the ultimate menu system for hard disk management. There's no easier, faster or more orgenized way to pley your software. Also available, DIRECT NET.

tha single keystroke network menu system.



CIRCLE 256 ON READER SERVICE CARD 1621 Westgate Road, Eau Claire, WI 54703, (715) 832-7575, FAX (715) 832-0700

In Touch with Tomorroy OSHIB

America's #1 Source for Lap Top Computers and 24-Pin Printers

When you think of the number one name in lap top computers and 24-pin printers you think of Toshiba. And when you think of superior service, availability, and pricing you think of Sefco. Now there's many reasons to contact Sefco when you need Toshiba products.

Sefco Computer Products Offers

- Nationwide service at 3 convenient locations.
- · Prompt delivery on all items stocked.
- Incredible everyday low pricing.
 - Discount pricing on volume purchases.
 - Corporate and government purchase orders welcome. Call for your free catalog.

SUCCESS BY DESIGN

.A. HEADQUARTERS 8025 Deering Ave. Canoga Park, CA 91304 Tel: (818) 888-8880 (800) 777-1288 Fax: (818) 883-5309

2682 Middlefield Rd., Unit C Redwood City, CA 94063 Tel: (415) 365-7700 Fax: (415) 365-5416

EAST COAST 21-54 44th Drive Long Island City, NY 11101 Tel: (718) 786-2001 Fax: (718) 786-2134

CIRCLE 222 ON READER SERVICE CARD

SIMPLE SOPHISTICATION FOR THE PC WORLD.



The V-series Smartmodem 9600 with V.42 or X.25 Standard.*

The Hayes V-series" Smartmodem 9600° brought a technical sophistication to the high-speed dial-up world that had rarely been seen before.

The V42 protocol, for point-to-point communications, automatically detects errors and then retransmits the data correctly While the X.25 protocol not only offers error-control but also multisession access to value added networks with expanding applications for dial-up X.25 point-to-multipoint communications.

With adaptive data compression, the modem has the capability to double throughput to up to 19,200 bps.

And with Hayes AutoSync, it provides both synchronous and asynchronous communications without the extra expense of a synchronous adapter card.

The Hayes V-series Smartmodem 9600 has a sophistication that not only sets it apart from other PC modems. but above them as well.

"There will be a minimal charge of \$50 for either a V42 or X 25 upgrade on products purchased before October 1, 1988. Products purchased on or after October 1, 1988 will include either standard as they become available. For details call Hayes Customer Service-404-441-1612.

SOPHISTICATED SIMPLICITY FOR THE MAINFRAME WORLD.



Introducing the Smartmodem 9600 for V.32 communications.

The new Hayes Smartmodem 9600 " brings the simplicity of the PC world to the complex world of wide and local area networks.

For host to host, host to LAN, and data processing centers to remote controllers, the new Hayes V.32 modern gives full-duplex, synchronous and asynchronous communications at 4800 bps and 9600 bps using dial-up or leased-line circuits.

The modern also offers features like automatic leased-line restoration, automatic dial backup and forward error correction to ensure reliable data transmission. An intelligent front panel with an LCD readout puts this array of features at your fingertips. While behind the modern. the Hayes Cable Management System lets you easily install it flush against any wall or cabinet to save space. The Hayes Smartmodem 9000. Were Hayes on that entering the mainframe world, were improving it.

"THEY USED TO SAY I WAS CRAZY."



For years they told me I was crazy. First I recommended they replace those expensive word processing stations with PC's.

What happened? Secretarial productivity doubled, and every secretary now has a PC word processor on her desk.

Then I recommended we supplement our mainframe with PC-based systems for every department.

What happened? Now the vital information is easily available to everyone.

Yesterday, less than a month after I recommended we buy the MaynStream 2200HS Tape Backup System, our building was hit by lightning. It took out two of our PC servers, each with 850 megabytes of vital information.

What happened? Nothing! We simply restored the information using the MaynStream 2200HS. You see, every day without fail, we backed up those servers. To-day it paid off and it will tomorrow. The MaynStream 2200HS Tape Backup System. That's not crazy, that's plain smart.

THE MAYNSTREAM 2200HS TAPE BACKUP SYSTEM.

■ Novell Approved Software ■ XENIX compatible ■ 2.2 gigabytes of data on one tape ■ Portable, allowing one unit to serve many systems ■ Read-After-Write ■ Password Protection ■ 250 Kbytes/sec Transfer Rate ■ The Editor's Choice of PC Magazine, PC World, InfeWorld, and LAN Magazine.

Call 1-800/821-8782 for a technical specification sheet.





Maynard Electronics We're backing you one-hundred percent

460 E. Semoran Blvd., Casselberry, FL 32707 407/331-6402

GETTING THE MOST OUT OF MEMORY

Disk-caching software can cut your time at the computer by an impressive margin.

Disk-caching software is based on three principles: if you need to refer to a certification piece of information once, you'll probably need to do so again; remembering information is more efficient than looking it up time and again; and it helps to know related information in addition to the information itself

A disk cache takes these three principles and applies them to the disks and memory in your computer in order to speed up every operation in which data is transferred to or from a disk. A well-designed cache can reduce the time DOS takes to read and write to a hard disk by a factor of ten. With floppy disks, a cache can enhance disk speed by as much as 50 times its normal rate. And all of this is accomplished without making any physical change to the disk hardware.

If you work mostly with programs like word processors and spreadsheets that sel-dom read the disk, a cache won't significantly speed up your work, but it is still worth having if only for the good feeling you'll get when the program loads in a fraction of its usual time. If you use a data-base or any other software that continually reads the disk, however, a cache can cut your time at the computer by an impressive marein.

Whenever an application needs data, it asks DOS to find it on your disk. DOS then reads the disk via the BIOS) and hands the data over to the application. But if you're using a disk eache, the cache insinuates tief as a middleman in this transaction. As DOS reads data from the disk, the cache whisks away a copy of the data for itself and storest it in a area of memory that it re-

serves specifically for that purpose.

The next time an application makes a request for data, the cache intercepts the request and checks its storage area to see if the data is already there. Because most applications need to consult the same data or the same files more than once, the chances are reasonably good that the cache will already have a copy. Even if the data that the application wants this time around is not exactly the same as the data it requested earlier, the new data may well be in a region of the disk that DOS had read before when looking for nearby data. In that case, the cache already has a copy of the data in its storehouse. The cache checks its inventory, finds the data, and hands it over to DOS. DOS then passes it to the application, which doesn't care in the least whether the data came from memory or a disk.

TIME IS CACHIE But if you're as impatient as every other computer user, you care. The cache saves precious time by producing data from fast RAM instead of from a slow disk drive. You don't have to wait while the drive heads jump to the right place on the disk and hover there until the data spins into the right position. The cache simoly moves some electrons.

If the requested data isn't in the storage area, the cache hands the request back to DOS and lets DOS haul it away from the disk. But once again, when DOS delivers data to the application, the cache keeps a copy for itself. And when the application asks DOS to write altered data back to the disk, all currently available cache programs step in and demand a copy for themselves.

In fact, cache programs tend to be very greedy. Even if an application wants only 64 bytes of data, the cache swallows up at least 512 bytes—the size of one of the sectors into which DOS divides up date on a disk. Usually the cache prefers to gobble up a lot more than 512 bytes. Instead of the size of one of the sectors into which DOS divides up date on a disk. Usually the cache prefers to gobble up a lot more than 512 bytes. Instead of a standard hard will take four or more, sometimes the full 17 sectors on the track of a standard hard list. The cache guesses want more data from the same file, and that the new data is likely to be found in the neighborhood of the data the application wanted before.

In general, the greedier the cache, the

more generous it can be in the long run. The more data it grabs, the more it can hand over to DOS. And the more data it presents to DOS, the less time DOS has to spend in trudging to and from the disk.

THEORY INTO PRACTICE That's the basic theory of disk caching. In practice, of course, everything is more complicated. If a cache keeps a bady or ganized catalog of its storage area, your applications can actually be hindered by caching rather than helped. By the time the cache finishes runmaging in its catalog for the location in the storage area where it is holding some data, DOS could have gone directly to the disk and found the data on its own.

■ No matter how well organized a cache is, it must work within DOS's 640K RAM limit to leave space for other uses.

A cache needs to maintain a tightly organized catalog that helps it find data quickly. Let's say your disk is a standard 32MB hard disk with 64,000 sectors and you use a 256K cache with room to store data from 500 sectors. When DOS asks for data from sector 7000, the cache shouldn't waste time flipping through all 500 of its catalog entries just to see if it can find a listing for sector 7000. It should be able to jump quickly to a narrow area of its list to see whether sector 7000 is in storage. The cache doesn't have room for a catalog with separate slots for all 64,000 disk sectors, so it finds another way of maintaining an accurate summary of its contents.

One method is to store and index data in blocks the size of disk tracks rather than in individual sectors. A disk with 64,000 sectors has about 3,800 tracks, and these are a lot easier to index than the sectors themselves. But this is only one of many complex methods that cache software uses to save space and time. (For more information on these methods, see "Speed Up

Hard Disks with DCACHE," PC Magazine, October 11, 1988.)

No matter how well organized a cache, it has to work within the limit of DOS's 640K of RAM. DOS needs some of that space to perform its own housekern, and your applications need much of the rest. That doesn't leave a lot of rows and, it work to small, it work to sale ho hold enough to small, it work to sale ho hold enough to the small to give DOS the information it needs, and it will spend so no much time replacing del investory needed to make a cache worthwhile in the first backe.

The advent of extended memory in 80286 and 8038 computers and Louss/inel/Microsoft expanded memory specifications of the state of the s

Even a large cache is a lot smaller than a hard disk. Sooner or later during a computer session, the cache buffers will fill to overflowing, and the cache will have to decide which old data to throw overboard in order to make room for new data. Almost all caches use a Least Recently Used algorithm to make this decision. The cache directory keeps track of the last time DOS asked for data in each sector. When it needs room for a new sector, it scans the cache directory, finds the sector that DOS asked for least recently, and discards it. The data in the discarded sector is safe ondisk, and if DOS asks for it again, the cache will discard another sector and welcome it back.

POPULARITY CONTEST The most sophisticated caches combine the Least Recently Used algorithm with a slightly different one: Least Frequently Used. In effect, the cache makes each sector undergo a complex popularity contest to determine how long it can remain in the cache buffer


If DOS made frequent requests for a sector early in a session but later stopped asking for it, the sector can coast on its initial popularity and stay in the cache even after it becomes the sector lear tecently used. More recently used sectors will be dropped first if those other sectors never racked up enough frequency-of-use points. Sooner or later, however, newly popular sectors will elbow the once-popular sector into the cold.


In the world of a disk cache, every sector can be famous for 15 minutes. When DOS asks for data, a sector immediately enters the cache. But if DOS asks for that sector only once, its ranking will drop rapidly, and soon it too will be waiting outside in the rain with all those other wetched sectors that the doorman treats with undisessed disbalar.

One ellie group of sectors never stops being popular. DOS constantly needs to consult the sectors that contain your disk's directories and FAT (file allocation table) in order to learn where to locate files. A sophisticated cache can give the sectors enough extra points to ensure that they remain in the cache no matter how many other sectors are clamoring to get in

FASTER READS AND WRITES All caches treat disk reads in a more or less similar way. Although some caches are more efficient than others at scooping up groups of sectors, the basic techniques they use tend to be the same. But all caches treat disk writes differently. Most caches speed up disk writes by checking whether the data that DOS sends to the disk matches data written earlier and by refusing to write the same data twice. The best caches use additional techniques to make all necessary disk writes take the least amount of time. Some caches queue or sort data destined for the disk so that DOS can write all the data in a single rotation of the disk or with the least possible movement of the heads. Some effectively multitask disk writes and other computer activity so that the cache continues to write to disk while you get back to work on your applications.

These programs do their best to get the data to disk quickly. Others hold the data in memory for a longer period and won't write to disk until the computer is not occupied with anything else. One program





When new data (represented by the blocks labeled E) is introduced to the cache, the least recently used (LRU) data is discarded first.



Cache programs at between your application and the disk controller. When the application requests data that is on the disk, the cache program checks to see if it is already in cache memory. If it is, the cache program retireves the data from memory instead of from the disk. If it is not in cache memory, the program gets the data from disk, writes it to cache memory for possible future use, and returns it to the application.

CHOOSING THE RIGHT CACHE

Deciding which type of memory and the best cache size to use is mostly a matter of trial and error.

The first decision you must make when setting up your cache is which type of memory to use—conventional, expanded, or extended. If you use only applications that run in substantially less than 4-64K, then conventional memory caching makes seene. You'll see fasser results with a conventional memory cache than you will with an expanded or extended memory cache of the same size, since using expanded or extended memory caches or a performance penalty.

in the control of the

If you have both extended and expanded memory, you must carefully consider the type of work that you do and how well your caching program performs in both modes before choosing between them. With each access to extended memory, your FC must switch into and out of protected mode. As a result, each access is slower than equivalent conventional or expanded RAM access. This you'll be filely in realize power exaltions. The property of the property of the product memory, with the gap withening as the number of discrete memory secesses increases.

In general, if you have both types of memory to choose from, you will usually want to set up your cache in expanded memory. Still, you should check the performance of your caching software in both modes. We found that at least one program, Flash, performed more slowly when using expanded memory. With Sur

per PC-Kwik, we found another reason to choose expanded memory. Super PC-Kwik requires expanded memory for some of its program space, reducing the conventional memory needed by about half, to 16K. Disable a feature or two, and you can get it down to a mere 9K.

THE IMPOSSIBLE DREAM Can you define an optimal cache size? Not really. The efficiency of the cache size depends on the typical operations you'll be performing, the amount of memory you available, and the memory type you are using if you are using conventional memory, you must balance the benefits of the property of t

Many caching packages allow unloading and loading from the command line, which means that you can reconfigure to each for different applications. But remember that you're using caching software to save time. If you spend a lot of time reconfiguring and reloading your caching software for each application, you will negate much of the benefit of hendring. In the end, you are best off choosing a single configuration and forgetting about it.

CACHE SIZE The biggest question for conventional memory caching is how small the cache can be. A 64K conventional memory cache will have some benefits but will have some benefits but will have minimal impact on available memory. A small cache will do the job with operations that involve small, discrete chunks of data that are referred to often, such as database sorting and the loading of the FAT when working in DOS.

With extended or expanded memory, you will probably have more memory to

play with. A large cache will help a word processor that look only pieces of a large document at a time. It can also help dismiscially by storing applications themselves in the cache. If you are using a promised in the cache. If you are using a prosecond of the cache it is seen as the cache it is a color of the tween several small programs, like an editor and a compiler, then a large cache can dear the cache in
As you increase the cache size, the greatest improvements in performance typically come before 256K. Between 256K and 512K, the application will be termine how well the additional memory will be used. Above that point, more memory will probably enhance performance, but the gains are small compared with the orice in memory ching.

Caching programs handle different cache sizes with varying degrees of sophistication. The best way to test your cache program is to experiment with your applications, reducing cache size incrementally until it is low enough to cause a substantial degradation in performance. Make sure that you try this method with your everyday applications. since the results for one type of application may not be apply to another. If your caching software allows you to examine the cache activity, use this feature to check the impact of configuration changes. If you often work with large records, such as word processing documents, then a cache bigger than the application plus your largest file will give better performance. If most of your work is with small records, such as database files, then a small cache will improve performance to make using it worthwhile. And, despite many of these recommendations, bigger is almost always better.-Philip F. H. Rose

Philip F. H. Rose is a project leader in PC Labs. waits as long as 5 minutes before writing by default and even lets you choose to delay writing until you give the cache a specific command to copy its buffer to copy its buffer as standard procedure on mainframes, but they're of questionable value on a PC. If an application thinks it has written data better application thinks it has written data better gives written, your work will disappear into the great cache buffer in the sky, from whose bourn not data returns.

The country of the co

All current caches check whether the floopy disk in the drive has been change? General port in the "diskchange" detection but into ATS and compatibles, but all can supplement it with other tests, which are necessary on all PC and XT systems. A cache that uses deferred writes may pop awaining onto the screen if you change disks before the cache has had a chance to send data to the first disk, but you're much better off not using deferred writes with floopy disks all all poppy disks all all poppy disks all all poppy disks
PROTECT YOUR DATA Any program that interferes with DOS's orderly habits of reading and writing to disk has the potential to be highly dangerous to your data. All the caches tested for this article have been available for months or years, and any serious problems would have become evident long ago. You can probably use any of these programs without any hesitation. But if there is anything at all out of the ordinary about your computer system, you should take certain precautions when installing a cache. This applies if you have a nonstandard disk or one that requires a device driver in your CONFIG.SYS file; it applies if you have an 80386 system and you use memory managers to install TSRs

in high memory; it applies if you have an AT compatible with separate controller cards for floppy and hard disks. And it applies if you have a plain-vanilla PC but val-

ue your data highly. Your precautions should go something like this: Until you make a complete, reliable backup of your hard disk, keep all cache software a safe distance from your computer-50 yards is probably about right. When everything is backed up, install the cache according to the vendor's instructions, but if the cache includes any advanced options for high performance. turn them all off, even if some of them are default settings for the program. With the cache loaded, copy files between directories and between your hard disk and a series of floppies. Delete some files. Run CHKDSK on every disk you use. Reboot the computer without the cache and run CHKDSK a second time on every disk you used before

Next, reload the cache with some of the advanced options switched on, and run the same series of tests. Only when you are certain that the cache leaves your data intact should you resume your normal work at the computer.

Don't get complacent and run a disk defragmenter with a cache in memory. The combination of a defrager and a cache can turn your disk into electronic confetti. The very best caches are smart enough not to be confused by defragers, but you should have a complete backup (or two or

to be confused by defraggers, but you should have a complete backup (or two or three) before you find out whether your cache is one of the best.

A BAKER'S DOZEN For this article. PC

ABALERS DOZEN For this article, PC Labs tested 15 cache programs. Seven of these are separate cache packages, which sometimes include ented programs on the same disk. These are Fast Forward, Faths. Lightning, Quickeache II. Paths. Lightning, Quickeache III. escale pPC-Kwik, Veathe, and the freeware programs are SMCACEHE. Three cache programs are sold as part of disk utility packages the Mane Utilities, PC Tools Dehaen, and PolyBoost II. Two caches are avail and PolyBoost II. Two caches are with compact disk the Compact Disk Cache Utility and IBM-core with Compact disk Boost Cache Utility and IBM-content in Compact Disk Cache Utility and IBM-content in Cache Disk Cache Utility and IBM-content in Cache Disk Cache Utility and IBM-content in Cache Disk Cache Utility and IBM-cache Utility and IBM-c

but didn't include them in the tests because they proved incompatible with DOS 3.3. Micro Design's Cachel-Assist produced disk errors when run under any version of DOS later than DOS 3.1. Micro Way? Cache locks up under anything later than DOS 3.2. The free ware program and DOS 3.2. The free ware program to the compatible on almost any bulletin board. Incled up the compater and strambed to the disk when we tried to test it under your disk before tunning any cache under a new version dOS.

You should also back up your disk before running a cache under an old version. The README file included with one cache program warns against running any cache software under Zenith MS-DOS 3.1.

One more problem to watch out for before moving on to the reviews. If you install a cache in extended memory, you can lose characters transmitted via high-speed communications software. The best caches include methods of avoiding this problem, and the problem does not occur at all if you install the cache in LIM expanded memory.

Whichever cache you use, the time you spend in taking precautions will be returned to you many times over by the cache itself.

Compaq Disk-Cache Utility

There are many less expensive ways of getting a disk-caching program than buying a computer that comes with one, but if you want the Compag Disk-Cache Utility, you'll have to do just that. There are also many alternatives that are a lot better in terms of overall performance. Still, you won't regret installing the Compag Disk-Cache Utility each time you use your new machine.

Anything IBM can do, Compaq tries to do better, and the Compaq Disk-Cache Unility is no exception. Where IBM offers the lumberingly slow (BMCACHE on its PS/2 models, all Compaq desktop and portable computers that are shipped with a hard disk come with a cache that sets one or two speed records and has a useful but limited range of options. In extended limited range of options. In extended

■ DISK-CACHING SOFTWARE

memory, Compaq's cache outperforms even Super PC-Kwik in the 512K file cretation benchmark. In other tests, Compaq's cache is far better than no cache at all, but compared with the best cache programs its results are unisnoping. Like BiMCACHE. the Compaq Disk-Cache Utility speeds up only standard hard disks. It ignores floppies and any disks that DOS can recognize only though a device driver.

The Compaq Disk-Cache Utility distinguishes itself by its efficient use of disk and memory space. You install it as a device driver in your CONFIG.SYS file, but because the driver is also an .EXE file, the same program that installs the cache controls it from the DOS command line. All

other caches installed through CON-FIG. SYS uses sparted control programs or more at all Install a 512K cache buffer nocupies either 15K or an impressively small 8K of DOS memory, 47th cache buffer the LIM memory installed on AT-style memy bounds or a 158 machines the tell. His multiplian memory created by Compagi 8 CEMM memory manager? When you install a 512K buffer in AT extended memty, vota take away 27K or 16K (from DOS.

BAFFLING OPTIONS Compaq's installation disk uses a moderately confusing menu system. A set of options on a top line

depending on options.

menu offers choices like Configure, Exit, and Help, But you can't seem to get to these choices with the cursor keys, and pressing the first letter of each doesn't accomplish anything. After a frustrating ment or two, you'll notice another menu on the bottom line that tells you to press PIO for Functions. This finally lets you use the cursor keys or first letters for the menu at the top.

If you choose Configure, you'll be offered a menu that lets you select a cache buffer in AT extended, LIM expanded, or conventional DOS memory. Whichever you choose, you're limited to a range of 128K to 512K as a buffer size. You can choose whether to enable queued disk

Disk-Caching Software: Summary of Features (Products listed in ascending price order)

	Cache Utility	EMMCACHE	IBMCACHE	SMARTDrive	Quick cache II	Voache	Fast Forward
List price	Included with all models that ship with a hard disk	Free	Included with all PS 2 models	Included with Windows 286 and Windows 386	\$59.00	\$59 95	\$69 95
Cache size (minimum meximum)							
Conventional memory	128K 512K	N/A	16K 512K	N.A	20K Limited by DOS	18K-500K	60K Limited by DOS
Extended memory	128K 512K	NA	16K 15MB	128K 4MB	20K/17MB	16K BMB	1MB
Expanded memory	128K-512K	16K 8MB	N-A	128K 4MB	20K 1.7MB	16K 15 9MB	1MB
Extended memory overhead	16K	N A	19K	14K	42K	20K	58K
Expanded memory overhead	8K	7K	NA	14K	42K	19K	58K
Caches floppy diaks	()	U		U	•	•	•
Caches Bernoulli Box	0	()	0	()	•	•	0
Enables and disables installed cache	•	•		(.)	•		•
Flushes cache buffers without uninetailing program	•		1.7		•		•
la Installable without rebooting	•	.0	•	•	1.1	()	•
Lets user specify drives to be cached					•	•	•
Saves writes in cacha	•	•	•	•	•	•	•
Queues writes before writing	•	U	0	0	•	•	•
Haa write-by-command-only option		0		0			•
Has full-track read option		0		0	•	•	O
Allows files to be locked in cache	()	0	0	0	•	0	0
Displays cache statua settinga	•	•	()	0	•	•	•
Displays cache performance statistics	•			0	•	•	12
Has automated installation procedure		()				4.3	

N.A.-Not applicable, the program does not operate in this kind of memory

writes; when disk writes are queued, single-sector disk writes are gathered into a buffer before being written to disk. And you can choose whether to have the cache turned on at bootup.

If these options seem baffling, you can pour a context-sensitive help screen or call up a more extensive file of tutorial help. Seventeen screens are available that detail how to set up and control the cache. When you're finished with setup, the installation program adds a command line to CONFIG.SYS and you can reboot to start.

using the cache.
Once the cache is loaded, you can enter
CACHE at the DOS command line to display a screen of statistics and a list of the

current settings. If you add parameters to the CACHE command, you can clear, disable, or enable the cache, and turn queued writes on and off. If you enter CACHE and the cache is not loaded, you are shown a screen with the correct syntax for adding the cache to CONFIG. SYS.

EFFICIENT YET LIMITED Compaq's use of a single file for all cache functions is a sign of efficiency of imagination, so it is mildly surprising to find that the cache allows so limited a range of memory sizes. If you load the cache in conventional memory, the minimum buffer size of 128k is too large to let many DOS applications fit

comfortably into the remaining space. And



Compaq Disk-Cache Utility Compaq Computer Corp. 20555 FM 149 Houston, TX 77070

(713) 370-0670

List Price: Included with any Compaq desktop or portable computer that ships with a hard disk.

Requires: 64K RAM, DOS 3.31 or later.
In Short: A middle-of-the road cache that of fers a useful but limited range of options and memory sizes. Distinguishes itself by its efficient use of disk and memory space. Not copy protected.

CIPICLE 660 ON PEACER SERVICE CARE

Flach	PC Tools Deluze	PolyBoast II	Soper PC-Kurit	Lightning	Mace Utilities
\$69.95	\$79.00	\$79.95	\$79.95	\$89.95	\$99.00; Gold Version, \$149.00

\$69.95	\$79.00	\$79.95	\$79.95	\$89.95	\$99.00; Gold Version, \$149.00	
5K/Limited by DOS	64K/512K	5K/500K	84K/512K	20K/Limited by DOS	64K/384K	
5K/32MB	64K/16MB	5K/SMB	64K/16MB	N/A	64K/16MB	
5K 32MB	64K/16MB	5K/5MB	64K/16MB	20K/1.8MB	64K/6MB	
25K	20K	12K	16K	N/A	10K	
25K	16K	11K	7K	23K	9K	
•	•	•	•	•	0	
•	0	0	•	•	0	
•	0	•	•	•	•	
•	•	•	•	•	0	
0	0	0	0	0	•	٠
• 1	•	•	•	•	•	
•	•	•	•	•	•	
•	0	0	•	•	0	
0	0	0	0	0	0	
•	•	0	•	0	•	
•	0	0	0	0	0	
•	•	•	•	•	•	
•	•	•	•	•	0	

if you have a lot of extended or expanded memory available, the 512K maximum is too small to be useful with some large applications and databases.

Some Compaq utilities work with only Compaq computers, but the Compaq Disk-Cache Utility can be used on almost any machine—although queued writes are not available on 8088 or 8086 machines. No special synergism makes the Compaq cache work especially well with Compaq computers. When PC Labs compared the performance of the Compaq cache and Super PC-Kwik on a Compaq 386/20. Super PC-Kwik on a Compaq 386/20.

EMMCACHE

Here's a disk cache that costs you a few cents' worth of telephone connection time to your local BBS, takes up a tiny amount of DOS memory, and speeds up disk repair at a rate equal to the best commercial cache programs. It runs only in LIM expanded memory, but it takes advantage of LIM memory in ways that few other caches even inaseine.

EMMCACHE is the work of Frank Lozier, a mathematician at a midwestern university. It s copyrighted but free of charge. Don't punish the generous author by beseigning him with requests for a copy; get one from the disk library of a local user group, or from an on-line service like PC MagNet or Compu-Serve.

When you've got EMMCACHE on your disk, you'll find that it consists of an EMC110.COM file and a couple of text files. Install the cache by entering a line like this at the DOS command line:

emc110 32 16

The first parameter is the maximum size of the cache as measured in expanded memory pages of 16K each; 32 pages will create a cache of 512K. If you don't specify a size, the cache will occupy all available expanded memory up to a limit of 8MB. The second parameter, which is strictly optional and generally unnecessary, is the minimum number of expanded memory pages in the cache. The only reason to specify a minimum is to prevent yourself from creating a cache that is too small to be of any use. If your expanded memory is already occupied to the point where the specified minimum isn't available, EMM-CACHE will refuse to install.

After you enter the command to create the cache, there's a relatively long pause while the program checks out available memory and creates its lookup tables. A message then appears reporting the size of the cache, and you're ready to roll.

RELEASING EXPANDED MEMORY

Whenever you're at the DOS command line, you can change the size of the cache to release expanded memory for other programs. Because the cache took over a fixed amount of DOS memory on installation for its lookup tables, you can't increase the size of the cache above the maximum size you specified at first. But you can reduce the amount of expanded memo-

FACT FILE EMMCACHE Frank Lozier Available from bulletin board systems. PC MagNet, and CompuServe.

List Price: Free Requires: LIM expanded memory In Short: This compact cache works only in expanded memory. Although it speeds disk writes just moderately, its disk reads were among the fastest tested. Not copy protected CITICLE 649 UN PEACER SERMICE CA

ry used by the cache buffers and later increase it up to the initial maximum. You can also disable or enable the cache or remove it entirely from memory.

EMMCACHE caches reads and writes. but it doesn't queue or sort disk writes. It includes support for multitrack disk reads made possible under DOS 3.3 and later. It won't cache floppy disks. In PC Labs benchmark tests, it speeded disk writes just to a moderate degree, but its disk reads were either tied for first place or only slightly behind.

SPEED AND SAFETY EMMCACHE gives you speed without sacrificing safety. As long as you are certain that you are not using nonstandard disks like Bernoulli cartridges or any other disk that requires a device driver in CONFIG.SYS, EMM-CACHE will deliver reliable and invisible service. It responds to any error condition by clearing out anything in the cache that might be associated with the error-or the entire contents of the cache.

The most recent version of EMM-CACHE, Version 1.10, has been circulating on BBSes for about 18 months. Thousands of copies are probably in use by now, and any problem would long since have been reported. If you obtain a copy of EMMCACHE from a reliable BBS or an on-line service, you'll have a cache that's safe, effective, and free.

Fast Forward

Some software makes you look in the mirror and decide who you really are.

If you're absolutely fearless and have nerves of steel, Fast Forward may be the cache for you. The Mark Williams Co.'s \$69.95 program performed fairly well in the file-reading section of the PC Labs benchmark tests and without distinction in all the other tests. But if you use Fast Forward as a benchmark test of your own confidence and powers of concentration, you'll find there's nothing to match it.

In its default configuration Fast Forward doesn't write data to disk when DOS or an application program wants to do so. Instead it stores the data destined for the disk and writes it later-up to 5 minutes later, if your machine is busy with other tasks. If it doesn't make you nervous to




A disk-caching program should speed up repeated disk accesses to the same data, by storing the data in a cache buffer and referring to the buffer rather than the disk when an application makes requests. Because of the additional writing to the cache buffer, however, caching introduces some overhead to each data access. Typically, the benefits of caching outweigh this overhead, but it the cache is too small to contain the data records, or if there are few records, then

performance can suffer. That explains why, running our largerecord test with a 64K cache, all but two of the programs we tested turned in performance times that were slower than using no cache at all, even those two did not help performance. Because they d not buffer writes, IBMCACHE, EMM CACHE, Fast Forward, SMARTDrive, and Mace Utilities were among the slowest in terms of overall performance. If we had red reading performance alon FMMCACHE, SMARTDrive, and Mace

Utilities would have fared much better. Fast Forward and Mace Utilities did not improve performance in our small-record test with a 64K cache. These two pro grams, as well as IBMCACHE, Quick cache II, and Compaq Disk-Cache Utility. didn't help much when tested with other memory configurations and large records Although the mediocre results for these tive programs in the large-record tests look similar, Quickcache II, Fast Forward, and Mace Utilities performed large-record writes slower than using no cache at all. but they had adequate reading speeds. (IBMCACHE and Compag Disk-Cache Utility, by contrast, do not degrade performance in reading or writing.) If your caching chores will deal mostly with large records and involve a fair amount of writing, then packages like Quickcache II, Fast Forward, and Mace Utilities will not improve and might even degrade

Although Super PC-Kwik was the top performer overall, that ranking is partly due to its lightning-fast speed at creating files, in fact, PolyBoost II was the fastest by a hair at both reading and writing, but was much slower at creating files than most of the other programs we tested. Super PC-Kwik's file-creation times aside. the six fastest programs turned in similar performance times. Among these packages, considerations other than raw speed may be more important.



Performance Times (Times given in seconds)	512K Expanded Memory		512K Extended Memory		64K Conventional Memory	
	Small Record	Large Record	Small Record	Large Record	Small Record	Large Record
IBMCACHE	NA*	NA*	49.53	18.81	69.53	18.89
No cache, 3 buffers	72.11	18.96	72.11	18.96	72.11	18.96
Mace Utilities	49.61	17.52	50.53	17.61	110.26	32.22
SMARTDriva	48.60	13.97	49.86	14.13	NA*	NA*
Fast Forward	46.47	14.93	47.84	16.98	85.87	21.87
EMMCACHE	44.88	12.72	NA*	NA*	NA*	NA*
Quickcache II	23.47	16.00	27.77	19.01	58.46	20.96
Lightning	22.00	6.54	NA*	NA*	58.49	20.70
PC Tools Deluxa	21.68	6.95	24.63	7.91	52.21	21.57
Compaq Disk-Cacha Utility	21.49	18.77	26.80	18.74	NA**	NA**
PolyBoost II	21.26	5.80	23.37	8.81	56.93	19.58
Flash	20.14	8.38	19.21	9.12	56.88	24.87
Vcache	16.49	6.67	18.68	9.51	55.80	18.96
Super PC-Kwik	11.63	4.45	16.49	8.64	40.21	22.94

NA"-Not applicable the program cannot be run in this kind of memory Not applicable the program cannot use a 64K cache

PC Labs fested the disk-caching programs on an 8 MHz BM PC, AT with a 30MB hard disk 640K RAM of conventional memory, and a 449 listel Above Board configured with 2MB of sepanded memory and 2MB of extended memory. We kept all program fees in one partition on the hard disk and used a separate 10MB

paration for the test files.
We ran the DOS File Access benchmark tests using stree different caching software configurations, when available \$12% of expanded memory \$12% of expanded memory.

memory and 64K of conventional memory. We reformated the disk partition used for test lifes after running each set of

Many disk caching programs allow advanced features to be lumed off for improved competibility or for RAM size reduction. We tested the programs using the fastest combination of heatures possible. The DOS File Access benchmark sist measures the throughput rate of the disk being tested. In this case throughput times are measured in terms of how long the

disk states to perform common DOS file-management. Functions Fire tasks—the creation, sequential tile write. Sequential file-read, random file wite, sequential file-read, random file-read.—se file-read—se file-read out for the different types of file-small-eccord files and large-record files—filest are used by common PC applications. Files created using small records are typically used by distalase management groupment and large-records are spocially small records are typically used by distalase. used for word processing and spreadsheet files. Loading a DOS program is also simulated by the large record test



Backing up your data doesn't really take an eternity, it just seems that way.

Unless you have an Irwin'minicartridge tape backup system.

In which case you don't think about eternity. You think about what's for dinner and how you just might



beat the rush hour. Because our EzTape' software lets

you automatically store exactly the data you want, whenever you want.

Without the hassle of complicated commands or complex procedures.

So instead of heading for a case of floppies at day's end, you can head





With an Irwin minicartridge system you can easily share data around the whole office. Even among different kinds of computing systems.

And backup tapes written on one Irwin drive will be read perfectly by a similar or higher capacity Irwin model.

With our patented AccuTrak™

precision tracking technology, you can transfer data from a PC to a PS/2 to a Mac. And vice yersa.

ExStart forey must and deput programming, U to 8 MM of automatic bashop response

ce versa. evening early werkend-whencer you want
Another accomplishment that's

ours alone.

All of which may explain why our systems are the hands-down favorite

over all others combined.
So call 1-800-BACKUP1 for the

Irwin dealer nearest you. Making backups may never become your favorite thing to do.

But an Irwin system could become your favorite way to do it.



© Copyright 1986, breus Magnetic Systems, Inc., 2007 Commonwealth Blird. Ann Arbor, Mil 40105, French and Ellippe or registered Instearals, and Accordible ElSsart and breim BACKUP are Instemnatic of Invite Magnetic Systems. Inc. Other brand or product names ar trademarks or registered trademarks of their respective holders.
CIRCLE 219 ON READER SERVICE CARD



think of all that data floating precariously in memory—data that will be lost forever if your application program locks up or if you suddenly decide to turn off your computer—you have stronger nerves than I do.

TROLE 648 ON READERS

RISAN BLISNESS If your nerves use strong enough for disk writes delayed up to 5 minutes, then you might consider an even riskister point. Fast Forward lets you choose to store data in memory indefinites; yand never write to disk at all until you dro the water by and never write to disk at 10 mil or 10 mil or 10 mil sus an explicit command. Your work will be lost forwer if you don't save to disk before you turn off your computer. The manqual wisely suggests that if you use the mispotion, you should get into the habit of saving at regular intervals.

Fortunately, Fast Forward has a writethrough option that saves immediately to disk, and the program makes this option the default for floppy disk drives. You can also change the maximum delay for the delayed-write ootion.

As you can imagine, Fast Forward is emphatically not designed to be installed and forspotten. You would be wise to keep thinking about it at every moment when you work. To save to disk, or alter any one of commands that let you save data to one or all disks, or disable or unload the earshe, or switch between the options that let you save data to memory or to disk or to the save data to memory or to disk or to the table of the care of the care of the care of the table of the care of the care of the care of the table of the care of the care of the care of the let would be care of the care of the care of the let would be care of the care of the care of the let would be care of the care of the care of the let would be care of the care of the care of the let would be care of the care of the care of the let would be care of the care of the care of the care of the let would be care of the still lurking in RAM. The same commands on the menu can be run from the DOS command line, so you can write a batch file that loads an application and then saves your work to disk when you exit.

You can load Fast Forward's cache in conventional, expanded, or extended memory. A 512K cache in either expanded or extended memory makes you give up 58K of DOS memory. Fast Forward caches only standard disks, not Bemoulli Boxes or anything else that uses a device driver.

UNSETILING QUESTIONS Fast Forward's installation program modifies the contained life to match the removable file to match the removable file to match the removable file to the contained file to the command-line switches or parameters when you must be program anders when you must be program anders when you must be programmed. The install routine asks a series of questions, some of them middly unseries. For example, it asks you to report whether each of your disks its a floopy or hard disks—something that you might expect the cache to be able to figure out for the cache to be able to figure out for the cache to be able to figure out for the

The default bokey that pops up the menu is Ctrl-Right Shift-Keypad S. You're reminded of this combination when the program loads. But if you change the hotkey during installation, the program won't remind you which key you chose. If you forget your bokey, the manual suggests that you run the installation program and choose another.

If your computer has both expanded and extended memory and you tell the installation program that you don't want to use expanded memory, it asks you if you want to use AT extended memory. But when it asks this question, it scrambles the screen so that the question appears half outside the menu, and part of the menu border moves to the middle of the screen. Attention to detail matters a lot in programs that work as intimately with your disk as caches do, so this detail may not inspire confidence. The files on the review copy of the disk dated back to October 1987. Didn't anyone notice that something was wrong?

Flash

Flash comes with so many options and switches that I half-expected to find a parameter that would let me transform my PC into a mainframe or a Mac. I never found it, but it may be listed deep in the README file, along with the rest of the cornucopia of choices that Software Masters keeps pouring into its fast, powerful.

and highly configurable 569 95 cache.
In the PC Labs benchmark tests, Flash
finished fourth in overall times. It produced some spectaularly high scores in
sequential reads and performed consistenby well in most other benchmarks, to
you have AT extended memory but no LIM expanded memory, Flash may be or
your best choices because it includes features that make extended memory said
and efficient as LIM memory. Unlike or
eraches, Flash pives its best performance
eraches, Flash pives its best performance.

in extended rather than in LIM memory. But Flants in it-choosy about the kind of disk it works with. Software Masters' motor to seems to be "lift spins, cache in" You can cache up to 26 drives, including Bernoulli boxes and other installed devices, and hard disks of up to 545MB with sector sizes of up to 84. The program can decide on the fly whether to cache whole tracks on up a few clusters, and it uses propository techniques to sort and queue disk writes to reduce head motion and save time.

LOTS OF OPTIONS No other cache gives you nearly as many options as Flash does. You can set up Flash's buffers in conventional memory, LIM expanded memory, AT extended memory, on a RAMdisk, or even in the memory that in





Think Of It As Steroids For Your Computer.

We've got a problem. We've developed a software product that can increase the speed of any PC system dramatically – so dramatically.

in fact, that we're afraid our customers won't believe us. Using any benchmark or performance test you choose, FAST! multiplies the

speed of your system, by four times six times eight times. Or more, depending on the system and application.

In one unfortunate instance, we were horrified to see a speed improvement of thirtyfold, on a test created by one of our competitors to showcase their own product. We don't know

A Quantum Leap in Performan Literally

what to do

Our superhuman advantage is achieved by very simple means. We took the well-proven speed-enhancement technique called 'disk caching,' and improved it. By a mile. By means of some very clever logic, FASTI anticipates what data your CPU will be seeking, and reads that data from your drive or floppy into a special RAM buffer before the CPU asks for it.

asks for it.
Which means that your CPU spends almost no time waiting for disk reads.

DATA TRANSPER RATES IN KILOBYTES PER SECOND 5,000



Box AT Proper "V" Proper "F" FAST!
On a standardood data transfer performance test, FAST! is 18 times faster than the standard AT- and 4 to 5 times faster than the leading competition.

the most notorious time-glutton of all. The more disk-intensive your application (database, for example), the more time FASTI will save you. And stace FASTI keeps your data in memory, it has the pleasant side-

effect of reducing wear and tear on your drive, thereby extending its life. It's Like Getting A New Computer-For-Just 1999.

For Just 999.

FASTI Is priced at just 599, making it competitive with other disk-enhancement utility products. But left since it whey're not even in the same league. And it's hundreds less than hardware upgrade options like faster drives, turn to boards, or entire system upgrades, while still officing superior speed enhancement. And FASTI works with XI, Al. 366 and FS-12 works with XI, Al. 366 and FS-12 created or remarked EA toomly, curended

If you want to give your computer an unfair advantage, get FAST! To order, call Future Computer Systems at (603) 894-6975. Or, ask your local computer dealer. I want to multiply my system's performance without upgrading the hardware. Send me _____ copies of FAST at \$99 each

	_	
55	_	
_		

۸

Telephone ______ MC Amex
Credit Card Visa MC Amex
Card Number

Expiration ______ Or call: (603) 894-6975



destaurances and an understood of several use by adults to welling to maximize their performance XT, AT and PS/I are tenderarile of Internecessal Research Meditors Composers PSID to a tenderarile of their Composers Sys

BUFFERS AND FASTOPEN: CHEAP CACHE FROM DOS

DOS has its own clever ways of speeding your system's performance.

LCACHE, DOS began to include a ong before IBM produced IBMprimitive cache of its own in the form of the BUFFERS command in CON-FIG.SYS.

Whenever an application asks for data from a disk, DOS stores the most recently read sectors in a buffer. If the application asks for more data from the same sector. DOS can take the data from the buffer and doesn't have to go back to the disk a second time.

Buffers speed up disk reads in the same way. Whenever DOS writes to a sector, it reads the sector first. If the sector is already in memory. DOS can skip the read stage and concentrate on writing the new data to disk

All versions of DOS let you specify the number of buffers you want DOS to keep available in memory. Before DOS 3.3, if you didn't specify, DOS assigned two buffers to PCs and XTs, three to ATs. Starting with DOS 3.3, DOS calculates the default number of buffers depending on the capacity of your floppy disks and the RAM in the computer.

You can set BUFFERS anywhere from 1 to 99, but higher numbers degrade performance because DOS spends too much time searching through the buffers for the data it needs. If you use a separate disk-caching program, set BUFFERS to 3 or 4. If you don't use a separate cache. a figure between 10 and 20 is probably about right.

DOS 3.3 also introduced FAST-OPEN, a separate cache that DOS uses to locate files. When you run FASTOPEN from the DOS command line or AU-TOEXEC.BAT, it opens a small area in memory in which it stores the physical location of each file that you open. When you need to open the same file again, DOS can find its address from the FAST-

OPEN cache instead of going to the disk's FAT and directories. A typical FASTOPEN command

c:\dos\fastopen c:=70 4 - = 30 This tells FASTOPEN to store the locations of 70 files on drive C and 30 files from drive D. You can specify as few as 10 files for each drive or as many as 999 files for all drives combined; the default figure is 34 files per drive. Each file location takes up 35 bytes of RAM, and once you've reached the limit, FASTOPEN won't accept any more data.

If you use a third-party disk cache. FASTOPEN won't speed up performance, and you're better off ignoring it. But if you don't use a disk cache, FAST-OPEN can dramatically speed up access to files buried deep in your directory

structure. But be careful with FASTOPEN. If you use a disk defragmenter utility while FASTOPEN is in memory, you may demolish your data. That's because FAST-OPEN doesn't know that the defragmenter has moved your files, and FASTOPEN will look for them in the place where they were stored before you used the defragmenter. If DOS tries to write to the original location, your files, directories, and file allocation table will be corrupted, and it's time to reach for the backups .- Edward Mendelson

some systems fits between DOS's 640K boundary and the 1MB starting point of AT extended memory. You can put together a single cache comprising all five different kinds of memory. You can force specific files or data to stay in the cache during an entire session. You can temporarily stop adding to the cache if you interrupt one program to use another but want to retain the contents of the cache for your return to the first program. You can store buffer contents to a disk file and reload it into the cache at your next session.

You can even make Flash display an imitation drive-light when it accesses the cache. You can turn off caching of individual drives. You can protect drives against formatting. You can make the Ctrl-Break key combination flush the cache. You can even tell Flash to refrain from adding itself to the cache when you run it to change op-

tions or report on performance.

might look like this:

With caches larger than 512K you can tell Flash to streamline its lookup tables by indexing disk information by track rather than sector. This option, which the instal-


 Flash can streamline its lookup tables to let you create a cache of up to 32MB.

lation program selects for you automatically when you specify a large enough cache size, lets you create a cache of up to 32MB. Without the option, you're limited

to an already generous 3MB.

I normally like to see as many options as possible built into a program, but Flash's enormous range of choices has one disadvantage. The program code carries the extra baggage of options that often take more time to use than they can possibly save. If you create a 512K cache in LIM memory, you lose 36K from DOS's 640K of conventional memory, even when you store the lookup tables in LIM memory along with the cache buffers. You can reduce this to 25K at the price of some speed. The same cache in AT extended memory takes up 31K, but Flash has a unique feature that lets you reduce this to 25K by loading a separate device driver that puts the lookup tables into extended

memory together with the cache buffers. These figures are relatively small, but other caches, some of them equally fast or



No other forms program does so much. So well.

Creation.

Make any form quickly and easily using FormWork with FIIL & FILE." Right on your own PC. No need for costly expenses and delays. Use large type for unmistable headings, small type for inconsignous labels. Propertionally spaced fonts or fixed-spaced type. Take that advantage of leatures on supported printers. Lines print perceity straight and solid on dot matrix and laser printers. The result—business forms that truly look business-life.

Completion.

Easily fill out forms right on screen and get letter-perfect results. Form after form. Simply tab from blank to blank and type in your data, or merge data from existing dBASE or ASCII files. Entries go exactly where they belong. No overwrites. No misalignments. No "white-out."

Print data onto standard forms you already have in stock. Or form and data onto blank paper. Search and locate desired forms and automatically batch print them. Capture data the first time a form is filled out and store it in dBASE or ASCII format. Retrieve and edit data just asseasily.

olution.

The program does math, too. So it all adds up. FormWorx with Fill & File is the most comprehensive forms processing software available today. It's a complete solution that's easy

to use. Start from scratch or modify one of the many forms already made. Changing a form really is as easy as changing your mind.

For just \$149 you get the complete package including 70 sample forms, exceptional manuals, pop up calendar and calculator, and FREE telephone support.

So see your dealer today. Or order directly for fast delivery. 800-992-0085 or 617-890-4499

FormWorx

Reservoir Place, 1601 Trapelo Road, Waltham, MA 02154

DCACHE: THE ULTRAMINIATURE

You can make your next visit to PC MagNet a trip to the cache machine.

In PC MagNet's Utilities Database, you'll find Doug Boling's PC Magazine utility, DCACHE (October 11, 1988), available for quick downloading. DCACHE is certainly the tiniest cache program ever written. Load its buffer into LIM expanded memory, and you'll give up a tiny 1.1K of DOS memory. You can also load DCACHE into DOS memory if you want to give up the space, but not into AT extended memory.

DCACHE speeds up disk reads and writes, often dramatically, and its algorithms strike a clever compromise between those that access a lot of data in the

cache and those that access data quickly. But there's a limit to what you can do in 1,100 bytes of RAM. Larger programs use their extra code to store more data for longer periods and will speed many disk accesses even more dramatically than DCACHE can.

But if your application program needs all the RAM it can find, and other caches take away too much precious space in DOS's narrow envelope, DCACHE can be indispensable. Nothing else gives you extra speed at the cost of so little memory. Even a little cache is a lot better than none.—Edward Mendelson.

memory using the LIM 3.2 specification in memory shared with the cache, or in other extended memory, or on a disk. There must be something you can do with a cache that you can't do with Flash, but if so, I haven't found it.

faster, have fewer arcane options and fit into even less DOS memory. You won't think about this question if you have a 386 machine, because you can use a memory manager like QEMM-386 or 386-0-the-Max to load Flash's code into high memory and not take up any space in DOS.

DEFEATING COPY PROTECTION Flash's distribution disk is copy protected, but the disk modifies itself after you enter your name in a registration screen, and you can then freely copy all the files to as many disks as you like. The installation program asks you a long series of questions that won't be puzzling if you have some basic knowledge of DOS. At the end it gives you a choice between letting the installation program modify your AUTOEXEC.BAT file or writing down the parameters to use when you load the cache. A separate help program gives you copious but misspelled and sometimes obscure text screens with information about parameters and options.

The installation program also lets you install a RAMdisk that shares memory with the cache and a keyboard speedup program. An additional \$25 will get you Spool Master, a print spooler that shares RAM with the cache; \$69.95 will buy you Flash-EMS. which creates expanded

IBMCACHE

Worried that your cache software might violate IBM's rules? One cache that's guaranteed to work on IBM computers is the cache written by IBM and supplied with all



Micro Channel PS/2 machines. Like most IBM products, IBM CACHE is a conservative and solid design. Because it's 100 percent IBM compatible, it may help you skep more soundly. Unfortunately, if you're using IBMCACHE with one of the notoriously slow hard disks on IBM's 80286 machines, you won't get to sleep any earlier.

In the PC Labs benchmark tests, IBM-CACHE turned out to be the slowest each of all. In one limited category of the tests—file reading of small records—file reading of small records—file reading of small records and in all file writes, it produced results that generally were no better and were sometimes a bit worse than no cache at all.

Sharp-eyed readers will notice that PC Labs performed is benchmark tests on an IBM PC AT, not on one of the PS2 computers for which IBM/AC/HE was apparently designed. To determine whether IBM/AC/HE was apparently designed. To determine whether IBM/AC/HE was been as the form a PS2 machine, we ran it on a PS2 Model 80 and compared the results with those of Super PC-Kwik Tunning on the same machine. Even on the Model 80, Super PC-Kwik Compared the results with those for Super PC-Kwik Coll in the small records test and 21 with the large records. Suffice it to say that you wouldn't want to buy a Model 80 merely to get a copy of IBM/AC/A/IE.

FINDING THE CACHE IBMCACHE comes on the reference and setup diskette supplied with IBM's 1872 computers numbered from Model 50 on up, and also with the Model 30 286. As documentation, the Model 30 286. As documentation back of a single page, which turns cout to be all you really need. Don't try to find the program by saking DOS for a directory of the setup disk. Both the installation file and the cache file itself are hidden files, presumably to discourage you from trying to come the setup of the setup disk. Both the installation file and the cache file its order are believed to the setup of the

IBM sensibly wants you to use the installation program, which is in many ways much better than the cache software itself. Insert the reference disk, change the current drive to drive A:, type IBMCACHE, and you'll be presented with a clear and elegant series of menus, complete with help screens available at the touch of the FI

When 30MB just won't do... Seagate's ST251 Family of 40,60 and 80MB drives

If 30 megabytes just isn't enough to satisfy your disc storage requirements, then Seagate's 5.25' ST251 family offers the capacity, performance and interface options you need for any operating environment.

The cornerstone of our family is the bestselling ST251. Available in both ST412 and SCSI interfaces, with either 28 or 40 msec access time, this 42MB drive is perfect for demanding applications.

For 50% more capacity, our ST277 features 64MB of formatted storage, with the same access time options as the ST251. And for performance-driven, high-capacity applications, our 84MB

ST296 has a 28 msec access time and an SCSI interface.

Each drive in the family comes complete with utility software for easy installation and drive partitioning. You can configure the right solution for your computer system by choosing from Seagate's own line of controllers and adapters for the ST251 family.

No matter which model you choose, you'll receive the same high quality and reliability that have made Seagate the first name in dise drives worldwide. For more information on the ST251 family, contact your authorized Seagate Distributor, or call Seagate at 500-488-DISC.











20 MEGABYTE FLEXIBLE DISK CARTRIDGE



20 MEGA

FLEXIBLE DISK

THE MASS STORAGE SYSTEM THAT COMES WITH AN EASY INSTALLMENT PLAN.



easier, Just insert a new Bernoulli Disk Cortrolog

gives you infinite storage and incredible performance. And the more storage you add, the more cost-effective the Bernoulli system becomes. Not to mention providing data security, low-cost transportability, and data transferability between PC, PS/2" Micro Channel" and Apple* Macintosh " machines.

Bernoulli Boxes* are available in internal 51/4" or external 51/4" and 8"

And you

thought high

capacity and

high perfor-

mance were expensive! At

\$83 per 20

megabytes,

Bernoulli*

models. And every one is durable. Inherently resisting head crash and disk contamination, which other systems just can't do. And standing up to mistreatment to the tune of more than 1000Gs of shock force per 10MB or 20MB Disk Cartridge.



are lightweight and fit easily into an owemash temelone

systems, Investigate their performance, how well they protect your data, and what they cost. You'll find out what 300,000

So compare

mass storage

Bernoulli users have already discovered. For outstanding performance, data security and low cost, it makes sense to install

the leader* For more information about Bernoulli Boxes,* contact

vour local lomega Authorized



Dealer, or call 1-800-453-6608



key. The menus let you decide whether to install the cache in DOS memory or in AT extended memory; then they set the size of the cache buffers and decide how many sectors to use in the "page" that that cache mads each time it mads the disk

You won't go wrong by selecting the defaults. If you choose low memory, the cache will occupy 64K; if you opt for extended, 128K. Function keys let you choose among a series of preset buffer sizes ranging from 16K to 512K for DOS memory and up to 4,096K in extended memory-but if you type in a figure that doesn't match the preset choices, the cache will gladly use the figure you prefer. If you have enough extended memory, you can take up to 15MB for the cache. Your choice of page size is limited to 2, 4, or 8 sectors, with 4 as the default. The default page size corresponds to the cluster size on a standard PS/2 hard disk, although 8 sectors should yield slightly better performance with large files.

When you're through with installation, the installation program and the cache it-self are copied to the root directory of your hard disk and the appropriate command is added to your CONFIG.SYS file. The copies on the hard disk have the hidden attribute removed so you can see them and reinstall the cache without hauling out the reference diskste.

IBMCACHE won't cache floppy disks and won't cache any nonstandard disk, such as a Bernoulli box. It does cache hard disks, but you may have to look very closely at the benchmarks to notice.

Lightning

Lighting strikes—it doesn't do polite things that leave your disk unchanged. Personal Computer Support Group's 859.95 Lighting disk cache lives up to its name when it strikes your disk by writing to it. Lighting's scores in the disk write tests were among the two or three fasted it ranks among the speedler reading it ranks among the speedler mane in the file creating it ranks among the speedler mane in the file creating the company of the company of the company of the company of the creating that the company of the benchmark tests kept it out of the very highest ranks in terms of overall exformance.

Lightning doesn't have all the options of other caches, but it has most of the es-

sential ones. You can switch on caching for individual disks, whether floppy of fixed. You can disbale, reenable, or uninstall the cache from the DOS command line and receive a report on statistics. You can even switch on a software equivalent of a write-protect tab for individual drives so that nothing can be written to the drive at all until you give your approach.

An option not mentioned in the manual tels you limit eaching to read requests that involve a specified number of sectors or fewer than that number. This option can prevent a small-sized cache from being cared out and replaced every time you read a large file or run a large program. The forthcoming release of Lightning, Version 5.0, will include an option to lock run of HDDR by the part in memory, and then lock the cache to save time in all disk reads.

If you want a cache that speeds your disk without making you waste time in fine-tuning its options, these are all the choices you inced. For most purposes, Lightning does the job and does it at top the choices you for the choices you for the polymonia of the choices you for the polymonia of the

SUBST, and it can think that you have more disks than there actually are in your machine, but this is only a cosmetic flaw and doesn't affect its operation.

A FUTURE EXTENSION The current version of Lightning exploits DOS memory or a combination of DOS and LIM expanded memory, but it won't touch AT extended memory. Lightning's Version 5.0 will make using extended memory an option. Until then, if you load Lightning without specifying any parameters, it occupies 60K of RAM by default and puts 48K of that into LIM memory if it finds it. That 60K figure is the sum reported by the manual and by the program when it loads. PC Labs measured the RAM occupied by the default configuration as 70K. With LIM memory available, 23K of that total was in DOS, the rest in LIM.

You can use up to 1.8MB of LIM expanded memory for the eache; Version 5.0 of Lightning will occupy up to 8MB. If you attempt to see more, Lightning will refuse to load. You can't tell Lightning to 1sts away from LIM memory if it finds it, although it's possible to imagine situations where you might prefer to keep your LIM memory free for spreadsheets and reserve a cache in DOS memory instead.

To install Lightning, simply enter the letter L at the DOS prompt. To use a larger cache size than the default, enter L followed by the number of kilobytes. The program doesn't come with any installation routine, and you don't need any. The clear but somewhat sketchy manual explains how to modify an AUTOEXEC.BAT file to include the cache. Except for a two-page addendum in the back, the manual seems unchanged from the 1985 version of the program and still refers to a copy-protected version that is fortunately no longer available. The manual also refers to the statistics screen as a "fun feature." I hope the folks at PCSG have found better ways to have fun in the years since they wrote that.

Lightning strikes faster than much of the competition in disk writes, but it lacks the advanced options of some other caches, and its list price is one of the highest of the group. If you buy one of PCSG's well-designed and inexpensive Breakthru accelerator boards for PCs and XTs, Lightning comes in the package, and the combi-



In Short: Very fast disk writes combuned with limited installation options make this a good but not spectacular cache. Not copy protected. nation is a bargain. Even when purchased on its own, *Lightning*'s speed and reliability may make it more of a bargain in the long run than some of its elaborate rivals.

Mace Utilities

Sturdy, reliable, competent—these are the adjectives that seem to have attached themselves to the disk-testing and file-recovery programs included in the Mace Utilities over the past few years. The new Version 5.0 of the S99 basic utility package and the 5149 advanced Mace Gold version won't shake these adjectives loose.

The latest Mace package contains an entirely new set of cache programs: one for AT extended memory, one for LIM expanded memory, and one for conventional memory. Each occupies a very small amount of memory and requires no attention after you've installed it. Each expe-



LE 644 ON READER SERV

dites disk reads impressively but doesn't help with disk writes. In overall performance, the three Mace programs came in second to last, just shead of the ultraconservative IBMCACHE. But in disk reads, especially in the large record tests, Mace often produced faster speeds than any other cache, including the most ambitious.

HANDING DATA TO DOS Mecc's excellent large-record performance is need to its insistence on reading (and writing) afful track every time it stouches the fill track every time it stouches the disk. Because it needs to monitor only the tracks the teeps in its bottler, Marc can maintain a theeps in its bottler, Marc can maintain a data over to DOS. Mace makes you give up a mere 10K of conventional memory when you keep a 512K eache buffer in ALT expanded memory, and 9K when you keep the eache buffer in LIM expanded memory better the cache buffer in LIM expanded memory appetitle as 46K cache in conventional

How the competition stands

Introducing the modern with a sleek new stand-up* design. Telebit's new T1000 Multi-Speed modern. The modern that not ofly looks different, but is different. With more features. More performance. And a surprisingly low price. More modern for less money.

What makes the T1000 so different?
For one, you get a choice of more speeds. The T1000 can send and receive data at 300, 1200, 2400, or 9600 bps using ordinary dial-up phone lines.

So the T1000 can talk to your installed base of low-speed moderns, plus the large installed base of Telebit* and other PEP* highspeed moderns.

But it costs about the same as a

2400 bps error-free modem.

Another difference? The T1000 runs at 9600 bps with any type of data—without compression. Error free. With MNP and PEP error detection and correction.

The T1000 fits right in.

The T1000 Multi-Speed modem even talks Hayes—right from the box. And if you're using the AT command set or even Smartcom III software, we're compatible. You won't need new software. And you won't need new commands.

The T1000 also has internal support for the most widely-used communications protocols — Kermit, Xmodem, Ymodem and UNIX's UUCP. So you can transfer files up to 3 times faster than any other modem.

COURS IN SA.



memory, Mace occupied only 61K-a bit less than the official minimum of 64K. The maximum cache size is 16MB of AT extended memory, 8MB of LIM expanded memory, or 384K of DOS memory.

Installing the program won't take much time. Simply add one line to your CON-FIG.SYS file listing the version appropriate to the memory in your computer: MCACH-AT.SYS, MCACH-EM.SYS, or MCACHE.SYS. If you don't specify a size for the cache, the buffer defaults to 384K of extended, 256K of expanded, or 64K of conventional memory. You can specify caching of the first or second of the physical hard disks in the system (each of which may of course be divided into multiple partitions). Mace won't cache floppy disks or installable DOS devices like the Bernoulli Box.

If you want, a separate CACHCTRL program reports whether the cache is installed and turns caching on or off. Because the cache is a device driver, there's no way to free its memory without rebooting, but it's so small that you probably won't care. CACHCTRL can also run a timing test that compares the timing of disk

reads and writes with the cache turned on and off. With admirable honesty, this benchmark reveals that disk writes are slightly slower when the cache feature is switched on.

There are plenty of good reasons to buy the Mace Utilities. The package includes well-written disk-testing, file-recovery, defragmenting, and directory-sorting utilities, as well as an excellent replacement for DOS's FORMAT command that can help recover data from an unreadable floppy disk. Mace's cache isn't enough to make you rush out and buy the package, but if you buy it for the other programs included, and if you don't have another cache already, you'll find it a worthwhile bonus.

PC Tools Deluxe

Central Point Software's \$79 comucopia contains tools that can do just about anything to your disk except paint it purple. PC Tools Deluxe comes with backup and restore programs, a defragmenter, format and directory utilities, and even a text editor. Of course you get a cache feature in the package as well, and the PC-CACHE program included in the new version-5.0-of the package proved to be as smart and effective as many standalone products. This isn't surprising, since the cache in PC Tools Deluxe is a reduced version of Super PC-Kwik. Central Point knows a good thing when it sees one.

Compared with the full version of Super PC-Kwik, PC-CACHE isn't as fast in file creation, although it's closely comparable in disk reads and most disk writes. In the PC Labs benchmark tests it even surpassed the full version in many tests, al-

> 508 MS MS

up to Telebit's newest modem.

And here's another big difference. Since the T1000 runs the most popular communications software at the highest possible speeds. You can take full advantage of packages like HyperACCESS, Crosstalk-Fast, MicroPhone II, and Acknowledge. Just plug us in, and the T1000 will fit

right in. No matter what your environment. Remote management for ease of use.

Here's the final difference. The T1000 offers a host of remote management features. Including remote access, remote configuration and remote diagnostics.

So get the modem that's head and shoulders above the rest. In features and performance. At just the right price. Telebit's new T1000 Multi-Speed Modem. Call 1-800-TELEBIT or (415) 969-3800, today. Or write Telebit at 1345 Shorebird Way, Mountain View, CA 94043-1329.

Fax: (415) 969-8888

Because no one gets the message through like Telebit.



*optional

CIRCLE 740 ON READER SERVICE CARD





15220 NW Greenbrier Pkwv., #200 Beaverton, OR 97006 List Price: \$79 Requires: 256K RAM: IBM PC/XT/AT.

S/2, or compatible; DOS 2.0 or later In Short: A reduced version of Super PC-Kwik, this cache is a member of a group of utilities but is as smart and efficient as many standalone products. Not as fast as Super PC Kwik in file creation, but produces closely comparable speeds in disk reads and most disk writes. Not copy protected. CHICLE MIS ON READER SE

though this was the result of the choice of parameters we made when testing the full version rather than a sign that the reduced version is actually a more powerful product. PC-CACHE is so similar to Super PC-Kwik that if you try to install it while the parent version is already present in your system, it will refuse to load and will report that it is already installed.

Like its slightly larger original, PC-CACHE doesn't take up much space in RAM. When you create a 512K cache in LIM expanded memory, the cache fills 16K of DOS memory; the same cache in AT extended memory wrests 20K from DOS. It's true that PC-CACHE doesn't have the rich variety of options that are offered by the full version, but you can exclude specific drives from the cache, specify the size of the read ahead buffer, and set a parameter that helps prevent problems with communications software when the cache runs in AT extended memory. You can flush the cache, remove it from memory, or get a report on its performance and parameters.

AUTOMATED INSTALLATION PC Tools Deluxe includes an automated installation process; alternatively, you can add PC-CACHE to the command line. If you don't specify the size and location of the cache, it first tries to install itself in exnanded, then in extended, memory. If it finds 128K or more of either type of memory, it occupies one-half of the available space or 256K, whichever is smaller; but you can specify up to 16MB if you choose. If you have only conventional memory, it defaults to 64K, but you can use up to

512K If you bought Version 4.0 of PC Tools Deluxe, you may already have this new version of PC-CACHE, Look for a README file on the disk that reports that the program has been completely rewritten and allows some additional parameters. If that README exists on your copy of Version 4.0, you have the new Super PC-Kwik-based version of the cache. If not, you have a different cache program that uses the same filename.

PC-CACHE won't give you the advanced disk-writing functions that help make Super PC-Kwik so impressive, but it does more than enough to keep most users satisfied. And it's only part of a package that includes some of the best-written disk utilities available anywhere.

PolvBoost II

The nine (ves, nine!) cache programs in Polytron's \$79.95 PolyBoost II package of disk utilities all share one distinguishing characteristic: speed. In both AT extended memory and LIM expanded memory, the Polytron caches almost consistently took first place in the read and write tests of the PC Labs benchmark series. Their relatively poor showing in the file creation tests and their good but not dazzling performance in conventional memory dragged the package back to the third place in the overall tests, but if what you want most from a cache is speed, one of these nine caches may be the one to choose.

You get eight different caches for eight different combinations of processors and disk types, and you can mix and match to suit your configuration. (The ninth cache is an alternative extended-memory cache in case you have trouble with one of the others.) There are four separate caches for standard hard disks and four for floppy disks. Each set of four has one program that puts a cache in conventional memory, one that uses LIM expanded memory, one for extended memory in an 80286 machine, and one for extended memory in an 80386.

LOADING TWO COPIES Each program can cache one physical drive, but you can load two copies of the same program to cache two drives. Let's say you have an 80286 computer with extended memory, an add-in board that includes LIM memory, and two physical hard disks, the first of them partitioned into two logical drives. Your AUTOEXEC.BAT might include lines like these:

fpyboost b: 32

extboost c: 100 readahead=3 emmboost e: 512

This would create a 32K cache in conventional memory for drive B:, a 100K cache in extended memory for drive C: (and in the process, also for drive D:, because D: is the second partition on the first physical drive), and a 512K cache in LIM expanded memory for the second physical drive. The "readahead=3" parameter causes the cache to read a total of four sectors every time it receives a request to read a single sector. You can specify readaheads of only one, two, or three additional sectors on each read.

Even multiple caches like these won't take up a lot of memory. A 512K hard disk cache buffer in AT extended memory eats away only 12K of RAM from DOS's 640K. The same-sized buffer in LIM expanded memory takes 11K. Although these figures are among the smallest of any



PolyBoost II. Version 2.03

Polytron Corp. 1700 NW 167 PL Beaverton, OR 97006 (503) 645-1150 List Price: \$79.95 Requires: 256K RAM: IBM PC/XT/AT, PS/2, or computible; DOS

In Short: Nine very fast caches, each designed for different disks and configuration The package also includes a hard disk defragmenter and programs that test memory and unload TSRs. Not copy protected. CIRCLE 642 ON READER SEA



WHEN YOL CONSIDER DATA BECKLY MEDIA FOR YOUR SYSTEM, LANG A LOOK AT THESE BECTS. THE BHUD'S CASSETTE FRANKAT GENES HE REGALISTS CARRY MAY BE HESTED. TRANSPER ARE IN PLUS. THE REGALIST CARRY MAY BE HESTED. THE ROWNER FOR THE STATE RELIABILITY AND A COSTEPHENT WE MEDIA ALL ANGLARE HE A. 39° FORM SECTOR. BECAUSE WE RIT THE TAPE TENSIONAL AND CORD WITHIN THE MEDIA THE SECTION FOR THE STATE OF THE



TEAC

We Wrote The Book On Write-Once Optical Storage.

And We Want You To Have One.

As the world's leading supplier of write-once optical subsystems for personal computers, Storage Dimensions has unique insight into optical storage. Our proven LaserStor" family of internal and external Write-Once/Read-Many (WORM) optical disk subsystems offers 786 megabytes per cartridge of reliable, removable storage.

Incorporating the latest advancements in optical technology. LaserStor is a complete, plugand-play solution ideal for data-intensive applications requiring large amounts of permanent data storage. Like CAD/CAM, image processing, desktop publishing, data acquisition, database distribution, archiving, backup and more. Subsystems are available for 286 and 386-based PCs, the PS/2 and Macintosh®

Comprehensive, easy-to-read white paper

Nobody knows optical storage like we do. To prove it, we've prepared the industry's first in-depth report on write-once optical storage for personal computers.

If you're considering optical storage for a PC application, this paper is a valuable tool. It focuses

on a number of write-once optical storage topics including the technology, its benefits and applications, the



market and integration issues. You'll get all the information you need to select the right product application.

Write for your copy today

WRITE ONCE OFTICAL STOR AGE
FOR PERSONAL COMPUTERS

or optical products or a
complimentary copy of
our white paper, contact
the company that wrote
the book on write-once
optical storage. Mail
your request on your
letterhead to. White
Paper, clo Storage
Dimensions.

More In Store:



AWRITE PAPER

2145 Hamilton Avenue, San Jose, CA 95125 (408) 879-0300 LisseStor is a hademark of Storage Dimensions #1989 Storage Dimensions CIRCLE 161 ON READER SERVICE CARD

■ DISK-CACHING

cache, keep in mind that each physical disk requires a separate cache program and a separate expenditure of DOS memory.

Polytron recommends against caching floppy disks when caching hard disks. This recommendation makes sense when using Polytron's approach to disk caching. which uses a separate cache for each drive. But it makes less sense when applied to any of the more elaborate cache programs that can use the same memory pool for caching different disks.

HELPFUL PROMPTS If you install the disk caches manually and the program encounters an error, it prompts you for the correct parameter rather than dumping you back into DOS to try again. You can also use an automated installation program that modifies your AUTOEXEC BAT and gives you the opportunity to use separate programs to speed the keyboard and screen display. The keyboard speeder also lets you edit any text you enter on the DOS command line. The package includes an ultrafast but somewhat dangerous harddisk defragmenter and programs to test memory and unload TSRs. You also get control programs and status displays that operate either as a TSR or from the DOS command line. If you have a cache loaded, you can get a quick report on the percentage of reads and writes because the cache was present, but you can't alter any parameters. The cache is probably working too quickly for you to want to, anyway.

Ouickcache II

If you want absolute control over every imaginable detail of your disk-caching software, you can choose one of two procedures. You can learn assembly language programming and write your own. Or you can use Ouickcache II.

If you let this \$59 program from P.R. Glassel and Associates install itself and set its own parameters, the second of these two choices can be virtually effortless. But if you decide to use Quickcache II's many options and parameters in order to finetune its operation, the second choice may seem almost as complicated as the first.

In the PC Labs benchmark tests, Ouickcache II performed adequately but was not among the better performers. A 512K

INTRODUCING THE NEW VOICE MAIL CARD. IT TURNS ANY PC INTO A POWERFUL VOICE MAIL SYSTEM

Now you can turn any PC into a powerful voice mail system. Without interfering with your normal computing.

It's colled Voice Mail Cord VM-328. And it's the most sophisticated, offordable voice mail system you con buy.

IT'S A FULL-FUNCTION VOICE MAIL SYSTEM

The Voice Mail Card gives you 100 individual private voice mail boxes, each coded by a possword. It takes messages, forwards messages to other phones, just like private receptionist. And of course you can retrieve message remotely from any touch-tone phone.

IT RECORDS DIGITALLY Like the most expensive voice moil systems. The Voice Mail Cord records right on your hard disk. You'll be omozed at the clarity of reproduction.

IT WORKS IN THE BACKGROUND

The Voice Mail Card works 100% in the background. So you'll never know it's there. Which means you can do your spreadsheets. arophics and word processing while it's onswering colls. Invisibly.

IT REALLY IS AFFORDABLE

A simple, elegant application should have a simple, elegant price tog. The Voice Mail Card does. Only \$150 .- All you need is on MS-DOS PC and a hard disk. And a lot of incoming (Product available March '89)

ALSO OFFER OUR FLOPPY DISK DRIVES AS	
5.25" 360 KB Drive for PCs/XTs	\$ 75
5.25" 1.2 MB Drive for ATs	\$ 90
5.25" 360 KB Externol Drive for PS/2	\$179
5.25" 1.2 MB Externol Drive for PS/2	\$219
5.25" Drive for Apple II + / IIe	\$ 79
5.25" Drive for Apple IIc/IIgs	
5.25" Drive for PC Tronsporter	
5.25" Externol Drive for Toshibo lop top	
3.5" 720 KB Drive with 51/4" mounting kit	
3.5" 1.44 MB Drive with 51/4" mounting kit	\$ 99



KINSON PRODUCT CORP. Inside NY 1-800-553-6224 Outside NY 1-800-433-6224

UPS ground, add \$6.00 per drive except \$10.00 per drive for dual-drive system. a (next day air): add \$9.00 per drive except \$18.00 per drive for dual-drive system NY Resident: Please add 8% sales tax.

CIRCLE 193 ON READER SERVICE CARD

ALL PRODUCTS, LOWEST PRICES, EXPERT ADVICE

INTRODUCTORY OFFERS Scence and Technical Reference roler Electronic Encyclopedia

CD-ROM SOFTWARE

omstock Stock Photography On CO NEW ducorp Public DomervSherewere for the Mac Ne New Groller Electronic Encyclopedia \$25 for McGraw 1 to Pockerelf or PCSC (Add \$25 for McGraw) NEW The New 0

McGraw Hill or Dansettine Bible Library
The Bible Library
Krik-Othmer Encyclopede of Dhemical Technology
Registry of Meas Spectral Data
Geovern U.S. Athes and Macroscer

Geovern U.S. Athes and Macroscer

Geovern U.S. Athes and Macroscer

TOLL FREE ORDER LINE . CD-ROM and WORM DRIVES

1503S Externel CO-RDM Drive with Audio . \$729 15035 with Digital Audio Dutput and CD-Capture
Hitachi 35005 Internal 1/2 Height CD-ROM Drive wAudio
NEC Intersect CD-ROM Drives for the Apple/Mac Maxtor 800 M8 WDRM Drive Portable 286 with CO-ROM Drive and Hard Disk CALL

DPUS (889) Prop. skip perek per to go si and Dis of Hach.

DPUS (889) Prop. skip perek per to go si and Dis of Hach.

DPUS (889) Series (essays as CD-Ry das the activity of mer call of the perek per

mpset Disk Products 3 E. 85th St. w York, NY 10028 212/737-8400 x 272-439-913 mpuserve 75530214

Free 3 Month Subscription to CD ROM Review with orders over \$300

INTERNATIONAL ORDERS ustralian Agent: KEWIEL 45 Cotham Rd ew. Vistoria 3101

CIRCLE 261 ON READER SERVICE CARD DEALERS ONLY CIRCLE 523 ON READER SERVICE CARD

People are talking about us.

When professional FORTRAN programmers develop or port large programs they use Lahey's F77L-EM/32 and F77L-EM/16, PC Magazine's 1988 Technical Excellence Award Winners F77L-EM/32 is a fast 32-bit protected-mode compiler tha accesses up to 4 gigabytes of memory on 80386s. F77L-EM/16 gives 80286 users the power to create 15 megabyte programs. These protected-mode FORTRANS include the features that have made them, and our F77L and Lahey Personal FORTRAN, market leaders: full ANSI 77 Standard, VAX and IBM VS extensions, fast compilation, comprehensive diagnostics, and a powerful debugger.





When people talk about FORTRAN the name mentioned most often is



Contact us to discuss our products and your needs (800) 548-4778 Lahey Computer Systems, Inc. P.O. Box 6091, Incline Village, NV 89450 Tel: (702) 831-2500 FAX: (702) 831-8123 Tix. 9102401256

DISK-CACHING

cache installed in either LIM expanded memory or AT extended memory took away 42K of DOS memory, a figure exceeded only by Fast Forward. But if other caches are faster or smaller, none allow greater freedom of customization and fine tuning.

NOT FOR NOVICES Before adjusting Quickcache II to perform at its best, you need some solid grounding in the technicalities of DOS and disks. The manual reflects an obviously sincere effort by the author to make the program accessible to the average user. But the average user that the manual has in mind is one who understands that "flushing dirty sectors" means writing data to disk that DOS or an application program has sent to the disk but the cache has been holding in memory.

By working through the index and cross-references, a nontechnical user can eventually figure out the meaning of "cylinder flush," "lock pool size," and "threshold weight." But that same user may feel left out when he reads a paragraph suggesting that if his keyboard hardware is not fully IBM compatible, he can write a memory-resident program that will tell the cache to flush sectors at the press of

Technically adept users, especially those with mainframe experience, will feel right at home. With Quickcache II installed and running, advanced users can modify almost all parameters on the fly. If





Version 4.03 P.R. Glassel and Associates Inc 30255 Fir Truil Stacy, MN 55079 (612) 462-1337 List Price: \$59

ires: 20K RAM, DOS 2.0 or lat In Short: Total control over options and a technically advanced manual make this a cache best suited for advanced users. An adequate performer, but not one of the fas grams tested. Not copy protected. CROLE 641 ON READER SERVICE CARD

Samtron Color Monitors Make Sense In Black & White.

Whether you want one color, no colors or 256 colors.
Samtron monitors probably have all the specs you're looking for Without all the usual expense. That's because we don't offer you every model under the sun. Only the most popular ones.

Like our new CGA, EGA and VGA series.

Which means they can be mass produced in Korea very economically. By Samsung, the world's largest monitor manufacturer.

Which also means their reliability is world class. And they're designed in the U.S. for a completely American look and feel.

So before you spend too much green on high-priced monitors, check out Samtron's colors.

You'll like the way their numbers look in black and white.



USA HEADQUARTERS SAMEJING ELECTHON DEVICES AMERICA, INC TEL (21) 1002-0425 FAX (210) 1002-0420 PARTE & DEM SERVICE TEL (710) 1702-1702

CUSTOMER BERVICE EAST TEL (800) 227-3376 MC-WEST TEL (800) 277-3376 WEST TEL (800) 543-4750 HOME OFFICE SAMSUNG ELECTRON DEVIC SECUL KOREA TEL (80) 772-4698 TELES STARNEC KISSIT FAX: (80) 772-4679 USA DISTRIBUTIONS SAMSUNG AMERICA IN TEL (201) 592-7900 INCOM GROUP INC TEL (800) 255-8183 SAMSUNG PROFFIC INTI CANADIAN DISTRIBUTIONS CANADIA TECHNOLOGIES IN TEL (416) 800 2025 STEPLING MICRO SYSTEM IN TEL (604) 270-3233 you want to see how performance is affected by setting a 9-sector read buffer and an 18-sector write buffer on drive A: while setting 17-sector buffers on drive C:, you can do so at any time. If you want to

"lock" some files into the cache buffers when you run a program and clear them out later, you can do that either from a menu, from the DOS command line, or from a batch file. You can even alter the internal workings of the cache by fine-tuning the extra priority it will give to retaining sectors that contain FAT and directory entries. You can modify the cache by using any of 40 different commands ranging from "autodismount" to "writebuffersize."

We all must pay taxes... ...even Melissa.

So she gave her dad Tax Shoop 1949.

Tax Shop 1940 because its simply the best tax cohere available for under \$100 notes. The shoop of
No Locks or Limits: Tex Shop 1040 is not copy protected and does not limit

the number of tax returns that may be prepared.

Guaranteed: Melissa and her dad are so pleased with Tax Shop 1040 that they want you to try it. Now in its third year, Tax Shop has been used to prepare


MAXMUM SAFETY. Quirkcack by Installation is designed for maximum stately. If you examine the directory of the distribution disk, you won't find a cache program at all—only a README file, and INSTALL program, and about 15 files with names like [Ol1. These turn out to be compressed files that the INSTALL program expands to their program itself four its bordies into the cache program itself. Don't bottomies into the cache program itself four its bordies into the cache program installation and the INSTALL program insists or medium the INSTALL program insists or

The installation when croates an excutable cache program customized by your computer. If you have an 8088 machine, cut cathe cache program customized cache than you will end up with a different cache than you will if you have an 80388. For safety reasons, this customized file incorporates a bit of your computer's BIOS, and it won't man if you copy it to another machine. The distribution disk is not copy protected, so you can install the cache on more the cache on machine, but each installation may produce a slightly different program.

With your permission, the installation routine will add three lines to your AU-TOEXEC BAT file: one line to set the path where the cache looks for its help files, another to start the cache program to and a third that tells the cache program and attraching your disks. You can add other lines that contain special commands to adjust the operation of the cache.

As these multiple lines indicate, the cache program itself is different from the programs that control it. A "menu-processor" program displays a menu that lets you change parameters interactively; a separate program lets you alter a slightly different set of parameters from the DOS command line; and a third program configures the cache for future operations.

Of course, you can ignore all these control programs and let Quickcache II do its job in its quiet and effective way. If you



The easy way to move files between the 51/4" world of PCs, and the 31/2" world of PS/2s, Laptops, and 386s; Sysgen's Bridge family. Because your PCs, PS/2s, 386s and And here's the ideal controller:

laptops all talk to different floppy disk sizes and formats, they can become frustrating islands of information.

For the simplest way to get files back and forth, just install Sysgen's Bridge products. Presto: Your different com-

puters can talk to common diskettes. Sysgen pioneered bridges. Now here are three ways to simplify your life in a multi-computer office.

Solution 1: Our



50,000 installed. Attach it to your PS/2, and you can read and write files from PCs. Critics and users alike have raved

about its small footprint, ease of use, and dual density capacity of 360Kb and L2Mb. (IBM's drive is twice the size, yet stores only one-fourth the data.)

Every PS/2 user deserves this easy connection to the world of PCs.

Solution 2: Our Bridge-File 3.5 floppy disk drive.

You get 720Kb and 1.44Mb capacities. Connect it to any PC, and you can read

and write files from PS/2s, 386s, laptops, and other 31/2" machines.

Now all your PCs can share files with your newer systems.

The Omni-Bridge Controller.

Controls up to four drives, so you can mix and match 5\4", 3\2", and floppy tape drives as you need. This hot card gives you big storage, plus twice the floopy disk and floopy tape transfer performance rates! At only

Get your computers talking. Call the Sysgen Hotline for the name of your nearest dealer. 1-800-821-2151.

\$95, this is a winner.

556 Gibraltar Drive, Milpitas, CA 95035

CIRCLE 173 ON READER SERVICE CARD

don't like the quiet, you can command it to generate a small symphony of buzzes and beeps whenever it adds data to the cache or reads data already there.

SMARTDrive

If you have a copy of a current version of Microsoft Windows, then you have a copy of SMARTDrive. Microsoft includes this cache program as a way of giving Windows a much-necded burst of speed, if your bought a copy of Windows and decided not to use it, you may still be able to find some use for SMARTDrive. There are better caches out there, but at least you won't have to go out and look for one.

SMARTDrive has two distinctions: it is designed to work with Windows, and it reads files with impressive speed.

DYNAMIC MEMORY EXCHANGE
SMARTD'In'e is the one cache that can dymaincially exchange LIM memory win
Mindows. When Windows needs elbow
room during a computer session, it boroom during a computer session, it boroom during a computer session, it boroom during a computer session, it will
work it is considered to the control of the condown's requirements diminish, it gives
memory back. Windows can do this only
when SMARTD'in's is loaded into LIM expanded memory, Although you can load
the cache into AT extended memory, Winthe cache into AT extended memory, Win-

dows won't be able to borrow that memory when it needs it. SMARTDrive can't be loaded into DOS memory at all, presumably because Windows itself needs all the DOS memory it can get.

In the PC Labs benchmark tests, SMARTDrive generally tied for first place in the file-reading tests when using large records. It tended to lag slightly behind in small records. In file writing and file creation, its performance was worse than the results obtained by using no cache at all. You install SMARTDrive by adding a

line like this to your CONFIG.SYS file: device=c:\windows\smartdrv.

sys512. / a If you don't specify the amount of memory you want SMARTDrive to use, it will create a cache of 256K, although you can specify any figure from 124K to 4905K. The a parameter specifies LiM capanded into AT extended memory instead. The cache displays a report on its size when you book and then becomes invisible for her said of your computer session. Like all devixed drivers, the cache can the termoved CONHIG ASY Bit and reboot the computer session.

SMARTDrive will cache any standard hard disks in your system, but it ignores floppy disks and any disk installed with a

device driver, such as a Bernoulli Box. READING ISN'T BELIEVING Don't believe everything you read about SMARTDrive in the Windows manual. Microsoft tells you, "When running Windows, you should use SMARTDrive as replacement for any memory-disk program (such as VDISK) or any disk-caching program (such as Vcache or Lightning)" cause other cache programs aren't "designed to work with Windows to make the best use of the memory in your computer." If you intend to use nothing but Windows applications and you plan to load SMARTDrive into LIM expanded memory, and it you don't have much memory to spare, this statement may have some plausibility. Other caches can't dynamically reduce the size of the buffer when Windows needs space, and Windows doesn't make much use of a RAM disk

But the recommendation in the manual is of questionable value if you use non-windows programs or intend to keep SMARTDrive loaded into AT extended memory. When SMARTDrive takes up space in extended memory, it holds on to that memory unify jour reboot; it can't share it with Windows. You'll get better results from any of the faster cache programs.

And if you have a lot of LIM memory available, you'll get the best results of all by reserving 512K for a fast cache program and letting Windows use the rest. In our tests, Windows applications loaded more quickly with a 1 MB Super PC-Kwik cache than with an equivalent SMART-Drive cache.

One common misconception about to SMARTDrive is that it works only with Windows and nothing else. SMARTDrive as stays active when you exit Windows and continues to cache data that you read from your disk or write to it. If all you do is read files, SMARTDrive is more than adequate. If you decide to get some real work done and write something to disk, you'll want a faster cache.

Super PC-Kwik

In a world where disk-caching programs tend to have knockout names like Warp-Speed, the name Super PC-Kwik sounds like a tongue-twisting mouthful. Don't be misled, though. In overall performance, Multisoft's \$79.95 Super PC-Kwik roared





memory with Windows, SMARTDrive reads

files with impressive speed. Otherwise it is

undistinguished. Not copy protected

HOW TO PROTECT YOURSELF FROM THE **NEXT CRASH.**

Don't lose valuable computer files due to hard disk crash or operator error. Protect yourself with Mountain Computer's new tape backup system. FileSate." The only system that backs up your data automatically. Even while vour IBM* PS/2" XT® AT® or compatible is working unattended.

With FileSafe, your files can be automatically copied onto convenient, pocketsized. "" tape cartridges. Giving you the highest quality, reliability and value.

An industry leader for over a decade. Mountain backs all its wide range of internal and external FileSate systems, available in capacities from 40-600 megabytes, with a full 12-month limited warranty And a worldwide reputation for responsive service and support. There may

not be another Wall Street crash, but the data on your hard disk is always at risk, Back it up with FileSafe, and protect yourself

from the next crash. For more information Mountain FileSate dealer call toll-free today. No one backs you up like Mountain Computer.

and the name of your nearest







Super PC-Kwik

Speed is the only reason to use a disk cache, but speed isn't the only criterion to use in choosing one. The best cache program is the one that speeds up disk activity while occupying the least DOS memory and adapting to the special requirements of your work and your com-

pater.

Super PC-Kwik is the fastest
cache program available, and it's
also the cue with the most useful and
sersible options. Fou can squeeze it
down to as little as 8% of RAM and
still maintain a half-megabre cache
in expanded unmony. You can also
benefit from its speed and intelligence if you keep the cache in convariational or extended unemory.
When you combine it with the
RAMdisk, print spooler, and other
arrowants in Multing's PC-Kwik

other cache you can buy.

If you don't want to buy a separate cache program, you can get a reduced version of Super PC-K wik as part of the current version of the PC Tools Deluxe disk utility package. But nothing approaches the fleet intelligence of the full version.

Power Pak, Super PC-Kwik makes

better use of your memory than any

into first place in the PC Labs benchmark

Speed is only one of this program's many attractions, Super PC-Kwik is Super PC-Kwik is one the most adaptable and easy to use of all caches, with advanced options that lead such as the superior of the superior of the substance of the superior of the superior of substances of the superior of the substances of the superior of programs that let you share a single memory pool among the cache, a print spooler, a RAMidisk, and core a utility that can play back data written to the screen.

in the overall speed trials, it wan't first in most of the individual tests. In fact, in the read and write tests, it generally came in second or thind. But in the file creation test it demolished the competition, often producing results three or four times better than those that its closest rival produced. Its preeminence in this test, combined with its overall excellence in the other tests, put it far abead of the pack.

TAILOR-MADE FOR LIM Super PC-Kwik and LIM expanded memory seem to be made for each other. Although the program does an excellent job in conventional and AT extended memory, its impressive speed records are set in LIM expanded memory. Super PC-Kwik also knows how to store much of its own code, in addition to its cache buffers, in LIM memory instead of filling up valuable space in DOS's 640K. If you create a 512K buffer in LIM memory, Super PC-Kwik normally occunies a mere 16K of DOS memory. If you're willing to trade away the slight benefit of full rather than partial track reads. you can reduce the program's share of DOS RAM to a mere 7K. To get an equivalent 512K buffer in AT extended memory, you have to give up 43K from DOSalthough an optional parameter lets you reduce this to 16K in exchange for slightly reduced performance.

This small amount of code contains an impressive range of features, all of which can be switched on or off to suit your needs. Super PC-Kwik uses algorithms that optimize disk writes to reduce head movement and to reduce the number of rotations required to write to disk. Multisoft decided for safety reasons to omit any time-delayed disk. writing options, but you can assign disk reads priority over disk writes.

The program normally doesn't waste time writing to disk, if it finds that the data waiting in the cache matches the data ordisk, but you can turn off this option for better performance in AT extended memory. You can also made disk writes continue in the background while your application goes on with its word. When you copy filles to a flooppy, you'll be pleasandly surprised to find that you're back at the DOS prompt long before the copies are complete and the drive light genes ed?.

MODERN CONVENIENCES All the best modern lauries come with the program. You can flush the cache, temporaries, and the convenience and parameters, and remove it from memory disable in, headen of the memory divines, or call set different defaults for floopies and hard disks. Super PC-Was words with partitions larger than 3Kw and with the Bernoulli Box, and has no trouble with RLL or ESIO drives. With 3K6 memory and with the memory divines with Schot and the convenience of the convenienc

Installation of Super PC-Kwik is as straightforward as possible. A batch flie copies all the files to your hard disk and optionally adds a line to your AUTOEXEC BAT. Although there are 18 optional

■ Installing Super PC-Kwik is straightforward: it can determine almost all of its own settings.

commad-line switches, you can ignored in of them because the program can determine its own best settings. If you have LIM expanded memory in your machine, Super PC-Kwit uses all that's available, up to a limit of 16MB. No expanded memory on board? Then the program looks forything it finds, up to 16MB. No extended memory either? The program settles for conventional DOS memory, set asside conventional DOS memory, set asside requirements.

At the same time, it configures itself to much your hardwar. If you have an AT or 386 machine, you automatically get and or was a summarized to the same and the same your drives are nonstandard or work with device drivers, Super PC-Kwit tests them to see which of its advanced options are usual leads, it incorporates one of six different subsidiary filter from the disk; since each of these filters on taken see the same appropriate to different hardware configurations, the pro-

First, CD-ROM was born. Now, it's about to grow up.



You're looking at the new CD-ROM reader from NEC. While it is one of the most advanced products of its kind, it is just one small part of our commitment to help CD-ROM technology grow to its full potential. A commitment that includes the development of not only hardware, but software, educational materials for end-users, and training programs for sales personnel.

The fact is, we're determined to do the same thing in the CD-ROM category that we've done in so many other categories: make it big. For literature, call 1-800-826-2255. For technical details, call NEC Home Electronics (USA) Inc. at 1-312-860-9500 EXT. 4262.





BERNICE IS ABOUT TO MAKE GRILLED CHEESE OUT OF THIS MONTH'S PAYROLL RECORDS.



What would you do if your lunch shorted out the toaster oven, which caused a power dip, which caused head crashes on every hard disk in your department?

You could leave town,
Or you could blame it all on the boss for not
providing adequate power conditioning.

Dynafech's Surge Sentry*products are more than adequate. So much more that PC Magazine named them Editors' Choice.

The DSD models not only provide patented three-stage surge suppression, but also protect your hard disks from head crashes caused by sags, dropouts and blackouts. The DSDLP models offer the same safeguards, but include the phone lines as well as the power lines—to protect your system's moderns. FAXs and other telecomm agar.

Both product lines come with status lights on power and protection circuits, and RF/EMI line noise protection. Plus full lime technical and service support, a 10 year warranty, and Dynatech's \$5,000 Buyer Protection Plan.

Call us at 800-638-9098. We'll send you our free educational packet and directions to your nearest Dynatech Dealer. And hurry.

Before Bernice heats up another sandwich.

COMPUTER POWER, INC. 5900 BITLER LANE SOUTHS WILLEY CA BROBS (408) 439-5760



gram doesn't have to waste RAM with code that supports other configurations. The manual, which is written in lucid English, gives detailed guidance on which options to choose on your own.

At \$79.95, Super PC-Kwik is one of the more expensive caches, but it's one of the very best. If you have a computer made by Dell, Hewlett-Packard, or some other vendors, a reduced version of the program comes with your machine. The cache also forms the core of Multisoft's \$129.95 PC-Kwik Power Pak. This includes the full disk cache itself, plus a print spooler, a RAMdisk, a screen-recall program, and additional programs to speed up the keyboard and the screen display. The spooler, the RAMdisk, and the screen-recall program ingeniously share the same memory pool carved out by the cache. The RAMdisk takes memory from the cache only when it needs space to store files; the print spooler occupies memory only while storing data destined for the printer. When you aren't using the spooler or the RAMdisk. the cache reclaims the memory for itself. This set of programs lets you use your expanded or extended memory without wasting a single byte. And Super PC-Kwik, either alone or in combination with these programs, lets you use your disk without wasting a microsecond.

Vcache

Vcache is compact, capable, and fast—offering a small but sensible set of options and low memory overhead. You can feel confident about this \$59.95 program from Golden Bow Systems when you install it, and then, as with all good cache software, you can forget that it exists.

In the PC Labs benchmark tests, toache cut an especially fine figure in the read and write tests, especially when tested with large records. Only its lackluster showing in the file-creation test kept it extracted by the conventional memory and, like most caches, was faster in LIM expanded memory than in AT extended. With a 512K cache in LIM memory, it onthat the conventional memory is that the conventional memory is to the conventional memory is to a AT extended memory has up 20K.— The distribution flisk gives you achoice of these programs for hard disk caches and a fourth for Boyers. For hard disks you can load CACHE in conventional memory, ACHE-AT in a Textucode memory, and CACHE-EM in LIM expanded memory, and CACHE-EM in LIM expanded memory, and the same set of options, with an additional option for the control of the c

SPEED BY DEFAULT You'll probably get the fastest results by using Vcache's defaults and simply adding the appropriate program to your AUTOEXEC.BAT. By default, Vcache will determine on the fly whether you are performing random or sequential reads; if it detects sequential reads, the program will scoop up additional sectors into a read-ahead buffer during each read. The default setting is 4K for ATs and 2K for XTs, but you can specify up to 32K. You can determine the optimum size for this setting by calculating the size of a single track on your disk, so that the cache takes full advantage of any single rotation. The manual isn't explicit about

■ If Vcache can't find free time to write to disk, it sounds a "snooze alarm" every 5 seconds until the writes are finished

this, but it offers a buffer size of 8K as a possible example; 8K will be right for most AT disks.

Veache uses the same buffer for storing its delayed writes and lets you specify a delay value of 1 or 2 seconds—or no delayed writes at all. If the program can't find free time to write to disk; it sounds a "snowe alarm" every 5 seconds until the writes are



finished. You can turn off the snooze alarm if you prefer to get some sleep while the eache waits its turn to write. It also tries to intercept Ctrl-Alt-Del and finish all deferred writes before rebooting.

CACHING 12 DISKS If your disk uses a device driver rather than standard BIOS calls, Veache will cache it anyway. It lets you cache up to 12 such disks as long as no more than four device drivers are involved. Unfortunately, the current version won't let you cache a Bernoulli Box and a hard disk at the same time; it caches the hard disk only. Veache will successfully cache a Bernoulli box if there's no hard disk in the system. A command-line opfion lets you cache nonstandard disk partitions larger than 32MB, but no special ontions are required to cache disks partitioned with Golden Bow's Vfeature software

The VKETTE floppy disk cache queues writes so fast that you return to the DOS prompt before the drive light goes off. Separate programs also included on the disk speed screen writing and the keyboard tyomatic rate.

Vcache's manual is short and sweet.
You don't have to waste time tuning this cache to meet your needs, but you can gain a lot of time using it.

Edward Mendelson is a contributing editor of PC Magazine.

HeadStart III:



At Vendex we design every computer as a complete system. We inte-

grate peripherals usually offered only as options. All you have to add is electricity.

So your HeadStart III is productive from the moment you open the box.

Convenience. The HeadStart III' incorporates both a 1.2 megabyte 5.25-inch flooppy drive, both standard, so you don't have to choose between the two Our 'bridge technology' lets you boot a disk from the design of the choose between the two Our 'bridge technology' lets you boot a disk from the design of the two out of th

either drive and software select your drive configuration.

In addition, the low

profile and small footprint of the HeadStart III make it ideal for even the smallest workstation.

Performance.
The heart of the

HeadStart system is a 12MHz 80286 processor with a hefty one megabyte of standard RAM. Our hard drive system delivers a full 32 megabytes of storage operating at 28 milliseconds with astonishing 1 to 1 interleave.

But we don't stop there.

True 16 bit built-in VGA Graphics is component matched for high speed and clarity. Even our 101-key PS/2 type keyboard has been tailored for speed and durability. Expandability. The HeadStart III' is engineered for your future applications. It has been designed to give you 3 empty full-sized expansion slots for networking or accommodating the many diverse peripherals that are available today and tomorrow.

In fact, the Head Start III is truly OS/2 ready. You can add two full megabytes of RAM without having to buy any additional boards.

Flexibility, Virtually any combination of peripherals can be attached without ever opering the computer. Two serial ports, one parallel port, a bus mouse port and even a game port are all standard.

Publis

Value. Going beyond DOS which is of course standard, an unprecedented package of 14 name brand programs worth thousands of dollars are included FFF with your Head Start III'

Support. Our <u>P.C. COACH</u>, nationwide toll-free hotline is available free to registered owners.



The Only Board Desktop Publishers Will Ever Need.

Introducing the first in a completely innovative line of products designed to make quality desktop publishing both affordable and easy: Publishers VGA" from Willow Peripherals Inc. It's the first peripheral that's a VGA board and

frame-grabber in one package!

VGA Brillianco...
And Beyond

Publishers' VGA gives you the

graphics your desktop publishing demands. It offers the same excellent resolution and color enhance-

ment users have come to expect from the industry's leading VGA's – 640 by 480 pixels with 16 colors, or 320 by 200 pixels with 256 colors with 256K. (With 512K, you can support 1024 by 780 pixels resolution with 16 colors or 800 by

600 pixels with 256 colors.)
Publishers' VE publish

But that's only half the picture.

Publishers* VGA also incorporates a video capture board or 'frame grabber.' This allows you to preview images from your video camera or tape player on your PC monitor, and save or "grab" them in 1/60th second for immediate use in your newsletter, brochure ... whatever document you need!

The VGA/Frame-Grabber Advantage: From Screen To Page, Instantly!

Let's say you want to incorporate an image into a document. Just hook your video camera or tape player to your Publishers' VGA card. Because it's a true VGA, Publishers' VGA can send images directly to your PC screen before they are captured. There's no need to purchase a second monitor to pre-

view images before they're saved. When you find an image to incorporate in your

document simply hit the keyboard. Publishers' VGA will capture the image in 1/60th of a second! Your image can be saved in virtually any accepted graphics

format, including TIFF, PCX, IFF, and EPS. Once saved, enhance the image with software ackages like Deluxe-Paint II and Publisher's Paintbrush. Then build it into

over document your document with publishing software packages like Aldus® Pagemaker or Ventura® Publisher. The Total Picture For Desktop Publishers. At A Completely Practical Price

Publishers' VGA is the only peripheral that offers desktop publishers the benefits of a VGA and a frame-grabber in one package. Willow Peripherals Inc. is prepared to stand behind this breakthrough



product with 100% testing and a three-year

performance warranty.
And at \$699, Publishers' VGA
is priced up to \$1000 less than a
comparable VGA and framegrabber combo. It's unquestionably
the desktop publishers' best value.
For order information, please call

For order information, please call 1-800-444-1585 ext. 85. MasterCard an VISA orders will be accepted. For furth technical information, call the number above and ask for Lee. Dealer inquiries

Willow Publishing Peripherals

At A Practical Price ...
Willow Peripherals Inc.
800 Willow Avr. Brons. NY 10454

Bagainered and assurgationed malmoration warm. Publisheet: Wide Willem Exception his in: Compact Compact Compact Composers and Landshift Washed Company. Askin and Pape Mader Visibes Companion. Without Published Company. Askin and Pape Mader Visibes Companion. Without Published Company. Askin and Published State Companion. Company.
COMPROMISING RESOLUTIONS 814 MONITORS BUILD ON VGA

You're not the only one who covets the sharp, detailed graphics displayed on the screens of high-priced computer-aided design (CAD) workstations. IBM, too, recognizes that there's no substitute for high-resolution images. To bring 1.000-plus lines—the generally accepted minimum for design work—to the PC mass market, IBM has developed the 8514 display system, comprising both a monitor designated by that number and the 8514A display adapter.

Depending on who's talking, the 8514 system is either the next important standard in PC displays or a substandard system that offers too little for too much. According to those who hold the former view, the 8514 system offers a workable compromise between sharpness and cost. It achieves on-screen resolution high enough for true CAD use without demanding the

With an 8514/A display adapter and an 8514 monitor, your Micro Channel PS 2 system can achieve on-screen resolution that's good enough for CAD work. But does this new standard represent a truly workship compromise between sharpness and cost? price of exotic display technologies. Those who hold the latter view say that 8514 is neither sharp nor cheap enough. It's not such a big step up from VGA, they contend, yet it costs more than a low-end Microc Channel system unit.

Which of the two views turns out to be correct will probably depend mostly on whether the compatibles industry takes up the 8514 standard. Competition should drive prices down and make 8514 the most affordable display system with real CAD potential.

Moreover, it will take the compatible manufacturers to move the 8514 system from PS/2s to classic bus PCs and ATs. The IBM 8514/A display adapter is available for only the Micro Channel, and IBM has renounced any plans to build an equiv-

alent for the AT bus.
Whether the industry will embrace the full standard is still open chobate, but this treview of 8314 displays shows that at least half the problem is nigh to being solved. Monitors capable of handling 8314 images are already available in force, and they add tittle if any price premium over the demands of ordinary VoR applies. This is due in large part to the modest precessions over the demands of the problem of the p

In fact, for many manufacturers of compatible displays, the extra cost of 8514 compatibility is just about nothing. All that the new monitor standard requires is a new cable. Both the horizontal and vertical scanning frequencies used by the 8514 system are well within the range of many existing multiscan displays. If you already own one with enough range, you can simply unplug it, slide its inputs over to your 8514/A display adapter, and put two and a half times as much information on your screen. You can also bet that those multiscan models that fall shy of the needed frequency reach are being tweaked by engineers to handle the new 8514 signals.

Under the real 8514 standard as promulgated by IBM (which offers no multiscan displays), backward compatibility with VGA is a necessary part of all 8514 displays. For instance, IBM's own 8514 display, although not truly a multiscan display, works under all the modes available with the VGA video standard. You can

plug an 8514—or an exact match from a compatibles manufacturer—into your computer's VGA system today. When you need (or can finally afford) the added resolution of the entire 8514 system, just buy the 8514/A display adapter, and you'll get

better on-screen quality.
There's another side to the VGA compatibility of the 8514 standard. Unlike other IBM display systems, just adding in a new adapter is not enough to put higher resolution on your screen.

Without specially written software, 8514 displays act as though they were ordi-

Without specially written software, 8514 displays act like ordinary VGA monitors and the higher resolution of the new system is wasted.

nary VGA monitors. Their higher resolution comes into play only when the applications that you're using take advantage of the special features of the 814 system. Run your favorite word processor or spreadsheet, for example, and you'll be looking at an ordinary VGA image on a much more expensive display. If you don't have software that calls for an 851 d display system or you don't plan on buying any, the higher resolution of the new system will be wasted.

The \$514 display system can also operate in conjunction with the VGA built into your PS2 and your VGA monitor. Who your pS22 and your VGA monitor. Who your need and VGA monitor will display the same image. One you shift into 8514 mode, the \$514 will show its high-resolution image independently of your VGA display. Programs can be written to pat one image on the VGA display and another on the \$514, both in full color, for a true two-disolay vasteria.

THE EVER-EVOLVING PIXEL More than the 8514 display, the heart of the new IBM video system is the 8514/A display adapter. The 8514/A sets all the operating parameters of the system, determines its resolution, and offers a unique program in-

From the standpoint of the display, however, the 8514/A display adapter looks like a simple extrapolation of the VGA system. As with VGA, the 8514 system uses analog signals. Under both the VGA and 8514 standards, the analog video signals vary from zero volts (which leaves the screen black) to 0.7 volts for full intensity on the screen. The new standard is built around the same digital-to-analog converter (DAC) that allows for 256 different colors on the screen, drawn from a potential palette of 262,144, when the 8514/A adapter is topped off with its full memory quota. As with VGA, the 8514 video system also allows for monochrome displays. automatically mapping colors to 64 shades

of gray on the screen. The 8514 standard differs from VGA in its resolution. Where VGA systems operate at four resolutions-640 by 350 pixels for compatibility with EGA software, 640 by 400 pixels for compatibility with CGA software (by double scanning 640 by 200 pixel images), 640 by 480 pixels for VGA graphics, and 720 by 400 pixels for VGA text-the 8514/A display adapter adds an additional level, 1.024 x 768 pixels. The increased resolution results in a 250 percent increase in the number of pixels on the screen, from 307,200 in VGA graphics mode to 786,432 with the 8514 standard. That increase demands a wider bandwidth from the 8514-compatible displays, because the dot-clock frequency has moved up from the 25 MHz used for the VGA to 44 MHz for 8514.

Note that many of the displays reviewed here claimed bandwidths more modest than the demands of the 8514 do clock. Several manufacturers list the maximum on-screen resolution of their products as somewhat less than that of the 8514 display system. In theory, such a shortfall should result in a lack of on-screen sharpness. The edges of lines and characters should appear less well-defined, even fuzzy.

In testing, however, none of these dis-

plays demonstrated an obvious inferiority attributable to inadequate bandwidth. Only when we minutely examinined the screen did differences were severed did differences were less noticeable than the missiligament (misconvergence) of the display, In all of the 8514-compatible displays returned here, convergence—not bandwidth—appears to be the major obstacle to no-screen sharpness when operating under the 8514 standard.

SCANNING WITH PERSISTENCE
Beyond bandwish, the \$514 system also requires different vertical and horizontal frequencies than are used by the VGA standard. The horizontal scanning frequency is steped up from VGA's 31.47 kHz to 35.52 kHz in the 8514 standard. The change in vertical rate is more complex. The \$514 standard reduced the vertical frequency (firms reate) to 43.48 Hz from the \$9.94 Hz used by VGA. But \$144 flephys are interfaced, so the actual image is vertically used twice for each frequency (firms) and the standard reduced the vertically used to the form of the firms of the standard reduced the vertically used to the form of the form of the form of the form of the firms of the form of the firms of the form of the firms of the f

An interlaced display scans down the face of the tube twice for each image frame it displays. Each time it scans down, it traces out every other scan line. On the first pass, it might illuminate the odd-numbered scan lines; on the second pass, it will scan even-numbered lines.


Interfacing permits greater on-screen resolution with narrower bandwidth signals. Minimizing bandwidth is important because once the dot clock gets much higher than that used by the 8514 standard, the normal transistor-transistor logic TTLD-circuits used in the PC are not good enough. Emitter-coupled logic (ECL), thips must be used inseed, and they are expensive both in cost and in the power they require.

One way of trimming the signal band-width is to lower the frame rate, or refresh frequency, by the same number of times per second that the image is being scanned. The frame rate of any video standard is invitably a compromisse. Cost considerations argue for a low frame rate. Quality demands a higher rate. The frame rate capanot be made too low, because when it falls below 90 or 60 Hz, you can see the on-

Screen Sweeps: 8514 vs. VGA

Interlaced display

An interfaced display system such as the 8514 scans alternating inter of the screen using two passess to produce the whole image. Each plass occurs in I've second, producing a second, producing a second a noninterfaced display would take. If the phosphors that were illuminated in the first pass do not persist long enough for the second pass's lines to be drawn, the screen will appear to be



Noninterlaced display

A noninterfaced display system such as the VGA traces each scan line in succession from top to bottom. This procedure is accomplished in less than ½ second, so the viewer perceives the image as a whole before it is altered.



screen image being traced.

Interlacing makes this phenomenon less obvious because double scanning the image apparently increases the frame rate by a factor of two. Instead of 44 Hz, the interlaced 8514 display appears to have a frame rate of 88 Hz.

Interfaced images may will flicker—the perception of flicker is quite subjective and varies from person to person—and the effect is most noticeable when the screen viewed at close range. To eliminate the last trace of flicker, manufacturers often use medium—or long-persistance, phosphors. For example, IBM chose medium-persistence phosphors for its 8514 display. Phosphor dots on most video screens glow only a few milliseconds longer than the period during which they are struck by the scanning electron beam in the display tube. (The beam itself lingers over dots but briefly—about 35 nanoseconds in most VGA modes and only 22 ns. under the \$814 standard.) Long-persistence phosphors may stretch the intent of that glow to 100 ms. or more, bolding the light over the flash of several frames (which, under the \$814 standard.) are the \$814 standard. In search.

Long-persistence phosphors have their cwn problems. They don't glow as brightly as short-persistence phosphors, resulting in dimmer screens. And their images decay so slowly that they can leave ghostly trails on the screen. With long-persistence phosphors you trade one irritation (flicker) for another (image lag).

SOFTWARE CONSIDERATIONS From the standpoint of your programs, the 8514 video system appears entirely unlike anything IBM has marketed before. Instead of using BIOS instructions or direct movement of data into display memory, the 8514 system incorporates its own higher-level language called the Application Interface. This language allows the 8514/A to take over some of the work usually left to the host system's microprocessor. For instance, instead of making the microprocessor calculate every dot on a line to be drawn across the screen, the 8514/A will draw the line itself from a few relevant parameters supplied by the host system. In effect, the 8514/A acts like a display coprocessor, speeding up not only the rate at which images are drawn but also the entire computer, because its labors are

favorably divided.

The 8514/A Application Interface is at its best in CAD applications. However, the display adapter also includes support for proportionally spaced and downloadable fonts that will likely prove handy in desk-

top publishing and related applications. IBM intends to make the Application Interface of the 8514/A into an industry standard. That means that future products (at least those from IBM) should also use the same instructions to accomplish the same on-screen purposes. New, higherresolution products (such as those that do away with pesky interlacing) can be created that will remain compatible with software written to use the 8514/A Application Interface, Moreover, manufacturers of display adapters compatible with the 8514/A should not have to worry about exactly duplicating IBM's hardware: compatibility with the Application Interface should be all that's necessary-at least in theory.

Unfortunately, the Application Interface is not uniformly fast at everything. For many operations the old-fashioned way of doing things—moving bytes directly into video memory—is much faster than going through the interface. (Some sources indicate that direct writing averages four to five times quicker.) Consequently, what may be the most important 8514/A application, the OS/2 Presentation Manager, will sidestep the Application Interface.

Because of the design of OS/2, however, the failure of Presentation Manager to use the Application Interface does not mean the manufacturers of 8514/A-compatible display adapters will have to exactly duplicate the IBM hardware. Under the

The 8514 standard

as it exists now pushes

many 8514-style displays

appears to be a

development plateau

rather than a final goal.

OS/2 model, driver software will help any hardware product achieve Presentation Manager compatibility.

From the standpoint of buying an 8514 display, the display adapter interface situation is a mixed blessing. Display adapter interface situation is a mixed blessing. Display adapter manufactures that elect to transcend the interfacing of the 8514/A yet maintain software compatibility through the Application Interface may make products that require higher bandwidths and won't work with today's 8514-style displays that lack multiscan ability.

Then again, the 8514 standard as it exists now pushes many such displays to their limits. The 8514 standard appears to be a development plateau rather than a final goal. Nevertheless, it's probably a safe investment for at least the next vear or two.

STANDARD SIGNALS The 8514 display standard goes beyond dots and Hertz, heigh however. Under the IBM standard, both the monitor and the display adapter have a ratio,

means of signaling to the other its identity. The monitor uses a set of three special connections on its interface cable. Combinations of these signals indicate whether the connected display is an 8503 monochrome display, 8313, 8312, or 8514 color display. From these signals the 8514/A display adapter knows what colors and frequencies the display can handle, and it won't send out anything that's incompatible with the display with properties with the display with the display can handle.

At the other end of the connection, the display adapter signals to the display its operating mode by changing the polarties of its vertical and horizontal synchronizing signals. This indication tells the display the number of lines in the displayed image so that the display can properly adjust the size

of the image.

The 8514/A display adapter supports images made from four different numbers of lines. Its EGA-compatible mod operates with 350 lines. Both its double-scanned CGA-compatible and VGA text mode operate with 400 lines. VGA graphies images are made with 480 lines. As \$14/A images have 768 lines.

If the display doesn't adjust to the varying number of lines in the on-screen image, graphics may take on odd shapes because the aspect ratio of the screen may drastically change. For instance, whereas a cricle drawn in the 788-line mode of the 8314A would look perfectly round, in the 330-line VCA mode that circle would turn 330-line VCA mode that circle would turn scheme allows the display to shift in veri scheme allows the display to shift in veri call gain (which determines how tall the onscreen image is) to correspond to its opersing mode and the ops shapes consistent.

Some displays do not follow the IBM syne signaling scheme but rely on other methods to properly adjust the height of the on-screen image to reflect the operating mode. Some displays make no allowance for the various operating modes.

If you frequently shift between modes, you probably won't like working with this last kind of display. If you choose a mode and stick with it—for instance, if all you choose a to the control of the con

THE BEST WAY TO SEE THE FRUITS OF YOUR LABOR.

Seiko Instruments' CM-1430 Monitor offers you the finest color image of any monitor available today.

More precise focus. Better contrast. A brighter picture. The richest colors. No other color monitor made today offers your IBM® XT, AT, PS/2™ or compatible system a better image than that produced on our Super Fine Pitch™ Black Trinitron™ screen.

he CM-1430 Color Monitor is compatible with

CM-14-out automaticary among the view of the control of your applications can be handled by just one high per-

formance vet very affordable monitor. You'll never have to spend money upgrading or adding extra boards again.

Of course, the color monitor with the best picture is backed by the company known for quality - Seiko Instruments. Call today for the name of the Seiko dealer nearest you. And see for yourself how the fruits of your labor can now blossom with more vivid, life-like colors than ever before. Inquiries, call Bob Clark (408) 922-5900.

Seiko Instruments



Use it or lose it!



Use DataSaver

standby uninterruptible power supply, and protect your microcomputer against costly data loss and hardware damage.

- Constant AC line protection against power disturbances
- and interruptions.

 Built-in spike/translent
- suppression and EMI noise filtering.
- Powerful sizes to protect any system from the earliest Apples to the latest PS/2's.

International models, also.
For more information, call:
TOLL-FREE 800/332-3440.
In California, call 805/541-4160.
Or write to us at the address below.
GSA No. GS 00K-87-AGS5393 PS01
Dealer/NAI inquiries invited



Cussta Systems Corporation
3440 Roberto Court
San Luis Obispo, CA 93401

8514 MONITORS

Used wisely, vertical and horizontal size controls (also known as height and width) can help you adjust the image on a display screen to your taste. Some people prefer making the image as large as possible so that it nearly spills over the edges of the bezel. With many displays, however, a more modest image size looks more geometrically accurate. The inevitable curvature of the screen can make lines near the screen edge look distorted. Reigning in the image helps ensure against odd-looking images. If you don't have size controls, your flexibility is limited. You must accept the image as it was set up at the factory. Horizontal and vertical positioning

controls allow you to move the active im-

As with any display standard, the size of the

monitor you choose depends more on your

application and personal

preference.

age area across the face of the display tube; for instance, you can adjust it so that the black border is the same width on every edge. If a display is properly set up at the factory, such controls might be superfluous, but their absence can leave you short on flexibility.

CHOOSING A DISPLAY. As with any display standard, the size of the monitor you choose depends more on your application and personal preference than on any technical consideration. Most CAD systems feed toward having larger displays, and the 851 display fixed fineasures agentus for the singurally. Using bigger displays can do the size of the

desk in order to view them more easily.

Available 8514-compatible displays span a wide range of screen sizes. The smallest produce an image that measures little more than 11 inches diagonally. The largest use 20-inch tubes, giving more than twice the viewing area across 17 inches of active display.

COLOR OR MONOCHROME? As, with VGA, the 8514 standard is not restricted to color displays but allows the use of monochrome monitors almost inter-changeably. For applications in which color is not critical (such as desktop publishing), a monochrome display can be an excellent choice. Single-color systems, or only substantially less expensive, costing about \$350, but also should be relatively free from innear problems.

The 814-compatible displays reviewed here varied not in color capitally or on-screen resolution but more in the quality of their images and the compatibilties they offered. For CAD applications image geometry and aspect ratio are critical to ensuring that the shapes you so er epresent exactly what your software draws. Alignment is an indication of the care and quality of construction. It also limits the maximum resolution of the display.

These displays vary most in the compatibilities they offer. All will work with IBM's 8514/A display adapter and with VGA video signals. Some will also operate with old-style dispital signals (CGA and EGA) as well as with proprietary higherresolution signals. Which of these compatibilities you need will be determined by what application you're going to use it for.

AYDIN CONTROLS Aydin Controls Patriot VGA/20

Like a great stone face, the front of the Aydin Controls Patriot VGA/201 looms, a flat slab in front of a cube of electronics. The American-made £2,399 VGA/201 looks larger than its 18½- by 19- by 19-inch (HWD) dimensions would imply. The bulky look is emphasized by the wide belt below the 20-inch (diagonal) display tube. An optional tilt-swivel adapter is available on ush the VGA/201 further skyward.



PC Paintbrush Plus for Windows

The perfect way to finish what your scanner started.



Scan and re-scale the images you need, then put a toolbox of fabulous features to work: Cut. Paste. Shrink. Grow: Text. Many, many more.



Pre-scanning saves time and memory. Just frame the precise area you want and then scan only that area at high resolution.



You'll restely have to reach for a monuel. Thanks to context-sensitive help and graphically labeled options, learning is effortless. Now you can work swiftly – with your other Microsoft* Windows applications and with your scanner – to produce truly impressive images.

Award-winning features. For starters, PC Paintbrush Plus ** for Windows brings you all the popular features that made PC Paintbrush* the

world's favorite graphic toolbox.
You'll make freshand drawing with adjustable brush withs. You'll create instant lines, curves, and geometric shapes...cut, copy, and passe portions of your images, even if they're bigger than screen size...erase, tilt, flip, shrink, or grow them... acom in for pixel editing or acomous for viewing... ask cloons and patrents....and type headings or captions with special fonts in adjustable point sizes. You can swe and load your images in PCX and TTFF formats.

Scanning. The ZSoft way. PC Paintbrush Plus for Windows

PC Paintbrush Plus for Windows brings out the best in your scanner. First, ZSoft supports just about any scanner you can name. Second, a virtual memory technique lets you do full-page black and white scanning and editing with a 640K system.

Next, get complete control of your scanner's capabilities. In an instant, you can adjust brightness and contrast. Change resolution. Select halftone patterns, page size and scan area. Choose a negative or positive image. Re-scale images (25 to 400 percent). And store frequently used scanner settings for convenient use.

Best of all, with ZSoft's pre-scan feature, there's no more trial-and-error scanning! Just do a quick pre-scan to get the full image on your screen, place a frame around the portion you want to edit, and then scan only that portion at high resolution.

Seamless creativity.

Move freely between PC Painthrush Plus and other applications - collecting, combining, editing and pasting images as you go. For example, scan a new character while editing a font with Publisher's Type Foundry a Edit an image while designing a newsletter with PC Pagemaker*. And discover docens of other benefits from multi-tasking.

Effortless learning.

PC Paintbrush Plus makes computer art amaringly easy for anyone. With context-sensitive help. Pull-down menus and icons. Graphically labeled "buttons". Uncluttered screens. And of course, the familiar Windows user interface.

The price for all this power and creativity? Just \$149. So open the door – and Windows – to graphic freedom. Get PC Paintbrush Plus for Windows at your ZSoft dealer.

© 1968 ZSoft Corporation



450 Franklin Road Suite 100 Marietta, GA 30067 Telephone: 404/428-005 Facsimile: 404/427-1150 Teley: 650/2859318

Pulphiliper's high roundry is a trademark of cyclic Corporation. Pr.
Parittrough Plus is a trademark of 25ch Capporation. Pr. Pagarmaier is
sugarmed trademark of Mous Corporation. Microsoft is a registered
trademark of Microsoft Corporation.

CIRCLE 744 ON READER SERVICE CARD.

8514 MONITORS



The squarish styling of the Americanmade \$2,395 Aydin Controls Patriot VGA/20 makes it took larger than its 18%- by 19- by 19- inch (HWD) dimensions. An analog-only display, it conforms with the three VGA modes as well as 8514/A.

The plastic case of the VGA/20 is finished in light beige except for the wide gray bezel that surrounds the drak gray screen that's tinged with green. An anti-glare coating improves image contrast. Rack-mount and rectangular metal utility cabinet versions of the VGA/20 are also available. The VGA/20 carns only a Class A Obusiness use FCC certification.

An analog-only display, the Patriot VGA/20 conforms with the three VGA modes (350-line EGA-compatible, 400-line CGA-compatible and VGA text, and 480-line VGA graphics) as well as

8514/A. It accepts three discrete vertical scanning frequencies—60, 70, and 87 Hz—and horizontal scanning frequencies from 31.5 to 35.5 kHz.

One input connector is provided on the rear panel, a 9-pin D-shell. A removable cable (5-feet long) adapts the input of the Patriot VGA/20 to the 15-pin, high-density D-shell connector used by VGA- and 8514/A-style display adapters.

AUTOMATIC IMAGE-SIZING Per the 8514 standard, the Patriot VGA/20 automatically determines its operating mode from sync polarity and properly sizes its image. For instance, we measured less than a ¼-inch (diagonal) difference in CGA-compatible and 8514/A image sizes.

Neither image size nor position can be adjusted by the user. The VGA/20 delivered a 17½-inch image (diagonal) across the 19 inches of the visible screen face. This image was centered on the screen, geometrically accurate, and close to perfect in alignment (alignment errors in corners approached 1 millimeter).

The 0.31-mm dot pitch and 40-MHz bandwidth of the VGA/20 assure a sharp image. Its maximum claimed resolution matches the 8514A standard, 1,024 by 768 pixels. Although the brightness of the set proved somewhat limited, its sharpness was maintained throughout its entire illumination range. No image flare was apparent at high drive levels.

The one area the Patriot VGA/20 skinps on is controls. On the front panel, what looks like a single knob controls both pitphness and contrast; the former is a thin, hard-to-grasp concentric ring around the solikary knob. A small rocker switch behind the top-right of the screen controls ower, on the left side is a rocker switch that activates the degaussing circuitry. In addition to the power and signal input addition to the power and signal input connectors, a single fuseholder completes the rear round of the VGA/20.

Overall, the Patriot VGA/20 is a good alternative to IBM's 8514 for those who want a big display.



FLECTROHOME LTD. Electrohome ECM-1910

A big screen requires a big case, and the case of the Electrohome ECM-1910 measures a squat 17 by 19 by 191/2 inches (HWD), when sitting flat on a desktop. (An optional tilt-swivel adapter for the \$2,895 display costs \$106.) The pale being plastic case, accented by a gray bezel around the screen, has earned FCC Class B certification.

A true multiscan display, the Japanesemade ECM-1910 accepts signals with vertical scanning frequencies from 47 to 85 Hz and horizontal frequencies from 15 to 34 kHz. Both analog and digital inputs are provided with a separate 9-pin D-shell socket for each. A rear-panel slide switch determines which of the two is active at any time.

To connect the analog connector to a standard VGA or 8514/A output, Electrohome supplies an adapter cable measuring 74 inches long, terminating in a 15-pin, high-density D-shell. This cable proved interesting in itself: it's made from five separate, thin coaxial cables bundled together.

ELABORATE SET OF CONTROLS

To accommodate the various video standards that the ECM-1910 is capable of handling. Electrohome has placed a rather elaborate set of image-size and -position controls on the monitor's rear panel. A matrix of 16 screwdriver-adjusted controls



FACT FILE Electrohome ECM-1910 Electrofrome Ltd 809 Wellmeton St. North Kitchener, Ontario N2G 436 Carada (519) 749-3158 List Price: \$2,895; tift-swivel base, \$106; VGA-and-PS/2 cable, \$99 Requires: Any 8514/A or PS/2 display adapter or compatible. In Short: A 19-inch multiscan color display. with both analog and digital inputs, that's computible with the 8514/A display adapter and features a wide variety of user controls

CRO F \$96 IN READERS PACE CAR

handles both horizontal and vertical size and position for each of four operating modes, as defined by the synchronizing frequencies in the display's input signal. A horizontal frequency of 15 to 16.5 kHz sets CGA mode: 18 to 23 kHz sets EGA mode: 28 to 34 kHz sets VGA (which includes PGC and 8514/A) mode: and 24 to 26.5 kHz defines a fourth, non-IBM mode.

All VGA and 8514/A signals are handled by one mode and one set of size controls. The ECM-1910 monitor does not automatically size its image based on sync polarity. As a result, the image size of only one of the four possible image types al-

lowed under VGA and 8514/A (350, 400, 480, and 768 lines) can be properly set. The shapes of other image types will vary, with some odd aspect ratios appearing on the screen

With 8514/A video, the best image we ohtained measured 161/4 inches (diagonally) across the 181/4-inch visible area of the 19-inch display tube. When the image was made larger by increasing its height, the top few display lines began to fall apart. breaking into differently colored lines.

When overscan mode was activated by a rear panel push button, the image extended beyond the confines of the screen bezel

Here's our new show

Of products to go, A gala selection For beginners and pros.

CP-copy-protected, NCP-not copy-protected

SOFTWARE

We only carry the latest versions of products. Version numbers in our ads are current at press

uring.	
Aldus NCP	
□PageMaker 3.0	. call
Alpha Software NCP	-
□Advanced Keyworks 1.0	\$175
#IAlphaWorks 1.0 (integrated package)	. 115.
□ALPHA/three 1.0 (dB3 file compatible).	219
American Small Business Computers	
□Dersion CAD 3.1 (NCP)	159.
Design CAD 3D 1.1 (NCP)	159.
Application Techniques NCP	
@Pizazz Plus 1. 2.	. 75.
□dBASE IV 1.0	. call
□Sign Master 5.11.	159
□Byline 1.0	199.
□RapidFile 1.2	. 219
GBASE IV 1.0. Sign Master 5.11. Bytne 1.0. RapidFie 1.2. MultiMate Advantage II 1.0.	299.
Master Graphics 1.0	299
□Draw Applause 1.0	
□Framework III 1.0	459.
Autodesk	
#Autosketch Standard 1.04	. 55.
Barron's CP	
MSAT (Test preparation program)	35.
Best Programs NCP	
□Label Master 3.1 (mailing label program).	. 29
□Report Manager 5.0	199
□Fixed Asset System 5.0	359.
Bible Research NCP	
☐The Word 4.2 (King James version)	. 159.
☐The Word 4.2 (New International version).	159.
Bloc Publishing NCP	
□FormTool 2.01	55.
Form Filer 1.5 Borland International NCP	89.
R Turbo C Professional Pack (includes	
H IUDO C Professional Pack (Includes	169
assembler)	. 109.
assembler)	169
#Paradox OS/2 1.0	470
RProlog 2.0	- 47 0.
mTurbo C 2.0	
RTurbo Pascal 5.0	
	- 30.

PC Connection Software Special through February 28, 1989

oft ... NCP Ri Turbo Tax Personal/1040 Tax time is here once again, and Turbo Tax is

back with all the tools you need to make fling your federal tax return quick and easy. Included are over 40 forms, schedules, and worksheets as well as an optional Visual 1040 mode (giving you a graphical representation of any form or school (is)

- · Quick-Link forms finder to find forms by subject
- Pop-up calculator notecad, and on-line IRS retructions Visual 1040 mode option allows you to fill out and view any form or schedule on
- . New Auto-Interview to help you find the forms you need, and Data Examiner to help
- pinpoint omissions . Prints IRS approved dot matrix 1040 · State tax packages also available

Turbo Tax Personal/1040 .

309 Willurbo Assembler & Debugger 1.0.... DLevel 3 Dot Plot 459. RReflex 1.1. MSidekick Plus 1.0 55. IBSprint 1.0. RQuattro 1.0 w/SQZ!Plus 1.0. 35. In Paradox 2.0. . . . call CADD Starter Kit (contains Level 2, Home B Turbo Editor Toolbox 4.0 29 R Turbo Database Toolbox 4.0 #Turbo Basic Editor Toolbox 1.0 359. R Turbo Basic Database Toolbox 1 0. . . . B Turbo Lightning 1.0 159. BSuperkey 1.1 . 159. Bourbald ... NCP □Prolessor DOS 2.51 (with Smartguide). . . . 33

Print Shoo 2.41 (includes Graphics Library 1) 39 BTurboTax Personal/1040 6.0. 479. #State Packages Personal/1040 8.0. . . special #Javelin Plus 2 02 .

99. B Turbo Tax Prosenes/1040 5.0 Chronos Software ... NCP

Crosstalk XVI 3.7 □Crosstalk MK.4 1.1 Dac-Easy Payrol 3.0 □Dac-Easy Accounting 3.0 . Deirina Technology ... NCP @Per:FORM 1.0 . Digital Research ... NCP Gem Desktop 3.0 Gem Draw Plus 2.01 5th Generation ... NCP ■Fastback Plus 2.01 Fox Software ... NCP RFoxbase Plus 2.1 (single user) 209 MFnxhase Plus 386 2.1. Funk Software ... NCP Sideways 3.21 (creates wide printouts). . . . ■Worksheet Utinies 1.0 (1-2-3 utilities) Filmword 1 0 □Allways 1.0 . Noteworthy 1.0 . 49 General Information ... NCP □Hot Line Two 2.0 . State Packages Personal/1040 6.0 . . . each 32. Generic Software ... NCF Generic CADD Level 1 ... Generic CADD Level 2 #Generic CADD Level 3 1.05 .

¥3D Solids 2.2

Harvard Associates ... NCP

Hillgraeve Software ... NCP □HyperACCESS 3.31 Individual Software ... NCP ₩ Typing Instructor Encore 2.13

m 101 Macros for 1-2-3, WordPerfect,

□Basic Home Design 3.0.

Design, Workbook tutorial, & sample disk). 89

Fstimator ...

MPC Logo 3.0

and others

Hayes ... NCP

®Smartcom II 3.0.

\$319

₩SuperCalc 5 1.0.

□Corelast 2.0. Crosstalk Communications

Core International ... NCP

Intuit ... NCP Quicken 2.0. Javelin ... NCP Lotus ... NCP BWho+What+When (people, projects, time) 119. □1-2-3 2.01 (upgrade free to version 3.0) . . . call

For IBM Personal Computers exclusively.



Do you need a solution

For a micro confusion? Our techies can help you Dispel all illusions.

> \$99 . 79 115

> > 149

> 25. 39. 59. 115.

119

□Hal 1.0 \$109.		E Den Bricklin's Demo Program 2
□Freelance Plus 2.0	PC Connection	Quarterdeck NCP
WManuscript 2.0 359.	Software Special	DESOView 2.2
Graphwriter II 1.0	through February 28, 1989	DESQView 386
MECA NCP		Expanded Memory Menager 4.2.
@Checkwrite Plus 1.0	Harvard Associates NCP	Raferenca Software NCP
□Managing Your Money 5.0	EPC Logo 3.0	Gremmetik III 1.05 (electronic proofreader)
BAndrew Tobias' Tax Cut 1040	PC Loop is a very special and affordable	
Meridian Technology NCP		□Reference File 5.03 (pop-up DB meneger).
□CarbonCopy Plus 5.0	version of the easy-to-understand computer	Relay Communications Relay Gold 3.0.
	language-Logo Logo encourages critical	□Helay Gold 3.0.
Micro Logic NCP	thinking skills while developing the ability to	Revolution Software NCP
Microlytics NCP	solve problems logically.	■VGA Dimmer (screen sever)2.01
GOfer 1.0 (text retrieval system)	PC Logo is the perfect companion for the Logo	EDJ (disk meneger)1.5
	your children are learning in school. Now you	©Cruise Control 3.02
□Wordfinder 4.0 (electronic thesaurus) 35.	can encourage your child's creativity and share	Rightsoft NCP
MicroPro NCP	in the discovery of ideas at home together.	□Rightwriter 3.0
□WordStar Professional Release 5 259.	The PC Loop package includes	Simon & Schuster NCP
□WordStar 2000 Plus Rel. 3 (Personal Ed.) 259.	mor o ago pasego roscos	BProfessional Thesaurus 1.0
Microrim NCP	The complete Logo language	□Typing Tutor IV
■R:BASE for DOS (version 2.1)	34 sample Logo programs and utilities	Sottlogic Solutions NCP
IIIR:Base for OS/2	A step-by-step tutorial for first-time users	□Software Cerousel 2.02
Microsoft NCP	A comprehensive reference manual written	□Disk Optimizer 4.01 (w/Deta Guerdian)
□Learning DOS 2.0 (for any DOS version) 35.	by Loop experts	□@Liberty 1.1
□Windows 286 2.1 69.	Support for CGA and Hercules Graphics	DCubit 2.02
E/Windows 286 2.1 w/Mouse 145.	Support or CGA and percues Graphics cards	□Double DOS 4.02
□Works 1.05		☐Magic Mirror 1.0
EWindows 386 2.1	PC Logo 3.0	SoftView NCP
®Word 5.0 call		B TaxView (for 1988 taxes)
EChart 3.0	□VP-Plenner Plus 2.0	Software Group NCP
Excel 2.1 (requires 80286/80386 CPU) 319.	□VP-Plenner Plus 2.0 \$145.	□Enable 2.0.
	□VP-Expert 2.0	Software Publishing NCP
CD-ROM	Paul Maca NCP	▶ Professional Plen 1.01
Bookshelf 1.0 w/Amdek Laser Drive 799.	Paul Mace NCP []H/Test-H/Format 2.0 (hard-disk tools) 49.	□PFS:First Publisher 2.0
Programmers Library 1.0	☐Mace Utilities 5.0 (DOS utilities)	■PFS:First Graphics 1.0
LANGUAGES	□Grasp 3.1. 79.	⊯PFS:First Choice 3.01
□Quick BASIC 4.5	□Nvelope 1.02. 29.	■Professional Write 2.0
□Quick C 1.01	PC Support Group NCP	Professional File 2 0
RMacro Assembler 5.1 99	□1 inhtning 4.82 57	#Office Writer 6.0
		#Hervard Graphics 2.1
RFortan 4.1 289	Parsonics NCP SmartNotes 2.0	Hervard Project Manager 3.0 4
RC Compler 5.1 299	DSeeMORE 1.02 49.	Spinnaker NCP
	FLook&Link 1.01 59	
Nantucket Software NCP	EUltravision 1.1	
#Clinner (S) mmer '87 d/83 Plue compiler 429	□@BASE 1.1	ESplant 1.0
New England Software NCD	Delay Harton NCD	Pinstripe Presenter 1.0
©Granhundha Boy Balassa 2 75	Pater Norton NCP ®Norton Editor 1.3 39.	Socianhourd MCD
□GB.Sw 1.0 150	FNorton Commander 2.0 45.	Thisuppose Bro 1.0
EGB Applyin 1.0 106	EAdvanced Utilities 4.5	Codificate Major
Noio Press NCP	EMOVERICEU Utilities 4.5	BCio Art 1
WilMaker 3.0	4 000/040 0000	BCIpAt I
	1-800/243-8088	#Cho Ad 2
Timesips III 3.3	1 00012 10 0000	Ownertee NCB
Out International NCP	PC Connection	Symantec NCP BSQZIPlus 1.11
Owl International NCP Guide 2.0		B4Word 2.0
Paperback Software NCP	Marlow NH 03456	EQ & A Write 1.01
TVP-info 1.4. 65	603/446-3383 EAY 603/446-7701	EGrandway 1 0



If your workload's appalling

And the tax man is calling, With programs like these There's no reason for stalling.

	•	•
Q & A 3.0 (database, word processor) \$209.		One Step Software NCP
☐Breakthrough Timeline 3.0	PC Connection	■Golf Doctor 1.1 (improve your game)\$33.
BSpreadsheet Analyst 2.5	Hardware Special	Golf's Best Pinehurst #2 4.0 (play the best). 12.
#Note-It Plus 1.02	through February 28, 1989	⊯Golf Statkeeper 1.0
FiThink Bink 2.4NP		(includes USGA Handicapper) 27.
IRO&A Network Pak 1.0 (requires O&A) 179.	Kraft Systems 5 years	□ 19th Hole Special
T/Meker NCP	Premium 3-button Joystick and	(3 Golf programs above bundled with Mr. Boston
#Scrapbook+ 1.0	Kraft High Speed Joystick Adapter Card	Micro Bartender's Guide)
#ClickArt Business Images	With Mindecape CP	□Mr. Boston Official Micro Bartender's Guide . 18.
BCickArt Holdays		Micro Video Companion 1.0
BEPS (PostScript) Illustrations 79.		□Take Control of Cholesterol 2.0 24.
BEPS (Postscript) Illustrations		
The XTREE Co NCP	your PC.	Parior Software CP
HXTREE Pro 1.0 69.	 Kraft Premium 3-Button Joystick with self- 	□Bridge Parlor 2.3(best Bridge simulation) 49.
□Hot 4.0	centering or float operation; has an extra fire	Sierra On-Line CP
TOPS NCP	button on the loo of the stick for ease of use	(All require Hercules, CGA or EGA)
Flashcard (Apple Talk network card;	Kraft High Speed Adapter Card with six	■Leisure Suit Larry
1 year warranty)		Space Quest II
NetPrint 2.0 (share printers)		EKing's Quest IV (512k version)
TOPS 2.0	clock speed of your machine up to 16 MHz	⊛Manhunter
TOPS Repeater (extends network) 132.	Mindscape's Colony - a spectacular 3-D	RPolice Quest
Traveling Software NCP	animated So-fi adventure where you are a	⊮Police Quest II
Battery Watch 1.0 (31/2" only)	regional marshall batting hostle aliens	ELeisure Suit Larry II
RLaplink Mac 2.0 (Mac-PC transfer) 79.		#3D Helicopter
@Laplink Plus 2.1	Kraft Premium 3-Button Joystick \$33.	Simon & Schuster
	Kraft High Speed Adapter Card 25.	Star Trek: Rebel Universe
True BASIC, Inc NCP	Mindscape's Colony 1.0 30.	Sphere, Inc NCP
True BASIC 2.03 (now includes Runtime) 57.	Buy all three for just	BOrbiter (shuttle simulation)
BTrue Basic Libraries	Ox buy just the joystick and Colony for 59.	BIGATO (submanne simulation)
Vericomp NCP	,	⊞Tetris (addicting mind feaser)
		Figure 16 simulation, recs, graphics brd.) 32.
⊞SoftBytes 2.0	B4th & Inches (football simulation) \$22.	
#Softbytes 386 2.53	B4th & inches (tootball simulation) \$22.	Spinnaker CP
WordPerfect Corp NCP	Broderbund CP	□Sargon III (chess game) 15.
@WordPerfect Library 2 0 69.	#Where in the World is Carmen SanDiego? 25.	□Kids on Keys (ages 3 to 9)
□WordPerfect 5.0	BWhere in the USA is Carmen SanDiego? 25.	□ Facemaker Gold (ages 3 to 8)
BWordPerfect 5.0 Addt 1 Network Stations 84.	#Where in Europe is Carmen SanDiego? 29.	☐Kindercomp Gold (ages 3 to 8) 25.
₩OrdPerfect Office 2.0	BToy Shop	SAT Preparation Program
EWordPerfect Office 1.0 Addit'l Network	BUltima IV 35. BUltima V 39.	
Stations	BUltima V	□Hornework Helper—Math (grades 7-12) 32.
	Electronic Arts CP (reqs. graphics brd.)	
EWordPerfect Executive 129.	⊕One-on-One/Bird vs Jordan	Stone & Assoc NCP (regs. graph. brd.)
Wordtsch NCP	®Chuck Yeager's Flight Simulator 29. ⊕Chessmaster 2100 35.	⊕Algebra Plus (ages 13 to adult)
□DBXL 1.2	EChessmaster 2100	#IMemory Master (ages 2 to 6) 27.
□Ventura Publisher 2.0 call	#Empire	#Second Math (enes 7 to 16) 27
XvQuest NCP	Mavis Beacon Teaches Typing	Sublogic NCP
TY-With III Plue 2 54 w/AJa-Carta Manue 239	RiSentinel Worlds	□ let 2.1 /remains EGA or CGA) 33
EV-Morto III Plus Network Senser 2 54 399	WGrand Stam Bridge 45	Conney Dieke auch 16
Exyring iii rius recircinos societas suse	Inform NCO	Can Erangiano Star Scanner Diek 19
RECREATIONAL/EDUCATIONAL	militation NCP	□San Francisco Star Scenery Disk
TILOTILATIONAL EDUCATIONAL	Microprose CP	The Learning Company C9
Accolade CP (reas, graphics brd.)	FF-19 Steeth Fighter (requires CGA or EGA) 39.	The Learning Company CP BMath Rabbit (ages 4 to 7)
RBubble Ghost. 22.	LIF-19 Steam Highter (requires CGA or EGA) 39.	BIMBET NADOL (ages 4 to 7)
Blubble Ghost. 22. BMean 18 29.	LIF-10 Strike Eagle (requires CGA)	BReader Rabbit (ages 4 to 7)
RHardball (baseball smulation)		True BASIC, Inc NCP

For computing that's faster

Or help with disaster, You'd be hard pressed to find A source that was vaster.

HARDWARE

riod for items shown is listed after esc re different warranty periods.

I/O Mini 2 C/S/P SixPakPlus 64k C/S/P (upgrades to 576k) 129. Advantage Premium 512k S/P(upgrades to 1 Meg or 2 Meg w/Piggyback). Advantage 2-386 (for PS/2 Model 80) . . . call RAMpage Plus 286 512k (for XT286/AT) ... call RAMpage! Plus MicroChannel 512k Amdek ... 90 days LaserDrive-1 (external CD-ROM Drive) . . 629

LaserDrive-2 (internal CD-ROM Drive) . . . 629 Compucable ... 2 years 2-Postion switch box Cuesta ... 1 year

Datasaver 400 Watt (standby power backup **ACCESSORIES** Curtis Clip CC-1. Disk Halder DB-1 (holds 50 51/4" disks) 8 31/2" Disk Holder DB-2 (holds up 40 disks) . 8

Printer Stand PS-1 Universal System Stand SS-3 Toolkit TK-1

DS-1 Switch Box (controls 2 printers) 33. Smartmodern-to-PC Cable EC-7 (9 feet) . . . 17. ... 17 Printer-to-IBM cable EC-6 (9 feet) . . PS/2 Keyboard Extension Cable EC-9 Keyboard Extension Cable EC-2 SURGE SUPPRESSORS Salestrip SP-3 (6 outlets; 1 year warranty)

Filtered SafeStrip SPF-3 Diamond SP-1 (6 outlets) Emerald SP-2

Ruby SPF-2 (6 outlets, EMI/RFI filtered, 6 ft Ruby-Plus SPF-2 Plus (w/FAX & modern

DCA ... 1 year

Irma 2 Micro Channel (for PS/2 Models

PC Connection Hardware Special through February 28, 1989 The New Microsoft Mouse

Microsoft has built a better mouse with an all new look and feel. With over one million Microsoft mice now in use, it is easy to see the popularity of performance. Choose among one of the following three software bundles with

\$121

ether a Bus or Serai/PS2 interface · EasyCAD, a two-dimensional computer aided design program

 Microsoft Paintbrush and Mouse Menus . Microsoft Windows 286 and Microsoft Paintbrush for Windows

(specify Bus or Senal/PS2 interface) Mouse with EasyCAD Mouse with Microsoft Paintbrush and Menie Mouse with Windows 286 and Microsoft

Irma 2 (3270 emulation board). \$729 Epson ... 1 year We are an authorized Epson Service Center FX-850 (80 col., 264 cps, 9 pin)...... call FX-1050 (136 col., 264 cps, 9 pm) call LQ-500 (80 col., 180 cps, 24 pin). cal

LO-850 printer (80 col., 264 cps, 24 pm) . . call LQ-1050 printer (136 col., 264 cps, 24 pin) call LQ-2550 printer (136 col., 400 cps. 24 pin) call LX-800 printer (80 col., 180 cps, 9 pin). . . . call 1200 Baud Internal Modern 2400 Baud Internal Modern 5th Generation ... 1 year Logical Connection 256k. Logical Connection 512k 499 Hayes ... 2 years

Smartmodern 1200 Smartmodern 1200B (with Smartcorn II). . 299 Smartmodern 1200B (hardware only).

1-800/243-8088

6 Mil Street 570M Marlow, NH 03456 603/446-3383 FAX 603/446-7791

Smartmodern 2400B (with Smartcom II) Harcules ... 2 years Graphics Card Plus . . . Network Card Plus (with TOPS DOS) Intel ... 5 years 2400B Modem (internal modern for

IBM-PC/XT/AT) 249 2400B Modern 2 (internal modern for PS/2 Inboard 386/PC w/1 Meg Inboard 386/PC Piggyback Card w/4 Inboard 386/AT Øk (reg. installation kit) . .

Inboard Installation Kit (specify computer) 139 Above Board Plus 512k special Above Board 2 Plus 512k. special Above Board Plus I/O 512k Connection Coprocessor (FAX board 769

Optional 2400 Baud Modern for Connection Coprocessor MATH COPROCESSORS 8087 (for IBM-PC & XT) . 8087-2 (8 MHz, for PS/2 Models 25 & 30) 149 165 80287-8 (for 8 MHz 80286 machines) . . . 239 80287-10 flor PS/2 Models 50 & 60) 279 B0387 (for 16 MHz PS/2 Model 80) 439

80387-20 (for 20 MHz PS/2 Model 80) Kensington Microware ... 1 year Masterpiece Masterpiece Plus. Key tronic ... 3 years 101 Keyboard . . . 101 Plus Keyboard (enhanced layout) 99

Kraft ... 5 years special Three-button Joystick High Speed Joystick Adapter Card . . special Adapter Card/3-Button Joystick Bundle KYE International ... lifetime Dyna Mouse GM6+ (w/Dr. Halo III) Logitech ... lifetime Series 2 Mouse (for PS/2 50/60/70/90). . . . HIREZ Mouse (bus only).... Mouse w/Paint Show (bus or senal)

Mouse w/LogiCAD (bus or serial)..... ClearCase Mouse (sensi only). 99 icrosoft ... 2 years Mach 20 (1 year warranty) Disk + Option (for Mech 20; 1 yr wrty.) 69 Memory + Option (for Mach 20, 1 yr wrty.) 339 Mouse with Paintbrush (bus or serial)... special

Mouse with Easy CAD (bus or serial) Mouse with Windows/286 (bus or senal) special

95

For IBM Personal Computers exclusive

So bring on the snow!

And let those winds blow! Your hottest Connection's Still PC in Marlow.

MSC Technologies litetime ComMouse fear only 1 year warrandy), 557. D PC Mouse II w/PC Peart + (pus or serial) 88. 22 PC Mouse II w/PC Peart + (pus or serial) 88. 22 NEC 2 years Multisync II (800 + 560 max. resolution) 599. B NSI Logic 3 years NST WGA (support full WSA specs) 239. 2 Orchid Technologies 2 years PT yr Urto 288 (accelerator board) 289. 2	0 10
PC Mouse II wiPC Pairs+ (bus or serial) . 89. 22 PC Mouse II wiPC Pairs+ (bus or serial) . 105 REC 2 years Bullstyne II (900 x 560 max. resolution) . 599. 27 BNSI Logic 3 years 259 SNSI Logic 3 years 27 Orchid Technologies 2 years 27 Inty Turb 208 Gacoleriator board 289. PF	O N
PC Mouse II w/Autosketch (bus or serial) 105. 25 McC 2 years B Muthsync II (800 x 560 max. resolution) 599. B NSI Logic 3 years 239. 25 Smart VGA (xopports full VGA specs) 239. 27 Orchid Technologies 2 years 1717, Turbo 256 (scoolerator beard) 289. P	21
NEC 2 years Bu Muthsync II (800 x 560 max. resolution) 599. Bu NSI Logic 3 years 20 years Smart VGA (supports full VGA specis) 239. 20 Orchid Technologies 2 years Trity Turbo 256 (scoelerator board) 289. P.	
Multisync II (800 x 560 max. resolution) 599. Bit Logic 20 NSI Logic 3 years 22 Smart VGA (supports full VGA specs) 239. 20 Orchid Technologies 2 years PC Tiny Turbo 286 (accelerator board) 289. PC	
NSI Logic 3 years 20 Smart VGA (supports full VGA specs). 239 20 Orchid Technologies 2 years Piny Turbo 286 (accelerator board) 289 Pi	en
Smart VGA (supports full VGA specs)	en
Smart VGA (supports full VGA specs)	21
Tiny Turbo 286 (accelerator board) 289. PC	O N
Tiny Turbo 286 (accelerator board) 289. PC	
	Ca
ProDesigner VGA (800x600 VGA Mode) 319 Pt	C4
PC Power & Cooling Systems 1 year 40	ou
PC Power & Cooling Systems 1 year 40	21
REPLACEMENT POWER SUPPLIES 40	2 1
Turbo Cool 150 (run 25° - 40° cooler) 129. PS	S/Z
Turbo Cool 250 (run 25° - 30° cooler) 169 40	
Silencer 150 (84% noise reduction) 115. Si	
Siencer 200 (69% noise reduction) 149 Pi	
Turbo Cool 375	an
PC Support Group 1 year H	an
Breakthrough 286 Accel. Board (8 MHz) 299. Pt	
Breakthrough 286 Accel. Board (12 MHz) 449. Se	
Practical Periphersis 5 years FF	RE
1200 Baud Internal Modern (w/ProComm). 69. th	9
1200 Baud External Modern (mini) 79. dr	
P/Link (parallel line extender/32k) 109. or	
Microbuffer Inline (par. print buffer/32k) 135 20	
2400 Baud Internal Modern 159. (w	
2400 Baud External Modern 189. 30	
Princeton Graphica 1 year (n	
Ultrasync (supports CGA, EGA, VGA) 549. 45	
Max15 Monochrome Monitor	
Safe Power Systams 2 years (w	
Sale 250W (standby power backup) 249. 44	
Sale 425W (standby power backup) 369. (2)	
Toshibs 1 year 80	
P321SL printer (80 col., 216 cps, w/tractor) 529. (2	
T1000 Laptop (80C88, 6.4 lbs., 5 hr. battery) call TI	Ē
T1200 Laptop (80C86, 10 MHz, 20 Meg) call PC	
T1200HB Laptop w/Backit screen call 72	
T1200FB Laptop Dual Floppy System w/Backlit or	A
screen call 1	44
T3100r20 Laptop (80286, 8 MHz, 20 Meg). call in	al
T3200 Laptop (80286, 12 MHz, 40 Meg) call To	
T5100 (80386, 16 MHz, 40 Meg) call All	
768k RAM Card for T1000	ri
Video 7 5 years AT	Ħ
VEGA Deluxe (supports 640x480) 219. Be	25
VEGA VGA (supports full VGA specs) 287.	
FastWrite VGA 379	
VRAM VGA	
Al	Id
DRIVES 51	
F.	
Alloy 1 year Sc	
Tape System/2 (for PS/2 MicroChannel) 299 M.	æ

Retnever/40 (for IBM AT & compatibles) . . 349

IOMEGA 1 year	
Dual 20 Meg Bernoulli Box (8")	\$1679
20 Meg Cartnge (8")	82
20 Meg Tripak (8*)	. 244
Bernoulli II Single 20 Meg Internal (51/4")	. 767.
Bernoulli II Dual 20 Meg External (51/4").	1659
20 Meg cartridge (51/4*)	59.
20 Meg Tripak (51/4")	. 169.
PC2 Card	. 169
PC2B Card (bootable card for PC/XT/AT)	. 229
PC4 Card (for PS/2 Model 50/60/70/80).	. 299
Mountain Computer 1 year	
40 Meg Internal Tape Drive (XT, AT or PS	2)379.
40 Meg External Tape Drive (XT, AT or	
PS/2)	. 479
40 Meg External Tape Drive w/Power Supply (XT, AT, or PS/2)	
Supply (XT, AT, or PS/2)	. 569
Pius Development 2 yesrs	
Hardcard 20 Meg (49 ms)	. 549.
Hardcard 40 Meg (28 ms)	. 699
Passport (20 or 40 Meg removable drives	i). cal
Sesgats 1 year FREE PCTV® Hard Drive Installation Tap	e with
the purchase of 20, 30 or 40 Meg Seaga	te
drive for the IBM PC (not for AT). Specify	Beta
or VHS.	
20 Meg Internal Hard Drive ST225	
(w/controller and cables, 65 ms)	. 299.
(w/controller and cables, 65 ms)	. 329
40 Meg Internal HD ST251 for AT(40 ms)	. 399
40 Meg Internal HD ST251 for XT	
(w/controller and cables, 40 ms)	. 449
40 Meg Internal HD ST251-1 for AT	
(28 ms)	. 449.
80 Meg Internal HD ST4096 for AT	
(28 ms)	. 669
TEAC 1 year	
PC, XT 360k Drive (51/4" half-height)	89.
720k Drive (31/s" half-height, specify XT	
or AT)	95
1.44 Meg Drive for AT (31/2" half-height,	
includes Bastech software utilities)	. 119
AT 360k Drive (51/4" half-height) AT 1 2 Meg Drive (51/4" half-height) AT 1 44 Meg Drive (31/4" half-height, incl.	89
Al 1 2 Meg Urive (5 1/4" half-height)	99
At 1.44 Meg Drive (31/2" half-height,incl	UDIES .
Bastech software utilities)	. 119

DISKS

disks have a lifetime warranty " DS/DD Disks for PC & XT (360k) MD2D (10 disks per box)..... ry (10 disks per box). 12 xell MD2-D (10 disks per box) 13 Verbatim Datalife (10 disks per box)

51/4" DS/High Density Disks for AT (1.2 Meg)
Fuji MD2HD (10 disks per box) \$22.
Sony (10 disks per bax) 23.
Maxell MD2-HD (10 disks per box) 23.
Verbatim Datalife (10 disks per box) 22.
31/2" DS/DD Diskettea (720k)
Sony (10 disks per box)
Fuji (10 disks per box)
Maxel (10 disks per box) 20
31/2" DS/High-Density Diskettes (1.44 Meg)
Sony (10 disks per box)
Fuji (10 disks per box)
Maxell (10 disks per box)

MISCELL ANEOUS

MICOLLEANEOGO	
CompuServe	
CompuServe Information Service	24.
Grolier's OnLine Encyclopedia	19.
Cablea lifetime	
Smartmodem-to-AT cable (9 feet)	
Parallel Printer cable (15 feet)	19.

OUR POLICY

 We accept VISA and MASTERCARD only No surcharge added for credit card orders · Your card is not charged until we ship . If we must ship a partial order, we never charge freight on the shipment(s) that complete the order (in the US). No-sales tax · All U.S. shipments insured, no additional charge APO/FPO orders shipped 1st Class Mail, charged by Allow 1 week for personal and company checks to . COD max. \$1000. Cash, cashier's check, or money order

· 120 day limited warranty on all products *

To order call us Monday through Finday 9 00 to 9:00. or Saturday 9 00 to 5 30. You can call our business offices at 603/446-3383 Monday through Friday 9.00 SHIPPING

Note: Accounts on net terms pay actual shipping Continental US For monitors, printers, Bernouti Baxes, compute and hard drives, pay actual charges. Call for UPS 2nd-Day & Next-Day Ar

· For all other items, add \$3 per order to cover UPS Shipping For such items, we automatically use UPS 2nd-Day Air at no extra charge if you are more than 2 days from us by UPS ground · For montors, printers, Bernoulli Boxes, and computers

actual UPS Blue charge will be added. For all other terns, add \$3 per order Alaska and outside Continental US Call 603/446-3383 for information

For IBM Personal Computers exclusively



PC Carnival.

Revel without a Claus.

In the festive town of Marlow, NH (pop. 557), the holiday spiril lasts long after Santa's packed it in for the year. In fact our sure-pawed mascots are already preparing for their annual Winter Carnival—a seasonal celebration featuring skating, sledding, sleigh rides and ice sculpture. This annual event certainly provides a welcome break from our usual winter sports, e.g. thawing trozen pipes, jump starting cars, putting out chimney fires, and skidding off the road into ten foot snow drifts.

Breaking the mold.

(Or, where's the P word?)

Our more loyal and linguisticallyinclined customers may have noticed that we've abandoned the "P" words in our headlines in larvor of the "C" words. Because after five years of parading a profusion of P patter pas PC pros on periodical pages, we PC pros on periodical pages, we perceived that perhaps they paled next to the possibilities and potential of creative constructions consisting of C words. Nough said. Rest assured, though, our letter-perfect mascots still stand (and occasionally sit, roll over, and do handstands) for everything true and noble in the microcomputer mail order marketplace. If you're looking for a single source for superior savings, sensational tech support, and specially speedy shipping, we're definitely your Connection.

The ice mammal cometh.

Wouldn't you like to wake up every morning to a vision of microcomputing's most magnificent mammal? Well, now you can do that and quench your thirst for a taste of Marlow's

winter wonderland with your very own PC Connection mug. It features a crystal-dear likeness of our oh-so-cool, but heartwarming mascot, and is free to anyone who places an order of \$500 or more between now and March 31st.

Just call 1-800/243-8088 or 1-603/446-3383, M-F 9:00 to 9:00; Saturday to 5:30. If you're planning to visit please call ahead.



Warm the cockles of your heart with a PC Connection mug featuring the mascet who never skates on thin ice.

For IBM Personal Computers exclusively.

PG-CONNECTION

THE ADAPTER MAKES THE PICTURE

The on-screen quality you see on any 8514 display is controlled by the 8514/A display adapter and the standard under which it was created.

The 8514/A display adapter itself is a bulky board that fits orly Micro Channel expansion slots. An elaboration on the VGA standard, it uses analog outputs and the same digital-to-analog converter as does IBM's VGA circuitry. In fact, its default mode of operation exactly mimics the VGA. It supports both monochrome and color displays and can distinguish between them using identification bits provided by the monitor through special leads in its connecting cable.

The circuitry of the 8514/A display adapter is built from conventional transistor-transistor logic, and its native endowment includes ½MB of memory. A full-length daughtercard that plugs into the 8514/A component-side-to-component-side doubles its RAM supply to I full megabyte. A plastic backing on the daughtercard prevents the thick, two-card sandwich from shorting itself against other boards in adjoining Micro Channel slots.

In the 8514/A adapter's native 1,024by-768 mode, its ½MB of memory is divided into four 1-megabit planes that allow 16 colors to be displayed on-screen simultaneously. In this configuration, 128K of the board's memory is left to spare, 256 kilobits in each of its bitplanes.

The bits assigned to the on-screen im-

age itself reside in the lowest portion of the RAM. The rest are put to work as auxiliary storage for functions such as area-filling and holding downloadable character sets.

Although all the memory on the \$514/A board can be addressed directly by the host microprocessor, IBM does not support direct writing to this auxiliary storage area. (IBM encourages the use of the Application Interface, a form of BIOS, rather than direct memory and register writing for all \$514/A operations.) Writing to this reserved area may destroy information that the \$514/A has stored there for another purpose.

The additional daughtercard memory stacks another four bit-planes into memory, allowing the 8514/4 to handle 1,024-by 768-pixel images in 256 simultaneous on-screen colors drawn from a palette of 262,144. In high-resolution mode, the entire memory of the 8514/A and daughterboard is partitioned to leave an auxiliary storage area much like that of the unenhanced 8514/A. The only difference is greater color depth.

In its VGA-compatible mode, the 8514/A divides up its basic ½MB into eight 1,024-by-512 bit-planes arranged in two independent banks four bit-planes deep for 16-color operation. Again, an area corresponding to 640 by 480 onscreen pixels is used for main video storage, with the balance of RAM reserved for auxiliary purposes.

The hardware design of the 8514/A does not allow combining these planes into one 8-bit plane to achieve 256 colors when the board is not enhanced by its daughtercard. However, adding the memory expansion daughtercard allows both of its independent banks the full 8-bit, 256-color range of the VGA standard.

A GREATER BANDWIDTH Getting the information for all those pixels to the screen requires a much greater bandwidth than that used by the standard PS/2 VGA system; the 8514 bandwidth is 44.90 MHz as opposed to VGA's 25.17 MHz. Actually, if the system weren't interlaced, the required bandwidth for the high-resolution signals from the 8514/A adapter would have to be at least 20 percent higher to avoid flicker. Interlacing permits the 8514/A display adapter to use a relatively low vertical scanning frequency, or frame rate of 43,48 Hz (versus 60 or 70 Hz for VGA modes). Interlacing doubles the frame rate, thereby giving an 86.96-Hz scanning rate for each of the two separate fields that make up a single frame.

Because of the low frame rate, the horizontal scanning frequency of the 8514/A system in its high-resolution

without demonstrating this problem, indicating that its origin is electronic rather than an aspect of the mechanical construction of the display.

A push button to activate the degaussing circuitry and a fuse holder are also available on the rear panel. The requisite brightness and contrast controls are thumbwheels hanging beneath the right side of the front panel bezel. The power switch is a push button that's molded into the rim of the bezel, and a green LED power.

er indicator is located nearby. The medium gray screen of the ECM-1910 is antiglare treated.

SHARP AND COLORFUL. The colors and sharpness of the display proved good, notwithstanding the 720-line maximum resolution claimed in the manual. The display tube itself with its 0.31-mm dot pitch is more than capable of the resolution demanded by 8514A, although the 30-MHz bandwidth of the ECM-1910 electronics

does not seem up to the requirements of the 8514 standard.

The image aspect ratio depends on the settings of the height and width controls. Throughout their ranges, image geometry appeared very good—straight lines stayed straight. Alignment failed in the screen comers, possibly due to the deterioration of the upper lines of the image.

For applications requiring multiscan capabilities, the ECM-1910 is a good, workable display. For use under the 8514

mode does not have to be increased dramatically in order to fit 60 percent more pixels on each line (1,024 versus the 640 used by VGA). The 8514/A increases the horizontal scanning frequency of the VGA system from 31.47 kHz to a relatively modes 35.52 kHz.

The 8514/A operates independently of the VGA circuitry built into its computer host. When software changes the memory of the VGA, it does not necessarily change that of the 8514/A and vice versa.

When the 8514/A is in its VGA mode, the two VGA systems duplicate one another, which means that a system that has an 8514/A and matching monitor can boot up with a normal VGA image on its screen.

Not all software operations affect the VGA and 8514/A identically, however. For instance, if you're using both an 8514 and a VGA display, loading a palette or changing modes may put incorrect colors or a skewed gray scale on one of the displays (usually the 8514 connected to the 8514/A).

When the 8514/A operates in its native, high-resolution mode, its screen and that of the VGA system can be used independently. Typically, your software might put text displays on the VGA screen while the 8514/A draws images.—Winn L. Rosch

standard, however, it ranks as less-thandesirable because of its lack of autosizing abilities.

IBM CORP.

IBM 8514 Color Display The top of IBM's lineup of PS/2 displays is

The top of IBM's lineup of PS/2 displays is the \$1,550 Model 8514, the largest (with a 16-inch tube) and highest resolution color monitor that IBM offers for personal computers.



As dean of the display line, the 14½-by 15¼-by 16½-inch case of the 8514 matches the styling of the smaller IBM monitors and is finished in the same white-beige that coats the other PS/2 products. A darker gray bezel about 1½ inches wide surrounds the screen. This bezel is inset slightly from an ½-inch rim that runs around the set.

The corners of the case are squared off with a 4½-inch deep rectangle extending back from the front of the set, then tapering to a smaller cross section surrounding the neck of the display tube. A built-in tili-swivel stand lifts the 8514 about 2 inches above the work surface or system unit the

display rests upon. Although finished almost entirely in plastic, the 8514 is certified up to the Class B FCC standard.

thumbwheels.

TRUE TO THE STANDARD By definition, the 8514 is compatible with the 8514 standard. Only analog inputs are available, and the range of scanning frequencies handled by the dissplay is limited to those used by official IBM display standards. The 8514 recognizes two horizontal synchronizing frequencies, the 31.47 kHz of the VGA standard and the 35.52 kHz of the 8514A display adapter. It also operates with three vertical scanning frequencies—60.70, and interlaced 43.48 Hz.

8514 MONITORS

For connecting with PS/2s and the 8514/A board, the 8514 display provides a 70-inch-long nondetachable video cable that terminates in a male 15-pin, high-density D-shell connector. The power cord is removable. Both cables extend from the lower rear of the set.

In keeping with the current minimalist trend, the 8314 has but three controls—a rocker switch on the top-right edge of the case behind the front panel and brightness and contrast knumbwheels on the left side. None of the more exotic controls, such as size or position, are available, but the on-screen image presented by the 8514 evaluation system made them superfluous.

PERFECT ASPECT RATIO Only about 15 inches of the display tube is visible inside the bezel, and the active image extends across 13 inches of it. As you would expect from an IBM display, its aspect ratio measured a perfect 1.33 and the



screen geometry was as good as any monitor can offer. All lines were rendered straight, no matter how near they ran to the edge of the display area.

The automatic image sizing derived

through the polarity of the synchronizing signals worked as it was designed to. The images displayed in all modes matched one another in size. The image was as large as it could be on the screen and correctly centered.

The image itself is bright and colorful against the medium black background of the tube face. Antiglaer teatment of the screen face helps increase overall contrast. The image was adequately sharp, in part due to the 0.31-mm dot-pitch of the display tube. Convergence proved less than perfect and was the limiting factor in overall resolution of the 8514, however, with the red gun off by up to 0.5 mm in some corners of the display.

The greatest strength of the 8514 is its hassle-free design, requiring minimal user intervention. You can plug it in and rest secure that it will work perfectly with an 8514/A board. On the other hand, although the 8514 defines its own display





Hard-Disk Backup Easy as Shooting Fish in a Barrel!

> WESTLAKE Data ⇔ Corp

P.O. Box 1711, Austin, TX 78767 Telephone: (512) 328-1041
PS/2 and GS/2 are trademarks of International Resumers Machines. Inc.

NEW!

Now for OS/2! Point-And-Shoot PC-FullBak is now available for your OS/2 system.

FAST! Point-And-Shoot PC-FullBak is the fastest backup utility—period! Run it on your IBM PC, XT, AT, or PS/2 30, 50, 60, 80 or true hardware compatible at up to 20 miz!

SIMPLE! Just use the light-bar menu to select and mark the directories, subdirectories, and individual files you want to back up! Back up data all over your hard-disk with a single command!

RELIABLE! Point-And-Shoot PC-FullBak keeps your data safe – but don't take our word for it. "The product has never failed to give me a reliable RESTORE." – Jim Seymour, *Micro Business*

A BARGAIN! With Point-And-Shoot PC-FullBak, you'll never have to talk about the data that got away. And at only \$129.95, it's a bargain! Available at quality software retailers or from us at: (512) 282-041. Your satisfaction is guaranteed—or well refund your money! And that's no fish story.



AWARD-WINNING Software!

The award-winning family of products from Westlake Data Corp. has received PC Magazine's Editor's Choice Award and has been nominated for PC Magazine's Teckellence Award.

standard, it is also limited by it. It cannot transcend the 1,024- by 768-pixel interlaced resolution of the 8514 standard or work with other display standards, as can multiscan monitors. Nevertheless, the 8514 is undoubtedly the best display offered by IBM.

MICROVITEC INC. Microvitec 1019/SP

As big-screen, high-resolution displays go, the Microvitec 1019/SP is odd-looking: a gray beige front panel that extends squarely back in pale beige to meet a matching multiangle metal box. Aesthetics aside, the design of the \$2,395 unit shows inspiration-all of its manual adjustment controls are located on a recessed control panel tucked just below the lowerright corner of the screen. A tilt-swivel stand is included with the 1019/SP but it

must be installed by the user. Despite the metal in the 171/2- by 181/2by 191/2-inch (HWD) cabinet, the Englishmade 1019/SP earns only a business class FCC Class A certification. One reason for this is that the monitor may be called upon to deal with some pretty exotic signals. The multiscan display boasts a 40-MHz bandwidth and maximum on-screen resolution of 1,365 by 886 pixels. It handles signals with vertical scanning frequencies from 45 to 100 Hz and horizontal scanning frequencies from 15 to 36 kHz

Separate digital and analog inputs are available on the rear panel, both using 9-



The \$2,395 Microvitee 1019/SP is somewhat odd-looking, but it's well designed; all of its manual adjustment controls are located on a recessed control panel. It earns high marks for the high-quality images it produces and for its price, which is hundreds of dollars less than similar-size displays,

Display Informat

Information Charac

Speed-Tests



Microvitec 1019/SP Microvitee Inc. 1943 Providence C) College Park, GA 30337

(404) 991-2246 List Price: \$2,395; antiglare shield, \$129; CVGA-10 cable, \$34.95 Requires: Any 8514/A, VGA or EGA dis

play adapter or compatible In Short: An inexpensive 19 inch color display with multiscan analog and digital inputs. Includes tift-swivel base. A version with

long-persistence phosphors is available as the ORCLE 604 ON READER SERVICE CARD

pin D-shell sockets. A front-panel rotary switch selects whether digital or analog (or one of two auxiliary) inputs is active. Microvitee supplies a 60-inch adapter cable to connect with the 15-pin high-density VGA-8514/A standard

Besides the selector switch, the front nanel controls of the 1019/SP include brightness, contrast, horizontal and vertical size and position controls, a slide switch for color mode when the display is operating with its digital interface, and a push button to activate the degaussing circuitry. Inexplicably, however, the most

often-used control-a rocker switch that controls the input power-is banished to the rear panel.

THE WEEP-WOW EFFECT The size controls have sufficient range to stretch the image beyond the 19-inch (diagonal) bounds of the screen bezel, and the position controls move the image without running into any on-screen barriers. The monitor automatically adjusts the picture height to the number of lines in the input signal, although it takes a couple of seconds to settle down when changing stan-

LOW-COST, HIGH-RES ALTERNATIVES TO 8514

Proprietary monochrome display systems offer higher resolution at lower prices than do 8514-compatible monitors.

An 8514-compatible display will give you CAD-quality resolution at a relatively low cost, but it's not the only show in town. High-resolution monochrome displays can deliver on-screen images as good as or better than 8514compatible monitors at temptingly low prices can. The least-expensive monochrome systems, comprising both display and adapter, cost about the same as either an IBM 8514/A adapter or the cheapest 8514-compatible color display. Moreover, unlike IBM's 8514/A display adapter, most of these proprietary monochrome systems are compatible with the classic PC-bus rather than with the Micro Channel, making them more immediately useful to PC users.

The low cost of monchrome sysmes, even those with superior resolution, is a result of single-color displays being less complex than multicoler displays. Instead of the three guns found in most color sets, monchrome displays shadow masks. Because no multiple guns need be converged or aligned, monchrome monitors also need fewer adjustments and suffer fewer setup problems. Their simpler electronics fit into sum less power.

The lowest-cost monochrome alternatives to an 8514 video system are the Amdek Monitor/1280 and the Wyse WY-700, 15-inch paper-white displays that could be considered twins under their skin. Each will deliver a resolution of up to 1,280 by 800 pixels as well as full CGA and MDA emulation for \$999, including a proprietary display adapter. Besides the 14-inch, 8514-compati-

ble monochrome Max-15 display, Princeton Graphic Systems offers to proprietary models; each costs \$1,500. Labeled the LM-300 and LM-301, the former operates in portrail orientation (he long axis of the screen is vertical), put 1,664 pixels across the long axis of its 5-inch table and 1,200 pixels across the short axis. The LM-300 promises an BM emulations through its proprietary LaserPage interface, but the FG-1600 and and MDA images on-screen.

The 16-inch square NEC MonoGraph delivers a 1,024- by 1,024-pixel image using its own MonoGraph System Board display adapter. The \$1,995 system will also emulate an IBM CGA video system.

Taxan's \$2,195 Crystal View system is the lowest-cost big-screen (19-inch) monochrome system that delivers great-er-than-8514 resolution. In addition to the 1,280-by-960 pixel images delivered through its proprietary TX-1280 controller, double-scanned CGA images can also be generated.

Matching the 8514's resolution (1,024 by 768) but not compatible with the Application Interface of the 8514'A, Thomson's \$2,290 980W is a 20-inch display that's also compatible with CGA, MDA, and Hercules images using its

MDA, and Hercules images using its proprietary Thomson AGC adapter. The Cornerstone Vista 1600 will deliver supersharp 1.600-bv-1.280 images on its 19-inch screen using its Vista 1600 Custom Controller. The \$2,395 system also emulates a Hercules monochrome graphics board.

Moniterm offers a series of bigscreen, high-resolution monochrome displays. The most popular is the \$2,395 Viking 1 system that uses a 19-inch landscape display; 24-inch and portrait models are also available. In its proprietary mode, the Viking 1 controller will create images as sharp as 1,280 by 960 pixels, although it is also compatible with the CGA, MDA, and Hercules graphics video standards.

For the same price, the Sigma Laser-View Plus puts more pixels—a 1,664by-1,200 array—on a screen of the same size as the Viking 1's. Its LaserView Plus display adapter is also Hercules graphics compatible.

Conographic's ConoVision 2800 is a \$2,620 portrait-oriented display with a 19-inch screen. Using its proprietary CV-2800 display adapter, it paints a 720-by 2,880-pixel image on the screen and is also Hercules compatible.

Control Systems offers a monochrome monitor and display adapter package with 1,024 by 768 non-interlacd resolution an 19-inch screen as its 32,795 Artist Monochrome System 64. You can also boundle the company's \$1,995 Artistern 191/60/M 19-inch monochrome monitor and Artist Designer 16 video controller (52,795 with wom MB of RAM, 3,995 with 4MB) to display 1,64-by 1,200-pixel noninterlaced imases.—Winn L. Rosch

dards. There's a slight "weep-wow" effect—the image expands and shrinks as it settles down.

The 1019/SP's on-screen color and saturation proved very good, aided by the dark black matrix and antiglate treatment of the picture tube. The quality should be

even better with a new, superfine etched tube that became standard shortly after this evaluation was completed.

Image geometry also proved very good. All straight lines were straight whether they ran vertically, horizontally, near an edge, or near the center of the

screen. Alignment was also good. Aspect ratio depends, of course, on the adjustment of the size controls.

The 1019/SP did demonstrate an electronic problem—a distinct overshoot on input square waveforms, such as a sharp edge between two edges of different col-

COOL, QUIET POWER



- 150 watts of power
- . system runs 5°-15° cooler . 84% noise reduction

\$129

TURBO-COOL 150



- PC/XT compstible
- 155 wstts of power
 system runs 25°-40° cooler

· full rated power

· low output ripple

FCC-B complience

• 50% noise reduction

\$149

TURBO-COOL 200



- PC/XT/Mini AT competible 200 wstts of power system runs 30°-45° cooler
- stenderd noise level

\$189

EXPANSION CARDS TEMPERATURE TEST 130°

120°

110°

100*

90°

1 Comdex '86 results 2. Temperatures over 3 Each 18* increase cuts longevity 50%

Ordinary XT



· heavy duty components UL (#E114179:TC150/200) . OV, OC, SC protection

- TURBO-COOL AND SILENCER POWER SUPPLIES: POWER PACKED AND BUILT TO LAST
 - · patented twin fan slope-cover design for
 - msx. cooling vs noise (TC150/200) . high capacity West German cooling fan w/sdjusteble speed control (TC250)
 - · Installation Instructions; 4 drive plugs . rigorously tested; 1 yr. warranty

SILENCER 200



- ULTRA QUIET
- AT compstible . 200 watts of power . sdjustable cooling (1.0X-1.3X) • 69% noise reduction @ 1.0X

\$159

TURBO-COOL 250



- AT compstible • 250 watts of power
- sdjustsble cooling (1.3X-1.8X)
- . 386 boards and hard drives run up to 35° cooler
 - \$189

ALSO AVAILABLE

Turbo-Cool PC/XT Au	uxiliary Cooling Unit (system runs 15°-30° cooler) \$59
Turbo-Cool AT Auxili	sry Cooling Unit (system runs 15°-30° cooler) \$75
Compaq 180W Powe	r Supply (upgrades the original portable)
	Supply (power for up to 12 cards & 8 drives, wide guiation, 50,000 hr MTBF, 2 yr. warranty)

PC POWER & COOLING, INC. 31510 Mountain Way, Bonsell, CA 92003 (619) 723-9513 • FAX (619) 723-0075

VISA/MC/COD/PO

ors. A thin, bright line defined the left, vertical edge of all such high contrast areas. It's a small problem that most people may never notice, but one that should not exist.

The 1019/SP earns high marks for its very good image and a price that's hundreds of dollars lower than similar-size displays. If its minor image problems don't bother you, it can be a best buy.

MITSUBISHI ELECTRONICS AMERICA INC.

Mitsubishi FA3425L9

Although Misubishi's not-too-cleverly named FA3425L9 is a little display, the \$1,175 monitor features a big difference. This Japanese-made set is the only 8514/A-compatible display that takes the 8514 standard to heart, with its long-persistence phosphors that eliminate the last trace of flicker from interfaced images.

The Mitsubishi's 14-inch tube is masked down to 13 inches by a bezel that matches the rest of its plastic case in contour and color. Standing just 12 by 13% by 14% inches on its own flat feet (a till-swivel base is optional) the FA3425L9 is streamlined like a '50s spaceship, all curves and contours, but RFI-protected up to the FCC Class Bertification level.

Auto-tracking and multisynchronizing capabilities make the FA342519 computible with just about any display standard currently used by personal computers—not just CGA, EGA, PGC, VGA,



display Informat 3 Information Characters Speed-Tests Miscellaneous

The only 8514/A-compatible featuring long-persistence phosphors, which eliminate the last trace of flicker from interloced images, the \$1.175 Missubishi FA342519 is compatible with just about every display standard currently used by personal computers.

FACT FILE

Mitutable FAMSIS 9

Matebable Electronic America Inc.

91 Kors IX.

Terrane CAVAGO2

Terrane CAVAGO2

Terrane CAVAGO2

Lar Pirez SLI, 275 with host permissione phosphore. SL JOS for with short permissione and phosphore. SL JOS for with short permissione and produce an

CIRCLE 653 ON READER SERMOE CARE

and 8514/A, but also Hercules monochrome and color, Apple IIGS, and Macintosh II. It accepts vertical scanning frequencies from 50 to 87 Hz and horizontal signals ranging from 15.7 to 35.5 kHz.

Although its bandwidth is 40 MHz, the FA3425L9 claims on-screen resolution of only 800 by 560 pixels. True to the IBM standard, it reaches 8514/A quality—1,120 by 780 pixels—when interlaced.

The FA3425L9 accepts both analog and digital signals through two sets of input connectors. One high-density 15-pin D-shell serves both modes, and a set of

five BNC connectors link to separatesyne, sync-on-green, and composite-sync analog signals.

The only unfortunate design element of the FA3425L9 is its 60-inch VGA connecting cable, which has a 15-pin, highdensity D-shell connector at each end but is not symmetrical. The connectors at either end are pinned differently, which would create problems if you inadvertently inverted the ends.

FULL ARRAY OF CONTROLS The front-panel controls of the unit are generous; contrast, brightness, horizontal

A simple explanation of our new VGA Plus 16 card.



low you can get high performance VGA and still stay affoat financially The new Paradise VGA Plus 16 card is

the latest addition to our growing family of VGA products. Its 16-bit bus and BIOS rushes information to your screen up to 400% faster than IBM*'s Display Adapter. And its exclusive AutoSense™ feature guarantees trouble-free high performance.

You also get 256 brilliant on-screen colors with 640 x 400+ resolution. Or 16 colors in 800 x 600 resolution, for even crisper detail

Plus you get complete hardware and software compatibility, including downward compatibility with all pre-VGA standards. And the Paradise VGA Plus 16 card comes complete with a long list of software drivers to support all your favorite programs.

In simple terms, it's the best high performance value going. At only \$499 retail.

For more information on any member of the Paradise VGA family -VGA Plus 16. VGA Plus* or VGA Professional* please call Paradise at (415) 960-3360. Or call the dealer nearest you

8514 MONITORS

size, horizontal position, vertical size, and vertical position are all tucked under the edge of the bezel, all thumbwheels with center detents. A push-button on/off switch and LED power indicator on the lower-right comer of the bezel complete the array

At the rear of the monitor, Mitsubishi provides an analog/digital input selector slide switch, an overscan slide switch labeled "wide-normal," a mode slide switch (which defeats the auto-tracking that keeps images the same size under different modes), and a text-mode slide switch. You select text-mode colors such as green, amber, and white as well as the TTL color palette (8, 64, and two 16-color modes) by using a bank of four DIP switches.

The control range of the front-panel thumbwheels is unusually good, allowing the image to twove beyond the bezel on any side. While the default image measures only 11 inches diagonally, you can expand it to fill the screen vertically, but it falls about I inch short of spanning its entire

width when not in overscan mode. With the front-panel controls set at their defaults, the aspect ratio of the FA3425L9 looks a bit short (1.28 versus 1.33) but the image geometry proved excellent, alignment was good, and the sharpness of the 0.28-mm dot-pitch screen also proved to be good. Colors on the dark tinted and antiplare-coated screen were uniformly bright and saturated.

Until you get used to them, the long persistence phosphors of the FA3425L9 may prove bothersome. Image lag is substantial: on a par with the original IBM monochrome display. Although you may not like the ghostlike effect on quick text scrolls, on CAD drawings (which don't scroll or change dramatically) it should not be objectionable.

In fact, the absolute lack of flicker may

be the best recommendation of the FA3425L9. But, if you still can't tolerate the light lag, you might try a short-persistence version of the display, which Mitsubishi offers as the FA3415, priced at \$1.015

NEC HOME ELECTRONICS (USA) INC.

NEC MultiSync XL The world owes the seeming catchall name

MultiSync to NEC, whose trademark it remains. The biggest monitor to wear that label is the MultiSync XL, a hulking display equipped with a 20-inch tube and a case that stands 181/2 by 19 by 211/4 inches (HWD) on its built-in tilt-swivel stand. The \$3,199 Japanese-made display earned only a Class A FCC certification. Carrying on the MultiSync tradition.

the XI automatically adjusts its circuits to adapt to whatever synchronizing frequen-

word cruncher's dream

What retrieves vital information from 20 megabytes of files in 5 seconds? Works with any of 20 popular word processing programs plus Dow Jones, Compuserve, Lotus 1-2-3 and ASCII? Saves you countless hours of search time? ZyINDEX 3.0, the fastest, most comprehensive text retrieval program of its kind. Only ZylNDEX 3.0 lets you:

- . perform AND, OR, NOT and proximity (one term WITHIN "n" words of another) searches
- · work with structured or unstructured files
- · mark and save to ASCII files
- · access on-line help menus
- · enjoy full product and system support...plus all these new capabilities! · auto indexing and updating
- · super wild card searches
- · major LAN compatibility

WORLD



INFO

index list 500 files, \$45 ZvINDEX Professional multiple index list 5000 files. per list. \$295 ZyINDEX Plus multiple index 15,000 files per list researcher package list. \$695

3105-T North Wilke Road Arlington Heights, IL 60004 FAX 312-632-1129 Phone: 312-632-1100

More than a text retrieval program, ZyINDEX will actually change the way you manage information. For free demo diskette, call: 1-800-544-6339

1988, ZyLAB Corp.

BUFFALO'5/

ONLY \$500 PLUS \$100 PER 256KB MEMORY





When you can't afford to buy a laser for each PC, the Butfalo St. This the inexpensive way to let everyone stare - not just your lasers, but printers, plotters and modems as well. If you don't need simultaneous access to shared files, the St. is also an alternative to a LAN at a fraction of the cost.

The St. has four parallel and six serial channels, with all ten being use configurable as either an input or an output, so you can share 1 PC with 9 peripherals, or an output, so you can share 1 PC with 9 peripherals, or an output, so you can share 1 PC with 9 peripherals, or an output peripherals, or an output peripherals, or an output peripherals, or an output peripheral St. together All channels can be in use at the same time and can rapidly transfer and at 19.200 baud. All memory (see trappradeable up to 4MB) is dynamically allocated and shared as needed.

The SL comes with software for menu-driven installation and poy-up menu control selections, but you don't have to be a programmer to use it. Of course, the SL works just fine without our software tool The SL has many other features so ask us to send you more information.

MORE[®] MEMORY

When 640K just is not enough, you need to add MORE™ MEMORY. This Memory Extension System™ Board uses only one slot in any 8 or 16 bit bus and can be used as expanded, extended and/or conventional memory (EEMS/EMS version 4.0 software).

MORE MEMORY Is compatible with PC/XT/AT computers and supports PC-DOS, MS-DOS, PC-MOS, OS/2, Unix, Xenix, etc. It is easy to install MORE MEMORY and it comes with a 5 YEAR WARRANTY.

MORE MEMORY has built-in DRAM protection that corrects for any memory errors when you reboot, so you will never have to replace a faulty memory chip. No downtime or costly repairs will ever occur due to a failed memory chip on the MORE MEMORY board.

HYPERWARE™ PC productivity boosting software is included FREE with each unit. HYPERDISK™ enables disk drive read/write intensive programs to run 3-10 times faster. HYPERKEY™ enhances the responsiveness of your keyboard. Sold separately, \$49.95.

2MB-\$1200, 4MB-\$2100, 6MB-\$3000, 8MB-\$3900



Buffalo Products also makes other smaller buffers, automatic switches, and interface conversion devices. All of our products come with a 45 DAY MONEY BACK GUARANTEE. Call us TOLL FREE and talk to one of our friendly application technicians for solutions to your connectivity problems.

(800) 345-2356

Buffalo Products, 2805 19th Street SE, Salem OR 97302 (503)585-3414

cies are presented to it. Its range is truncated on the low end and does not stoop back to the CGA standard. It can accommodate EGA, VGA, PGC, and 8514/A video signals, however. Acceptable vertical scanning frequencies range from 56 to 80 Hz, horizontal from 21.8 to 50kHz. Maximum resolution is 1.024 by 768 pixels.

ANMOG AND BIGITAL INPICTS The XL handles both annaley and digital inputs through two sets of connectors on its back panel. Normally, you'll want to use the 9-pin D-shell socket that accommodates both analog and digital signals, you select the operating mode by flipping a shlee switch located above it. Analog signals can also use a set of four BNC connectors that accept both separated sync and sync on-complete the selection of t

Two input cables are supplied with the XL. One terminates in a 9-pin D-shell for EGA and PGC display adapters. The other ends with a 15-pin high-density D-shell for use with VGA and 8514/A systems.

Other controls on the rear panel include an 8/16/64 selector switch for color mode compatibility with non-IBM computers, an anaual switch that defeats automatic inage sizing for the various IBM video standards, and an input level switch that allows for nominal analog inputs of 0.7 or 1.0



With a 20-inch tube and a case that stands 18½ by 19 by 21½ inches (HWD), the NFC Multisyne XL is the biggest monitor to wear NFC's wellknown Multisyne label; 176 83; 199 monitor's overall image was among the best shown by the bigs serven 8514/A-compatible displays reviewed beres.



LE

FACT FILE

NEC MultiSyne XL NEC Home Electronics (USA) Inc 1255 Michael Dr. Wood Dale, IL 60191-1094 (312) 860-9550

List Price: \$3,199; 8514/A cuble adapter, \$19.95. Requires: Any MCGA, EGA, VGA, PGC, SuperVGA, Macintosh II, or 8514/A display adapter.

In Short: The classic NEC Multi-Sync display grown up to a 19-inch image, the Multi-Sync XL accepts a wide range of scanning frequencies through TTL and analog inputs and includes a till-swivel base. ORCL 6992 NIEADER SERVICE CARD volts. Brightness and contrast thumbwheels are tucked under the right-front edge of the display; behind them is a push button to activate the built-in degausser. A push button that controls input power is

under the lower-right corner of the screen. Image position and size controls (both borizontal and vertical) are hidden behind a door under the left side of the screen. These can help compensate for the somewhat small 16½-rinch image presented across the 19-inch visible screen (the default with the size controls set at the detent in the middle of their rotation). The range of the position controls is search, however.

For example, the horizontal control ends its rotation while the active image is still ½ inch from the bezel on the screen.

Additional controls on the rear panel include two slide switches that operate only with digital input signals for text mode. One toggles text mode on and off; the other sets the text color as amber, green, or white. A selector that chooses either the BNC or D-shell input connector is also located here.

HIGH ASPECT RATIO With the size controls set at their detents, the aspect ratio of the XL measured slightly high, but not

Our Profile Will Make You Smile!



Our Price Will Make You Happy!

Introducing IntelliSync? The New Intelligent Multi-Frequency Monitor From 3LYNX?

It starts with the outstanding design features such as the small foot print, and streamlined profile (even slimmer than single frequency color monitors).

Next the IntelliSync is compatible with the CGA, EGA, VGA, and more, as well as being an excellent companion to all PC/XT/AT*, Apple Macintosh II,* and the new IBM PS/2* systems.

The cost of IntelliSync is nearly 1/3 less than its major competitor. Most impressive is that it is manufactured by 3LYNX, a video

is manufactured by SLIVA, a video display monitor manufacturer producing critical video components for the majority of the top FORTUNE 500 computer companies for years.

For information on the new 3LYNX IntelliSync Monitors call or write today, Call toll free 1-800-243-5969. Or 1-800-24-3LYNX. Fax # (408) 434-0466. International Calls (408) 432-8833.



IntelliSync Monochrome Monitor 15" flat screen with vivid gray scale

ntelliSync The Best Choice

FEATURES	3LYNX INTELLISYNC	MULTISYNC I				
Size	14"	14"				
Front Controls Auto Horizontal	Yes	Yes				
Frequencies	15.50-35KHz	15.50-35KHz				
Tilt & Swivel	Yes	Yes				
Mul	ncorporated all of th tisync II plus more					
Auto Vertical Frequencies	45-120 Hz	50-80 Hz				
Inverse Video Option in MDA Mode	Yes	No				
Selection of Text Color	Auto	Manual				
Color Text Options	7	3				
Dimensions (mm)	341(w) 346(h) 386(d)	369(w) 357(h) 406(d)				
Weight	29(lbs)	31 (lbs)				
Suggested Retail Price	\$695.00	\$899.00				



1450 Seareel Lane San Jose, CA 95131

*Registered trademarks of their respective companies. 3LYNX and IntelliSync are registered trademarks of 3LYNX Technologies Corp.

CIRCLE 169 ON READER SERVICE CARD

objectionably so (about 1.40 versus 1.33). Image geometry was correct, and alignment proved very good with the green gun slightly high at the top of the image but within the 0.7-millimeter rating of the set.

Image quality was very good on the 0.31-mm dot-pitch tube, as were color and contrast. The screen background is dark gray and its face is coated to reduce glare.

Although somewhat small, the overall XL image was among the best shown by the big-screen 8514/A-compatible displays reviewed here. Its biggest drawback is its stiff price.

PRINCETON GRAPHIC SYSTEMS **Princeton Graphic** Systems Max-15 Princeton Graphic Systems Ultra 16

If you don't need color or you do need the dollars that a color 8514-compatible display would cost, put your mind on a single track and think monochrome. For \$389 you can have today's cheapest entrée into 8514/A graphics, Princeton Graphic Systems' Max-15, a white-on-black multiscan display with a 14-inch tube. If price isn't a factor, about \$1,000 more will buy you the Ultra 16. Princeton Graphic's 16-inch color 8514-compatible display.

The Max-15 accepts both analog and digital inputs through its 25-pin D-shell socket: the interface is chosen by the adapter cable that you use. Princeton sup-



plied a 72-inch cable that terminated in a male high-density 15-pin D-shell to match VGA and 8514/A standards. A similar cable terminating in a 9-pin D-shell connects to digital display adapters. The Max-15 will handle all IBM digital video standards, including CGA, EGA, and TTL monochrome signals (which includes Hercules graphics) as well as Macintosh II. Macintosh SE, and composite video. The Taiwan-made Max-15 bears a Class A FCC certification.

our monthly guide to the best the world has to offer

ADVANTAGES OF MONOCHROME Monochrome brings a host of advantages.

You can control the size and shape of the image with horizontal and vertical size not the least of which is the smaller size of and position controls, which are provided

the unit. The 121/2- by 121/2- by 13-inch

(HWD) Max-15 is light and compact en-

ough-even with its built-in tilt-swivel

base-that you don't have to worry about

your PS/2 Model 50 or 70 being crushed to

brownish bezel mask the display tube

down to a visible 123/4 inches, while the

actual active video area measures only

101/2 inches diagonally, at least in 400-line

normal text mode. Switch to 8514/A, and

the image grows a full 2 inches vertically.

The white beige plastic case and thin

rubble underneath it.

FACT FILE Princeton Graphic Systems Max-15 Princeton Graphic Systems 601 Ewing St., Bldg. A Princeton, NJ 08540

(609) 683-1660 List Price: \$389 (including cable). Requires: MDA, Hercules, CGA, EGA, PGC, VGA, or 8514/A display adapter or compatible

In Short: The Max-15 is a 14-inch monochrome display with an antiglare etched flat screen and built-in tilt-swivel base that's compatible with all IBM video standards

CIRCLE 690 ON READER SERVICE CARD

PC MAGAZINE - FEBRUARY 14. 1989

on the rear of the display. With the exception of the horizontal size control, all of these are shaft-like. There is also an underand overscan slide switch


If you select overscan (which is principally designed for use with Apple display systems), the image will exceed the bounds of the screen. If you use underscan (IBM mode) and adjust for a full-screen image in 8514/A, your text screen will shoot through the top of the screen bezel. The horizontal-position control does not have enough range to move the image to the left bezel except in oversean mode.

Another slide switch on the rear panel is labeled Normal/Reverse/Mono. When digital inputs are used, this toggles between normal (EGA/CGA) displays, reverse mode (in which syne polarity determines whether 16 or 64 shades of gray are displayed), and mono, which gives four shades of gray to MDA signals.

A SHARP IMAGE The Max-15's image is sharp; it's unhampered by a shadow mask, which is unnecessary in monochrome displays. Princeton rates its resolution at 1,024 by 768 pixels and its bandwidth at 45 MHz—right on for 8514 operation. The monitor's stark, paperwhite image stands out distinctly thanks to the dark face of the display tube, its antiglare treatment, and the nearly flat screen.

The brightness and contrast thumbwheels on the left side of the Max-15 have adequate range to suppress background illumination in environments with wide





ranges of ambient brightnesses.

Only the image geometry suffers a slight barrel distortion that causes the central portions of the image to bulge out and leads to a slight downturn of the top edge. The aspect ratio of graphics depends on both mode and control settings.

Buy the Max-15 only if you want an affordable 8514 alternative. However, you'll have to accept its several shortcomings—less-than-perfect geometry, poor mode handling, and inadequate control range. The Max-15 is a workable solution, but it needs further attention to detail to be a top choice except on price. A COLORFUL ALTERNATIVE If the Princeton Graphic Systems Ultra 16 won't match your display board, no multiscan monitor will. Princeton claims that the \$1,375 Ultra 16 accepts the widest range of vertical and horizontal scanning frequencies, from 45 to 120 Hz and 15 to 37 KHz, respectively.

The Ultra 16 accepts both digital and analog signals and is compatible with all IBM PC color modes (CGA, EGA, VGA, 8514, and PGC) and the Apple Macintosh II. It prefers that the analog input have a nominal 0.6-volt signal. The 0.7 volts of the VGA system might slightly overdrive

8514 MONITORS

the system, but then that's what brightness controls are for.

A push button on the rear panel selects whether the Ultra 16 uses its analog or digital inputs. To mate with whatever display adapter you have, the display uses a 25-pin Ds-shell connector. Separate 72-inch cables are supplied for digital and analog use as well as for use with the Med II. Digital cables terminate in a 9-pin male D-shell; analog cables terminate in a 15-pin male high-density D-shell connector. Although a composite video input is available on the 25-pin input connector, Princeton currently does not offer an adapter cable to mate with this video standard.

The display tube of the Ultra 16 measures a generous 16 inches across with all but 14½ inches of that masked by a green-ish-tan bezel that contrasts with the white beige case (which also bears a hint of green). Sitting on its built-in tilt-swivel base, it looks like an ordinary monitor that

suffered a sudden growth spurt. It measures 16% by 16½ by 15¾ inches (HWD), and it bears Class B FCC certification.

COLOR AND CONTRAST The dark, almost black matrix and antiglare etched finish of the screen delivers a high-contrast, colorful image. Only when brightness is set to its maximum does any flare visibly blur on-screen characters, possibly a result of the 0.1-volt overdrive. Sharpness is aided by the tube's 0.31-mm dot-pitch. The maximum resolution of the system is 1,024 by 768 pixels.

As delivered, the active image size measured 13 inches diagonally, giving an almost perfect 4:3 aspect ratio to the 10½-by 8-inch picture. The image maintained its size no matter which video standard we fed to the display.

Both horizontal and vertical sizes of the image are variable; to alter them, you use

shaftlike controls on the rear panel of the display. These are augmented by an overscan/underscan push button. The range of the horizontal adjustment was somewhat limited.

The maximum width of the image measures about 11 inches, insufficient to fill the screen in underscan mode. In overscan, the horizontal-size control cannot reduce the width of the image to fit on the screen. And in underscan mode, the horizontal-position control runs out of room when the image rests about ½-inch right of the left bezel. The range of the vertical adjustments is greater, allowing the image to more than fill the entire height of the screen.

Other controls on the rear panel include a color mode selected for TTL operation, which selects 16- or 64-color operation. A text-color push button cycles through a range of colors, depending on whether the analog or digital input is used. In digital



Uncompromising Reliability Teams Up With Unparalleled Performance.



Dyna 30MHz 80386 Cache System PERFORMANCE BENCHMARKS

-One Step Ahead.

The Step Arteau.

Prices range from \$4,995 to \$24,769

3081 North First St... San Jose, CA 95134 (408) 943-0100 FAX (408) 943-0642

LANDMARK SPEED TEST (VERSION 4.0) 49MHz
 NORTON S.I. RATING (VERSION 4.0) 36.3
 POWER METER MIPS TEST 6.96 MIPS

HARDWARE FEATURES:

= 80386" CPU (Intel)

 Custom-designed 64K RAM cache and controller (implemented in PALS), nearly a 90 percent calculated hit rate

One to 24 megabytes of RAM available

=80387 and Weitek support (stand-alone or simultaneous mounting)

Tower enclosure (six half-height or three full-height drive enclosures)
Monographic, EGA and VGA options available

MFM, ESDI and SCSI hard drives and controllers

Drive capacities range from 40 megabytes to 780

 DOS, UNIX, NetWara, OS/2 and XENIX compatible 10MHz I/O bus speed Dyna Computer, Inc. has over six years experience is the design and manufacture of PC, 8088, 286 and 386 motherboards and systems.

SERVICES:

Reliability is the first thing on your mind and at Dyna computer we make it our number one priority Our goal at Dyna Computer is to serve and maintain you, the customer. Dyna Computer fulfitts your performance/ throughput requirements by designing today's highest performance intel-based 80386" microcomputers.

Support and service are next on your agenda and ours. If your company needs nationwide on-site service or a guaranteed 48-hour depot service contract, we can, in most cases, effectively channel your requirements.

We realize that many corporations need to lease their computers. Dyna Computer equipment is available via lease scheduling for qualified companies.

At Dyna Computer, as at most companies, well over 80 percent of our business comes from repeat customers.

percent of our business comes from repeat customers. So for your benefit, Dyna Computer goes out of its way to make sure that your requirements are met. Call one of our highly trained systems sales consul-

Call one of our highly trained systems sales consultants today. We will prove to you that at Dyna Computer we make if our business to satisfy your business systems and peripherals requirements.

oil trademark of Revett. Inc. IN NEX is a registered trademark of the Santa Cruz Operator

CIRCLE 379 ON READER SERVICE CARD

8514 MONITORS

mode, the selection is green on black, amber on black, and white on blue; in analog, amber on black, cyan on black, and green on black.

Once you set a text mode, the Ultra 16 remembers your color choice only as long as the display is turned on. Switch it off and back on, and it resets to normal color mode (white text on a black background).

Normal display controls are hidden just under the the right-front edge of the Ultra 16. Thumbwheels are provided for contrast and brightness, and there is a rocker switch for controlling power. A long, narrow LED near the lower right of the front of the display indicates that the power is turned on

The Ultra 16 delivered excellent images with near-perfect geometry. The color alignment of the evaluation display was also quite good, although near the corners of the display it faltered somewhat. If only control range were better and the trace of flare eliminated, it would top the list of 8514 choices.

SEIKO INSTRUMENTS USA INC.

Seiko CM-1430 Designed as a direct replacement for IBM's 8514 display, the Seiko CM-1430 mimies its operation and all of its modes in

FACT FILE

Seiko CM-1430 Seiko Instruments USA Inc. PC Products Divison 1144 Ringwood Ct. San Iven CA 9511

adanter or compatible

(408) 922-5900 List Price: \$995, including interface cable. Requires: Any VGA or 8514/A display

In Short: An 8514 display shrunk down to computer-top size, the CM-1430 operates in all VGA and 8514 modes and yields an active display area of 13% inches. No controls are provided for altering the height, width, or position of the active image, but the factory settings are close to perfect CRO E 440 ON PEACER SERVICE CARE

DONOUGH res a more compact package. Measuring just 131/4 by 14 by 161/2 inches (HWD), the \$995 display is desktop and computer-top

The Seiko CM-1430 mimics the operation and all of the modes of IBM's 8514 display, in a more compact package. Measuring just 13% by14 by 16% inches (HWD), the \$995 display is desktop and computertop material and includes a built-in tilt-swivel stand

material, packaged in a white-beige plastic case with perforated steel bottom and meeting FCC Class B certification. A tiltswivel stand is built in to the unit.

The CM-1430 operates at the same frequencies used by the IBM 8514. It accepts vertical scanning frequencies of 60, 70, and 87 Hz (the last interlaced) and horizontal frequencies of 31.7 and 35.52 kHz. lt offers only an analog interface through a fixed 69-inch cable that terminates in an IBM-standard 15-pin, high-density Dshell connector. It supports all VGA modes (which means it emulates the CGA and EGA standards through the analog in-

terface) and full 8514/A capabilities. As with the IBM 8514 display itself,

the CM-1430 is capable of detecting sync polarity and properly adjusting the height of its displays. Moreover, it includes the proper ID signals to indicate to its host display adapter that it is an 8514 monitor.

FACTORY SETTINGS The display tube of the CM-1430 measures 14 inches diagonally and yields an active display area of 131/4 inches. No controls are provided for manipulating the height, width, or position of the active image. You're dependent on the factory settings, which

Doing Business Since 1980 A Division of CW Marketing, Inc.

LOGITECH MICE

•	LogiMouse
	LogiMouse w/Paint Show
	Logi Buss Mouse w/Paint Show .
	Logi Buss w/Publisher
	LogiMouse w/Logi Cadd
	Logi Buss Mouse w/Logi Cadd
	LogiMouse w/Publisher
	LogiTech Hi-Res Mouse

SOFTWARF DURI ISHING First First

First Publisher																\$69
First Graphics																.72
First Choice																. 82
Professional V																
Professional F																
Professional P																
Harvard Graph																
Harvard Projes	ct Ma	r I	Ш													349

Webster

43

WORD PROCESSORS

Easy Extra\$53

Multimate Advantage II 259

PFS: Professional Write 102

Volkswriter Deluxe Plus 57

Prof. Spell Checker 32

New World Thesaurus 37

Word (Microsoft) 189

Word Perfect 5.0 219

Wordstar Pro Pack 5.0 235

TRAINING

. 38

29

58 Word Perfect Executive 117

Wordstar 2000 Plus 3.0

Adv. Flight Simulator . .

Lets C

Mavis Beacon

Teaches Typing

MS Learning DOS .

MS Flight Simulator

Typing Tutor IV ...

Turbo Pascal Tutor

Typing Instructor Encore . .

NewWorld Writer II

SOFTWARE UTILITIES -

Disk Optimizer 4.0 37 Sideways 37

Disk Technician Adv. 99 SQZ Plus 53

Laptink + 73 XTree Professional 61 Chuck Yeaper

\$46 Microsoft Windows 386 116

85 Printworks for Dot Matrix 41

. 75 Unlock Game Master 25

Maxell 31/2 DS/DD (100) . .

DISKETTES

51/4 DS/DD (100) . . .

Snny 31/: S/S (100)

3% DS/DD (100)

31/2 High Density (100) 339

51/4 High Density (100) 115

31/5 High Density (100) . 379

56 Smart Notes

DATA BASE SAMACEMENT.

MANAGEMENT	
Clipper	
dBase IV	
dBase IV LAN	
DB-XL Diamond	
Eureka	
Genifer	
Nutshell	
Nutshell Plus	
Paradox 2.0	
PFS: Professional File 2.0	

Q & A Write R-Rase For DDS

MONEY	MANAGEM
Dollars & Se	rise
w/Forcast	

Dollars & Sense	
w/Forcast	
Tobias	

Mace Utilities Microsoft Windows 286 59

ACCESSORIES Copy II

1 DIR Plus

Copywrite

Carousel 2.0

Direct Access

Fastback

Dotion Board Deluxe . . . MS Mach 20 Memory Plus ... MS Mach 20 Baseboard . . . Masterniece 79

258 312 514 DS/DD (100) 92 51/4 High Density (100) . . 160

ta. roany Checks Will Deley

65 No Charge for VISA and Mastercard

125

165 PC Logo (New Ver.) . .

* We Do Not Charge Your Card Until Your Order is Shipped You Pey The Ground Shipping 1-10# \$8.00, 11-20# \$10.00 (Except Alaska & Hawari), We Pay the Art Difference Free Air Applies ONLY to Orders Over \$100 All products (including DCA s) carry manufacturar's warranties only. We do not honor guarantees.





1-800-426-66

Microsoft PC Excel SPECIALS Microsoft Word 4.0

Microsoft PC Works

Microsoft Windows 286

SOFTWARE

INTEGRATIVE SOFTWARE Ability Plus	COMMUNICATIONS Carbon Copy Plus \$106 CompuServe Subscription Kit 19 Crosstalk XVI 87 Crosstalk XVI 109 Mirror II 33 Remode II 87	DESKTOP PUBLISHING Newsmaster II. \$38 Pagemaker 3.0 472 PFS: First Publisher 89 Ventura Publishing 455 PROJECT MANAGEMENT	SPREADSHEET Cambridge Analyst \$80 HAL 89 Lotus 1-2-3 Ver. 2.01 285 Lotus Agenda 239 Lotus Manuscript 289 MS Excel 285
NOVELL	Smartcom II	Harvard Project Manager III \$349	MS Excel/Mach 20 Bundle 641 MS Multiplan 4.0
ANW/286 w/Key Card \$1745 SFT NW 286 w/Key 2975 SFT/286 LVLI w/Key Card 1899 All Others Call	LANGUAGES MS Basic Compiler \$178 C Compiler (Microsoft) 169 Cobol Compiler (Microsoft) 538	Microsoft Project 4.0 295 Superproject Expert 409 Timeline 3.0 315	Quattro 146 Supercalc 4 299 Twin Advanced 62 Twin Classic 32
MICE	MS Fortran Compiler 4.0 269 Lattice C Compiler	GRAPHICS Designer \$399 Energraphics 199	VP Planner
PC II Mouse w/Paint (Buss or Serial) \$82 PC II Mouse w/Autosketch (Buss or Serial)	Assembler (Microsoft)	Freelance Plus	ACCOUNTING ACCPAC Easy \$53 ACCPAC BPI 229 Bedford Accounting 139
Microsoft	Ryan McFarlan Fortran 375 Ryan McFarlan Cobol 579 Turbo Basic 62 Turbo C 58 Turbo Pascal 5.0 88 Turbo Pascal Dev. Library 228 Turbo Prolog 88	Microsoft Chart 3.0 236 News Room Professional 28 Printmaster Plus 28 PrintShop 32 Turbo Graphix Tool Box 62 VP Graphix 56 Windows Drawl! 165	DAC Easy Accounting 53 DAC Easy Payroll 53 One Write Plus 2.0 117 One Write A/R, A/P, Payroll 117 ea. Ime Slips 69 TimeSlips III 108

CIRCLE 206 ON READER SERVICE CARD

To Follow Lip On An Order (602) 944-1007 der Line Hours Mon - Fri. 7:00 am 6:00 pm aturday 9 00 a m -1 00 p m

You Pay the Ground Shipping, We Pay The Air Difference

telemart

Doing Business Since 1980 A Division of CW Marketing, Inc.

The Acknowledged Leader in the Computer Mail Order Industry.

Call About the Availability of Other Products Not Listed.

MIT SYSTEMS



Pictured Above PC/XT Turbo ◆

PC/XT TURBO

10MHz, 640K Memory, 150 Watt PWR Supply,
Keytronics Style Keyboard, 1-360K Drive,
AT Style Case, Monographics Card wiparallel
Printer Port, Clock Card w/Serial Port,
Mono Mentor w/Swivel Till Rase

\$709 System w/2 Drives \$7

 System w/2 Drives
 \$787

 System w/1-20 MG Drive
 994

 System w/1-30 MG Drive
 1021

Milwa

16 MHz. 1024K Memory, 200 Watt Power Supply, Enhanced Keyboard, 1.2 MG Floppy Drive

\$1899 0-1899

Pictured Below PC/368 →





Pictured Above PC/286 Turbo

PC/286 TURBO
12 MHz, 1024K Memory,
200 Watt PWR Supply,
1.2 MG Floppy Drive,
Enhanced AT-Style Keyboard,

1713
System w/12 Floory & 40 MG Drive ... \$22

85

129

MIT MONITORS, CARDS, MODEMS & KEYBOARDS

	MIT	M	C	1	۷	ľ	ľ	C		R	Ę	S	,	(C	ì	A	ı	R	l
Turbo w/640K																				
Turbo PC/XT v	/350K & 2 D	rives	١.,																	
Turbo PC/XT v	7350K & 1 E	rive .	\$ 21) N	G															
Turbo PC/XT v	/360K & 1 E	rive .	8 3	ON	G															
PC 286 12 MH	Zero Wart	State	w/1	024	K.	1.	2 F	lo	10	/ D	ri	ve								
PC 286 12 MH	Zero Wait S	State	w/I	02:	IK.	13	2 F	lo	30	ıΒ	ri	re	4	0	м	G				
MIT Amber Me																				
MIT Color Mon	itor																			
MIT EGA Mon	tor																			
MIT Auto Swit																				
MIT Color Care																				
MIT VGA Card																				

\$560	MIT A B Switch Box (Pan/Par)
. 635	MIT I/O Serial Clock
. 835	MIT I/D Serial-Parallel
. 859	MIT Monographics Card
1190	MIT AT Multi I/O
. 1575	MIT XT Multi VO
95	MIT 1200B Modern (INT) with Software
. 235	MIT 1200B Modern (EXT) with Software

345 MIT 2400B Modern (INT) with Software 139 MIT 2400B Modern (EXT) with Software 49 MIT Enhanced Keyboard

1-800-426-6

	INTERS-	DISK DRIVES	AST COMPUTERS
Mps	Okidata 5 182 +	Bernoulli Box	Model BO \$14
Allegro \$34		1) Meg S889	Model BU
Other Models	292E	20 Meg	Model 140X 22 Other Models 0
IST	293F 489	40 Meg	Other Models
Turbo Laser	s 294	Reta Fxt 20 MG 1009	NEC
Citizen Printers	320 309	Beta Int. 20 MG 765	Multispeed EL II
		Seanate	Muttispeed HO
1200		Seagate 20 MG w/WO Controller 270	Toshiba
180D 16		251-1 40 MG	T-1000
Other Models Ca	II Laserline 6 1325	30 MG VHT 295	T-1200F 13
Iconix	Lasenine o	30 MG 7291	T-1200H
150	9 Psnasonic 1080 I M2	40 MG w/Controller 439	1200ER 1
130	1080 I M2	Other Models Call	1200HB
pson Printers FX850	_ 1091 I M2 179	Teac	T-3200
fx850		1.2 MEG AT 85	1-3200
FX1050 46	9 1124	Floody FSS BV	T-5100
0500 28	9 aser 4450 1555	Toshiba	Zenith
LQ850		Toshiba 35 0r 720K	Supersport 20
LX800	Ctrafficanting	3.5 Dr 1.4MB 99	
			BOARDS
Other Models Ca		MONITORS	AST
UJITSU 0L2400	NX 1000	Amdek MONITORS	Hot Shot
0L2400 78	5 Other Models Call	210A \$80	Six Pack Plus w/384K
Other Models Ca		410 135	Xformer
lewiett-Packard			AT Rampage
ewiett-Packaru	- 351 SX 939	NEC Multisync II 589	VGA
Laser Jet II D 309		Multisync II 589	VGA Plus
Laser Jet Series II 178		Multisync Plus 905	ATI
Paint Jet 108	5 Other Models Call	Multisync XI. 2069	ATI
Scan Jet 152	Uther Models	Monographic System 1289	EGA Wonder
(EC	ACCESSORIES	Other Models Call	VIP VGA
P2200 34	AUUESauniea	Princeton	Hercules
	9 Curtis		Color Card
P5200 50	6 Ruby Surge Suppressor \$49	Ultrasync 16 839	Graphics Card Plus
P5300 67	TARGUS		Incolor
Silent Writer Ca	II I APPAC Portable	Max 12	Intel
	II LAPPAC Portable Computer Case	Max 15	
NDVELL		Samsung Call	Above Board Plus
itec Passive Hub \$2	MDDEMS	Sony	Inboard 386 PC
itec Passive Hut	MUDEMO	Sony 1302A	Inboard 386 AT
QUILA B Port Active Hub 27	9 Anchor	Multiscan (1303)	B0287-6
OUILA Arcnet Card 9	9 1200 B w/software \$60	Militaryhigh	80287-8
MC Mdl 110 Archet Card 12	9 1200 EXT 85	Mitsubishi Diamond Scan 14"	80387-16
Ither Boards Ca	# 2400 B w/soltware 115	Diamond Scan 14 499	8087-2
men boards	2400 EXT	Zenith 1490 599	Orchid
TERMINALS			Designer 800
Mana	Hayes 1200 285		Designer 800
Vyse 30	1200	Plus HARD CARDS	Pro Designer
30 . \$29			Pro Designer +
50	9 24008 389	20 MG	Tiny Turbo
85	9 Desmathers	40 MG	Twin Turbo
	12008 w Software 70	Passport 20 429	Other Models
HAND SCANNER			
Complete 400 \$13	24008 w/Software 125	KEYBOARDS	Paradise Autoswitch 350
Complete 1/2 Page		Vandagaige.	Autoswitch 480
omplete 1/2 Page	US Robotics	Keytronics KB5151 . \$119	Autoswitch 460
4	US Robotics Password 1200	KB5151	VGA+
\ A / 1	Courier 2400 255	KB5153	VGA Professional
V/ / / / /	Courier 2400 233	KB101 Plus	Video-7
VVVV	✓ Couner 2400E		Video-7 Fastwrite VGA
	HST 9600 589	FAX BOAROS	VGA
contraction /	SPORTSTER 2400 B	Complete 4800 \$225	Vega Deluxe
		Complete 9600	V-RAM

AIR EXPRESS SHIPPING You Pay the Ground Shipping We Pay The Air Difference

CIRCLE 123 ON READER SERVICE CARD

800-426-6

are-thankfully-nearly perfect.

The 11-inch (diagonal) on-screen image of the CM-1430 does not vary at all between modes. The small screen makes the image on the 0.26-mm slot-pitch tube appear exceptionally sharp.

In testing, the image proved extremely ogod. Its sapect ratio was nearly speffect at about 1.30, and color alignment across the screen proved well within the manufacturer's claims. Colors were bright and saturated, rendered using normal persistence phosphors. To further enhance the image, the near-black face of the display tube is sittiga-coated to reduce glare.

The CM-1430 only has one user control—a brightness thumbwheel under the right-front edge of the screen. The power switch is a rocker on the rear panel, where you'll also find a fuse bolder.

While the image that the Seiko CM-1430 makes is beyond reproach, a larger number of user controls would enhance the leakibility of the display. The absence of a contrast control is particularly irksome. Outside of that shortcoming, the CM-1430 is an excellent display for VOA and 8514A applications that require only a modest viewing area.

SONY CORP. OF AMERICA Sonv CPD-1302

Solvy CPD-1302 has been available for more than 2 years. That this 5995 Japanese- made display can adapt to the 8314A standard simply with the addition of a new adapter cable is a tribute to the foresight of its designers. However, 2020 Inicipate all of the details of the new eyer, 2020 Inicipate all of the details of the new specification, which puts the aging monitor at a disadvantage when compared with some newcomes.

some newcones.

The CPD-1300 has a modest screen size, about 13/4 inches (diagonally), in its stope gives to the impression that make the stope gives the impression that the stope gives the impression that the stope gives


The CPD-1302 is a multiscan display, capable of handling signals with vertical scanning frequencies ranging from 50 to 100 Hz and horizontal scanning frequencies from 51 to 34 Hz. It claims maximum ons-screen resolution only of 900 by 500 pixels and a maximum bandwidth of 30 MHz, but it proved capable of handling 8514A signals without a problem

SPECIAL CONNECTING CABLE Both analog and digital input signals connect to the single 9-pin D-shell socket recessed in the rear panel of the CPD-1302. A slide switch on the rear panel determines wheth-

er analog or digital signal processing is used. This 9-pin connector differs in layout from nearly all others used in displays, so it requires a special connecting cable. Sony provides a 48-inch cable that terminates in a 15-pin high-density D-shell connector to book onto an 8514/A display a dapter.

\$995 Sonv CPD-1302 display can

simple addition of a new adapter cable. But it appears that Sory did not

adapt to the 8514/A standard with the

anticipate all of the details of the new specification.

Front-panel controls include the requisite brightness and contrast thumbwheels on the right side of the display, and just below them a rocker switch for power. A door on the rear panel hides the digital/analog input selector, a digital color-mode selector (CGA or EGA), and horizontal and vertical shift (positioning) controls. No size-adjusters are available.

The CPD-1302 yields an image that measures about 12 inches diagonally in 400-line VGA modes (CGA-compatible and text). The CPD-1302 does not properly adjust the height of the image to suit the incoming video, which results in odd aspect ratios under some video standards. The 8514/A image, for instance, was more than I inch shorter than the VGA textmode image. Switching modes created so much relay chatter inside the CPD-1302 that we began to suspect that there was a mouse shivering on a block of ice inside the unit

The image-positioning controls also proved somewhat problematic. Horizontal shift, for instance, moved the image beyond the edge of the screen on the right but no closer than 1/2-inch from the left edge of the screen.

The fine, 0.26-mm slot-pitch of the Trinitron display tube produced very sharp images with delightful color, aided by the dark, antiglare-treated screen. Color alignment was slightly off but acceptable. The evaluation unit's screen geometry was far enough afield to be unacceptable, however, with verticals on the left side of the screen taking a noticeable inward bend. Overall, the CPD-1302 is showing its

age. More than an adapter cable is needed to bring it in line with the 8514/A standard.

FILE

TAXAN USA CORP.

Taxan UltraVision 1000

Claiming the widest bandwidth and highest resolution of all the displays reviewed here, the Taxan UltraVision 1000 is also the most expensive, with a list price of \$3,695. Look at the image on its almostblack 19-inch screen, and you'll have to agree the UltraVision 1000 is worth its high price: it was the best performing display reviewed here.

The UltraVision 1000 accepts only analog input signals at its five BNC connectors on its rear panel (Red, Green, Blue,

Horizontal Sync, and Vertical Sync). Its circuitry can handle any vertical scanning frequency from 50 to 80 Hz, and horizontal scanning frequencies in three continuous but noncontiguous ranges: 30 to 34 kHz, 48 to 52 kHz, and 62 to 72 kHz. Taxan notes that the Ultra Vision 1000 will actually operate with horizontal frequencies as high as 78 kHz, but with some image degradation. In addition, the monitor had no problem handling 8514/A signals at 44 kHz

According to Taxan, the rated bandwidth of the display is an amazing 200 MHz. On-screen resolution of the UltraVi-

Display Informat







Taxan's 19-inch UltraVision 1000 is the most expensive-as well as the best-performing-display monitor reviewed, with a list price of \$3,695. Its colors shine brightly, and the sharpness of its image is beyond reproach.

FACT Sony CPD-1302 Sony Corp. of America Computer Peripheral Products Division Sony Dr Park Ridge, NJ 07656

(201) 930-1000 (800) 222-SONY (general information) List Price: \$995: 8514/A interface cable \$25.95; all other interface cables, \$19.95 Requires: MDA, CGA, EGA, VGA, extended VGA, PGC, Macintosh It, or 8514/A

display adapter. In Short: A vintage (2-year-old) multiscan display with a 13-inch (diagonal) image. Uses a super-fine pttcb Trinitron tube to dis play in any tBM video standard, Includes a CLE 640 ON READER

sion 1000 extends beyond the 8514/A standard to 1,600 x 1,200 pixels.

The UltraVision 1000 accepts the three most popular forms of discrete analog RGB signals—composite-sync, sync-ongreen, and separate-sync. Normally the UltraVision 1000 is sold as a complete package with video adapter and cable. For \$814A use, it is available separately with an optional \$45 high-density, 15-pin D-bell-to-BNG cable that is 36 inches long.

THE BIG PICTURE The big 20-inch tube of the UltraVision 1000 fits in a good-looking white-beige plastic case that seems smaller than its actual 18- by 18½-by 20½-inch (HWD) dimensions. A titswivel stand is built-in. The Japanesemade package earned a Class A FCC certification

The display's controls are tightly integrated into its overall design. The three prinary user controls are in the front, recessed below the screen bezel in a narrow panel. Wide rollerlike thumbwheels on the effic courto brightness and controls; a push-button power switch is also on the left side of the display. A push button to activate the built-in degausser is hidden under the set's right-front corner.

Besides the five BNC jacks, the rear panel also includes a jack for the power cord, a fuse holder, and an input voltage selector switch that allows the UltraVision 1000 to be used with 110–120 or 220–240 VAC utility power.



display adapters, and a tilt-swivel adapter is

CIRCLE 667 ON READER SERVICE CARD



Mitsubishi FA3425I.9

Princeton Graphic Systems Ultra 16
 Taxan Ultra Vision 1000

We're happy to report that you're unlikely to be disappointed with any of the displays reviewed here. All of them deliver pleasing images when used with IBM's 8514/A display

adapter. You'll get the best possible picture from the Taxan UltraVision 1000. The 8514A standard barely taps its capabilities. Its vast bandwidth and ability to match a wide range of synchronizing frequencies mean you'll be able to use it with nearly any analog video standard than might evolve in the next than might evolve in the next

vears.

If price is a consideration and you want a big screen, the Microvitec 1019/SP is the most affordable choice, although its minor electronic problems earn it less than a whole-hearted endorsement

Should you wanu a small screen PS2 Model 50 or 70, our pick is the Missabishi FA342519. Its multiscan design frees you from being locked into the 8514 standard. It also gives you a reasonable range of controls and a choice of long- or short-persistence phosphors.

In the midrange—and perhaps the best general-purpose display—is the Princeton Graphic Systems Ultra 16. Its screen is large enough to show details but compact enough not to dominate a desk. Its acceptance of a wide range of synchronizing frequencies helps ensure against its obsolescene.

The more-exotic controls are hidden in a special control box that pops down from under the right deep of the set. Separate screwdrive-actuated adjustments are provided for two operating models designated by their nominal horizontal scarning frequencies—50-MF mode and 5006-MF models and the service of the

CONSISTENT AND BRIGHT Although somewhat small for the size of the display tube, the 16½-inch active image maintained consistent dimensions no mate the how many lines were used to make it. The aspect ratio with the size controls set in their factory-shipped positions met the 1.33 of the IBM specification: Image geometry proved as close to perfection as possible. Even the alignment of the in-line electron guns was the best we saw on any

horizontal position and vertical size.

display, with no perceptible lack of convergence even in the corners of the image.

Colors shore brightly against the black

Colors shone brightly against the black matrix of the tube, and the contrast was heightened by an antireflection panel in front of the screen. Image sharpness was beyond reproach, thanks to the combination of wide bandwidth and the fine 0.31-

mm dot pitch of the display tube.

If you want the best by screen available for operation under the 8514A standard and you're willing to pay for it, the UI-tubb, however, the 8514 standard does not require all the quality this Taxan display offers. You may not notice the difference in on-screen quality their Taxan display offers. You may not notice the difference in on-screen quality between the Ulra Vision 1000 and a more ordinary, less-sxipensive display when you work only the S514 images. But if you plant to more on the S614 images. But if you plant to more on the side to sometime of well want.

Winn L. Rosch is a contributing editor of PC Magazine.

isplay Informat

PLYING **STANDARD** ROGRAMMING PPLICATIONS **DOR 8514**

The 8514/A is not the first video adapter with hardware-assisted drawing, and it's certainly not the best or the fastest. But like many other IBM products, the 8514/A provides a focal point for the industry and a potential standard on which other manufacturers can build. For this reason, it's likely that the 8514/A (including 8514/A compatibles available from other manufacturers) will be the first video adapter with hardware-assisted drawing to have widespread use on PCs.

From a programmer's perspective,

Because the video-display buffer of the 8514/A adapter card is not directly accessible by software. you'll find that programming for this card poses different challenges than does programming for such popular boards as the CGA, EGA, VGA, and the Hercules Graphics Card.

Your next computer system



The CompuAdd 386 Series

Engineered to master the most demanding applications, the CompuAdd 386 Series computers offer a range of top performance features including 32-bit high-speed cache memory, system and option ROM shadowing, OS/29, and Xenix® compatibility, and many more standard features for which you would expect to pay a whole lot more. All CompuAdd 386 systems are equipped with your choice of 1.44MB or 1.2MB floopy drive, dual floopy/hard drive controller, and your choice of keyboard.

386/25 System	MGA	EGA	VGA
40MB, 28ms	\$3,449	\$3,799	\$3,999
80MB, 28ms	\$3,695	\$4,045	\$4,245
110MB, 28ms	\$3,895	\$4,245	\$4,445
320MB, 16ms	\$5,599	\$5,949	\$6,149
386/20 System	MGA	EGA	VGA
40MB, 28ms	\$2,849	\$3,199	\$3,399
80MB, 28ms	\$3,095	\$3,445	\$3,645
110MB, 28ms	\$3,295	\$3,645	\$3,845
320MB, 16ms	\$4,999	\$5,349	\$5,549
386/16 System	MGA	EGA	VGA
40MB, 28ms	\$2,449	\$2,799	\$2,999
80MB, 28ms	\$2,695	\$3,045	\$3,245
110MB, 28ms	\$2,895	\$3,245	\$3,445

CompuAdd 386/25

. 32-bit high speed RAM board with 1MB RAM (expands to 16MB)

. System end option ROM shadowing

 ROM-based setup
 CompuAdd INTEGRATOR productivity software package
 Choice of 5.25" 1.2MB or 3.5" 1.44MB floppy drive . Dual floppy/hard drive controller

. Two serial ports and a parallel port built-in . Six 16-bit end one 8-bit expension slots

 Math coprocessor support for 80387, Weitek, or both
 Integrated Drive Electronics (IDE) fixed-disk drive interface Choice of enhanced 101-key, AT-style, or 5151 keyboard
 29.4 on Norton's SI Benchmark 4.0 test

\$2895

CompuAdd 386/20 . 80385-20 processor running at 20MHz or 8MHz software-selectable

. 0 wait state cache mem 32-bit high speed RAM board with 1MB RAM (expands to 16MB) System and option ROM shadowing

ROM-based setup
 CompuAdd INTEGRATOR productivity software package
 Choice of 5.25" 1.2MB or 3.5" 1.44MB floppy drive

Duel floppy/herd drive controller

 Two seriel ports and a parallel port built-in . Six 16-bit and one 8-bit expansion slots Math coprocessor support for 80387, Weitek, or both
 Integrated Drive Electronics (IDE) fixed-disk drive interface

 Choice of enhanced 101-key, AT-style, or 5151 keyboard
 234 on Norton's SI Benchmark 4.0 test. \$2295

CompuAdd 386/16

. 80386-16 processor running at 16MHz, 8MHz, 6MHz, or

80385-16 processor running at 108n-12, central, centr

Dual floppy/hard drive controller
 Five 16-bit and two 8-bit expansion slots

 80287 math coprocessor support . Choice of enhanced 101-key, AT-style, or 5151 keyboard 176 on Norton's Benchmark 40 test \$1895

Get the new INTEGRATOR™ productivity software package when you purchase a CompuAdd base system

your new computer more user friendly with powerful tools that simplify your everyday . The program and file managers aliminate the need for you to be fluent in computerese for MS-DOS® interactions.

 The cardfile database, appointment calen-dar, printing calculator, and full-leatured text editor assist you in accomplishing darly The award-winning PC-FullBak™ utility soft

ware handles your hard-drive maintenance and safeguards valuable data.







00-666-1872

should be one of ours.

CompuAdd 286/20

- 80286-20 processor running at 20MHz or 8MHz switchable system
- . 0 wait states (four-way interleave) 1MB RAM expandable to 5MB ROM-based setup
- CompuAdd INTEGRATOR™ productivity software package Choice of 5.25" 1.2MB or 3.5" 1.44MB floppy drive
- Dual floppy/hard drive control Integrated Drive Electronics (IDE) fixed disk drive interface
- . Two serial ports and a parallel port built-in Six 16-bit and two 8-bit expansion slots
- 80287 math coprocessor support · Choice of enhanced 101-key, AT-style, or 5151 keyboard
- 204 on Norton's SI Benchmark 40 test (22.5 rating with 2MB memory and four-way interleave)



CompuAdd 286/16

- · 80286-16 processor running at 16MHz or 8MHz switchable system spends . 0 wait states (four-way interleave)
- 1MB RAM expandable to 5MB ROM-based setup
- CompuAdd INTEGRATOR productivity software package Choice of 5.25" 1.2MB or 35" 1.44MB floopy drive
- . Dual floppy/hard drive controller Integrated Drive Electronics (IDE) built-in ports
- . Six 16-bit and two 8-bit expansion slots
- 80287 math coprocessor support
- Choice of enhanced 101-key, AT-style, or 5151 keyboard 16.0 on Norton's SI Benchmark 4.0 test
- (18.0 rating with 2MB memory and four-way interleave)

\$1495

CompuAdd 286/12

 80286-12 processor running at 12MHz or 6MHz, switchable system speeds

- · 0 wait states 512KB RAM expandable to 1MB
- CompuAdd INTEGRATOR productivity software package Choice of 5.25" 1.2MB or 3.5" 1.44MB lloppy drive . Dual floppy/hard drive controller
- Six 16-bit and two 8-bit expansion slots . 80287 math coprocessor support
- · Choice of enhanced 101-key, AT-style, or 5151 keyboard 13.7 on Norton's Benchmark 4.0 test

S995

CompuAdd 286/10

. 80286-10 processor running at 10MHz or 6MHz, switchable system . 512KB RAM expandable to 1MB

- CompuAdd INTEGRATOR productivity software package Choice of 5.25" 1.2MB or 3.5" 1.44MB floppy drive
- Dual floppy/hard drive controller Six 16-bit and two 8-bit expansion slots
- . 80287 math coprocessor support
- Choice of enhanced 101-key, AT-style, or 5151 keyboard . 9.4 on Norton's Benchmark 4.0 test

\$895





The CompuAdd 286 Series

Destined to be champions-the CompuAdd 286 series computers offer affordability and flexibility perfect for business or personal use. Four-way interleave zero-wait-states memory, built-in IDE interface, and built-in communications support provide high performance without wilting your wallet. Every system comes standard with your choice of 1.44MB or 1.2MB floppy drive, dual floppy/hard drive controller, and your choice of keyboard.

286/20 System	MGA	EGA	VGA
40MB.28ms	\$2,249	\$2,599	\$2,799
80MB, 28ms	\$2,495	\$2,845	\$3,045
110MB, 28ms	\$2,695	\$3,045	\$3,245
320MB, 16ms	\$4,399	\$4,749	\$4,949
286/16 System	MGA	EGA	VGA
40MB, 28ms	\$2,049	\$2,399	\$2,599
80MB, 28ms	\$2,295	\$2,645	\$2,845
110MB, 28ms	\$2,495	\$2,845	\$3,045
286/12 System	MGA	EGA	VGA
20MB, 65ms	\$1,399	\$1,699	\$1,899
40MB, 40ms	\$1,529	\$1,879	\$2,079
286/10 System	MGA	EGA	VGA
20MB, 65ms	\$1,249	\$1,599	\$1,799
40MB, 40ms	\$1,429	\$1,779	\$1,979



Order Toll Free

800-666-1872 Customer Service 800-999-9901

CORPORATION

thnology Blvd Austin Texas 78727

Start Computing Now!



Executive Starter Kit

CompuAdd 386/16

- . 80386-16 processor providing 16MHz. 8MHz. 6MHz. or
- 4.77MHz software selectable system speeds . 0 wait states (Page mode
- . 1MB RAM expandable to 4MB
- (Ontion to 10MB RAM) · 1.2MB floppy drive
- · Dual floppy/hard drive
- controller . Five 16-bit and two 8-bit
- expansion slots
- . 80287 Math coprocessor socket
- . Clock/calendar with battery backup
- 200-watt power supply . Choice of AT-style, 5151, or
- enhanced 101-key keyboard Monochrome monographics
- video package, or enhance your system with EGA or VGA video.
- See chart Hard Drive 40MB Seagate® fully installed, or
- upgrade to a higher capacity drive See chart.
- Printer
 - Epson® LX-800 · 180cps draft, 30cps near letter
 - Multiple type styles
 - . Tractor/friction paper feed
- CompuAdd INTEGRATOR™ Program/file manegers, cardfile database, calendar,
- calculator, text editor, and PC-FullBak** . CompuAdd MS-DOS" and
- GW Basic⁴ Accessories

71MB

110MB

- · 200 sheets of continuous form
- · Printer cable and ten blank floppies

- CompuAdd 286/12 . 80286 processor providing
 - 12MHz end 6MHz switchable system speeds

Starter Kit

Professional Career

- . 512KB RAM expandable to 1MB . 1.2MB floogy drive
- . Dual floppy/hard drive controller
- Eight expansion slots · Math coprocessor socket
- . Clock/calender with battery . 200-watt power supply
- . Choice of AT-style, 5151, or enhanced 101-key keyboard
- Monitor Monochrome monographics

video package, or enhance your system with EGA or VGA video. See chart · Hard Drive

- 20MB fully installed or upgrade to a higher capacity drive. See chart
- Printer Epson LX-800 . 180cps draft, 30cps near letter
- quality Multiple type styles · Tractor/friction paper teed
- Software CompuAdd INTEGRATOR Program/file managers, cardfile database, calender,
 - calculator, text editor, and PC-FullBak . CompuAdd MS-DOS and **GW Basic**
- Accessories · 200 sheets of continuous form · Printer cable and ten blank

floopies

\$1769 VGA

\$2349 \$2499 40A4D \$1200 \$1659 \$1659

Starter Kit CompuAdd Turbo/10

- . 8088 processor providing 10MHz and 4.77MHz switch
 - able system speeds 640KB RAM
 - · 360KB floppy drive . Floopy drive controller
 - Eight expansion slots Math coprocessor socket · 150-watt power supply
 - . Choice of AT-style, 5151, or enhanced 101-key keyboard
- Monochrome monographics video package, or enhance your
- system with EGA or VGA video. See chart. · Hard Drive
- Optional hard drive. See chart.
- Star Micronics NX-1000" · 120cps draft, 30cps near letter
- · Multiple type styles, nine-pin print head

quality

- Tractor/friction paper feed Software CompuAdd INTEGRATOR
 - Program/file managers cardfile database, calendar, calculator, text editor, and PC-FullBak . CompuAdd MS-DOS and **GW Basic**
 - · 200 sheets of continuous form
- paper · Printer cable and ten blank
 - floppies

\$929



Options Monographics EGA VGA \$2865 \$3265 \$3465

\$3615 COARD

Options EGA 20MB \$1769 \$2169 40MB \$1889 \$2289 \$2449

	Option	ıs			
Hard Drives	Monographics	EGA	VGA		
NIA	\$929	\$1279	\$1479		
20MB	\$1179	\$1529	\$1729		

ORPORATION 12303 Technology Blvd Austin, Texas 78727



Order Toll Free 800-666-1872 Customer Service 800-999-9901

Bargain Add-Ons

Call Now For Superior Service, Selection, And Value

CompuAdd Turbo/10 Hard Drives Featuring: IBM-ATS 43MB MiniScribe® (25ms) . \$459 71MB MiniScribe (28ms)

\$379

\$299

· 8088 processor running a 10MHz or 4.77MHz switchable speeds

 640KB RAM . CompuAdd INTEGRATOR productivity software package

 360KB 5.25" floppy drive Floppy controller

 Eight expansion slots 80287 math coprocessor sockel · Choice of enhanced 101-key, AT-style, or 5151 keyboard

\$595

Monitors

Monographics



Monitor optional Video Cards

I/O Cards

AT I/O serial port and allel port (Reg. \$59) \$49 XT I/O serial port, parallel port, clock/calender, and \$65



Memory Cards

MEM-576 with OKB EMS XT with OKB . with 512KB



20MB MiniScribe (65ms)

40MB MiniScribe (61ms)

20MB MiniScribe (65ms) for Compag Portable

MB Seagate (65ms) . .

IBM-XTs

OMB MiniScribe (28ms) th RLL Controller

shCard-20TH niScribe (65ms) shCard-30TH \$319 Scribe (65ms) g. \$339) . . \$309 Card-49TM ate (40ms) \$539

Diskette Drives

360KB half-height floppy

drive for the AT (gray) . .

ive for the XT (bleck)

OKB half-height floppy

360KB Teac floppy drive for

720KB half-height 3.5" floppy

720KB half-height 3.5" flopp

drive for the XT (black).

drive for the AT (gray) . .

1.2MB floppy drive for the

AT (gray) ... 1.2MB Teac floppy drive for

drive (gray) (Reg. \$135) . Personel System/2™

compatible external drive

alls as drive B end per

1.44MB half-height 3.5" floppy

for the AT (gray) .

the AT (gray).



\$99

\$109

\$109

\$109

\$109

\$115

\$109

\$119

Amdek* 410W monitor 12* nonglare screen	
CGA	
IBM-compatible color monitor 13" diagonal screen	\$239
EGA	
IBM-compatible 14" EGA monitor	\$349
NEC Multisync II1 800×675	-



Zenith 14" Color VGA 640×480 Color VGA 14" enalog

Monographics and to
Monographics card up to
720 x 348 resolution
Hercules™ Color Graphics
card for AT on a half-size
card
Hercules Monochrome
Graphics Card Plus up to
720×348 resolution

\$179 EGA-compatible card with 256KB display memory ... \$179 radise EGA-480 eutomatic configuration to 640 x 350 or 640 x 480 resolution \$229 Compu Add VGA card 800 x 600 resolution, 16/2 supports IBM VGA, CGA and Hercules Monochrome \$220 graphics Video-7" Vega VGA card 640×480 and 800×600 resolutions with 16/64 cold

\$149

\$279

capability Multifunction Boards



XT* Multifunction board 384KB RAM, parallel port serial port, clock/calenda and game port for PCs or







Pointing Devices

Logitech" HIREZ Mouse features 320 dots per inch. \$109 Bus interface . . CompuAdd Seriel Mouse features Dr. HALO IIITM, pad, and pocket \$55 Mouse Pad provides accurate tracking and a dirt free environment \$4.95 **Genius Digitizer Tablet** provides resolutions up to 1000 lines per inch on e 12" x 12" work area.

transfer from 360KB to 720KB format

Order Toll Free Customer Service 800-666-1872 800-999-9901

\$759

ORPORATION 12303 Technology Blvd. Austin, Texas 78727

Includes Dr. HALO III

Customer Support

30-Day Money-Back Guarantee, One-Year Warranty, Toll-Free Tech Support



Printers

Okidata 321 132 columns. 250cps draft, 63cps NLQ ... \$529 Epson® LX-800 80 columns, 80cps draft, 30cps NLQ ... \$205 on FX-1050 132 columns. tops draft, 54cps NLO ... \$549 Epson EX-800 80 columns, 300cps draft, 60cps NLQ . . . \$476 Epson LQ-1050 132 columns 264cps draft, 88cps LQ . . . \$799 nasonic" 1091i 80 columns, 192cps draft, 38cps NLQ . . . \$219

Keyboards

has 84 keys and enlarged

keyboard for AT or XT

compatibles with 101 keys

including 12 function keys .

5151 keyboard for the IBM

AT, XT, and compatibles.

ENTER and SHIFT keys for

Microsoft QuickBASIC™ Turbo Pascal[®] **Desktop Publishing** PFS: First Publisher PFS: First Publisher

NewsMaster II™.....

25-pin serial or parallel

port AT® switch box,

allows two users to

a single user to use

flip of a switch.

Microsoft FORTRAN

Microsoft QuickC^{ru}

Optimizing Compiler . . .

share a peripheral or

two peripherals with a

Compilers and Languages

Microsoft®C Compiler \$312

Microsoft Macro Assembler . \$102



Includes separate numeric and cursor key pads \$69 Software



Communica Carbon Copy Ple Carbon Copy Ple	j	ď	¥	
CompuServe®				
Subscription Kit				
Concetally YV/#				

Smartcon III-			
Databases			
BASE IV"			\$48
PFS: Profession	nai	File	 \$14
28A"			 \$19

Educational				
Aige-Biaster!™				
Learning DOS				
Math Blaster Plus!	۰			
Reader Rabbit™ .				
Typing Tutor IV® .				
Typing Tutor IV (3.5	*	١		

DAC-Easy™ Accounting	
DAC-Easy Light™	
DAC-Easy Payroll™	
Managing Your Money	
Quicken®	
Sylvia Porter's	
Investment Manager™.	
Timeslins® III	



\$13

Games Ancient Art of War at Sea™. Balance of Power's \$30 Bard's Tale California Games** Chessmaster 2000 Chuck Yeager's Advanced Flight Trainer™..... Earl Weaver Baseball F-15 Strike Eagle® \$26 Flight Simulator Flight Simulator (3.5") \$30 Ikari Warrior** Jeopardy!™ ean 18 Golf Mean 18 Course Disk Vol. II Scenery Disks \$13-16 Space Quest™\$30 Space Quest II Superbike Challenge™ Test Drive . Wheel of Fortune II™ Where in the USA is Carmen Sandiego?™ Where in the World

World Games™\$15 Graphics AutoDimensioning* FormTool . . Gem Draw III+™ \$174 Generic CADD™ Starter Kit Harvard™ Graphics PC Paint Plus\$55 Print Shop® Print Shop Companion Windows "Drawl"

is Carmen Sandiego?™

Integrated Packages Symphony* CIRCLE 294 ON READER SERVICE CARD

Organizational Harvard™ Total Project

Manager II Microsoft Project Time Line (3.5") Spreadsheets Microsoft Excel Quattro[™] VP-Planner®

Lotus 1-2-3° (Reg. \$329) . . . \$29 Utilities Copy II[®] PC Disk Optimizer™ **FASTBACK Plus** FASTBACK Plus (3.5") Norton Commander Norton Utilities™ Advanced PC-FullBak™

Word Processors Grammatik IIIth Microsoft Word MultiMate Advantage II™ PFS: Professional Write . Q&A Write™ WordPerfect® (Version 5.0) \$243 \$245 WordPerfect (3.5").....

Fax: 512-250-5760 Telex: 763543 COMPUADD AUS

Outside United States:



\$42 \$59

\$129

Order Toll Free 800-666-1872 Customer Service 800-999-9901

the 8514/A is quite different from other popular PC video graphics boards, such as the CGA, EGA, VGA, and the Hercules Graphics Card. These earlier boards are comparatively simple. The video-display memory buffer occupies part of the normal address space of the microprocessor. To draw graphics on the display, a program writes into this memory.

The video display buffer of the 8514/A is not directly accessible from software. Instead, the board contains a hardware interface that interprets high-level graphics drawing commands. Although the hardware interface of the 8514/A is not publicly documented by IBM, the 8514/A comes with a RAM-resident program called HDI-LOAD.EXE that provides applications with a software interface to the board through interrupt 7Fh.

(Interestingly enough, Microsoft Windows, one of the first programs to take advantage of the 8514/A display adapter, bypasses the software interface and directly accesses the board. According to Microsoft, this was done for performance purposes.)

TECH SPECS The technical documentation for the 8514/A is contained in two IBM publications. You'll want both if

you'll be doing any 8514/A programming. The first is the 8514/A Adapter Interface Application Developer's Tutorial. This package comprises a 52-page Programmer's Guide with a diskette that contains header files, an object module to assist C programmers in using the 8514/A interface, some sample code, a sample font file, and several utility programs. The header files provide macro definitions of 59 function calls that applications can use to draw graphics on the board.

The second publication is the 8514/A Technical Reference, a 140-page manual that documents the 59 function calls. IBM also sells Virtual Device Interface (VDI) drivers to let you use the 8514/A with its Graphics Development Toolkit.

STRUCTURES AND FUNCTIONS To use the 8514/A from a C program you must first include the IBMAFI.H header file (supplied in the 8014/A Adapter Interface Application Developer's Tutorial) in the program

#include <IBMAFI.H>

The IBMAFI.H file also includes another

header file called AFIDATA.H. The header files define macros for the 59 function calls supported by the adapter interface. Each function requires a single parameter, that is a pointer to a structure containing information specific to the function. The header files also define these structures

For example, suppose you want to draw a filled rectangle on the 8514/A display. You first need a structure of the type HRECT_DATA, which you can define like this:

HRECT_DATA hrd :

Let's assume that you want the upper-left corner of this rectangle to be 10 pixels from the left side of the screen and 20 pixels from the top, and you want the rectangle to be 30 pixels wide and 40 pixels high. You set the fields of this structure like this:

hrd.length = 8 : hrd.coord.x_coord = 10 ; hrd.coord.v_coord = 20 : hrd.width = 30 : hrd.height = 40 ;

The first field of the structure is the length in bytes of the rest of the structure. The other four fields are 2-byte integers. The coordinate system supported by the 8514/A is in units of pixels with an origin at the upper-left corner of the screen.

To draw the rectangle, you pass a pointer to this structure to the HRECT function: HRECT (&hrd) :

And that's it.

FIVE GRAPHICS PRIMITIVES To get an idea of the range of 8514/A graphics, let's look at some of the basic drawing functions supported by the board and interface. The structure of the drawing commands supported by the 8514/A is very similar to the Graphics Programming Interface (GPI) component of the OS/2 Presentation Manager. Like GPI, the 8514/A supports five graphics "primitives"-lines, filled areas, markers, im-

ages, and text. The HLINE and HCLINE functions based on a series of points. The HLINE function begins the polyline at a point specified by the structure passed to the function: the HCLINE function begins the polyline at the current position. (The current position is usually the last point used by a previous drawing function. The HSCP and HOCP functions allow a program to set or query the current position.) Although the 8514/A has no built-in facility for drawing curves, a program can define a curve as a series of very short lines. and use HLINE or HCLINE to draw the CHIDNE

Two other functions-HRLINE and HCRLINE-also draw lines. The R in the function name stands for relative. With these functions, the end point of each line is an offset relative to the start point.

By default, lines are solid and 1 pixel wide. The HSLT function lets you select a line type (a combination of dots, short dashes, and long dashes) from eight predefined line types. You can also define your own line type with this function. Customized line types contain up to 48 bits that encode the on-and-off pattern of the line. The HSLW function allows you to set a line

width of 1 or 3 pixels The second graphics primitive is a filled area. You define this area by calling HBAR to begin an "area bracket" and HEAR to end it. Between the HBAR and HEAR calls, you draw a series of lines that define the boundaries of an enclosed area. The HEAR function closes any open areas

and fills them. This is not a "flood fill," a type of area fill popular in many paint programs. The lines that define the enclosed area can cross each other, and you can define multiple enclosed areas within one area bracket. When the lines that define an area cross each other, the 8514/A fills the area based on an alternate algorithm. For example, the interior pentagon of a five-pointed star will not be filled.

By default, the area is filled with a solid pattern. However, you can use the HSPATT to define your own monochrome or color pattern. This pattern is a rectangle of pixels (up to 32 by 32 pixels in dimension) that is repeated horizontally and vertically within the area.

The HRECT function I described earlidraw polylines (connected straight lines) | er is a special case of a filled area. The

HOW TO STEAL how there's dBASE III DATA way to FOR \$89.95. III Plus data.

It's called PC-File dB, and it's an all new version of PC-File, the easy-to-use menu-driven database with an irresistible price. PC-File dB reads dBASE III Plus databases in a snap. It creates fully compatible dBASE III Plus files of its own too.

There's no conversion. No programming, And no hassle.

You may not need dBASE III
Plus. PC-File:dB is so packed with
powerful database features that
you may not need anything else. It
has full LAN support. New graphing
capabilities that

help you make great presenta tions of your data. Macros that quicken the process.



And multiple sort indexes for speedy reorganization of data.

If you ever do need to use dBASE III Plus, all the work you've done with PC-File:dB is instantly compatible, PC-File:dB gives you the proven ease of PC-File, plus new database computing power, and access to any dBASE III Plus data you can put your hands on.

Visit your dealer today to see for yourself just how much database \$89.95 can buy you or call ButtonWare at 1-800 JBUTTON.



■ 8514/A ADAPTER

HRECT function lets the 8514/A know that you want to draw a rectangle, which the adapter hardware can fill faster than a

rectangle defined within an area bracket. The third graphics primitive is the marker. Markers are usually small symbols (like X's and circles) that are used for bullets. They can also be used to mark data tierns on line graphs. The HMRK function draws one or more markers beginning at a given position and HCMRK draws one or more markers starting at the current position.

The 8514/A has no built-in marker shapes. You use the HSMARK function to define your own. Like patterns, markers

The 8514/A will likely

environments that have a device-independent

graphics programming

language.

are defined by a rectangle of monochrome or color pixels. Markers can be up to 255 pixels wide and high.

The fourth kind of graphics primitive is the *image*, more commonly called a bitmap. The 8514/A supports several *bitblt* (bit block transfer) functions.

The HBBC function is a biblit copy, This function copies a rectangular area from the display to another rectangular area on the display. The HCBBW function is used in conjunction with HBBCHN to write a bitmap from the program's memory to the display. The HCBBR and HBBCHN functions read a bitmap from the display to the program's memory.

The fifth and final graphics primitive is text. The 8514A has three built-in fixedpitch forts. Two of these forts are available when the 8514/A is operating in 1,024-by-768 resolution; the third is available in 640-by-480 resolution.

In addition, a program can also load its own fonts using ASFONT. These fonts would probably be stored in disk files. (The 8314th Adapter Interface Application Developer's Tutorial includes a sample font file.) The program loads the font life into memory and then calls ASFONT. These fonts can have either fixed-pitch or proportionally souced characters.

Up to four fonts can be resident in the 8514/A at any time. The HSCS function lets you select which of the four fonts you want to use in subsequent text-drawing functions.

functions. Several functions display text onscreen. The simplest are HCHST (to display a character string starting at a given position) and HCCHST (to display the string starting at the current position). The HDLCX (to come with alternative transport of the current position) and the HDLCX (to come with alternative that the come of the current position. The HBLCXMHF function is similar except that it uses a 3-byte attribute to additional specify underlining, revene video, strikeover, and one of the four founded from the

PM AND WINDOWS Although programming graphics for the 8514/A is certainly easier than programming the EGA or VGA, it is likely that the 8514/A will be used most with environments like Microsoft Windows (under DOS) and the Presentation Manager (under OS/2).

These two environments have a deviceindependent graphies programming language. Programs written for Windows or the Presentation Manager can take advantage of any video adapter supported by the environment, without any special code. For example, the same programs written for Windows even before the 8514/A was available will run without change when Windows is installed for use with the 8514/A

As I mentioned earlier, the structure of the 8514/A graphics interface is very similar to the Graphics Programming Interface of the Presentation Manager. This similarity allows the Presentation Manager to use the 8514/A with a minimum of fuss and makes the 8514/A the hot board for PM graphics.

Charles Petzold is a contributing editor of PC Magazine.

The best reasons in the world to choose Primavera software.



ev Australia

alians fully expect their new Parliament House to rival the Sydn Opera House as the architectural symbol of Australia. This showcase project is nearing completion with project management by P3

with the punches. And Finest Hour tracked such oddities as moving grandthroughout the Liberty Weekend

Sky Dome Toronto, Canada Its the worlds first stadium with a fully-retractable structural roof and there's no "lorgiveness" in the schedule Coordinating the work of over a dozen subcontractors is the firm of Ellis-Dor

o project managers ever chose Primavera because they liked the sound of our name. Even when its pronounced in Swedish (Var). French (Printemps). Chinese (未享益软件), or Australian English (Primavera, mate!) They chose us because they know what we can do: Help them finish important projects—big and small—on time, on budget, down to the last detail.

No other software company understands project management better than Primavera. Every product we develop is dedicated to getting your jobs done faster. better more easily.

Primavera Project Planner*. Finest Hour*, Primavision™, Parade™, Expedition* Software to schedule, allocate resources control budgets present information graphically, measure performance—even manage the paperwork associated with your job. Talk to us about how we can help your company manage projects better

All over the world CIRCLE 148 ON READER SERVICE CARD Software you can count on PRIMAVERA SYSTEMS, INC. to keep you in control. Project Management Software



Two Bala Plaza - Bala Cynwyd PA 19004 USA - 1215 1667-8600 - 1800 1423-0245 - Telex: 910 997 0484 - FAX (215 1667-7894

Get More For Your Dollar

Shop PC Brand for the best quality, finest performing IBM compatible systems at the best price.



PC BRAND

PC BRAND offers you more...

Welcome to PC Brand. Your first place to shop. Your best place to shop for top quality IBM compatible systems, custom configured to your exact specifications, and thousands of quality name brand peripherals & accessories.

Choose from over 10,000 items in stock... all at unbeatable prices!

Free Freight, Toll-Free Support, 5-Year Warranty and more...

Everyone promises you great service. We deliver the tangibles.

Free freight • Fast delivery No credit card surcharges A 30-day Money-Back Guarantee on every system we sell •Toll-Free Technical Support that will stay with you until your questions are answered and your problem is solved . And our exclusive 5-Year Warranty (call for details) on all PC Brand products.

Call PC Brand today.

For the best selection... the best products...at the best price, you can't do better than PC Brand, Call PC Brand today!

CIRCLE 303 ON READER SERVICE CARD

PC BRAND 286/12 \$995

PC BRAND 286/20 \$1400



12 MHz Clock, Zero Wait Operation, Norton SI 15.3 •Landmark™ Speed 16MHz 512K, 1.2MB or 1.44MB Drive, 101- Keyboard

Standard System Features:

- 80286 Processor Operating at 12MHz with Zero Wait States delivering 16MHz Effective Throughput
- 512K RAM expandable to 4MB on the System board using
 - 256K and/or 1MB 100ns RAM chips
 - 1.2MB S.25" or 1.44MB 3.5" Diskette Drive
 - High Performance Dual Hard Drive/Floppy Drive Controller
- Enhanced 101-key AT Style Keyboard
 High Capacity System Power supply
- Real Time Clock/Calendar with 5 Year Battery
- 80287 Co-Processor Support
- . Industry Standard BIOS with full MS/DOS, OS/2, XENIX,
- NOVELL, 3COM and PCNET compatibility
- Built-in System Board LIM EMS hardware drivers
- User configurable I/O timing permitting compatible operation with older peripherals or faster I/O for newer devices
- 8 Slot motherboard design (6 168it & 2 88it)
- Small foot print case with 5 Disk Drive buys

Options.

- Full size S drive case Factory Installed RAM Upgrades
- Custom configurations w/Name Brand peripherals of your choi
 Compag® Style LCD Portable
 Tower Case

Standard Pre-Built Configurations:

286/12	286/12 With 512K, Hard Disk Drive, Monitor & Video Card					
Video Drives	29MB	40M8-40MS	4548-2546	8865296		
Mono	\$1381	\$1485	\$1594	\$1725		
EGA	\$1775	\$1879	\$1988	\$2119		
VGA	\$1946	\$2050	\$2159	\$2290		



20 MHz Clock, Zero Wait Operation Norton SI 20.4 *Landmark* Speed 25.9MHz 512K, 1.2MB or 1.44MB Drive, 101-Keyboard

Standard System Features:

- 80286 Processor Operating at 20MHz with Zero Wait States in interleave mode delivering 26MHz Effective Throughput
- 512K RAM expandable to 8MB on the 5ystem board using 256K and/or 1MB 100ns RAM chips (4MB on motherboard and 4MB on optional special interleaving daughter card)
 - 1.2MB S.25" or 1.44MB 3.5" Diskette Drive
 - · 1:1 Interleaving Dual Hard Drive/Floppy Drive controller
 - Enhanced 101-key AT Style Keyboard
 - High Capacity 200 Watt 5ystem Power Supply
 - Real Time Clock/Calendar with 5 Year Battery
 80287 Co-Processor Support
 - Industry Standard BIOS with full MS/DOS, OS/2, XENIX, NOVELL, 3COM, and PCNET compatibility
- Built-in System Board LIM 4.0 EMS hardware drivers
 User configurable I/O timing permitting compatible operation with older peripherals or faster I/O for newer devices
- 8 5lot motherboard design (6 168tt & 2 88tt)
 Medium foot print case with 5 Disk Drive bays
- Options:

 386SX Upgrade Tower Case 4MB Interleaving Ram Card
 - Custom configurations w/Name Brand peripherals of your choice

Standard Pre-Built Configurations:

Dessen	1:1 MFM	1:1 MFM	BOME-28MS 1:1 MFM	110MB-28MS 1:1 RLL	150 DANS 1:1 ESDE	320 HARS 1:3 ESD
Mono	\$1790	\$1899	\$2030	\$22%	\$3000	\$3923
BGA	\$2184	\$2293	\$2424	\$2690	\$3450	\$4317
VGA	52355	52464	52595	\$2861	\$3700	\$4488

TURN PAGE FOR MORE PC BRAND SYSTEMS...
FOR NAME BRAND PERIPHERALS SEE OUR AD ON FOLLOWING PAGES...

To Order Call 1-800-PC BRAND

(Call 1-800-722-7263...In Illinois, Call 312-226-5200) FAX#312-226-6841



PC Brand, Inc. 954 West Washington Street, Chicago, IL. 60607 1-800-722-7283. We are open Monday thru Friday: 8 am to 6 pm CST. VISA, MasterCard, Discover, Checks, and Approved P.O.s are Accepted. Prices subject to change. For Order Status and Customer Service Inquiries Call: 1-800-662-SERV

PC BRAND"

Your Best Choice for Quality Systems Toll-Free Support Toll-Free Service Free Freight 5-Year Warranty



PCV20 AD-II

\$695

15 MHz Throughput in an XT. Complete with Monographics Card & Monitor. 512K, 360K Drive, Mono Card & Monitor, 84-Keyboard

Standard System Features:

- . 10MHz Nec V20 CPU with 1.S times the power of the 8088!
- SI2K RAM standard. Expadable to 640KB
- One 360K Floppy Drive 84-key AT Style Keyboard
- · 8 Slots. Serial, Parallel, Game Ports, and Clock Standard
- · All Ports and FDC Built into Motherboard for Increased Reliability
- Hercules Compatible Graphics Card
- 12" Monochrome Monitor
- · Accomodates up to 4 HH Mass Storage devices
- · AT Style Case with Keylock, Turbo, Power and Hard Drive LEDs.

· Set-up & Operating instructions.

Standard Pre-Built Configurations:

Victoro Dervo	1 Floppy	2 Floppy	20MB	30MB	40MB
Mono	\$695	\$770	\$964	\$990	\$1107
RGB	\$879	\$954	\$1148	\$1174	\$1291
EGA	\$1089	\$1164	\$1358	\$1384	\$1501

PC BRAND 386/20 \$2100



20 MHz Clock, Zero Wait Operation Norton SI 24 • Landmark Speed 30MHz 1024K, 1.2MB or 1.44MB Drive, 101-Keyboard

Standard System Features:

- . Intel 80386 Processor Operating at 20MHz with Zero Wait States in
- interleave mode delivering 30MHz Effective Throughput . 1024K RAM standard expandable to 16MB via 328it RAM boards
- using 256K and/or 1MB 100ns RAM chips
- 1.2MB 5.25' or 1.44MB 3.5' Diskette Drive
- 1:1 Interleaving Dual Hard Drive/Floppy Drive controller
- . Enhanced 101-key AT Style Keyboard
- . High Capacity 200 Watt System Power Supply
- . Real Time Clock/Calendar with S Year Battery
- . 80287 or 80387 Co-Processor Support . Industry Standard BIOS with full MS/DOS, OS/2, XENIX,
- NOVELL. 3COM and PCNET compatibility
- . User configurable I/O timing permitting compatible operation with older peripherals or faster I/O for newer devices
- · 8 Slot motherboard design (6 16Bit & 2 8Bit & 2 32Bit) . Medium foot print case with S Disk Drive bays

Options:

• 32/64KB Cache Processor • Weitek Coprocessor • Tower Case . Custom configurations w/Name Brand peripherals of your choice . Compag@ Style LCD Portable . 8MB 32Bit RAM Card Upgrade

Standard Pre-Built Configuration

Vadeo	47MB-43MS 11MFM	MME-2KMS LIMEM	11 MFM	THE SIMES	150-MAS 1 IESDI	320 16ME 1 TESOI
Mono	\$2590	\$2699	\$2830	\$3096	53800	\$4723
EGA	\$2984	\$3093	53224	\$3490	54300	\$5117
VGA	\$3199	53264	53395	\$3661	\$4450	\$5288

TOWER STYLE CASE \$220

Add \$220 to any Desktop Configuration Modeled in IBM's PS/2-80

- Style, this unit offers:
- 285 Watt Power Supply . Two 3.5' Front Accessible Drive Bays
- Two S25' Front Accessible Drive Baye . One S.25" FULL SIZE Internal Drive Bay
- · TURBO MHz Digital Speed Display
- · Easy Access Snap-off Side Panel for quick "no-screwdriver" access to internals er' is a Registered Trademark for NCR Corporation

PC BRAND 386/25 \$2450



"Faster Than A Speeding Bullet!" Computer Shopper Cover Story November, 1988

25 MHz Clock, Zero Wait Operation Norton SI 28.3 . Landmark Speed 35MHz 1024K, 1.2MB or 1.44MB Drive, 101-Keyboard

- Standard System Features: Intel 80386 Processor Operating at 25MHz with Zero Wait States in
 - interleave mode delivering 35MHz Effective Throughput
 - · 1024K RAM standard expandable to 16MB via 32Bit RAM boards using 256K and/or 1MB RAM chips
 - 1.2MB 5.25" or 1.44MB 3.5" Diskette Drive
 - · 1:1 Interleaving Dual Hard Drive/Floppy Drive controller
 - · Enhanced 101-key AT Style Keyboard
 - . High Capacity 200 Watt System Power Supply
 - · Real Time Clock/Calendar with 5 Year Battery
 - . 80287 or 80387 Co-Processor Support Industry Standard BIOS with full MS/DOS, OS/2, XENIX,
 - NOVELL, 3COM and PCNET compatibility
 - User configurable I/O timing permitting compatible operation with older peripherals or faster I/O for newer devices
 - 8 Slot motherboard design (6 168it & 2 88it & 2 328it),
 - . Medium foot print case with 5 Disk Drive bays
 - 32/64KB Cache Processor Weitek Coprocessor Tower Case
 - · Custom configurations w/Name Brand peripherals of your choice Compaq® Style LCD Portable • 8MB 32Bit RAM Card

Standard Pre-Built Configurations:

38	86/25 With	Hard Dis	k Drive, N	fonitor & V	ideo Caro	1
Drives Video	40MB-408S 11MFM	40MB-26MS 11 MEM	SOME SING LIMEN	19945-SINS 118LL	250-1665 1 1ESDI	325-16A6 1 (ESC)
Mono	\$2940	53049	\$3180	\$3446	\$4200	55073
EGA	\$3334	\$3443	\$3574	53840	\$4600	\$5467
VGA	\$3505	\$3614	\$3745	\$4011	\$4800	\$5638

Your PC Brand Advantages:

30-Day Money Back Guarantee Free Freight Toll-Free Support Toll-Free Service No Credit Card Surcharges

·5-Year Limited Warranty traffy covers all PC Brand system untherheards, power supplies, RAM, keyboa of all-expansion cands. 10% pure & labor are covered your fast year 80% part. year 2, 6% parts year 3, 6% parts year 4, 2% parts year 5, Additional extended coverage contracts excelled for a fee. Hoppy, herd dash and large drives are cover for one year only. Manufacturer's warranty applies to all non-PC Brand product Complete warranty subcreason available on request.

LCD PORTABLES from \$1770

286 & 386 Systems +512K.1.2MB Drive. Combo Controller. Backlit Display *386 Systems come w/1024K.



Select the power & features of our 286 & 386 desktops in a selfcontained, light (20 lbs.) high impact plastic housing similar to the COMPAO® Portable III.

All feature

- . 640 x 400 Backlit Supertwist LCD by TOSHIBA
- · Monographic & Color operating modes, EGA Optional
- · External Monitor Support. External Keyboard Port.
- 5 expansion slots (3 long, 3 short) 86-key keyboard
- Accomodates two 5.25" or 3.5" Floppy/Hard Disk Drives
- 200 Watt 112/220 Autoswitch Power
- · Serial, Parallel, Game Port, Clock/Calendar Standard

Standard Pre-Built Configuration:

CPU CPU	286/12	286/20	386/20	386/25
1 Floppy	\$1770	\$2070	\$2650	\$2900
20MB	\$2079	\$2379	\$2959	\$3210
40MB	\$2200	\$2500	\$3100	\$3300
71MB	\$2800	\$3100	\$3600	\$3900
150MB 11 EDS	\$3400	\$3700	\$4250	\$4500

SAVE ON NAME BRAND PERIPHERALS... SEE OUR AD ON FOLLOWING PAGES...

To Order Call 1-800-PC BRA

(Call 1-800-722-7263...In Illinois, Call 312-226-5200) FAX#312-226-6841 PC Brand, Inc. 954 West Washington Street, Chicago, IL. 60607 1-800-722-7263. We are open Monday thru Friday: 8 am to 6 pm CST. VISA, N Discover, Checks, and Approved P.O.s are Accepted. Prices subject to change. For Order Status and Customer Service Inquiries Call: 1-800-662-SERV

Shop PC Brand Today.

MODEMS

US ROBOTICS

HST/IX 9600

LAPTOP COMPUTERS*			
TOSHIBA			
1000: 512K, 80C88, 2 FDD	\$769		
1600 BACKLIT, 80286-12, 1MG, 20MB, HDD, F	DD .3495		
1200HB; BACKLIT,1MB, 20MB HB	2395		
3100E 1MB, 80286-12,20 MB, HDD, FD			
3200; 1MB, 80286, EGA, 40MB HDD, FD	D 3525		
5200/40 2MB, 80386, VCA 40MB, HDD, FDE	,6100		
NEC			

MULTISPEED HD ULTRALITE W/MBCALL MITSUBISHI MP2861 -220: 80286. 20MB HDD. FDD \$2439 Call on New NEC & TOSHIBA Models

Multisync II 14" (800x600) EGA/VGA \$589

Multisync GS 14"Mono249

MONITORS*

Multisync XI, 19" (1024x768)2395 MAGNAVOX All Magnavox monitors feature 2 Yr. Warranties! 12" Amber TTL Monochrome\$79 14" VGA Paper White Flat Screen 145 13" RGB (640x200) Color230 13" FGA (640x400) Color339 14" VGA (800x600) Color415 PRINCETON GRAPHICS Max 15 15" Multifreq. Monochrome249 Ultra 16 16 Multifreq. EGA/VGA879 Ultrasync 12" Multifreq. EGA/VGA 520 LM 300/301 Full Page Desktop Pub. 550 CM1430 14" (1024v768) Multifreg\$619 CM1420 (noninterlaced) Multifreq 1079 MITSUBISHI 1381 Diamond Scan\$499

1490 Flatscreen Enhanced

3905 19" CAD Monitor1965

6905 19" CAD Monitor2350

Multiscan 1303 13" (800 x 600)\$525

CPD1320 13* (640 x 480) VGA

ZENITH

800x600 Resolution EGA/VGA Monitor



PC BRAND 100% Hayes Compatible! 1200 Baud Internal w/PC Talk III\$52 1200 Baud External 2400 Baud Internal w/Bitcom. ... 95 2400 Baud External .. 129 1200 External\$270 2400 External415 Trailblazer+ 19,200KB

100% Haves Compatible. Free Software!

1200BPS \$52

Courier HST/9600

40MB Internal Tape Back-Up

Uses DC2000 Series Micro Cartridges same as Irwin. XT/AT and Novell Compatible! Limited Quantity!

......Call

VIDEO CARDS Mono Graphics w/Printer Port Color Graphics w/Printer Port49 EGA (640x480) Autoswitch

EGA Wonder

VCA220 PARADISE Autoswitch 480 EGA VGA+ VGA+ 16 16 Bit Version NEW309 VGA Professional VIDEO SEVEN VEGA DELUXE VEGA VGA ... FASTWRITE VGA VRAM VGA NEC 1024-256 MVA 1024

DISK DRIVES

FLOPPY DISK DRIVES: 360K 5.25" HH Black ... 720K 3.5° HH w/5.25° Mounting 1.2MB 5.25" HH Grey 1.44MB 3.5"HH Grey w/5.25" Mounting 95 PS/2 FLOPPY DRIVES CMS 5.25* 360K/PS/2 Ext.Floppy\$199

MINISCRIBE 3180E 180MB 1/2 HT. \$1440

Largest Capacity, Highest Performing

НА	RD DISK DRIVES:	
SEA	GATE	
20N	(B 65MS ST225 w/XT Controller	\$26
20N	B 35MS ST125 w/XT Controller .	29
	(B 35MS ST125	
30N	fB 65MS ST238 w/XT Controller .	29
30N	(B 35MS ST138	33
30N	IB 35MS ST138 w/XT Controller	38
40N	(B 40MS ST251	35
40N	(B 28MS ST251-1	45
80N	(B 28MS ST4096 Full Height	59

MINISCRIRE 40MB 61/40MS M3650 40MB 25MS M3053 63MB 61/40MS M3675 RLL360 71MB 22MS M3085 ... 659 71MB 28MS M6085 Full Height 110MB 28MS M6128 RLL Full Height 699 150MB 16MS M3180E ESDI 1/2 Hgtl .1440 320MB 16MS M9380 ESDI FullHeight ,2350 640MB 16MS M9760 ESDI Full Height 3525

PRIAM 45MB 28MS ID45H Half Height\$489 62MB 28MS ID62AT Full Height629 130MB 20MS ID130AT Full Height 1495 230MB 25MS P230R2 RLL Full Height 1725 330MB 20MS ID330 ESDI Full Height . 2350 Prism External and PS/2 Drives also Available

150MB 17MS ESDI Full Height\$1595 MICROPOLIS IOMEGA B1201 Single 5.25" 20MB Int. \$795

If the drive you require is not listed here please contact our sales department for a quote!

TAPE BACKUPS

60MB Archive QIC Internal or Ext. \$590 60MB Maynard Maynstream Portable ...935 60MB Maynard Maynstream for PS/2 .. 989 64MB Irwin Internal/ExternalCall 150MB Archive Internal925 150MB Maynard Maynstream Port. 1395 2.2GB Maynard 220HS 8mm Drive 4350

VGA WonderCall

Save Time. Save Money.

SCANNERS/DIGITIZERS

- The Complet PC Handscanner Dest 1020/2020 Scanners Call Diamond Flower HS3000 Hand Scan .\$249 300/400DPI 6 Grey Levels HALO DPE
- Desktop Publisher GEM/HALO/ PC-Paint/Windows File Format Output. Hewlett Packard Scanjet Microtek MSF300G 2895 Microtek MSF300C ... 1399 Microtek MSF300Q w/64 Grey Levels 1920 Princeton LS300 Scanner & Adapter750

masketch 12x12

masketch 12x18...

NEC P2200 Printer



PC BRAND

Free Freight 30-Day Money-Back Guarantée

Toll-Free Service and Support No Credit Card

Surcharges We carry over 10,000 different name brand roducts, Call for prices on products not listed

635

FRINIERS"
NEC
P2200 170/55 345 P960XL 400/140.1030
P5200 265/90530 P5300 Wide650
LC890 Postscript Laser Printer3250
PANASONIC
1080I 144/28 170 1091I 192/38 185
1124 192/63339 1592 220/38390
1595 290/51 449 1524 240/80 545
OKIDATA
ML390 270/90465 ML391 270/90645
ML320 300/62339 ML393 450/120 Call
HEWLETT PACKARD
Deskjet
Font Cartridges Call MemoryUpgrades Call
Laserjet IID Duplex Laser Printer Call
STAR MICRONICS

NX 1000 140CPS .. 179 NX15 120/30 315 TOSHIRA 321SL 216/72 ... Call 341SL Wide Carr Call

3515X 360/120 Call Express 311Call 120D 120/25 149 180D 180/29 170 MSP40 240/40 .. 320 MSP45 Wide 399 MSP50 250/50 345 T224 200/122

50P	150/50	305	300W	P 31	0/73	47
IC	ONIX					

PLOTTERS*

1023 \$3800	10427499
	104410200
	UMENTS MP52Call , DMP62Call
ROLAND DXY885, DXY990, D	DPX2000Call GRX400Call

NOVELL NETWORKING

NOVELL
4 User ELS 286 Level 1\$425
8 User ELS Advanced Netware 286 V2.12 939
Advanced Netware 286 V2.12 1679
SFT Netware 286 V2.122795
Disc Coprocessor Board404
NP600 Ethernet File Server Board685
NE1000 Ethernet CardCall
Auto Boot Prom (Ethernet or Arcnet)45
Diskless Workstation640
G-NET289
RXNETCall
WESTERN DIGITAL
Ethercard+A for PS/2\$320
Starcard+233
Ethercard+ w/Novell Drivers233
STANDARD MICRO
ARCNET Passive Hub
ARCNET Active Hub
PC120 ARCNET BOARD Now EGA comput 135
PC120 ARCNET BOARD Now EGA comput 135 PC260 TWISTED PAIR ARCNET CARD130
PC120 ARCNET BOARD Now EGA compat 135 PC260 TWISTED PAIR ARCNET CARD 130 PC BRAND/NOVELL

I/O CARDS

AST Rampage 286 w/512K INTEL Aboveboard 286 w/512K ... INTEL Inboard 386 for PC w/IMB INTEL Inboard 386 AT ... Digiboard Smart 8 Port Serial Card Call PC BRAND I/O+II For AT's Ser/Par/Game.

I/O+II For XT's Ser/Par/Game/Clock ... 45 2MB EEMS for XT's w/0K LIMS 4.0 95 2MB EEMS for AT's w/0K LIMS 4.095 3MB Multifunction+Memory for AT's110 Serial/Par/Game/Software w/OK

379

.799

900

CAV	MACHINES/CARDS

SHARP	
FO220989	FO3001200
FO4201350	FO5001550
MURATA	
M1200739	M1600899
TOSHIBA	
TSH33001395	TSH301001225
COMPLETE PC	
	w/Software249
9600 Band Fax Card	w/Software375

DISKETTES/ACCESSORIES

PC RPAND 5.25° 100 Diskette Locking Storage Box 8.95 3.5" 80 Diskette Locking Storage Box .. 10.95 360Kb DSDD Diskettes Box of 10 1.2Mb DSHD Diskettes Box of 10

720Kb 3.5" DS Diskettes Box of 10. 1.44Mb 3.5" DSHD Box of 10 ...

17



*Oversized Monitors, Laser Printers, Las and Plotters are excluded from free freight.

To Order Call 1-800-PC BR (Call 1-800-722-7263...In Illinois, Call 312-226-5200) FAX#312-226-6841

PC Brand, Inc. 954 West Washington Street, Chicago, IL. 60607 1-800-722-7263. We are open Monday thru Friday: 8 am to 6 pm CST. VISA, MasterCard, Discover, Checks, and Approved P.O.s are Accepted. Prices subject to change. For Order Status and Customer Service Inquiries Calls 1-800-662-SERV CIRCLE 111 ON BEADER SERVICE CARD



TRACKING THE MOUSE'S PROGRESS

As the importance
and popularity of graphical
user interfaces
grow, you're going to find
that if you don't
use a mouse now,
you'll probably have to

use one soon.

Fought with the unlikely weapons of ergonomic deesign, bundled software, slick packaging, and aggressive advertising, today's market war for mice is best characterized as unfolding on a lucrative battleground. In the coming years, what appear to be pitched battles now may seem like mere skirmishes, for as the popularity of the graphics programs and graphical user interfaces grows, PC users' appetite for mice can only increase.

Five years ago the situation was quite different. Mouse marketers were forced to play a missionary—rather than a military—role, since mice had to compete against tablets, trackballs, touch screens, and light pens for control over a paltry number of graphics-based programs on the personal computer.

Although all of these alternate-input devices still have their devotees, the mouse is now clearly supported by the largest and widest variety of applications. This evolution can be traced to three factors: the Apple Macintosh; the rising popularity and usability of graphics programs such as those for desktop publishing, CAD, drawing, and painting; and the fact that most graphics and graphical user interface vendors have opted to support the mouse.

Despite this growing acceptance of the mouse's usefulness, of the 32 million PCs at work today, only 7 million are equipped with mice. Richard Able, market manager for Microsoft's mouse, attributes today's low numbers to the large base of 8088 systems: "Graphics interfaces are too slow on the 8088. As buyers move to 286- and 386based systems to run the new software. they'll find they need a mouse." IBM's official blessing of the mouse, giving it a port on the PS/2, can only make it grow more popular.

WORD OF MOUSE All of this excitement centers on a simple device that translates hand motion into cursor motion. There are four ways to make this transla-

- Most mice use a rolling ball to create and track motion. Inside these mechanical mice the hall turns two rollers at right angles-one for vertical motion, the other for horizontal. The rollers drive mechanical encoders that send signals to the PC, where software translates those signals into cursor motion
- Optomechanical mice work on the same principle as mechanical mice, but the rollers are connected to optical encoders that use light instead of mechanical contacts to send signals.
- Wheel mice sidestep the rolling ball completely by using plastic wheels, placed at right angles, to drive the encoders directly.
- Optical mice work with a special pad containing a reflective grid of black and blue lines. As the mouse moves over the pad, photosensors inside it read the blueand-black pattern and send that pattern to the PC to move the cursor.

Mouse mechanics don't make much difference anymore, though they once did. As a result, marketers are now trying to set themselves apart by focusing attention on mouse resolution

A mouse's resolution is based on the sensitivity of its tracking system. Wheneyer the mouse detects any change in motion. it sends signals to the computer, where they are converted into screen motion. The resolution is based on the smallest change in motion the mouse can detect and is expressed in dots per inch (dpi). A 200-dpi mouse can detect changes in motion as small as 1/200th of an inch, so for each inch that you move the mouse, the cursor moves 200 dots (pixels) on the screen. You can cover most of an EGA screen (640 by 350 pixels) in a 3- by 2-inch area with a 200-dpi-resolution mouse. Logitech's HiRez Mouse, at 320 dpi, reduces this area to 2 by 1 inches

However, because of the 1:1 motionsensing to pixel-movement relationship, the higher the resolution of your monitor, the more you have to move your mouse. A

 Dynamic tracking increases the cursor movement ratio; in a 1:5 ratio, the screen cursor moves five times as far as the mouse moves.

200-dpi mouse needs an area 6 by 4 inches to cover a 1,200 by 800-pixel resolution monitor. That's major real estate on most desks, so mouse manufacturers developed "dynamic tracking" (sometimes called

"ballistic tracking") to cover the screen in a smaller area.

Dynamic tracking lets you increase the number of pixels you move for each increment of mouse motion. Triggered by sudden mouse movements, dynamic tracking increases the cursor movement ratio, usually to a value set by the user. For example, if you select a 1:5 dynamic ratio, the screen cursor moves five times the distance the mouse moves. With a 200-dpi mouse and 1:5 dynamic tracking, 1 square inch of mouse motion covers 1,000 pixels. Mouse vendors let you change tracking ratios in different ways-some only to fixed ratio values, others to ratio values that you set using the command line or a batch file

BUTTONS AND CASES In our last comprehensive mouse survey ("Mice for Mainstream Applications," PC Magazine, August 1987) 11 of the 15 mice had three buttons. This year 8 of the 17 mice reviewed have two buttons. The tide seems to be shifting; it seems that-following the Microsoft Windows lead-the bulk of mouse-driven applications just don't require users to make more than three choices with their mice

The other major trend is case design. Microsoft's new mouse raised ergonomic arguments to new heights and set a standard that others try to follow. Some of the mice we reviewed look as if they were designed in wind tunnels, but in practical tests only a few shapes stood out as favorites. Case design falls into that "heart and mind" category: you're certain to develop your own preferences.

We have reviewed 17 mice marketed by 11 vendors, including Dexxa International, IBM, IMSI, Key Tronic, KYE International, Logitech, Microsoft, Mitsubishi, MSC Technologies (formerly Mouse Systems), Numonics, and Z-Nix. Microsoft remains the leader and trendsetter in the competition, with over 40 percent of total mouse sales. But Key Tronic, Logitech, and MSC Technologies are significant contenders, and new players are queuing up in noteworthy style for a share of this lucrative market.

DEXXA INTERNATIONAL

Dexxa Mouse DLX The Dexxa Mouse DLX looks like a transi-

tional step between Logitech's older case design and Key Tronic's streamlined wedge. Dexxa's wedge-shaped case is slightly narrower than Logitech's, with two large buttons on its face. Graced with the short throw and feather touch found on the buttons of better mice, response is consistent over the entire button surface.

The 200-dot-per-inch Dexxa Mouse offers on-the-fly dynamic tracking. Set using the Ctrl-Alt hotkey sequence and a mouse button, tracking values can range from 50 to 750 dpi (in increments of 10) within most applications. As with most mice, Dexxa's tracking values cannot be changed once you're in Microsoft Windows because of the way the software for



The 200-dpi (base resolution) Dexxa Mouse DIX comes in a case that looks like a transitional step between Logitech's older cas design and Key Tronic's streamlined wedge. Dexxa International's mouse offers on-the-fly dynamic tracking, and its buttons feature the feather-touch response found on better mice.



that operating environment is written.

Dexxa Mouse tracks well in both regular and dynamic modes, and its easy button response makes it a pleasure to use in Windows. Its narrower case gives it an edge over Logitech, but in extended use the mouse still wasn't quite as comfortable as

those of Microsoft or Key Tronic. Dexxa's first offering shows its Logitech lineage throughout—from the way it generates menus to its case design—which is a good sign for buyers. Competitive pricing (from \$89 to \$139 for the serial version, and from \$99 to \$149 for the bus version), solid design, and above-average operation make Dexxa Mouse a rookie with promise.

IBM CORP. IBM PS/2 Mouse

Serial interface or bus? The answer was always based on the kind of system real estate you could afford to lose. Serial mice chew up one of the two main COM ports. Bus mice take up an expansion slot. IBM's answer makes the most sense and tells us volumes about where Big Blue thinks the PC industry is headed: it put a mouse port on the PS/2 and introduced the \$99 PS/2. Mores.

The standard mouse port may catch our IBM's mouse is not fliely to gain as wide a following as Microsoft's has. The acse looks as if has incorporated modern design features—the wide front tapers to a rounded heel, and the top surface slopes backward—but it is nowhere near as commented to the control of th



Designed to plug into the dedicated mouse port now standard on IBM's PS2, the 200-dpi (base resolution) IBM PS2 Mouse tracks respeciably and operates well for routine chores. Though it looks as if it would be confortable, the mouse's case does not fit the hond naturally and its battons are stiff.



IBM PS/2 Mouse
IBM Corp.
(Contact your IBM dealer)
((800) IBM-3468
List Price: 599
Requires: ISK RAM, built-in pointing
device port on any PS/2, DOS 3.3 or later.
In Short: A 200-dip (base resolution) twobutton mechanical mouse that's as solid as a
rock and about as exciting.

together fatiguing experience.
The buttons wrap from the top to the

face of the mouse, so I tried to keep my fingers wrapped over the buttons. This improves the feel but creates another probhem: the rounded heel, tucked into your palm, causes the mouse to jump when you press a button. The buttons were stiff and lacked the feather-touch click that can be found on other mice. Double-clicking in Windows takes effort, and some practice, to master.

With practice, you may learn to ignore the flaws in this moue's design. It does operate well for routine chores (except double-clicking) and tracks respectably in the present with IBM's mouse. With all the resources at the company's disposal, you might expect world-class industrial designores of the property of the p

IMSI OptiMouse

IMSI (International Microcomputer Software Inc.) markets the older PC Mouse from Mouse Systems under the name Opti-Mouse. Two years ago this three-button optical mouse represented state-of-the-art technology, but times—and users' demands along with them—have changed and IMSI is not keeping up.

Priced from \$149 to \$209, the 200-dotper-inch OptiMouse still offers good performance. The felt-footed mouse moves easily across the pad. Button response is good, and there's a soft but audible click.



Based on technology considered state-of-thear 2 years ago, the 200-dpi (base resolution) IMSI Optiblouse still offers good performance. It moves easily across its large pad and its button response is good, making a soft but audible click.



IMSt (International Microcom Software Inc.) 1299 4th St.

San Rafael, CA 94901 (415) 454-7101

List Price: \$149; with Dr. Halo III, \$189; with Magician or InteGraphics, \$239; with TurboCAD, \$209.

TurboCAD, \$309.
Requires: 8K RAM, RS-232C serial port,
DOS 1.1 or later.
In Short: An early-model 200-dpi (base res-

obation) optical mouse that's known better days, though its three-button design and optical technology are current.

Positioning is acceptable, but the large pad forces you to move the mouse around often, and on high-resolution screens there is an excessive amount of "hopping"—pulling the mouse to one side, lifting, and starting over until you reach the edge of the screen.

Like other mice in this review, the IMSI OptiMouse is not bad, but it's not a great choice either. It lacks dynamic tracking (which it badly needs), chews up an acre on your desk, and offers nothing extra beyond the standard menu software and drivers. Unless you're attached to this design, you can do better.

KEY TRONIC CORP.

Key Tronic Professional Series Mouse

Microsoft set a standard that other manufacturers followed—some with great success, others with miscrable results. Key Tronics is one of the few to develop a mouse that is equal to Microsoft's latest mouse. In some respects it's even better.

The \$119 Key Tronic Professional Series Mouse's case combines the best features of the wedge and tearthry shapes. Its two large buttons are flush-mounted and equal in size, they extend over half the length of the case. The 200-dot-per-inch mouse's left button has six tiny raised burnes on its forward surface.

Key Tronic affords complete Microsoft emulation and driver compatibility. Menu software is optional, but the package includes sample menus for Lous 1-2-3, WordPerfect, and dBASE III that are worth

using. Using Key Tronic's mouse was quite enjoyable. It glides smoothly across most surfaces and feels well balanced in the hand. The buttons require only a light, sharp touch, which makes double-clicking effortless, and the response is true anywhere on the button's surface. I tend to



Housed in a case that combines the best features of the wedge and tearding shapes, the Key Tronic Professional Series Mouse performs identify to Microsoff is in every respect. The 200-dpi (base resolution) mouse gildes smoothly across most surfaces and feels well balanced in the hand. Its battous require only a light, sharp touch, making doubteclicking effortless, and the response is true anywhere on the batton's surface.



Key Trouic Corp.

Key Trouic Corp.

Spokane, WA 99214

(509) 928-8000 (corporate number)

(SU9) 928-80,00 (corporate number) (800) 262-6006 (support outside WA) (509) 927-5515 (support within WA) List Price: Bus or serial version, \$119; Programmer*s Tool Kis, \$27; additional 4-foot extension cord, \$7.95. Resultres: UIK RAM: RS-232C serial nort

Requires: 10K RAM; RS-23ZC serial port (9- to 25-pin adapter comes in package for serial version); available expansion slot for bus card (which comes with bus version); DOS 2.0 or later.

In Short: The only two-button 200-dpi (buse resolution) mechanical mouse that equals the Microsoft Mouse in styling and operation, with exceptional feel and good key response. Well designed, carefully documented, and an exceptional value.

ORCE MAD ON RECORDERING CARD

grip my mice with a heavy hand, so I triggered the right button too easily at first. This mouse works best with a lighter touch, which shouldn't take long to acquire.

The Key Tronic Professional Series and

the Microsoft Mouse perform identically in every respect fish shapes are comfortable, both have excellent buttons, both are 200 dpi, both come in box or scrial versons. Even the menu software is optional for both. Choosing between them is hard, but Key Tronic is trying to raise the stakes: The company offers a money-back guarate "if, for any reson, you are not completely satisfied." Strong words in this market.

Genius GM-6 Plus Genius GM-6000

KYE inexplicably offers two mice that look the same and come with the same software. Close inspection, however, reveals a few differences worth noting, and in the end the Genius GM-6000 is the clear winner in this family feud.

Both Genius mice—GM-6 Plus (\$99) and GM-6000 (\$109)—are of the mechan-



The 350-dpi (base resolution) KYE Genius GM-6000 tracks with control equal to that of the Logitech Hiller Mouse. The GM-6000's coustin, the Genius GM-6 Plus, looks identical to it and is therefore not picture there plus the GM-6 Plus offers only 200-dpi base resolution but don't better girts only 200-dpi base resolution both of the KYE Genius mice come with a handy rubber mouse pad that doubles as a seff-sealing cutting pad as well as a plantic "mouse pocket" that you can stick to your PC or monitor.



KYE International Inc. 769 Pinefalls Ave. Walnut, CA 91789 (714) 594-9234 (800) 456-7KYE

Genius GM-6 Plus: List Price: with Dr. Halo III, \$99. Requires: 8K RAM, RS-232C serial interface, DOS 3.0 or later (for all current hardware shipping). CRCL 862 ON RADER SERVICE CAPO

Genius GM-6000

List Price: with Dr. Halo III., \$109.
Requiress SK RAM, RS-232C serial interface, DOS 3.0 or later (for all current hardware shipping, but KYE International can supply mouse driver that supports DOS 2.0 if necessary).
GRICE BIS ON READER SERVICE CARO

In Short: Sturdy construction and dynamic resolution are strong points, but the body style of these three-batton optomochanical mice is not as comfortable as that of others. The 350-dpi (base resolution) GM-6000's switch-selectable emulation makes it a better choice than the 200-dpi (base resolution) GM-6000 (GM-6 Plans.

ical variety and have three buttons. Both use a standard serial interface, though only the GM-6000 comes with a 9 to 25-pin adapter for use with a 10-to 25-pin adapter for use with a 10-to 40 to 10
The Genius mice, which emulate the Microsoft and Mouse Systems mice, nut under their respective drivers. The way ou select emulation with each mouse, however, is quite different. The CM-600 was a sliding switch that lets you select emulation modes on the fly. With the GM 6, you power up in Mouse Systems mode emiless you hold down one of the mouse but not show the contract of the

The buttons of both mice have a short throw and respond well to double-clicking. Though the buttons are small and close together, you can hit any part of them and still get a solid response.

The GM-6000, at 350 dots per inch, tracks much better than does the 200-dpi GM-6, offering control equal to that of the Logitech HiRez Mouse. I was never quite as comfortable with the GM-6000 as I was with the HiRez, but this is a personal choice.

Unlike those of Logisch, the Genius mice set tracking values from the command line. While this works perfectly well for a single setting, particularly with the GM-6000, it does limit you to one tracking value at a time instead of letting you set tracking values on the fly. If you have different applications, each with a preferred tracking value, you'll need a lot of batch files.

Genius has a good menu creation package, including a menu-driven menu generator that records titles, defines keystrokes, and generates the menu. Nonetheless, these mice lack some of the ergonomic

features that I like in a mouse.

The GM-6 Plus compares well with mice reviewed a year ago. Technically, the GM-6000 holds its own with Logitech, but

holding your own is not enough. Even with their clever accessories, the Genius mice are enhanced designs of a mouse that has seen better days.

LOGITECH INC. Logitech HiRez Mouse

Logitech Serial Mouse Logitech Series/2 Mouse

Logitech Series/2 Mouse
Logitech was a PC Magazine Editor's
Choice 2 years running for a good reasor.

the C-7 mouse design afforded good control and excellent button response at a price to match. Now, though Logitech can still hold its own in the field of contention, all there of its mice are showing their age. (The new Logitech Mouse, which the curvines greater attention to ergonomic factors. For a fuller description of the beta version of this device, see the sideble "A New Look for the Logitech Mouse,." which accompanies this article.)

Logitech's square wedge case, though



6505 Kaiser Dr. Fremont, CA 94555 (415) 795-8500

List Price: \$149 (in bus version only).

Requires: 11K RAM, empty 8-bit expansion slot, DOS 2.0 or later.

CROLL 660 ON READER SERVICE CARD

Logitech Serial Mouse
List Price: \$129 (bus version available).
Requires: 11K RAM, RS-232C serial port
(bus version requires empty 8-bit expansion
alon), DOS 2.0 or later.
CINCAL BY OUTERADES SERING! CAND

Logitech Series/2 Mouse List Price: \$99 Requires: 11K RAM, IBM PS/2 computer, DOS 2.0 or later.

ORCLE BY ON READER SERVICE CAND
In Short: The Logitech HiRez Mouse outperforms the others with 320-dpi base resolution and dynamic tracking. The Serial Mouse
and Series/2 for the PS/2 (both with 200-dpi
sase resolution) are no lonner exceptional

and are in need of a makeover.



Choose this,

Everyone's computing needs are unique. Which is why different people choose different solutions. And why so many diverse computing environments are being used today.


While this variety of solutions makes it easy for users to meet their needs, it presents some problems. Like sharing information between incompatible systems. The kinds of problems facing more and more companies as their information systems grow and diversify.

Novell means freedom. Fortunately,

you can solve those problems by making one simple choice: Novell. Novell's NetWareoperating system software supports a myriad of computing environments.

That means you have the freedom to network everything from PCs to Macintosh, VAX to PS/2, 386 to mainframe host systems. So everyone can use the workstations they choose, without changing the way they work.

The power to choose. With NetWare, Novell gives you the most powerful combination of network performance, security.



and you can choose all of these.

functionality and system reliability available. Plus you get the power to transparently connect to any of the more than two million users worldwide who have already chosen NetWare.

And as your computing needs expand, the network will grow with you. Giving greater networking capability and allowing you to connect to new environments.

The freedom to choose. Exercise your freedom to choose the desktop environment that best meets your needs. Choose the networking power of NetWare. See your

Gold Novell Authorized Reseller, or call 1-800-I ANKIND

For more information, call from your modem 1-800-444-4472 (8 bit, no parity, 1 stop bit) and enter the access code NVFRE6.



For network solutions, you should be seeing red.

MOUSE EMULATION Nicrosoft Mouse (serial/bus)

Legitech Moose (seriel/bce)

Noese Systeme (MSC) Mouse (eeriel/bes)

	Mitel Notee Mitsubishi International Corp.	Dexxe Mosse DLX Dexxe International	Omelmouse MSC Technologies (ec.	Z-Hiz Soper HI-Res Mouse Z-Nix	IBM PS/2 Moree IBM Corp.	Geeige GM-6 Plus KYE International Inc.	Logitech Series/2 Mouse Logitech Inc.
Uet price	\$79.50; with TelePain!, \$94.50	With Paint-Mr., \$89; with CCS Designer. \$119; with both, \$139, bus version, \$10 higher	\$89	\$95; with Dr Hato N or PC Paintbrash, \$129 95; with BirtoCAO, \$149 95; PS/2 version, \$89 95	\$99	\$99 (with Dr. Halo III)	\$99
GENERAL SPECIFICATION							
Bese resolution (dpi)	200	200	200	340	200	200	200
Positios sessor	Optomechanical	Optomechanical	Optomechanical	Mechanical	Mechanical	Optomechanical	Optomechanical
Dynamic trackleg	0	(using software)	0	(using software)	0	•	(using software)
interface	Serial	Serial or bus	Serial	Serial or bus	PS/2 pointing- device port	Serial	PS/2 pointing- device port
Interface for IBM PS/2 MCA	0	0	0	(PS/2 version only)	•	0	•
Nember of buttons	2	2	2	3 (2 on PS/2 version)	2	3	2
Power expely	internal	leternal	Internal	Internal	Internal	internal	internal
Cord length (Inchee)	58	72	60	96	108	70	108
MENUS							
Mesu generalor	•	•	•	•	0	•	•
Meeus lecleded:							
dBASE III (or dBASE III Plus)	0	0	•	0	0.	•	0
Framework	0	•	•	0	0	•	•
Javelin	0	0	0	0	0	•	0
Lotue 1-2-3	•	•	•	•	0	•	•
MultiMate	0	0	0	0	0	•	0
MultiPlan	0	0	•	0	0	•	0
Paradox	0	0	•	0	0	0	0
PFS:Professional Write	0	0	•	0	0	•	0 .
Omodem	0	0	0	0	0	0	•
R:base Series 5000	0	0	0	0	0	0	0
SeperCalc3 or 4	0	•	•	0	0	•	•
Symphony	0	•	•	0	0	•	•
Terbo Pascal	0	•	0	0	0	•	0
VisiCalc	0	0	0	0	0	•	0
VP-Plaener	.0	•	0	0	0	0	•
WordPerfect	• •	•	•	•	0	0	•

•/0

0/0

●/O

0/0

0/0

0/0

0/0

O/**O**

•/O

OVO

..

••

..

•/O

OIO

0/0

OVO

0/0

Geniee GM-6000 KYE International Inc.		Kay Trante Professional Series Mousa Key Tronic Corp.	Logitach Sariat Mouse Logitech Inc.	IMSt OptiMouse IMSi	Logitech HiRez Moece Logitech Inc.	PC Moree II MSC Technologies Inc	Microsoft Hoese Microsoft Corp.	Manager Moute Cordlete Numonics Corp.	
\$199 (with Dr. Halo III)	\$109; with Dr. Halo III, \$129	\$119	\$129	\$149, with Dr Halo NY, \$189, with Mag- cian or InteGraphics. \$239, with TurboCAD, \$209		With PC Paint Plus or Magician, \$149; with AutoSketch, \$179	With Microsoft Parethrush, \$150; with EasyCAO, \$175; with Windows 206 and PC Parethrush, \$20	\$179; with Dr. Halo III, \$199	\$179.50
350	100	200	200	209	320	200	200	100	400
	Wheel	Mechanical	Optomechanical	Optical	Optomechanical	Optical	Mechanical	Wheel	Optomechanical
•	(esing software)	•	• (esing software)	0	•	•	(using software)	(using software)	0
Serial	Serial	Serial or bus	Serial	Serial	Bus	Serial or bus	Serial, bue, or PS/2 pointing- device port	Serial	Serial
0	0	 (serial version only) 	0	0	0	0	(serial and PS/2 versions only)	0	0
3	3	2	3	3	3	2	2	3	2
Internal	Internal	Internal	internal	Internal	internal	Internal	Internal	External (for recharging battery)	Internal
70	60	60	72	58	72	108	94	N/A'	58
•	0	Optional (\$27)	•	•	•	•	•	0	•
•	•	•	•	•	•	•	•	•	•
•	•	0	•	•	•	•	0	•	0
•	0	0	0	•	0	0	0	0	0
•	•	•	•	•	•	•	•	•	•
•	:	0	0	0	0	C	•	:	•
0	0	0	0	0	0	:	0		0
•	0	0	0	•	0	:	0	0	:
· .	0	0	•	Ö	•	0	0	0	0
0	•	0	0	0	0	0	0	•	0
•	•	0	•	•	•	•	•	:	•
:	:	0	:	:	:	:	:	:	:
•	0	0	0	•	0	0	0	0	0
•	Ö	ŏ	o		ō		o	0	o
o	ō	o	• .	o	•	0	o	0	ō
0	•	•	•	0	•	•	•	•	•
•	•	0	•	•	•	•	•	•	•
0	0	0	•	0	•	0	0	0	0
●/O	● /O	9/9	0.0	● /O	0/0	0/0	N/A [†]	•\O	● /O
●\O:	●/O	00	••	0 /O			0/0	•0	00
00	e /O	0/0	9/9	OID		0/0	0/0	●/O	00



Logitech's HiRez Mouse is an example of superior engineering: with its 320-dpi base resolution and on the fly dynamic tracking. it outperforms other mice. The company's Serial Mouse (not pictured, for it looks just like the Series/2) and Series/2 Mouse offer 200-dpi base resolution, good tracking, and solid button response.

functional, has been surpassed—at least in terms of comfort—by the designs of Key Tronic, Microsoft, and MSC Technologies. Logitech justifies its physical design by maintaining that if you handle the mouse correctly, there's no difference in performance. Cosmetics, according to the people at Logitech, is no match for superior technology.

Logiech's engineering is no doubt supprior in \$149 Hikez Mouse, with true \$20-dot-per-inch resolution and on-the-fly dynamic tracking, outperforms other mice. You need a high-resolution monitor to really see and fleel what the Hikez can do—it should delight CAD users and other graphics devotees. At 320 dpi, the mouse travels with assurance, and dynamic trackwith assurance, and dynamic trackword ware this is once, but after a time you will notice the difference in control and rosolifonjine.

The Serial Mouse and Series? Mouse are also well engineered, but hough they offer 200-dpi resolution, good macking, and solid button response, they are no more or less remarkable than other mice with the same specifications. The \$12 95-cm and Mouse can enualted Microsoft, but is not plug-compatible and will not run under Microsoft drivers. However, you can use Logitech's driver in place of Microsoft's for most applications.

The two-button Series/2 Mouse works well on the PS/2. In competition against the offerings of IBM and Microsoft, however, the \$99 Series/2 has no advantage other than Logitech's reputation for quality and support.

MICROSOFT CORP. Microsoft Mouse

I was smitten with Microsoft's new mouse when I first reviewed it ("From Our Maus to Baurnaus: Logitech Versus Microsoft, PC Magazine, February 16, 1988), and my feelings haven't changed. Though many of the features of the 200-dot-per-inch mouse are similar to those of others.

Microsoft added a few interesting twists.

Microsoft's mouse—whichever version you choose, bus or serial (both range in price from \$150 to \$200)—tracks mechanically with the ubiquitous rolling ball.



The rolling ball in Microsoft's 200-dpi (base resolution) mouse has been moved toward the front, so the case slopes toward the back, making if feel more comfortable than most of the rest. The mouse operates smoothly and effortlessly and always feels solid and well balanced. The mouse comes in bus and serial versions (the latter comes with a PS/2 councilor). Both look the same

But rather than being placed under the palm in back, the rolling ball has been moved loward the mouse's front. Because moved loward the mouse's front. Because the back, and the buttons are only slightly curred up front. I now has fewer curves and edges than do the cases of other mixe, but the slightly missed center and lower back edge really do make it feel more comfortable than most of the rest.

The mouse operates smoothly and effortlessly. It moves easily over most surfaces and always feets solid and well balanced. Using it, my fingers never feel file, they're falling off the edge, as they did with Microsoft's earlier design. One slight problem: though the rolling ball's new positioning has increased the mouse's accuney, you may find that the cursor jumps if you lean too hard on the back. Moving your hand forward slightly eliminates this.

The mouse still has two buttons, but they're large and flush with the body, with a slightly larger left button. Button response is crisp and direct; it produces a modest, yet audible click.

modest, yet audible click.

Microsoft is one of the few mouse manufacturers to offer a true PS/2 mouse port



Microsoft Mouse
Microsoft Corp.
16011 NE 36th Way
Box 97017

Redmond, WA 98073-9717 (206) 882-8080 List Price: With Microsoft Painsbrush, \$150; with Microsoft Windows/286 and PC Painsbrush for Windows, \$200; with Easy-CAD 2, \$152.

Requires: Bus version: UIR RAM (varies according to bundled application numning); one doubte-sided 5%-inch disk drive; one variable expansion site: DOS 2,0 or later. Serial version: 118 RAM (varies according to bundled application numning); one of onlike inching the control of the control o

that's hard to match, featuring superior design, excellent feel, and solid construction. The serial interface connection box is the only cariosity in an otherwise exceptional twobutton, 200-dpi (base resolution) mechanical

CIPCLE #77 ON READER SERVICE CARD

JEW MOUSE

FOR IF YOU RUB THIS LAMP A GENIE WON'T APPEAR BUT YOU'LL APPEAR TO BE A GENIUS BY TRADING YOUR OLD MOUSE FOR THE NEW, HIGH RESOLUTION



This convenient and practical mouse, enhances your productivity by giving you flexible control. THE GENIUS DECISION Over 1,000,000 users have made the 2 IN 1 MOUSE Switch select either 2-button (Microsoft Mouse) Genius Decision and more keep joining in. Now KYE has developed or 3-button (PC Mouse) mode, easily and quickly INCLUDES: • GM-6000 Mouse (Serial

another exciting step in mouse evolution. Now YOU should make the Genius Decision!

DYNAMIC RESOLUTION The High Resolution Genius Dyna Mouse's cursor control is not only based on the travel count but also the speed of the mause's mavement. The dynamic resolution can ga from 350 to over 1050 DPI, or you can set the resolution as low as 90, 120, or 175 DPI II

your application requires it.





- (Mouse) Dr. Hala III Saftware Genius Menu Maker Software MOUSE Genius Menu Library Three User Manuals Genius Mouse Pocket
 - Genius Mouse Pad 9 to 25 Pin Adopter gested Retall \$109.00 The most powerful and versatile mouse everi

*TRADE IN OFFER: Send in your old Mouse (any species) and receive \$40.00 off on the new Dynamic High Resolution Genius Dyna Mause GM-6000. Send only the mouse, with a check or money order for \$69.00 plus \$3.00 for shipping and handling, or your Mastercard or Visa number and expiration date, and we will ship your ALL NEW Gentus Dyna Mouse package. (This offer is for end users. Only ONE mouse per customer please. Limited time only.)

ANOTHER GREAT PARTNER FOR DESKTOP PUBLISHING WHEN YOU CHOOSE ONLY THE BEST

CGN GS-2000



This convenient hand scanner allows you to input images and documents into computer files with no distortion.

INCHIDES GS-2000 Scanner and Controller • Genlus ScanEdit Software . Dr. Hala III Software

 OCR Format Supported ● Extensive Support for Image Formats . Image Editing . Multi-

window Scanning . True to Size Image Printing Read Width 105mm

Works with Aldus PageMaker, Dr. Hala, FrantPage, GEM, Microsoft Windows, OCR Systems ReadRight, PC Paintbrush, Ventura Publisher, WordPerfect, and athers. Suggested Retail \$279.00

LIFETIME WARRANTY on all Genius products.

24 hours 885 Electronic Bulletin Board System gives you the most updated information griytime



regarding our product KYE INTERNATIONAL COPP. 769 PREFALIS AVENUE WALNUT CA 9176 IEL (714) 594-9234 BBS (714) 594-7561

Tall free Technical Support Knowledgeable Technicians stand by to answer your questions

Support (800) 456-70% EAST COAST (919) 854-5047 POWMENT Viss. MasterCard or C.O.D. Costver Check: # All brand of product names are fractemasks or wavefeed transferration of their respective horses.





Announcing a big leap in mouse technology.

Finolly, o mouse with on extraordinary body ond o mind to match.

A mouse ballistically tuned to accelerate your cursor ocross any screen with the mere flick of owrist, and slow it down on arrival for pixel-point control on detail work.

This mouse is guaranteed to work with all applications on your IBM personal computer. And It comes with a great selection of MouseWare "including Pop-Up DOS"—the ultimate DOS handler, Mouse-2-5," the Latus 1-2-3" shell; and 35 menus for best-selling heuboard-based applications.

The Logitech Mouse. \$139, complete with Logitech's Lifetime Satisfoction Guorantee and unlimited Product Support.

For your nearest dealer, call:

800-231-7717

In Californio: 800-552-8885

In Europe: + + 41-21-869-96-56



CIRCLE 182 ON READER SERVICE CARD

A NEW LOOK FOR THE LOGITECH MOUSE

Emphasizing ergonomics as well as technology, the beta version of Logitech's new mouse has a more comfortable case, 320-dpi resolution, and dynamic tracking.

Rinally, the company known for having the best priceperformance ratio has embraced ergonomics. Though Location has embraced ergonomics. Though Location for superior technology, let's the theory of the superior technology, let's the superior technology. Let's the superior technology, let's the superior technology, let's the superior technology. The superior technology are superior to the superior technology and the supe

Logitech could have gotten by with



The beta version of the new Logitech Mouse features 320-dpi base resolution and dynamic tracking that let you rewrete your access with a mere flick of the wrist. The new case is a smooth arc, with the tracking ball set forward to improve positioning control.

interface (IBM and Logitich are others).

interface in the size of
on the PC and offers jumper-selectable interrupt settings.
The Microsoft Mouse has raised the stakes in this market. After handling 18 different mice, each with its own idea of ergonomic design, wrapping my hand selender connection box.

FACT FILE

Logitech Inc. 6505 Kaiser Dr. Fremont, CA 94555 (415) 795-8500

List Price: \$129; with PaintShow Plus,

Requires: 11K RAM (384K RAM with pop-up DOS); PS/2 pointing device port or 8-bit expansion slot or RS-232 serial port; DOS 2.1 or later.

In Short: A new ergonomic design, 320dpi resolution, improved positioning control, and dynamic tracking make the threebutton Logitech Mouse, reviewed in its beta release, one of the most comfortable and accurate to use.

the new case design and just left at that, but it didn't. The company's new mouse has ergonomics and technology. The case design is a smooth are l-inch high, with three flush-mounted buttons spaced everaly across the forward surface. The buttons have feather-touch response, and there's a slight degression on the center button for buttle feedback. Logitich also moved the tracking ball forward to improve positioning control.

The relationship between the case deand resolution are worth noting. With the arc case design your fingers drape naturally over the mouse, so you tend to control it with your fingers rather than with your palm. This finger control is enhanced by a respectable 320-dotper-inch resolution and on-the-fly dynamic tracking.

COMFORTABLE CONTROL You can work in a generous area of the screen with little hand motion, traversing its length with a filk of the wrist. I found the Logitech Mouse one of the most comfortable to use for extended periods. It performed well in EGA or VGA mode and really showed if on high-resolution monitors like the Wyse WY-7001. Throughout testing, the mouse 's control and positioning accuracy were exceptional, and its button response was sharp total, and the solution response was sharp to the control of the c

Logitech may have given in to ergonomics, but the company is maintaining its turf with distinctive, and often desiable, features. Other mouse manufacturers shan the three-button design; Logitech embraces it. Menu-generating software is optional with many mice; Logitech includes it. Other mice require PSZ interfaces. Logitech is plug compat-

PS/2 interfaces; Logitech is plug comp ible. And so on.—Tom Stanton

MITSUBISHI INTERNATIONAL CORP. E-Mouse

Mitsi Mouse

Mitsubishi has produced one really good mouse, the \$179.50 E-Mouse. Superior tracking, good positioning, a comfortable case, high resolution and Microsoft compatibility make this mouse an excellent choice. Unfortunately, Mitsubishi's other mouse, the \$79.50 Mitsi, is best characterized as an evil twin.

different mice, each with its own idea of ergonomic design, wrapping my hand around the Microsoft mouse was like coming home.

Push your software to the limit.



If you want to get the most out of today's new, high-powered software applications, we have a few words of advice:

Lise a Microsoft' Mouse.



The Microsoft Mouse gives you easy access to all the powerful features today's software has to offer.



It looks innocent enough here, but wait until you see how the Mouse makes your software scream.

The Mouse can unleash your software—and take full advantage of the features intended to make your work easier. With the Mouse you can effortlessly manipulate menu-driven

applications without taking your eyes off your screen. You can pull down menus. Highlight text in one fell swoop. Copy, cut and paste formulas in spreadsheets easily. And move things from here to there without any command-law mumbo iumbo.

Literally hundres of applications support the Mose. But as the leading solvame developer to personal computers (and one of the first to bring a graphical interface to PC screens), we've gene as sign interface to PC screens), we've gene as sign interface to the screen which was a graphical interface to the screen which was computed by the screen which was cet or the versus. Already, the Microsoft Mouse has made its way into the hands of over or million.

personal computer users. And that number is sure to grow even faster. After all, graphically oriented software is the driving force behind improved productivity. But it's the Microsoft Mouse that puts you in the driver's seat.

Microsoft*

1988 Microsoft Corporation. All region reserved. Morecoft and the Microsoft lags are registered trademarks and the Biocostift. Moses forces and Malangia all resides was are trademarks of Microsoft Corporation. East/CAD to a subsense's Circulation Computing P.P. Panelshin Aire a patiented trademarks/CEC/Corporation. East/CAD to a autom call 1990; Sell-1201. Continuous or Canada call 1996; 673-7638, canada North America, 2009; 880-8681.



Both the PC Mouse II and Omnimouse represent radical departures for MSC Technologies, The PC Mouse II is still based on optical technology but has only two buttons. It offers variable tracking resolution that can be changed on the fly. The optomechanical Omnimouse has two buttons and onerates comparably to other mechanical mice. Both mice have 200dni base resolution

blance to its predecessors and was obviously designed to go head-to-head with the new Microsoft Mouse. The optical technology remains, but that's about all. The PC Mouse II has but two large buttons that are aligned flush with the case, a unique traised-wedge shape, and offers on-the-fly

tracking resolution.

The new design feels comfortable and works well. Buttons have a crisp, sharp response and double-click with little effort. The mouse moves easily across the pad

■ As an optomechanical mouse, the 200-dot-per-inch Omnimouse represents a complete departure for MSC. It runs under its own drivers, as well as Microsoft's.

and tests exceptionally well, drawing tight curves or editing thin lines. Even within the boundary of the optical pad, the PC Mouse II holds its own. The PC Mouse II's variable tracking

The PC Mouse II's variable tracking resolution works very well and can be set

as needed within most applications using a TSR built into the PC Mouse II driver. MSC uses the popular Ctrl-Alt hotkeys not the wisest choice—which means you have to adjust other TSRs to use a less popular combination.

Dichard fans of the three-button design, rest sasured: MSC plans to continue offering the older three-button design, but with the latest software. In any event, MSC has created a worthy successor that deserves serious attention. As long as the optical pad does not cramp your style, you'll enjoy using the PC Mouse II.

As an optomechanical mouse, the Omnimouse represents a complete departure for MSC. A two-button, 200-dot-per-inch mouse that emulates Microsoft's, it comes with a standard serial interface, 9- to 25pin adapter, and runs under its own drivers as well as those of Microsoft. Its plug compatibility is so good that I simply took the Omnimouse out of its box, connected it, and started mousting.

Omnimouse operation is comparable to that of other mechanical mice. It moves well on most surfaces and tested well on all applications. I found the case somewhat bulky and not immediately comfortable to use, but after an hour of scrolling and clicking. I felt no fatigue.

The two large buttons have a solid response—perhaps too solid. Omnimouse buttons respond much better along the front edge and are very heavy along the back edge. This runs contrary to most mouse button design, where the buttons have the same response anywhere on their surface. For this reason, you may want to road test the Omnimouse for a few days to see how it feels.

see how it teets. While it is not the optomechanical version of the PC Mouse II (even though it obe), forminmouse will be just fine for some users. It offers excellent compatibility, solid mouse motion, and MSC's menu software. Some users may not find the buttons quite as heavy as I did, so you should test drive Omnimouse If you can. If the buttons don't bother you, it's an excellent choice.



- Key Tronic Professional Series
- Mouse

 Logitech HiRez Mouse
- Logitech HiRez Mouse
 Microsoft Mouse
- F.Mouse
- E-Mouse

For their ergonomic design, the Key Tronic Professional Series Mouse and the Microsoft Mouse are the clear winners. They handle well and are comfortable to use—proof that good design can be more than just a pretty package.

pray passage. The Logiech Hikes Mouse and Missibids' E-Mouse sand out for their technical copubilities. At though their technical capobilities. At though their ach had possed to the common their common their and their sold to the common their and their sold to their mouse combines or genomic case design with high resolution, making the device a pleasure to use. If the E-Mouse's buttons and a smoother, sharper response, it would have been the overwhelming favorite.

Also keep in mind the new 320dip Logitech Mouse that the company plans introduce this month and that we examined in its beta release. With a more-comfortable arced case and improved positioning control, this mouse can stand up to the toughest competition.



The Dataworld 288 [12MHz] ATcor speed and excellent compatibility... hundreds



NOW! 20MHz 286 SI = 22.5



"Marvelously cheap, powerful alternative ... outperformed the other 286's ..."

(October 11, 1988)



DATA-286 12MHz 80286 running at 8/12Mhz, 0/1 wait state Phoenix BIOS std. (Award BIOS opt.) 512KB of RAM, expandable to JIMB on board

\$1195

200W power supply
Real-time clock with battery burkup
L2MB floppy disk drive
Floppy/hand disk controller
(L1 interleave controller available)
101-key keyboard with "click"
Mono card w/parallel port (720:348)
TTL monitor with till/zw/wed base

Portscomp II

80286 running at 8/12Mhz, 0/1 wait state Phoenix BIOS std. (Award BIOS opt.) 512KB of RAM, expandable to 1MB on board Socket for 80287-8, -10 Real-time clock with battery backup 1,44MB 3.5" Roppy disk drive 20MB, 39ms, self-parking hard drive 102-key keyboard with "click" Supertwist backlit LCD, 640x400 res. Supertwist became Load, overland RGR/monochrome output port Weighs under 20 Lbs.

1.2MB external floppy drive opt. Carrying case available

DATA-286 20MHz

80286 running at 10/20Mbz AWARD BIOS sid. 1MB of RAM, exp. to 2MB on board EMS 4.0 support for memory over 1MB Socket for 80287

200W power supply
Real-time clock with battery backup
L2MB floppy disk drive
L1 interfere floppy/hand disk controller
[01-key keyboard with "click"
Mono card wiparallel port (720:248)
TT1. monitor with tilt/swivel base

\$1555

COMPLETE 10MHz DESKTOP SYSTEMS FROM \$945.00



Vertical Case

eight drive hays ions: 16 3/4"(D) x 7 3/8"(W) x 25 5/8"(H) le for 286-/386- models



DATA-386

4.77/e/8/I6MHz (20MHz opt.)
IMB of RAM, exp. to 10MB
Phoenix BIOS sed. (Award opt.)
220W power supply
1.2MB floppy disk drive
Ploppy/hard disk controller
101-key keyboard with "click"
Five I6 and two 8-bit slots
Mono card and measing 3, 1985 Moso card and monitor \$1995



200W power supply 1.2MB 5.25° floppy driv 20MB hard disk drive Supertwist backlit LCD RGB output port 5 expansion slots I parallel, 2 serial ports \$1875





Prices subject to change. No charge for credit card, check, C.O.D. 30 day moneyback guarantee (Shipping charges non-refundable).

Dealer/overseas inquiries welcome In-Calif. 1-800-722-7734 INFO: (213) 695-3777

Out-Calif. 1-800-722-7702 TECH: (213) 699-8250

WE JUST MADE CHOOSING THE RIGHT MOUSE TWICE AS EASY.



INTRODUCING PC MOUSE™II

New 2-Button Design and Ultra-High Resolution.

PC Mouse II advances the standard in precision optical pointing devices for PCs to a new level. You get the only 100% Microsoft* compatible mouse with no moving parts and no maintenance. But now, new Ultra-Res 2000* gives you much faster access to any point on your screen with user-definable resolution from 20 to 2,000 cpi-great for high-res monitors.

Only PC Mouse II comes complete with its own free precision MousePad." Designer Pop-up" menu software, PC Paint Plus," and a Lifetime Warranty. And for serious players of CAD and mouse, PC Mouse II also comes bundled with AutoSketch® - from the makers of AutoCAD*-





The Reliable, Economical Alternative.

> OMNIMOUSE combines optical and mechanical technology, giving you a high-quality, 100% Microsoftcompatible mouse, at an exceptionally affordable price. It delivers 200 coi performance, works on any surface, comes with Designer Pop-up menus, and includes a 1-Year Warranty. So if you're caught in a maze of mouse products, let MSC help you out. By narrowing your choices down to two. Just go to your dealer and ask to see both PC Mouse II and OMNIMOUSE.



able for HBM PC NT ATT *PS 2** and Apple* computers. O 1988, MSC Worknobegies, Inc. 479/5 Scalardage, Dr., Fremont, CA 94/58, 437-656 HET
T and TP-3 are inchemated of 1804 Apples is a registered trademark of Aprile Computer, Inc. Microsoft is a registered trademark of Microsoft Corp. Austrolean
and Trademarks Office by Austrolean, For Kinson, Computer, Inc. Apples Computer, Inc. 479-656 Scalardage, Inc.
The Apple of Apples of The Ap CIRCLE 350 ON READER SERVICE CARD



Mitsubishi's E-Mouse's 400-dpi base resolution makes it incredibly easy to use. and the gentle curves of its teardrop-shaped case fit the hand well It handles smoothly, but though its buttons work well, they're not as good as those found on other mice. The 200-dpi (base resolution) Mitsi Mouse performs well mechanically, but it is not particularly comfortable to use.

when I installed them on COM1. It seems that they expect to be connected to COM2 on systems with two COM ports. If you want to use COM1, you need a /1 command line switch to identify the port. Other mouse software automatically detects which port you're using, so I had little tolerance for this quirk.

MSC TECHNOLOGIES INC. Omnimouse

PC Mouse II

From the maker of the first mouse come two very different mice, the \$149 PC Mouse II and \$89 Onnimous. Both represent radical departures for the company, whose three-botton design, optical technology, and low wedge shape influenced the industry, setting the stage for the makering debate that seems to have concluded this year. Perhaps these changes are symbolized by the company's name change what was once Mouse Systems has meta-what was once Mouse Systems has meta-what was once Mouse Systems has meta-what was once Mouse Systems has pre-

morphosed into MSC Technologies.

The PC Mouse II bears little resem-



FACT FILE

520 Madison Ave. New York, NY 10022 (212) 605-2607 (800) 232-5727

E-Mouse List Price: \$179.50; with EGA-Paint

Last Frees 31 7-30, wan EGA-Form; \$224.50; with DraghtCAD, \$249.50; with Byline, \$329.50. Requires: 8K RAM, RS-232C serial port, DOS 1.0 or later. GROLE WIT ON RADER SERVICE CARD

Mittal Mouse List Price: \$1.34.50; with EGA-Paint, \$179.50; with DrafticAD, \$199.50; with Byline 2.0, \$289.50. Requires: 8K RAM, RS-232C serial port, DOS 1.0 or later.

CREATE THE CONTRACTOR SERVICE CAND

In Short: The 200-dpt (base resolution) twobutton Missi Mouse looks and feets like a prototype brought to market. The two-button the
Mouse, at 400-dpt base resolution, handles
like a pro. Neither mouse has great buttons,
but you can get used to them.

If you have a high-resolution monitor, you should take a serious look at the E-Mouse, for its 400-dot-per-inch resolution makes it incredibly easy to use: with this magnitude of mouse resolution, who needs dynamic tracking? Positioning is effortless and accurate anywhere on the screen: I needed an area 2 by 3 inches to cover a 1,200-by 800-pixel screen; in EGA I barely had to move my hand. The mouse is so sensitive that my tendency to grip mice showed up as a fluttering cursor. Once I relaxed, the cursor moved smoothly and surely.

The E-Mouse's case is made of highgloss plastic like that of Microsoft. Designed for extended work, it is teardropshaped, with gentle curves that fit the hand well. It handles smoothly, but though its buttons work well, they're not as good as those found on other mice. They doubleclick well enough, but the effort is out of proportion with the rest of the E-Mouse. This would be a perfect mouse if the buttons had a softer. sharper resouts

The E-Mouse can work with any Microsoft driver without losing its high resolution. Mice with dynamic tracking usually need to have their own driver installed; in contrast, the E-Mouse works

anywhere. The best things I can say about the "evil twin" Mitsi Mouse are that it performs well mechanically and works well with Microsoft. It is not particularly comfortable to use, for its wedge case is rounded toward the top, and my hand sought a resting place toward the back, right over the rolling ball. In extended-use drawing, my hand just got tired of adapting to the shape. The Mitsi Mouse's buttons always felt sluggish, lacking the sharp, crisp response of most other mice. They feature short travel, but feel hard and don't double-click well-sometimes it took several tries to get double-clicking to work.

FACT FILE

47505 Seabridge Dr. Fremont, CA 94538 (415) 656-1117

Omnimouse List Price: S89 Requires: 11K RAM, RS-232C serial co

munications port, DOS 2.0 or later.
CRCLE BY ON PEACER SERVICE CARD

PC Mouse III

List Prices serial or bus version, with PC Paint Plus or Magician, \$149; with Auto-Sketch, \$179.

Requires: (1K RAM, RS-232C serial port or empty 8-bit expansion slot, DOS 2.0 or later. CRCLE 872 ON READER SERVICE CARD

In Short: The two-button 200-dps (base resolation) Omnimouse offers an average optomechanical design with heavy buttons, but good Microsoft compatibility. The more sophisticated two-button 200-dp (hose resolution) optical PC Mouse II fentures the improvements of crisp response, a streamlined body, and bullistic motion.

NUMONICS CORP. Manager Mouse Manager Mouse Cordless

The Manager Mouse and the Manager Mouse Cordless are identical in design and features; the only differences are the presence (or absence) of a cord and the price: the Manager Mouse sells for \$109, or \$129 with Dr. Halo III: the cordless mouse lists for \$179, or \$199 with Dr. Halo III. The



two have remained largely unchanged since we reviewed them in 1987. Both mice have a boxy case and three small, slender buttons on a gently sloped front

necessities most mice, the Manager uses wheel tracking to detect and report mouse motion. At first these nuice appear to work the model to the model to the design does have some quists. The small plastic wheels stip occasionally, particularly on smooth surfaces, and diagnal motion feels choppy. I found it nearly impossible to duplicate the quick, easy, full dumotion of bull mice with these wheel mice; extended use in PC Painthrush Plan arally highlights the mice's design defi-

Circuits. To its credit, the Manager Mouse Cordless points the way toward what a mouse interface should be. After all, how many other mice can you use on the other side of a room? The mouse is especially good for demos and teaching, where a cord would get in the way. Hound it very easy to operate, despite its wheels. The infrared sensor shows all mouse activity, Itelling you when you're out of communication range. All you have to do its remember to keep this

mouse charged. If Numonics adopted the rolling ball, its 100-dpi mice would be on a par with most others, but the choppy tracking of the wheel will break you. A slick new case for the Cordless, a roller ball, and a mouse pocket that doubles as a charger would make Numonics a major contender. Maybe next year.

> The Manager Mouse and Manager Mouse Cordless offer the same design and features. Their wheel tracking design has some quirks, for the small plastic wheels slip occasionally and diagonal motion feels choppy. To its credit, the Manager Mouse Cordless points the way toward what a mouse interface should be

z-Nix Z-Nix Super Hi-Res Mouse

Often when a product is named "super," it sets you up for a disappointment. Unfortunately, Z-Nix's \$95 Super Hi-Res Mouse is just such a product. It is unremarkable in design and execution, and I found it to be one of the least restonsive mice of all we

tested. The Super Hi-Res Mouse mimics Microsoft's older teardrop-shaped body, but adds a twist: instead of two buttons, it has three. The far-left button is shorter than the rest, which I suppose makes it easier to find, but it also means that you need to stretch to get at the most frequently used

button. Even with 340-dot-per-inch resolution, the Super Hi-Res Mouse felt sluggish, even sticky at times, as though the ball or rollers were catching on something. I inspected everything and found nothing sticking, but the feeling persisted on a variety of surfaces. A mouse pack belps, and Z-Nix should include one or improve its mouse's mechanism.

Menu software exists but is not really documented. The Lotus 1-2-3 menu I tested was obviously not a finished prod-



San Rafiel, CA 94901 (415) 454-7101 (800) 222-4723 (sales, outside CA) (213) 493-2516 Z-Nis sales office Lidt Pricer Bus or serial version, 995; with Dr. Holo III or PC Paintbrush, 5129-95; with TurboCAD, 5149-95; PS/Z version, 589,95; Z-Nis Hi-Res Mouse, 575.

Requires: 4K RAM, RS-232C standard serial port or 8-bit expansion slot for bus version, bus card (included with package), DOS 2.0 or later. Serial mice come with a 9- to 25-pin

converter.

In Short: With a short third button—a seeming bow to ergonomics—this 340-dpi (base resolution) mechanical mouse is sluggish and bulky; generally behind the times.

ORCLEMICAL SEASER SERVICE CARD.



Add power to your system with 2 FREE PC Magazine Utilities Disks

Plus SAVE 60% when you subscribe to PC MAGAZINE

You're Guaranteed Delivery of

- In-depth product reviews based on the impartial evaluations of our own PC Magazine Labs.
- Power-User Tips and Techniques to help you work faster and smarter.
- help you work faster and smarter.
 The best, hottest columns anywhere.

Get 2
The PC Magazine
2-Disk Utilities Library:
Vol. I and the all new
Vol. II features 78

DISKS power-user programs that will really rev-up your system! Speed up your keyboard... locate any file in seconds...back up all your data with ease...add a DOS system to a working disk. Not available in any store, these valuable disks are yours FREE with your paid subscription.

SAVE 2 60%

That's like getting almost 2 out of 3 issues plus home delivery Free —so you won't miss a single, valuable issue.

GET A GIFT WHEN YOU GIVE THE PERFECT GIFT!

Give another power-user—a business associate or friend—a gift subscription to PC Magazine. They'll appreciate getting the late-breaking, in-depth coverage of IBM-standard hardware and software 22 times



a year. Plus, as our way of saying "thanks" to you we'll send you the



you the 2-Disk Utilities Library, FREE.

Address



PC FREE DISKS/SAVE 60%	IPC -
YES! I want my Free, 2-Disk Utilities Library and all the power and input PC Magazine provides. Enter my subscription for:	High-Impact Graphics Relation Page 1 Property Control of the Cont
Enter my subscription for: 44 issues (2 years) for \$51.97. SAVE 60% 22 issues (1 year) for \$31.97. SAVE 51% Serings based on annual newstand price of \$64.90.	THE PARTY OF THE P
Mr./Mrs./Ms. (Please Print)	
Company	NEW

 City
 State
 Zip

 □ Payment enclosed.
 □ Bill me later.
 4N229

Please add \$37 per year for postage outside USA, \$25 in Canada, US currency only, Allow up to 60 days for delivery of first issue. Your disks will be shipped upon payment. Basic annual subscription price is \$44.97.

GIVE A GIFT—GET A GIFT!

Please send a gift subscription and gift announcement card to

i reade being a Bu	t subscription and girt announcement care	10.
Mr./Mrs./Ms		P M MALAZINA
Company	(Please print full name)	IN.
Address		PC MAGAZINE LTEATURE
City	StateZip	
For: 22 issues (44 issues (Savings based on a	one year) for \$31.97. Save 51% two years) for \$51.97. Save 60% nnual newsstand price of \$64.90.	0.
Please send me t	the 2 Free Disks and invoice me at:	The same of the sa
Mr./Mrs./Ms.	(Please print full name)	

City State Zip.

Please add \$37 per year for postage outside USA, \$25 in Canada, US currency only. Allow up to 60 days for delivery of first issue. The disks will be shipped upon payment. Basic annual subscription price is \$44.97.

40237



POSTAGE WILL BE PAID BY ADDRESSEE



P.O. Box 51524 Boulder, Colorado 80321-1524

Haddhaadhadhadhadhdaddaddad



BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 66 BOULDER, COLORADO

POSTAGE WILL BE PAID BY ADDRESSEE



P.O. Box 51524 Boulder, Colorado 80321-1524

Maddhaallaaldaallaalldaddalalalal



BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 66 ROULDER COLORADO

POSTAGE WILL BE PAID BY ADDRESSEE



P.O. Box 51524 Boulder, Colorado 80321-1524

Haddhaadhadaadhadhdaddaddaddal

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES



IF MAILED IN THE UNITED STATES

NO POSTAGE

NECESSARY IF MAILED IN THE UNITED STATES



Subscribe and Save

PC Magazine is the most powerful add-on to your IBM-standard system. Subscribe now and save 60% off the newsstand price.

DOUBLE BONUS

Subscribe now and you'll add even more to your PC with the 2-Disk PC Magazine Utilities Library—Yours FREE with your paid subscription. You'll get both Vol. I and the all new Vol. II, packed with 78 ultra-powerful utilities to help you increase the speed and flexibility of your DOS system.

Share the power GIVE PC MAGAZIN

Give PC Magazine to a friend or business associate. We'll send an attractive gift card in your name, and as our way saying "thanks" to you, we'll send you the 2 Free Disks!





A three-button mouse with a teardrop-shaped body similar to Microsoff's old one, the Z-Nix Super Hi-Res Mouse features a base resolution of 340 dpi. Unlike some other mice, the Super Hi-Res Mouse does not seem to glide effortlessly across a surface, feeling sluggish and even sitcly at times. This feeling is diminished when the mouse is used with a mouse pad.


■ The Super Hi-Res Mouse does shine in Microsoft emulation, and it is accurate in tight drawing tests, although even with 340-dpi resolution, it felt sluggish.

uct—a fact underscored by references to what an OEM could do with the menu software. Z-Nix should either perfect the included menus or eliminate them from the package altogether.

The Super Hi-Res Mouse does shine in Microsoft emulation, and it is accurate in tight drawing tests. Nonetheless, this product lacks the polish in both design and execution to be a top contender.

Tom Stanton is a frequent contributor to PC Magazine.

Haven't You Heard the News?



You don't have to buy the whole newsstand to get copies of your latest article or review. Order customized reprints from Ziff-Davis Publishing Co. and let potential clients read all about it.*

To find out how you can have your article or review reprinted, contact Jennifer Locke— Reprints Manager; Ziff-Davis Publishing Company, One Park Ave., New York, NY 10016, 212-503-5447.

*Minimum quantity 500 reprints.

Some views on why the NEC MultiSync

There's a lot more to the new MultiSync° 3D monitor from NEC

than meets the eye. Because instead of making one monitor for each



graphics board, we've developed a monitor that enhances



the performance of the modes on practically any board.

With its new microprocessor-controlled digital tuning system,

MultiSync 3D can adjust to a given video standard with a precision

matched only by a few high-end single-frequency monitors.

Making it perfectly compatible with virtually all systems and boards. From 8514A, SuperVGA and Mac II to VGA, EGA, MDA and



3D is the new monitor standard.

CGA. For an incredible maximum resolution of 1024 x 768.

What's more, MultiSync 3D is equally compatible with you and your workplace. There are upfront controls, for easier access. A 14" nonglare screen on a tilt-swivel base, for more comfortable viewing. And, as you can see, there's even a full 360 degree design.



The way we see it, MultiSync 3D



standards by which all other color monitors will be judged.

For literature, call 1-800-826-2255. For technical details call NEC

Home Electronics (USA) Inc. 1-800-FONE-NEC.



We make a super VGA monitor



NEC introduces the best VGA monitor you can

buy. MultiSync* 2A.

The first monitor that takes our award-winning multiple frequency technology and cus-

tomizes it to the needs of the VGA user.

MultiSync 2A is both affordable and uncompromised. And completely compatible with all VGA modes. In short, it performs brilliantly. But what's equally important, it allows you to move effortlessly to the next major graphics standard: SuperVGA.

All this in a monitor that gives you a 14" non-glare screen on a tilt-swivel base, for nearly 30% more viewing area than standard 12" screens, and a new cabinet that's not only functional but is designed to look as good from the back as it does from the front.

MultiSync 2A. One super VGA monitor.

that's also a SuperVGA monitor.



But that's only part of the story. NEC also introduces the best SuperVGA monitor you can buy. MultiSync* 2A.

The first monitor that takes our award-win-

ning multiple frequency technology and customizes it to the needs of the SuperVGA user. MultiSync 2A senses the software you're using and makes the switch from a VGA monitor to SuperVGA, the new standard developed by NEC and recognized by VESA, the Video Electronics Standards Association. SuperVGA delivers a maximum resolution of 800 x 600, which is 56% higher than VGA.

And since you're most likely buying a board that goes beyond VGA,
your monitor should too. For literature call 1-800-826-2255. For technical details call NEC Home Electronics (USA) Inc. at 1-800-FONE-NEC.

MultiSync 2A. One SuperVGA monitor.





The Speed of

Keystrokes. Screen updates. All virtually as fast as the applications program. That's the result of REMOTE2TM error-checked, data compressed link. It won't keep you waiting.



The Cost-Efficiency of Scrooge

Some programs want you to buy both parts-the calling program and the host program-even if you only need one. Not REMOTE? It comes in two parts-R2HOST" and R2CALL." Buy either. Or both. Whatever you need. And no more.



The Flexibility of Rubber Man

REIROST isn't snobbish- from the makers it this alse and from RECALL armone of the Crosstalk munications since Communications programs, or from almost any other communications program, or from a communication program, or from a communication program, or from a communication strength and the constructed with REROST think of Support think of Support Branch office and the communication of the communication o

or from a communications terminal. RZCALL connected with RZHOST does give you all of the power and features of REMOTE2 including exact keyboard mapping and the ability to transfer files with error-checking even while an applications program is running.



The Heritage of CROSSTALK®

You'd expect a remote control program

from the makers of CROSSTALK to be more

advanced. We've been leaders in PC communications since the beginning of PC

communications.

That's REMOTE2's family tree. And it shows.

Better, more convenient remote control for almost any application you can think of Support. Training. Collaboration. Branch office or home computing with a central PC.

REMOTE² essentially puts you in front of the remote computer. You have total control of the keyboard, DOS or any applications software. And what you would see on the remote computer's screen, you see on yours, Instantly.

It also provides a wealth of features that make it more efficient and easier to use. A chat window so that you and the person at the distant computer can chat without disturbing the application that's running. An integrated help system that running. An integrated help system that provides help for wherever you are. A phone book of commonly used numbersalong with their communications settings. LAN and mainframe access. And an activity too!

If you need to operate a distant computer by remote control, look at this one-REMOTE? From the makers of CROSSTALK. See your dealer or contact us for details.

REMOTE²

CROSSTALK COMMUNICATIONS 1000 Holcomb Woods Parkway Roswell, Georgia 30076-2575 404/986-3898

Indepent of Digital Communications Associate

A Division of Digital Communications Associates, Inc. decades An NYSE listed company. For a copy of the annual report or further information call 404-442-4000.

BROOTE PRIOST and PULLL are trademarks of Digital Communications Associates, Inc. (SIGSSTALK is a registered

PRODUCTIVITY

■ PC LAB NOTES: PC-BASED CADD ■ JEFF PROSISE

CADD PROGRAMS COME OF AGE

If you think computer-aided drafting and design is only for engineers and mainframes, you're behind the times. Here's how to put CADD to work on your own PC.

A new type of software is rapidly entering the ranks of such estabtoring the ranks of such estabprocessors, spreadsheet, and databases. Once the exclusive preserve of corporate engineering department capipod with engineering department capipod with eng. CADD systems have dropped both in price and computing requirements right into the environment of the office PC. Yet while many users could profit by using CADD programs, they remain largely unknown outside engineering circles.

Spreadsheets offer an instructive parallel. When you saw your first electronic spreadsheet, you probably hought, "Gee. that's a next tool—but d'an' thave a let of applications for it." But Lous 1-2-3 long ago outgrew its roots in the accounting world. Engineers began using it to analyze their designs, home builders began using it to keep track of materials and construction costs, and doctors began using it to keep billing records.

Similarly, while CADD has singlehandedly revolutionized the architecture and engineering industries, you don't have to be an engineer to reap its benefits. CADD is for everyone. And now that inexpensive CADD software can be had for less than the cost of a good word processor, it has suddenly been thrust within reach of the average user.

This PC Lab Notes will look at CADD from the perspective of the typical home or business PC user. I'll try to explain its terminology and basic concepts and show you some of the everyday situations where CADD can increase the level of your own

productivity. Hopefully, that will be enough for you to decide that a CADD package deserves a place on the shelf right alongside your favorite spreadsheet or word processor.

PRODUCTIVITY INDEX

LAB NOTES
A look at how CADD can enrich your life—it's not just for engineers.

SMOOTH.COM lets EGA and VGA users browse through text. ENVIRONMENTS Programming with new data types is

essential for the upcoming 80386.

POWER PROGRAMMING

A look at how the limits of the FAT file system will affect the future.

SPREADSHEET CLINIC
Calculate the term of a loan; gain User key functions in 1-2-3.
USER-TO-USER

List filenames without editing; set your computer to do a certain task. POWER USER

Speed up marking index entries; save all files in all windows. LANGUAGES Free up memory when debugging large

Pree up memory when debugging large programs; detect printer errors. PC TUTOR

Adding support to hard disks; why EGAs don't display wide borders. CONNECTIVITY CLINIC SRVCLOCK and NETCLOCK updated; a model for IBM's HLLAPI. WHAT IS CADD? CADD is an acrosym for computer-aided drafting and design. Simply put, it gives you a way to create precise sketches and pictures on your PC that are comparable to what a skilled artist or draftsman would create on paper using unites. T squares, and other tools of the trade. CADD programs are similar to the mouse-driven paint programs made popular by the Macintosh, but they lean more toward detailed, scaled images than free-

hand drawings.
With CADD you can whip up a quick
diagram to include in a memo you're perparting on you word processor, create a
parting on show word processor, create a
with different furniture arrangements, or
create a pictorial information datasets.
One of the great benefits of CADD is that
many times as you like without compomany times as you like without compomising its integrity. And CADD programs
pack an areand of features that make edit-

 reach different parts of the page.

On paper, next you'd make an outline of the interior and exterior walls using a ruler or triangle to draw the lines straight and to make sure they interest at right and to make sure they interest at right and to make they interest at right and the sure of th

A number of sandard CADD facilities expedite the drawing process. You can set up a grid of points spaced I foot apart and instruct the CADD software to "snap" the pointer to the nearest grid point. That makes shot work of laying down a series of precisely positioned parallel and perpendicular intex. Once the outline of the house is roughed in, you can refine the grid to one point every 4 inches and zoom is on each room to add finer detail. And if a line worm of the properties
to its intersection with another line With the floor plan complete, you'll want to add some dimensions to show the size of each room and the overall length and width of the house. This is where CADD really shines. It already knows the lengths and locations of the lines you've created, so when you select any two points, the CADD program calculates the distance between them and displays it in the units and scale you specify. And thanks to a feature known as associative dimensioning (which permanently ties the dimension you just created to the two points you indicated), the dimension is automatically updated if you later return and stretch the line to add 3 feet to the length of the

As a final touch, you might add a few lines of text to indicate the square footage and the name of each room. CADD programs let you enter text in the style, size, and color of your choice; then you can paste it into the drawing. Some CADD programs will even calculate the square feet for you. You'd finish unby saving the final product to disk where it can be recalled for editing later. As you become an experienced CADD user, you'll find that you're sending your sketch to be printed while the other guy is still trying to pencil over his mistakes.

PUTTING CADD TO WORK CADD programs are good for much more than generating house plans. We all know that often a simple sketch is the best way to convey an idea, and CADD lets us put a picture in place of a thousand words. Now we can have the best of both worlds, since word processors are being designed to incorporate (CADD graphics.

WordPerfer, Version 5.0, has done a particularly complete jos of bridging the and read it begap between traditional word processors and desktop publishers by offering the hability to include graphics as well as text in word processing documents. Given a dos supported in bitmap image stored on-disk, Word-Perfer will bring it in, let you resize it and your rein intermediate and move it around, and wrap words around it in such as way that there's no collision be in a small time.

tween graphics and text. It even includes a small library of useful clip-art images to save you the time of coming up with them from scratch.

What WordPerfer doesn't give you is a way to create these images from within itself. The program can, however, import lises in a variety of graphics formats and convent them into its own price. WTO of the formats is supports is known as .DXF, which is a neutral file format developed by the makers of AutoCAD that is supported by most PC CADD vendors. Hence, if you need a graphic for WordPerfer of Om that we can be a made and the state of the control of

Many desktop publishing programs also support .DXF files. WordPerfect will even import AutoCAD files directly, without intermediate translation to .DXF. If you're involved with desktop publishing or graphics-oriented word processing even in a small way. CADD is your ticket to at-

SPEAKING THE CADD LANGUAGE

Like other specialized fields, the LCADD (computer-sited drafting beautiful computer-sited drafting terminology. Some of it was handed down from the days when CADD ran only on mainfranes and minicomputers, the rest of it was added after the technology was adapted to PCs. To help you learn something about its phraecology was only the proposed of the

Associative dimensioning A feature that ties dimensions to specific pieces of geometry in such a way that when the geometry is changed, the dimensions automatically change with it.

Attribute Intrinsic information that may be attached to a drawn object for purposes of data storage and management. For example, a window on an architectural drawing might be attributed with the text string "3 x 4" to designate its di-

mensions as 3 by 4 feet.

Through the process of autribute extraction, the information attached to this and all other windows in the drawing can be gathered and written to an ASCII file. Once stored in an external file, the information is typically used in a list of materials or manipulated by a database pro-

CADD (computer-aided draftling and design) Also the name for an entire category of computer-aided manufacturing). The technology by means of which manufacturing The technology by means of which manufacturing needs are fulfilled by computer. One example of a typical CAM application is using CADD systems to produce the tapes needed to drive unmerically controlled manufacturing.

CIM (computer-integrated manufacturing) The integration of CADD and CAM to achieve the goal of completely automating factories.

and inspection machines.

tractive documents and lively graphics.

CADD can help in other areas, too. How many times have you decided to rearrange the furniture in your office and reached for a tape measure for help in matching potential arrangements to the size of your workspace? Maybe you've even gone so far as to cut out paper models scaled to match the size of your desk, tables, and chairs, then toyed with different combinations of orientation and position. If so, you're a perfect candidate for CADD.

Most CADD programs will let you grab an object with the mouse pointer and drag it around the screen. To take advantage of this in laying out an office area, you'd simply set up a rectangle scaled to match the length and width of the room, then create another rectangle for each item of furniture. To keep them straight, you might label each item with a simple line of text denoting its size and function. Then move them around at will. If two items won't fit when placed end to end along a wall or wedged together in a corner, you'll see the

overlap on the screen and save the useless labor of trying to muscle the real pieces into position. And when you've found a satisfactory arrangement, you can save it to disk for next time.

 Landscaping calls for planning ahead. And a CADD program is perfect for the job of preplanning and experimenting.

Another place where you might put CADD to work for you is in landscaping. If you're like me, you like to work in the yard, planting trees and shrubs and adding touches of greenery to increase the visual appeal. But if you go about it in a random. unplanned fashion, the results look hap-

hazard. If there's anything worse than spending an afternoon digging a hole for a tree in dry, sun-baked earth, it's digging another hole for the same tree when it doesn't look right where you first put it.

Landscaping calls for planning ahead. And a CADD program is perfect for the job of preplanning and experimenting. CADD lets you play what-if with pictures the same way a spreadsheet lets you play what-if with financial data. I have a CADD drawing file with the outline of my house, yard, driveway, sidewalks, and the street that borders my front yard sketched in. When I begin a new landscaping project, I try out my ideas on the screen before investing a penny in materials or digging the first hole. If I don't like what I see on the screen, I tinker with it until I settle on a satisfactory scheme-or until I decide to scrap the idea altogether. And when I do decide on a plan, I make sure to save it along with the master drawing file so that the changes are documented.

One of the many ways that CADD helps in such projects is by maintaining a

Digitizing tablet A peripheral input device (usually accompanied by an electronic pen or puck and menu overlays) that allows drawing operations to be selected and performed off the screen rather than on it.

.DXF (drawing exchange file) .DXF is a neutral file format developed by Autodesk, makers of AutoCAD, that is suitable for the exchange of 2-D drawing files between CADD programs

Hidden-line removal The process of hiding lines on a wireframe model that would be obscured by surfaces closer to the eye, thus producing the visual effect of a surface.

IGES (Initial Graphics Exchange Specification) IGES is a neutral file format established by the American National Standards Institute for the exchange of 2-D or 3-D drawing files.

Lavering The act or method of dividing the elements of a single drawing among a number of individual pages, or layers.

This technique is widely used for organizational purposes. Layers may be visualized as cellophane cells that, when stacked on top of one another, make up a

complete picture of the drawing. Panning The act of moving the window represented by the CRT screen around to view different portions of a drawing.

Plotter A high-quality graphics output device consisting of a two-dimensional mechanism that drives one or more colored pens across the surface of a sheet of paper to produce a rendering of what appears on a CRT screen.

Shaded rendering A means of displaying an object in which surfaces are colored and shaded to produce a visually realistic effect.

Snapping A means of automatically selecting coordinating points when creating a drawing. For example, if endpoint snapping is activated, the user need only indicate a point anywhere on the line in order to select the endpoint of the line. The CADD program will automatically determine which end of the line is closer and snap the screen cursor to it.

Solid modeling A means of representing an object as an unambiguous mathematical solid rather than as a wireframe or surface model.

Surface modeling A means of representing an object as a collection of bounding surfaces

Symbol A picture that can be inserted into a CADD drawing at the location, size, and angle of the user's choice. For example, a graphic depicting a window can be stored as a symbol and used in multiple instances on the elevation of a house. Symbols are also called blocks.

Wireframe A method of representing an object by showing only the lines and curves that constitute its edges. With this technique, the eye must supply its own interpretation of the model to achieve the impression of surfacing.

-Jeff Prosise

■ PC LAB NOTES

symbol library. A symbol is a picture that can be inserted into a drawing as many times in as many places as you like. Symbols save time when a number of identical objects are to be placed in a drawing. The CADD program lets you create the object once, save it as a symbol, and call it back whenever it, needed

Thus, if you're working on a landscaping plan, for example, you might construct a circle with lines emanating from the center, representing a shrub. You then save it as a symbol and simply paste it into the drawing wherever a shrub is needed. The same symbol can double as a tree if you simply scale it up by a factor of 4 or 5 when you recall it from the library. Most CADD programs will let you shrink, expand, and rotate a symbol prior to loaking the

Most professional CADD users develdent professional CADD users develnation of the control of the control of the control An architect, for instance, will create a symbol library that includes objects such as door swings, water closests, bushubs, sinks, and windows. After drawing each time once, he never has to draw it again unless he wants to change it or make a new one that's a slight variation on the old.

Symbols needn't be limited to small ob-

jects. An entire drawing can be converted into a symbol and pasted on top of another drawing. Thus, if there's a standard form you want to use on each of your drawings—such as a border with your company is logo or lettle-head—you can make my logo or lettle-head—you can make head to be a such as the second of
BEYOND SYMBOLISM The use of symbols isn't the only way that CADD lets you reduce the amount of time spent duplicating geometric shapes. Any object or group of objects you draw can be selectively mirrored, copied, or moved to another location, Objects can also be duplicated in

rectangular or circular arrays.

The classic example of how generating a circular array can save time is the construction of a gear. Each tooth of the gear is composed of identically connected arcs and lines joined to the inner circle that forms the circumference of the gear body. Creating each tooth individually in the proper orientation would be an enormous task. But with CADD, all you need to do is draw one-half of a tooth, mirror and copy it

to make the adjoining half, then duplicate the resulting tooth in a circular array.

You can also set up a CADD drawing to serve as a visual database. Using a process known as attributing, information can be attached to individual objects or symbols in a drawing and later extracted and transferred to an external ASCII file. There the information is typically used in a list of materials or imported into a database proeram suchs ad BASE III or Paradox.

Consider, for example, the possibility of setting up a graphical point-and-shoot

Most CADD programs will let you shrink,

expand, and rotate a symbol prior to placing it.

database to store information about the members of your staff. You could start by sketching up a quick organization chart, with each staff member's name occupying

CADD HARDWARE REQUIREMENTS

Many prospective users believe that setting a PC up for serious CADD work requires megabytes of RAM, a hard disk, an expensive graphics card, a math coprocessor, a digitizing tablet, a plotter, and a souped-up 286 or 386 machine running at 12 MHz or better.

Tain't necessarily so. While outfiting your machine with all of the authorting your machine with all of the outwill give you the most awesome CADD system on the block, not all these has are required to get up and running. Many CADD systems will run acceptably with a plain old CGA video eart or a Hercules monochrome cand. An EGA has sufficient resolution to tackle all but the most complex designs. Megabytes of Many Can be great, but many CADD programs can't see anything beyond 640K.

Plotters are far too expensive to consider unless you're preparing for highvolume production work. A standard dot matrix or laser printer suffices for most purposes. A mouse is often as good as a digitizing tablet, and many CADD programs even allow for input to come entirely from the kevboard.

And as for the 286 or 386 CPU well, it helps, because CADD programs are necessarily graphics-intensive, and graphics-intensive means computationintensive. But like most other products, CADD software will run on an 8086 or 8088, though with a commensurate sacrifice in specific

The one item you shouldn't be without for CADD work is a numeric coprocessor. CADD programs rely heavily on floating-point calculations and thus benefit directly from dedicated math hardware. AutoCAD is one of the few packages that require a coprocessor. If you op to go without one, expect a tenfold decrease in drawing performance. Circles that pop instantly into view with a math coprocessor installed are slowly pained on the screen a pixel at a time without one. There's a substantial penalty to be paid in productivity when a drawing takes 60 seconds to regenerate rather than 6.

I consider a minimal CADD hardware configuration to consist of a hard disk, a graphics card and a compatible monitor, a mouse, and a math coprocessor. Some programs require a hard disk; others of the configuration of the configuration of the configuration of the complexity of the task at hand or the complexity of the task at hand or the heavy use, and anything less may make CADD more of a hindrance than a help.—Jeff Prosies

CORELU DOES IT A





Superb Freehand Drawing & Incredible Text Control on ALL Popular Printers! Easy, Powerful User Interface

- icrosoft Windows, running on all AT:

- lives your curves a human touch by alle ng custom pen shapes & angles
- Autotrace to Quickly Create Artwork
- ematically traces bitmaps, including ned images to easily create your own this artwork

- ndividual characters can have different at-ibutes within a text string including peface, point size, angle etc.
- Interactive letter, wurd and line spacing
- Special Effects for Postscript Printers

 Over 50 stunning textures including Fractal
 and Eacher effects for filling any ubject

COREL COREL, 1600 Carling Ave. Ottawa, Ontario K1Z 8R7 (613) 728-8200

- Unlimited HOTLINE Support COREL experts are keen to help!



CORELDRAW! ORDER NOW \$495**

■ PC LAB NOTES

a box. To each box you could add information such as job title, years with the company, and area of expertise. This additional information would be put in the form of unseen text attributes, which would be displayed only when you specifically asked for them. With some CADD programs, you could design your system so that clicking on a box would bring up a display of all recorded information for that person. Or you could use the program's attribute extraction feature to generate a snapshot personnel profile of your entire organization.

3-D CADD CADD isn't limited to producing two-dimensional pictures and drawings. Many of the CADD programs available for the PC are capable of modeling objects in full 3-D. Each point on the object is assigned x, y, and z coordinates, and the viewpoint representing the position of the operator's eve within the frame of the model can be shifted to show the object from any angle or distance. A simple cube that looks like a square in a 2-D drawing takes on added impact when viewed from a point in space that shows three of its sides.



Figure 1: The screen shot above shows a plain sketch of a floor plan generated in AutoCAD, A 3-D rendition of the same floor plan using AutoShade is given in Figure 2.

A BUYER'S GUIDE TO CADD SOFTWARE FOR THE PC

here are two distinct classes of com-There are two distinct the petitors in the race to bring highpower CADD software to the PC: those costing roughly \$500 and less, and those costing up to \$3,000 and beyond. Among the lower-cost entrants belong such impressive performers as Generic CADD and Drafix 1 Plus, which give you modest power and utility at a humble price. In the upper-price echelons, products like AutoCAD, Cadkey, MicroStation PC, and VersaCAD battle for market share. While all are useful packages in their own right, they're targeted more for the corporate user buying CADD software with company dollars than for the nontechnical user.

For home and business use, you're just about as well off with an inexpensive CADD program if you buy carefully and match its features to what you want to do

with the software. The under-\$500 products generally perform as well as their higher-priced counterparts but offer fewer features. That's fine if you have no desire for the built-in power of an AutoCAD or for its expandable AutoLISP programming capabilities, but don't expect a lowend product to accommodate such refinements.

You'll find a thorough and useful suite of reviews of low-cost CADD packages in the article "Upwardly Mobile CADD," which appeared in the December 8, 1987, issue of PC Magazine. High-end products were examined in PC Magazine in "Expanding to New Dimensions," August 1988.

As in purchasing software of any type, it pays to look before you leap when you're ready to make the move to CADD. - Jeff Prosise

But what really brings an object to life is its transformation from a simple wireframe model to a lifelike shaded rendering. An object in wireframe form is represented only by the lines and curves that define its edges. A wireframe cube, for example, is composed of 12 lines, and all 12 can be seen from any viewing perspective. Without adding the ability to remove hidden lines, there is no masking of the lines that lie behind surfaces positioned closer to the eye. By contrast, a shaded rendering shows the surfaces that make up an object. Surfaces that are obscured by other surfaces are thus hidden from view, and surfaces that are visible are shaded according to the intensity and relative position of an unseen light source.

Some CADD programs with shaded rendering capabilities even offer perspective viewing, in which all parallel lines converse at an infinite point on the horizon. With perspective applied, an object loses the clinical drawing-board look and seemingly springs to life. In terms of visual realism, shaded renderings drawn in perspective are the best that PC-based

CADD systems can currently offer. As recently as a few years ago, however, shaded images were beyond even many of the powerful mainframe computers. Higherperformance computing engines and improved computer graphics algorithms have made shaded renderings possible at all cost levels.


Most rendering programs are sold separately from their parent CADD programs. AutoShade, for example, is an add-on that accepts AutoCAD drawing files and produces shaded renderings from them. Cadkey markets a Solids Synthesis package that generates detailed shaded images from Cadkey drawing files.

If a simple 2-D sketch helps to get your point across, a 3-D shaded rendering will really drive it home. The screen shot in Figure 1 illustrates a plain sketch of a floor plan generated in AutoCAD. Figure 2 shows the same plan displayed as a 3-D wireframe in AutoShade, with the lines defining the walls extruded into surfaces. Figure 3 shows the entire scene displayed as a shaded rendering on an EGA video adapter.

The difference is clearly dramatic. The



Figure 3: The entire floor plan displayed as a shaded rendering on an EGA video adapter. The shading makes it easier to imagine what the final product will look like



in AutoShade, with the lines defining the walls extruded into surfaces.

3-D wireframe image makes it much easier to visualize what the final product-in this case the interior of a house-will actually look like. The shaded image helps even more. Given additional time, the model could be developed in much finer detail and even embellished with doors, windows, and furniture. The only limit is your imagination.

MORE-EFFICIENT CADD After becoming acquainted with a CADD program, there are a number of steps you can take to make your work more efficient. CADD doesn't stop at helping you create drawings; it also helps you organize them and use the information in them.

One of the ways CADD helps you organize your drawings is by implementing the concept of layering. Imagine a drawing not as a single sheet of paper but as a vertical stack of clear cellophane pages. If you're developing plan-view drawings for a two-story house, you might draw the first floor on one page, the second floor on a second page, plumbing on a third, heating and air-conditioning ducts on a fourth, di-

We have one thing to say to the people who keep getting personal about PROCOMM PLUS.

Right now PROCOMM PLUS is the definitive telecom program and the one I personally use and recommend."

John C. Dvorak. columnist, PC Magazine

People who review software have a very tough job. They see hundreds of new programs every week. But the ones who have seen the new PROCOMM PLUS communications software are doing more than writing rave reviews about it. They're getting personal. They're using it at work and

Maybe it's because PROCOMM PLUS is so easy to use it's "intuitive." Or perhaps it's because PROCOMM PLUS has an extremely powerful script command language, context sensifive help, 16 terminal emulations with keyboard re-mapping, 12 file transfer protocols, a fully-automated dialing directory, and advanced host mode with electronic mail.

But one thing is for certain. If PROCOMM PLUS is the personal choice of the people who review softwore. you can be sure that PROCOMM PLUS is right for you.

It's time you got personal about PROCOMM PLUS, Ask for PROCOMM PLUS at a dealer near you. Or, call 314-474-8461

Thank You.



CIRCLE SMON READER SERVICE CARD

■ PC LAB NOTES

mensions on a fifth, and notes on a sixth. Stack them on top of each other, and you get a complete picture. But pick any one page out of the stack and you get a clear, uncluttered view of what's on it.

CADD drawings are structured the same way. When you work with CADD, you draw on one layer at a time and switch back and forth between layers to develop the drawing fully. The layer you're drawing on is known as the current, or active,

layer, CADD programs generally let you display one layer, all layers, or any combination of layers at one time. Layering helps you keep the discrete elements of your drawing separated without having to

keep them in separate drawing files. Figure 4 shows how one house plan was broken into layers in the early stages of development. The first layer holds the outline of the walls, the second-layer symbols represent the swinging and sliding

THE CADD REVOLUTION

he impact of computer-aided drafting and design on the fields of architecture and engineering can be compared with the impact of the Industrial Revolution on American industry. It has permanently changed the way we do business. so that a company that doesn't upgrade to take advantage of recent advances in computer technology is doomed to fall behind the rest in terms of efficiency. productivity, and product quality. The rush is on as design houses make the transition from drafting board to computer screen and factories both domestic and foreign race to implement the latest in CIM (computer-integrated manufacturing) technology.

In the old days, architecture and engineering organizations relied upon rooms full of draftsmen bent diligently over drafting boards to produce blueprints of their designs. Their primary tools were the T square, the triangle, and the lead pencil. Look at what's around you-a building, the floor plan of your kitchen, the sheet metal box that houses your computer, or the desk that stands in the corner of your den-and you'll notice that everything is primarily composed of straight lines coming neatly together at very precise angles.

Before any of these objects existed, they were carefully laid out on a drawing board. Chances are, the designs were changed-sent "back to the drawing board"-many times before they were ready to be transferred from the drawing board to the manufacturing floor. If you blow the dust off an old drawing, you'll -leff Prosise

often see spots where the paper is almost worn through as a result of so many era-

sames

The same idea of crafting and recrafting a design is still followed today, of course, but the drawing board is rapidly becoming as much a relic as the slide rule. With CADD, drawings are produced on the CRT screen in far less time than it would take on a drawing board. Changes are made much more easily and leave no messy eraser marks or smudged pencil lead. And drawing files are stored safely away on-disk, where they can be retrieved undamaged years later and reproduced on paper with the aid of a plotter. Better still, drawings produced electronically can be zipped across the country in minutes over conventional telephone lines, eliminating the once costly and time-consuming process of shipping paper drawings from one location to another

CADD even helps in the post-design phase. Some CADD systems can eliminate the drudgery involved in analyzing a design by automatically calculating the area of a floor plan or the mass centroid of a mechanical component. Output needed to drive a numerically controlled lathe or milling machine to shape a part from raw metal can be generated directly from the part model on-screen. And concise material lists can be derived from a complicated assembly drawing simply by invoking a data extraction feature similar to the reporting functions commonly found in database programs.



LISP language that lets you customize Annot CAD by building your own program flies, which are executed like commands. If you need a capability not already built into Aust-AD—maybe a function to draw a box, or to draw too parallel lines a certain distance apart with a single command—you can create it yourself and make it a part of the package. Working better and faster is working smarter means increasing your productivity.

PORTABILITY One of the problems, you're likely to encounter if you dud frequently with CADD is that of transporting files produced by one system to another. Unifortamethy, all CADD programs carrently on the market to proprietary life formats. You can't, for example, create a drawing file with Generic CADD and there and to directly into CADDs or CADD and the cast of the control o

interpreted by Generic CADD The solution is to use what are called "neutral format" files as a vehicle for drawing exchange between systems. The economics behind the idea of neutral files are easily demonstrated. If the vendors of six different CADD programs had to supply translators that would enable them to import drawing files from each of the other five, a total of 30 different translators would have to be written. If a new product came along, chances would be slim that the other vendors would rush to support it. But if all the CADD programs possessed the ability to read and write files in a common neutral format, then each would have an established link with the others. Then each vendor need supply only a single

doors, and the third layer adds the text that denotes the size and function of each room.

One of the quickest ways to increase your CADD productivity is to take advantage of macro capabilities the program of fers. CADD macros are like those commonly found in spreadsheets and word processors in that they let you record and play back sequences of keystrokes or pointer movements to eliminate needless manual receition.

High-end CADD packages such as AutoCAD go even further and offer their own programming languages. AutoLISP is a CADD-specific implementation of the





Made in U.S.A Lifetime Warranty

Put An End To Terminal Headaches Glass Filter Cuts VDT Glare 95%, Contrast is Up To

Surveys show 9 out of 10 computer users suffer eyestrain, neck and shoulder pain, and

20 Times Better. Cuttis' Anti-Glare Glass Filter cuts glare 95% for eyestrain, neck and shoulder pain, and fatique." Without Curtis' Anti-Glare Glass Filter protection. uncomfortable VDT glare makes it hard to concentrate, slows work pace and can even impair your vision.

trast is actually up to 20 times better...character resolution is sharper. Text and graphics read much easier. Don't risk your eyesight...the Curtis Anti-Glare Glass Filter helps you see and feel better. *GF-(1-7) Retail . . . \$59.95

Curtis products are available nationally from leading Dealers, Distributors, and Retail Chains. In Canada: Personal Computer Assoc. Inc., P.O. Box 235, Ajax, ONT, L1S 3C3, (416) 427-6612

For the Curtis dealer nearest you call (603) 532-4123 Ext. 87

Distortion-free optical glass is superior to mesh or plastics, resists scratching abrasion and solvents



Seven sizes available to fit hundreds of monitors Enhances both color and monochrome images

Mounts easily with VELCRO® Brand Fasteners Included. Anti-Glare Glass Filter frame is reversible, black or grey, to blend easily with virtually any monitor housing.



Protect and extend product life with Curtis Cleansing Solution and Non-Abrasive Cloth, included with purchase.

CIRCLE 456 ON READER SERVICE CARD

*Independent study of 400 VDT operators in 1981, con-ducted by the Occupational Safety and Health Admin-istration, listed system in as the number one complaint for over 90% of those studied. r complete monitor compatibility, see Curtis product ickage at your taxorite dealer



30 Fitzgerald Drive, Jaffrey, NH 03452 A subsidiary of Rolodex Corporation *Curte Manufacturing Company Inc. 1988



HELP FILE

Volume 8 Number 3 February 14, 1989

Miscellaneous Statements

BEEP—Beeps the speaker SYNTAX: BEEP

DATA — Store constants for use by READ statement SYNTAX: DATA constant [, constant]... constant = any numeric or string constant

DEF FN — Create a user-defined function SYNTAX: DEF FN name [(variable [,variable]...]=expression

name = any valid variable name. This name with FN in front of it becomes the function name. variable = an argument to the function. When the function is called, it is replaced by the corresponding value.

expression - defines function result.

DEF SEG — Define the current segment SYNTAX: DEF SEG [-segment] segment = a numeric expression from 0 to 65535. Default BASIC's data segment.

DEF USR — Give location of assembly language subroutine called by USR function

SYNTAX: DEF USR[n] = offset n = 0.9. Identifies USR routine. Default 0.

DEFINT — Define variables as integers SYNTAX: DEFINT inter [-inter] [_inter [-inter] ... letter – define variables beginning with this letter as integers by default. Type-declaration characters (s.l., 8); can override this definion, letter-letter – define variables beginning with this range of letters as integers by default.

DEFSNG — Define variables as single-precision (see DEFINT)

DEFDBL — Define variables as double-precision (see DEFINT)

DEFSTR — Define variables as string (see DEFINT)

DIM — Set dimensions of array variables SYNTAX: DIM arrayname (subscripts) [,arrayname (subscripts)]...

arrayname = name for the array subscripts = comma-separated list of numeric expressions specifying array dimension maxima. Minimum for array dimensions is 0 unless changed using OPTION BASE statement. An array can have a maximum of 255 dimensions. ERASE — Erase arrays and deallocate their RAM SYNTAX: ERASE arrayname [.arrayname]... arrayname = name of existing array to erase

KEY — Set or display the soft keys
SYNTAX: KEY ONIOPERIST — or — KEY n, string
ON = first six characters of soft key values displayed
on 25th line
OFF = soft key values not displayed. Line 25 does
not scroll even with KEY OFF.
LIST = list full 15-character values of soft keys
string = string assigned to KEY n (up to 15

LET — Assign value to variable SYNTAX: [LET] variable = expression

characters)

MID\$ — Insert one string into another SYNTAX: MID\$(string, start [, length]) = string2 start = 1.255. Character to begin insertion. length = 0.255. Number of characters from string2 to insert. Default all characters in string2.

OPTION BASE — Set minimum value for array subscripts SYNTAX: OPTION BASE n n = 1 or 0. Default 0.

RANDOMIZE — Seed the random number generator SYNTAX: RANDOMIZE [number] — or — RANDOMIZE TIMER

TIMER = seed generator with current time NOTE: If number is omitted, BASIC prompts for a random number seed.

READ — Read values from DATA statements SYNTAX: READ variable [, variable]...

REM — Insert nonexecuting comments in program SYNTAX: REM string

RESTORE — Control which DATA statements used by READ SYNTAX: RESTORE (line)

line = line number of a DATA statement. Default first DATA statement in program.

SWAP — Exchange values of two same-type variables

SYNTAX: SWAP variable1, variable2

-Neil J. Rubenking



Curtis Clip, Only \$6.95 Improve Data Entry, Reduce Eye Fatigue

The new Curtis Clip positions copy perfectly so your eyes no longer have to relocus from desktop to monitor. Holds any standard paper, uses no desktop space! Plus, the Curtis Clip swings out of the way when not in use. Safe non-magnetic, reinforced construction. Fits all monitors. Ready to use, includes VELCRO® Brand fasteners. The new Curtis Clip—It will change the way you work with computers torever. #CC-1Retail...Only \$6.95

Curtis products are available nationally from leading Dealers, Distributors, and Retail Chains, In Canada: Personal Computer Assoc. Inc., PO. Box 235, Ajax, ONT, L1S 3C3, (416) 427-6612 For the Curtis dealer nearest you call (603) 532-4423 Ext. 87

Fits all monitors: includes ready to use VELCRO® Brand fasteners.





Holds any standard paper uses no desktop space at all; swings out of way when not in use.

Reduce eye fatigue: no more refocusing from desktop to monitor. Speeds and improves data entry.





Switches for right or left hand use in seconds!

CIRCLE 472 ON READER SERVICE CARD



Made in U.S.A. Lifetime Warranty 30 Fitzgerald Drive, Jaffrey, NH 034: A subsidiary of Rolodex Corporation

*Curts Manufacturing Company Inc. 1988



VELCRO is a registered trademark of VELCRO USA, Inc.

PC LAB NOTES

translator that allows his system to go back and forth between its proprietary format and the agreed-upon neutral format.

There are currently two neutral file formats in widespread use: .DXF and IGES. DXF and its ramifications have already been discussed in conjunction with Word-Perfect 5.0. IGES, the acronym for Initial Graphics Exchange Specification, is a more encompassing standard established by the American National Standards Institute for the exchange of 2-D or 3-D drawing files. IGES is almost universally supported by mainframe CADD vendors and enjoys growing support among PC-based CADD vendors.

To transport a drawing file from Cadkey to AutoCAD using the .DXF format. you would simply call the drawing up in Cadkey, save it as a .DXF file, then go into AutoCAD and read in the .DXF file. Theoretically, you would see the same drawing in AutoCAD as you saw in Cadkey. In practice, you will have a certain amount of touching up to do. Regardless of their claims, different CADD vendors support DXF and IGES transfers to varying degrees. Moreover, there is an inevitable degree of mismatch between the entity or data types in the respective formats. One CADD program may support eight different line types, for instance, while another supports only five. These inconsistencies often result in translation errors. But even if transfers are not fully effective, a 95 percent success rate is better than none at all.

NEW FRONTIERS CADD is largely an outgrowth of advances in the wider field of computer graphics. As technology is further refined and hardware continues down the path toward higher performance for less money, you can soon expect to see PC-based CADD systems that rival what runs today on \$80,000 engineering workstations. The next move will be to true solid modeling, where part geometry is represented as an unambiguous mathematical solid rather than by edges or surfaces. Real-time graphical simulations are not far away, either

CADD is no longer restricted to use only by scientists and engineers. CADD programs have flowed into the mainstream and are ready to be classed as "commodity items," along with word processors,

spreadsheets, and database programs. The next time you need pictures, think about CADD. And when you think about CADD, think of it as a means to an end,

application beyond the boundaries of its scientific origins.

Jeff Prosise is a contributing editor of PC not as a prototypical tool with little or no Magazine.



Our Printer Sharing Unit Does Networking!

An interested Solution Total our Manter Sadieb T is seed solved and

sharing device, combine it with WesterNet got an integrated solution for printer and plotter sharing Me transfer electronic mail and a lot more. Of course you can also share moderns, mine, and mainframes or access the network remotely installation and operation is very simple.

Or you can use the Master Switch to

or parallel interface. The switch accepts of data. It may be operated automatically buffer is expandable to one megabate and holds up to 64 smultaneous jobs. The

MasterLank " unitry diskerse for PCs Other Presidents

If you just want printer sharing, we so got

Proceands of customers around the world including large, medium, and small businesses, factories, stores, aducation institutions and Federal state and local full technical support, a one-year warranty.

and a Pirty-day money-back quarantee Call now for literature or more information.

activated matches indiers converters

ine drivers and other products

Commitment to Excellence

cables protocol converters multiplexers

(800) 333-9343 Give a Rose to your computer

CIRCLE 290 ON READER SERVICE CARD

Either Way You Look at It, Peachtree Accounting Saves You Money.



When it comes to accounting software, oo one offers you more for your money than Peachtree. Now we're offering you two ways to buy our best-selling accounting software - and two great ways to save. Peachtree Complete™ II is our premier business accounting system. Designed and soid as a \$5,000 accounting system, the latest version of

Complete II represents a vastly expanded and greatly improved package that sells for an unbelievably low \$199. Find out what over 250,000 satisfied users already know - oo other accounting system offers so much for so little. And oow, for businesses who want to make the most of their

accounting information, Peachtree's Double Bonus Bundle gives you Peachtree Complete II Accounting plus its own custom reporting tool, Peachtree Data Query II^{PM} Enhanced. The Double Bonus Bundle includes both systems - regularly priced at \$199 each - for just \$298. That's a savings of \$100! Either way, Peachtree offers you the most accounting you can get for your software



· Payroll

PEACHTREE'S DOUBLE BONUS BUNDLE

Includes Peacht ree Complete II plus Peachtree Data Overy II

IUST

SAVE \$100 With PSQ II Enhanced for Can

· Create on screen inquiries to display data · Present data in line or har graphs • Ese are of over 20 per-defined reports

· Modify per-defined reports and save

. Create your own reports and save the

 Transfer accounting information to operadsheet and database programs like dBASE III[®] and lotus 1-2-3[®] And Morei

A Recent Survey by the American Institute of CPAs Reports More Accountants Use and

Recommend Peachtree Than Any Other Accounting System!

Peachtree Complete II is a comprehensive accounting system developed to meet the needs of small- to medium-size businesses. It comes with eight high-power modules that may be used

individually, or fully integrated for maximum accounting efficiency · General Ledger · Accounts Payable · Inventory Fixed Assets

 Accounts Receivable · tovoicing · lob Cost And Peachtree Complete II is designed using the latest software innovations, like full-color scrolling reference tables, pop-up windows, and short-cut keyed menus. We've expanded to

allow an unlimited number of companies, added service invoicing, range printing, and more Peachtree Complete II's error handling is quick and easy, with plain English messages and suggestions. Context-sensitive Smart HELP is on-line, all the time. And as always, Complete II comes with the most thorough documentation - a separate quick-start Installation Guide, Accounting Primer, seven-volume Reference Library, and extensive on-line tutorials on each

moduie - all at no extra charge. Now you can extend the power of your Peachtree accounting to include custom reporting and analysis, and save even more money! Order the Double Bonus Bundle and you'll get Peachtree Complete II, plus Peachtree Data Query II Enhanced, for just \$298

PDQ iets you turn raw figures into highly sophisticated reports, allowing you safe, easy access to valuable information from all eight Peachtree Complete II modules. PDQ's simple, clear approach gives you maximum control and flexibility. You tell PDQ what information you need, and PDQ looks through your accounting files, finds it, and presents it to you any way you want it - on

screen or printed, as a graph, in report form, or ready for export to another software package. You can begin creating reports in just mioutes, thanks to all new user instructions and online practice sessions that lead you through the system and build confidence as you go. With Peachtree's Double Bonus Buodle, accounting and custom reporting go hand-in-hand, and that makes good business sense.

MONEY BACK GUARANTEE. We stand behind Peachtree Complete II and PDQ II with a tollfree hotline for technical support (\$1 per minute, \$20 minimum on your credit card) and a 30-day money-back guarantee when you buy directly from Peachtree. If for any reason you're not satisfied, you can return your package within 30 days for a prompt refund. That's the Peachtree Software promise. A \$25 restocking fee applies to all returns.

Peachtree Complete II: the Business Accounting System for just \$199, and Peachtree's Double Bonus Bundle for just \$298. Either way you look at it, Peachtree Software saves you money. Order today!

MARDWARE SPECIFICATIONS: Requires PC MS-DOS version 2.0 or higher with 384K of anable memory (SI2K required with DOS 3.3) and a mem 10 MB hard disk. For one with the IBM® PC, PC XT, PS AT, Personal System (2"and competition 3 15" media optionally profesiol. No copy protected Lotes 1-2-5 is a registered trademark of Lotes Development Corporation. IBASE is a registered trademark of Ashaon Tate Corporation. IBM is a registered trademark and Personal System/2 is a trademark of International Business Nachtimes.

PEACHTREE

COMPLETE II STILL ONLY

> \$199 Chart of Accounts inclu-

nta Becelvable & Inn

Majatakas open item ee bo • En to 14 400 outsmen . Prints product or service invoice

 Partial payments of invol
 Up to 14,000 vendors Bridey on Kub.

Inventory

Supports average and standard * Up to 19,500 inventory its

> Fixed Ase es 13,000 assets and 13 methods of depreciation Jeb Cost

ioh-by-ioh havis

 Built-in current year tus tables * Prints checks, W-2s and more * Processes sie in 1 900 emi And More!

Call Now to Order 1-800-247-3224 (or call 1-404-564-5800)



To Order by Mail Add \$12.50 Shipping and Handling: (In Georgia add applicable sales tax.) Peachtree Software 4355 Shackleford Road, Dept. PCM, Norcross, Georgia 30093

* Telephone number required on all orders.

SMOOTH SCROLLING MEANS EASY READING



Text browsers usually scroll in whole-line increments, blurring the words you're trying to read. SMOOTH.COM lets you navigate through your files without a jump.

If you've ever tried to read a file by TYPEing it to the screen and toggling between the Pause and another key. TYPEing it to the screen and open regards it is BROWSE (Utilities, March 25, 1986). It is the screen and the screen and the browning programs share one disadvanture of the screen increment is a full screen line, several to the screen increment is a full screen line. Scredling a full file at a time is a big enough jump to blur the worst, you're try jump to blur the worst, you're try jump to march that shart makes SMOOTH.

Among the many untapped treasures of the EGA and VGA is the video adapters' ability to scroll the display smoothly, one scan line at a time. Each full character line actually consists of several scan lines-14 for the EGA and 16 for the VGA. By controlling the scroll rate in increments of successive scan lines instead of full character clumps of 14 or 16 at once, SMOOTH .COM creates an effect similar to the one caused by increasing the frame rate in a motion picture. Charlie Chaplin's actions look jerky on the screen because the early silent-movie frame rate of 18 frames per second is not enough to fool the eye into seeing continuous motion. Modern projections of 24 frames per second capture more intermediate steps in the action, and the result is a smooth motion picture.

In addition, SMOOTH gives you full navigational control of both scrolling speed and direction. You can also freeze the screen or flip past whole pages at a time, so you don't lose any of the flexibility of other browsing programs. GETTING SMOOTH The easiest way to obtain a copy of SMOOTH-COM is to download it from PC MagNet, as exhalianci the sidebar "SMOOTH by Modem." SMOOTH by Modem." SMOOTH by Modem." SMOOTH by Modem." BMOOTH by Modem. BAS, a BASIC program that will create SMOOTH-COM when you run it, are printed here and are also available via PC MagNet.

The syntax for SMOOTH is SMOOTH filespec [/W][/Snn][Cmmn]

The only required argument for SMOOTH is the filespec, which is the filespec, which is the filespec any additional drive and path information required) you wish to browse. Once this is supplied, SMOOTH will start scrolling the file on-sercen. The Up Arrow and Down Arrow keys set the scrolling direction. PgUp and PgDn flip a screenful at a time, and the Home and End keys take you directly once the start or end of the file. Pressing

■ SMOOTH gives you full navigational control of both scrolling speed and direction, and lets you flip past whole pages at a time.

the Spacebar at any time freezes the screen so you can stop and think. Any subsequent keystroke will restore the scrolling motion. Hitting the Esc key exits SMOOTH and returns you to DOS.

nurs you to DAS.
You can use the Plus and Minus keys as acceptants to control the scrolling speed.
Repeatedly pressing the Minus key (or just holding it down) will solve the scrolling are until it stops altogether. The Plus key does the opposite, increasing the speed in a town of the proposite, increasing the speed in the occurred cupilarly and to scrolling a full character line at a time. Admensively, the control of the number keys. Zero brings SMOOTH to a standstill, and I through 9 scallity increase the rate.

The three optional switch parameters let you customize SMOOTH's operations without awkward DEBUG patches. The //W switch strips the high bit before displaying the text; this is necessary for viewing WordStar document files. The Ccolor switch is followed by a decimal number for the display attribute. The number for the desired color is calculated by the following formula:

Color = Foreground color + (Background color * 16)

You can find the listing of the colors and their numbers in a BASIC manual (under the Color statement) or just experiment until you find a combination you like. If you have a color system and you don't add the color switch, SMOOTH uses the default color 23, which is white lettering (7) on a blue backpround (1).

The /S parameter sets the initial scroll-

UTILITIES

ing speed. The value you enter for m represents whee the number of scan lines that are to be scrolled on every cycle. A speed of 1 means the text is scrolled by scan line at a time. (Since there is no such thing as because in a sime. (Since there is no such thing as because in a sime in a speed of 1 is implemented by scrolling 1 scan line every other cycle.) The default speed of 3 translates into 1½ scan lines scrolled per cycle, which is obtained by alternatively scrolling one scan line then 2 scan lines on each cycle. The labilities are scrolling to the scan lines on each cycle. The lability can scrolling the scrolling to speed control. The actual less ensistivity of speed control. The actual leaves appead corresponding to a given multiple coars speed corresponding to a given number as speed corresponding to a given number as the coarse of the scrolling to a given number as the coarse of the scrolling to a given number and the scrolling to a given number as the coarse of the scrolling to a given number and the scrolling to a given number and the scrolling to a given number as the scrolling to a scrolling to a given number as the scrolling to a scrolli

may vary somewhat with processor speed.
The best way to implement the desired
switch options is with a batch file. For ex-

ing yellow characters on a blue background, at the slowest scrolling speed of one, you could make a batch file called S.BAT, containing the one line

SMOOTH %1 /W /C30 /S1

Then, viewing a file with your custom settings is as easy as entering

S filename

SMOOTH supports any alphanemeric videco mode of any tow-and-column combination, including the popular 43-line EGA and 50-line VGA modes. There are no restrictions on what kind of file you can view. Browsing a .COM or .EXE file, of course, will produce a nonsensical display except for embedded text messages. For that matter, viewine any non-ASCII text

file, including word processor documents that include formatting commands, may not yield what you expect. In terms of working, however, there are very few care to observe: pop-up 178s like Side-Rick will not work properly with SMOOTH because SMOOTH manipulates the CRTC (eathbode-ray the control ler) registers directly. For the same reason, PrSc word (work normally.

HOW SMOOTH WORKS As I indicated previously, the EGA uses 14 scan lines and the VGA uses 16 scan lines for each character line. The EGA and VGA also have a PRS (preset row scan) register, which controls at which scan line of the top character row the display will begin after a vertical retrace (see Figure 1). This register




Figure 1: This illustration shows the start of a screen refresh right after a vertical retrace.

		30 + 1024	
TRIATY S	E00	38 + 1824	
PILE MARGLE	CHE	;	
STORE FLAG	046	í	
SISPATOS SET SISPATOS ONT	EQU EQU	1, 48E, 58E, 49E, 51E, 4 - EIESAYCH_EST	475, 496, 386, 858, 858, 458,
DISPATCS_TABLE	Det		MS_ARROW, PGUP, PGIE, NOWE OS. Rigor, PLUE, Higgs
DISPATCS_ESD	800	1 - 2	
	C008 8		
MATE	P900	PEAR	
	CLD	ns. 20000	paid string operations forward pallocate 120m of memory.
	NOV NOV	AX - 4AX	(Allecate lime at mesery.
	EWT		
	208	ES, GPYSET NOT ENCOUSE	:Exit with message if not one
	30	ENDOR MISC	
	208	87,477788	jStack to top of code segment
	NOV ADD	AI,CE	the 2nd StE for line induces
	AIR.	DODES SECONDIT. AN	loss 500 act ton Tree Desires.
	805	AX, 49T	(Point to \$200 date area.
	807	ES,AX	
	MOV	AX, SOOR	;Hake sure mero video page.
	INT	AN. LARGE	(Get display Late.
	287	185	just display into.
	CHP	AL, LAK	(Function apported?
	JPI	CR_BGA	; If so, not WiA; check Bilk.
	CHD	SET CHT MOOR	jiles, monochrome what
	Car.	AL-I	gaine, color was
	31	GET_CRT_HOOK	ilf yes, ox.
CR. EGA:	NOV	AX, 128	
-	NOV LET	160	
	180	DE OFFENT BOY DOA WILL	
	CMP		(In there on BGA?
	72	BRROW_MIND	ilf so, exit with seconge.
	TEST	ESISTE PTR (676),6 GET CRT MODE	ITO DIA active?
SERIOR MING!	POSE	84	plies, sait with sessoon.
announ_mont	MOY	ES.OFFSWT COPESSORT	iblector copyright and system
		PRINT ETELEO	
	POP		
	CALL	PRINT_STRING AL, 1	PROPERTY N. T.
			(contin

SMOOTH.ASM: The source code for SMOOTH.COM. Use a macro assemble to assemble it then link, and then EXE2BIN it to create the .COM file.

is normally set to 0 so that the entire top character row is displayed. (Character scan lines are numbered from top to bottom, starting with 0.) If this register is successively incremented from 0 to the maximum (13 for an EGA, 15 for a VGA), however, the display will progressively start one scan line lower in the top row, and the text will appear to move up slowly.

The PRS is register 8 of the CRTC registers. During the vertical retrace process. the CRT electron gun is turned off and then moved from its last pixel position in the lower-right-hand corner of the display to the top-left-hand corner, where it starts a new screen refresh. The video hardware has a row scan counter that keeps track of the current character scan line that is to be painted on the screen. This counter is preset to the value of the PRS register after every vertical retrace is completed. The row scan counter is used as an index to the font descriptors of the current character that is being scanned so that the appropriate row of pixels will be illuminated. (A character occupies only 1 ASCII byte in the video

buffer. The font descriptors for the particular character consist of as many bytes as there are scan lines and are stored in a separate part of video memory. For more details on how this works, see the discussion of FONTEDIT in PC Magazine's Septemher 13. 1988. issue.)

When the CRT electron gun finishes racing a scan line of a character row and reaches the right-hand side of the screen, a counter is incremented. The next scan line of the same character row is then traced. When the row scan counter is incremented. The next scan line to the same character row is then traced. When the row scan counter exceeds the 100 and the next character row is traced in the same top-to-bottom manner. This continues until the screen is filled. Then another vertical retrace coccus and the whole sequence occurs again the whole sequence occurs again.

If the PRS register is nonzero (only a bottom portion of the first character row is displayed), then with a normal 25-line display the bottom of the screen is finished off with the balance of the top part of the 26th line. This whole screen-tracing cycle happens, incidentally, at a speedy 60 times per

second SMOOTH uses a very simple two-part loop that first checks for a keystroke (which it processes if one is waiting) and then adds one-half the speed value to the value of the PRS register. To see what occurs, let's step through the process, assuming a speed value of 2 (which SMOOTH translates into an addition of 1 to the PRS register). With each iteration of the loop. the PRS is incremented and the display moves up one scan line. The first character row appears to scroll slowly off the top of the display at the same time as the 26th line begins to scroll on. This continues until only the last scan line of the first character row is displayed and all but the last line of the 26th is at the bottom

On the next iteration, the first character row wants to disappear altogether and the second row wants to become the first, or top, display row. Another increase of the PRS will accomplish this, because the PRS cannot exceed the total count of character scan lines. Thus, the PRS acts as an

■ UTILITIES

	392	TERMONATE	:Sait.		LOOP POP	MERT_COPT	metrieve file politer.
GET_CRT_MODE:	HOV	AL, AX: [456]	:Retrleve CRT_MODE.			•	
	CHP	AL,7 OFT COLS			CALL	ATTANCE	:Uns SP es line flls pointer. Write first line. Berg CRT end.
	192Y	STATUS REG, JOAN WIDED ENGINEET, SESSES	If yee, use defeulte. Illes, moan status register. Land mean wides segment.		mov	CRT_EFO, DI	prove CRT end.
	804			,	*** MATE	1007 ***********************************	
	CMP	AL, 2 GET COLS	Is ends Mess; If yes, defaults. Is made Mess;	Poli the he	ybeard t	hen ecrell the ecress. ;	
	08 21	FL, RL	(In mode Sweet)	IMPOTE	BOV	AX.I	In thece e beyetroke realy?
		SL, EL GET COLS ATTRIBUTE, 176	Is made Ness? If yee, comtises. Sies, use color ettribute.		387	SCHOLL PAGE	iff so, ecrell the page.
	78E	AL, 3 OFT COLD AX, 3	ifies, come color ettribute. Hare we in codd or Codd? (If yee, done here. (Bies, change to Codd.	GET PET	200		idles, get the heretrobe.
		AT. I	ifies, chance to COM.	SET_PERT		AE, AE AL, -E- FUNCTION	
	INT	145			30	AL, -5-	If not masher, chark functions
er cose	260V	AX, 88+[4AX]	Retrleve CRT_COLE			46.1	
-	SAT.	CNT_COCS.AR	outie for attribute		JA FOR	PURCTION AN.AN	Itles, chance exced to number.
	B27	AX, SS:[4AX] CNT_COLS, AX AN, T CNT_LIPE, AX	; end save.		CALL	DO SPEED SEGRY SCHOOL PAGE	
	PARK	AX	phase line length.				
	MOV.	EH, 2 AE, 1138H	jost fent information.	PURC720R1	P088	DT AR	fewe some requeters.
	IRT				POP		
		CK,1 SCAN LIBERAL, CH	(Double scan Lines/cherecter.			EJ M. AN	officer made to \$1
	Dec 2001		; and eave. :Adjust character rows.		904	DI. OFFERT DISPATCS FAT	ifican code in AL. (Check dispetch table.
	208 208	DEFLAT SOME, DE	iffere row on econo.		MOV ANTES	CE, DESPATCS CAT	
		AI DISPLAT	patrieve screen width.				:Restore registers.
	MAL	OL CRT LEN. AX	Retrieve screen width.		JUX	DI	othin bestrebe if no earch.
		-			SEL	08.1	Simin toystrebe if no retch.
theck for /	Hords.	ar, /# epoed or /C color	evitchee.		POP JNX SEL MOV SUB CALL	CS.I SX,OPPERT DISPATCS ENG SX,CX	
	MOV	67.414		SCHOLL PAGE:	CALL	ECROLL [66]	end pracese command. Ecroli the page. Feat imput.
ERT_SMITCS:	Longs		pate to command		392	SHORT INPUT	:Seat imput.
	CHP	AL, CR PANER	ite it cerriege returni	,			1
	CHP CHP	PANSE AL. "/" SERT SWITCS SETE PTR (SI-I), S	ite it ewitch delimiter?	ESITI	MOV	FR. PTLE MARGE	
	NOT NOT NOT	SETT PTR SI-II. 6	IIf no, meat byte. If no, meat byte. If no, meat byte. If not the ewitch character. Imake edge it's oot CR	MALTI	HOW HOW LRT	AM, 399 219	: Retrieve file bendle : end close the file.
	CHP	AL-CR	jost the ewitch character.	1	IRT	219	
	AND		no we don't go past and. Copitelias. It it "M"?		HOV HOV HOV	SA, CRY LINE SI, CRY START AX, SCAR LINESAZ	Point to current visible page. If current scen line is more then helf of character scen issee, move to meat line.
		PAXES AL, 578 AL, "M" CK S STRIP MARK, 794	(Cepiteliae.	1	NOW	AX, SCAN_LINEGAZ	ilf current even line is more
	26.2	CX_S	III not, check "5".	1		AX,1 CURRENT_SCANX?,AX	; then nell of character scen ; ilsee, move to nest line.
	MOA	STRIP MARK, TPH	igles, we will strip high but.		28 A00	NOVE PARE	
8,81	CHP	AL, 181	110 15 1017	HOVE, PAGE:	XOR		
	CALL	CH C DECTMAL_IMPUT	iff so, check "C".		9601	CX, CRT_LEN	
	NOW.		lates, for about teducat.		548	ex.1	
		AX, GCAX_LIMINA2	off greater than realism.		SAM NOV NOR	ew,1 Ac, Affelfore Ac, Al	:Value to be need on lest line.
	JEE HOV	BY, AN BAYE EPEED BY, AN BCAK EPEED, EX EBONT MEXT_EMITOR		1			
ANE SPEEDS	1907	SCAN SPEED, SX	, use maximum, size use request.		MOVE	DS. VIDEO SECNENT	. Howe the active page to page \$
	JHP	SECRET PRINT_ENTITES	Get meat ewitch-		907	CX, eX	page 10 page 10
K CI	CHP	AL, *C*	ife it "C"I if no, next ewitch. iflee, get color request. iff block on block, skip.			STORM	:Clear the last line.
	CALL	DECIRAL INPUT	ilf no, sext exitch.		POP	Del	
	OR JX	\$5,91	jif block on block, eksp.		208 208 6855	ex, ex	: neturn to e sormel econ line o
		SE, SL MEST SWITCH ATTRIBUTE, SL	office, save color respect.		CALL	EST CAT	
	2907	SERT SWITCS	Heat switch.		KON CALL	AL, BL	;Border back to black.
		ine for filespee.			MOV MOV		/PUL curser on hotton of screen
	onpand i					DOM, DOS.	
		51, 415	(Point to command line equip.		DEC		; Up a line so ecreen won't orro; with new BOS prompt.
	Lones	AL STATE	: Perse off landing delimiters.		CALL		SERVICE PARTY.
EXT_PARSE:							
EXT_PARSE:				TERRIBATE	MON	AX, 4CH	Neturn to Dog.
UNT_PARE			perse off landing delimiters.	1	INT	AL, AL AX, 4CH 218	Meturn to pos.
UNT_PARE	31 08 391	AL, SPACE LEADING END AL, AL MERT PARKS DE, ST	;If ASCIIs reached, done.	TERRIBATES	MON	AN, 4CM 31M) Meturn to DOS.
EXT_PARSE:	OR JAI MOV DEC		;If ASCIIS reached, done.	MAZE	NOV INT SNOP		Neturn to DOG.
EXT_PAREL	JA OR JAS BOY DEC	LEADING END AL, AL HERT PARKS DE, BT DE	;If ASCIIS reached, done.	MAZE	NOV INT SNOP		Betagn to DOS.
EXT_PAREL	JA OR JHI MOV DEC LOOSE CRP	LEADING EVO AL, AL MEST PARIS DE, ST	rIf ascils reached, drow. radject polster. rind and of filespec. rif nees white space, continue.	MATS	BOY IRT SHOP	HIMA +	Neturn to DOS.
EXT_PAREL	JA OR JHI MOV DEC LOOSE CRP	AL, SPACE FIRE PROPERTY OF THE PROPERTY OF T	rIf ascils reached, drow. radject polster. rind and of filespec. rif nees white space, continue.	MAIS	BOY IRT SHOP		jeturn to Dos.
EXT_PAREL	JA OR JEE BOW DEC LOOSE CRP JAX BOW BOW	AL,	;If ASCIIS reached, done.	MATS	SMOP SMOP suppose to the	heptoard functions.	jeturn to Dos.
LEADENG_SED:	JA OR JEE BOW DEC LOOSE CRP JAX BOW BOW	LEADING IND AA, AL MERT PARGE OR, ST OK AA, SPACE PIND END STEP PR (SI-1), S AK, MARK DE, OFFERT SOT POWD SACY SAMPLES	III ABCIIS reached, done. [Adjust politer. [Pidd and of filasper. Iff new white spers, continue. (ANCIIS filesper. (Open file for reading. [If feil, smit with sensogs.	MAIS	BOY IRT SMOP ELUMNOU I to the CMP JA CALL	haptowed functions; straction, own cs.pens	jeturn to DOS.
EXT_PARSE:	JA OR JEE BOY DEC LOUGE CRP JAZ BOY BOY JAC JEC JEC JEC JEC JEC JEC JEC JE	LEADING IND AA. AL. HEXT PARMS DI. 87 DX. AA. SPACE PIND END STYC PTR (EI-1), S AND STACE PTR (EI-1),	III ABCIIs resched, done, IMdjest politier, IPING and of Cliaspee, III nose vibit eggs; continue. IANCIII (illeggee, IQUES file for reschie, III fell, sait with sesseps.	MAIS	BOY IRT SHOP • ENAMON • In the CHP JX CALL JSE INC	heptoard functions.) Direction, owe CK FREE Added to BE	jeturn to Dos.
EXT_PARSE:	JA OR JEE BOY DEC LOUGE CRP JAZ BOY BOY JAC JEC JEC JEC JEC JEC JEC JEC JE	LEADING IND AA. AL. HETT PANDS DI, ST DI AA. SPACE STED END STET FOR (SI-1), S AN, SOEN AN, SOEN DI, STEEL SAND, S EXHOLORY SOEN EXHOLORY SOEN SEEL SAND, AN SEEL SAND, AND SEEL SAND, AND SEEL SAND, S SEEL SAND, S S S S S S S S S S S S S S	III ABCIIs resched, done, IMdjest politier, IPING and of Cliaspee, III nose vibit eggs; continue. IANCIII (illeggee, IQUES file for reschie, III fell, sait with sesseps.	MAIS	HOY INT SHOP Le the CVP J'X CALL J'SE 1HC CALL HOY J'M	heptoard functions.) Direction, owe CK FREE Added to BE	jeturn to Dos.
HENT_PARSE: LEADERG_BED: PERS_BED:	JA OR JEE BOY DEC LOUGE CRP JAZ BOY BOY JAC JEC JEC JEC JEC JEC JEC JEC JE	LEADING END A., AL. MEET, PARSE DI., STACE FIND ENTE FOR EN	III ABCIIS reached, done. [Adjust politer. [Pidd and of filasper. Iff new white spers, continue. (ANCIIS filesper. (Open file for reading. [If feil, smit with sensogs.	MAIS	HOY INT SHOP • Evenous • Le the CMP J'X CALL Jéë INC CALL HOY	heptoard functions.; DIRECTION,DOWN CKTAGE ASSOC EMB EX	jecum to BOG. jec we already scrolling down 15 yea, while and proches ages 15 yea, while and proches ages 15 yea, while year of year 15 year 15 year 15 year
EXT_PARSE:	JA OR JEE BOY DEC LOUGE CRP JAZ BOY BOY JAC JEC JEC JEC JEC JEC JEC JEC JE	LEADING END A., AL. MEET, PARSE DI., STACE FIND ENTE FOR EN	III ABCIIs resched, done, IMdjest politier, IPING and of Cliaspee, III nose vibit eggs; continue. IANCIII (illeggee, IQUES file for reschie, III fell, sait with sesseps.	MAIS	HOY INT SHOP • BUNNOU • 10 the TX CALL JSE INC CALL HOY JNC TALL HOY JNC TALL HOY JNC TALL HOY TO TO TO TO TO TO TO TO TO TO TO TO TO	heptoard functions.; DIRECTION,DOWN CKTAGE ASSOC EMB EX	jeturn to DOG. jets we already accolling down jif yes, ethy pend or check spec [Titles, in a Title page daylings, [Titles, Down Title page daylings, [Titles, Down Title pallets up ; (Titles) more Title pallets up ; (Titles) more Title pallets up ; (Titles) more Title pallets up ;
EXT_PARSE:	JA OR JEE BOY DEC LOUGE CRP JAZ BOY BOY JAC JEC JEC JEC JEC JEC JEC JEC JE	LEADING IND AA. AL. HETT PANDS DI, ST DI AA. SPACE STED END STET FOR (SI-1), S AN, SOEN AN, SOEN DI, STEEL SAND, S EXHOLORY SOEN EXHOLORY SOEN SEEL SAND, AN SEEL SAND, AND SEEL SAND, AND SEEL SAND, S SEEL SAND, S S S S S S S S S S S S S S	III ANCIE pusched, done, ladjest politor, lyind and di Ulasper, lift does white space, continue, later is continue, later is for reading, logan file file file file logan file file file file logan file log	HATE	HOY INT SHOP - BUNNOU - 10 the - 12 the - 13 CALL JSE INC CALL HOY JNE TOP JN CALL HOY JNE TOP JN CALL HOY TOP TOP TOP TOP TOP TOP TOP TOP TOP TOP	heptoerd functions:) Different power CYTACE AUTOR power DATE TO power D	jeturn to DOG. jets we already accolling down jif yes, ethy pend or check spec [Titles, in a Title page daylings, [Titles, Down Title page daylings, [Titles, Down Title pallets up ; (Titles) more Title pallets up ; (Titles) more Title pallets up ; (Titles) more Title pallets up ;
HENT_PARSE: LEADERG_BED: PERS_BED:	JA OR JESS BODE LODGE CRP JAIN BOW BOW BOW CALL BOW EXR BOW EXR BOW EXR BOW EXR BOW EXR BOW EXR BOW EXR BOW EXR BOW EXR BOW EXR BOW EXR BOW EXR BOW EXR EXR EXR EXR EXR EXR EXR EXR	LEADING FOR AL,	III ACCIE TROCKE, down. Indject politor. Irid and of Linaper. III now white space, continue. ACCIET filespen. Inject list for reacting. If fail, and with memory. It fail accid to memory to the memory accident to the control of the control o	MAIS	HOY INT SHOP - BUNNOU - 10 the - 12 the - 13 CALL JSE INC CALL HOY JNE TOP JN CALL HOY JNE TOP JN CALL HOY TOP TOP TOP TOP TOP TOP TOP TOP TOP TOP	heptoerd functions:) Different power CYTACE AUTOR power DATE TO power D	jeturn to DOG. jets we already accolling down jif yes, ethy pend or check spec [Titles, in a Title page daylings, [Titles, Down Title page daylings, [Titles, Down Title pallets up ; (Titles) more Title pallets up ; (Titles) more Title pallets up ; (Titles) more Title pallets up ;
HENT_PARSE: LEADERG_BED: PERS_BED:	JA OR JEE BOY DEC LOUGE CRP JAZ BOY BOY JAC JEC JEC JEC JEC JEC JEC JEC JE	LEADING END AL,	III ANCIE pusched, done, ladjest politor, lyind and di Ulasper, lift does white space, continue, later is continue, later is for reading, logan file file file file logan file file file file logan file log	HATE	HOY INT SHOP • BUNNOU • 10 the TX CALL JSE INC CALL HOY JNC TALL HOY JNC TALL HOY JNC TALL HOY TO TO TO TO TO TO TO TO TO TO TO TO TO	heptoard functions.; DIRECTION,DOWN CKTAGE ASSOC EMB EX	jeturn to DOG. jets we already accolling down jif yes, ethy pend or check spec [Titles, in a Title page daylings, [Titles, Down Title page daylings, [Titles, Down Title pallets up ; (Titles) more Title pallets up ; (Titles) more Title pallets up ; (Titles) more Title pallets up ;
HENT_PARSE: LEADERG_BED: PERS_BED:	JA OR JET MOV LODGE CEP JAX MOV JEC MO	LEADING PRO ALLANDAMAS OL, WINDOW ALLANDAMAS OL, WINDOW ALLANDAMAS OL, WINDOW ALLANDAMAS OL, WINDOW FIRE PRO ALLANDAMAS OL, WINDOW A	JET SACTIA TRANSMA, donu. JADJeen polatur. Jadjeen polatur. Januari de Lilasper. Januari de L	PATE	HOV TRT SHOP • 19 the CHD JR CALL JSR 19C CALL HOV JOP RET CALL HOV JR CALL HOV JR CALL HOV JR CALL HOV JR CALL HOV JR CALL HOV JR CALL HOV JR CALL HOV JR CALL HOV JR HOV HOV JR HOV HOV HOV JR HOV HOV HOV HOV HOV HOV HOV HOV HOV HOV	heptoned functions ; The state of the state	jecum to 000. Jec we street exciling down 127 yes, wis ped or check open 127 yes, wis ped or check open 127 yes, which was ped or yes yellow 127 yes, yes, yellow 127 yes, yes, yellow 127 yes, yes, yellow 127 yes, yellow 127 yes, also yellow 127 yel
HENT_PARSE: LEADERG_BED: PERS_BED:	JA OR JE1 SOP JE2 LOGGE CEP JAX SOV LOT SOV	LEADING PRO ALLANDAMAS OL, WINDOW ALLANDAMAS OL, WINDOW ALLANDAMAS OL, WINDOW ALLANDAMAS OL, WINDOW FIRE PRO ALLANDAMAS OL, WINDOW A	JET SACTIA TRANSMA, donu. JADJeen polatur. Jadjeen polatur. Januari de Lilasper. Januari de L	PARE FOLION FRANT FOLION UP_ARROW. ANNOW_ERD: DOMN_ARROW. CY_SPEED: PLUE:	HOY TRT SHOP - EMBROY - EMBROY - LA UND - LA UND	May Describe	jecum to 000. Jec we street exciling down 127 yes, wis ped or check open 127 yes, wis ped or check open 127 yes, which was ped or yes yellow 127 yes, yes, yellow 127 yes, yes, yellow 127 yes, yes, yellow 127 yes, yellow 127 yes, also yellow 127 yel
HENT_PARSE: LEADERG_BED: PERS_BED:	JA OR JE1 SOV LODGE CEP JAX SOV LOT SOV	LIABOUR FOR ALL PARTS OF THE PA	III ACCIE TROCKE, down. Indject politor. Irid and of Linaper. III now white space, continue. ACCIET filespen. Inject list for reacting. If fail, and with memory. It fail accid to memory to the memory accident to the control of the control o	PATE	HOVE THE SHOP SHOP SHOP SHOP SHOP SHOP SHOP SHOP	heptoned functions TOTAL TOT	jeturn to DOG. jets we already accolling down jif yes, ethy pend or check spec [Titles, in a Title page daylings, [Titles, Down Title page daylings, [Titles, Down Title pallets up ; (Titles) more Title pallets up ; (Titles) more Title pallets up ; (Titles) more Title pallets up ;
HENT_PARSE: LEADERG_BED: PERS_BED:	JA OR JEE BOY JEE LOOSE CRP JAI BOW LOOSE CRP JAI BOW LOOSE ROW	Links (190, 190 A., 191, 190 A., 191, 190 A., 191, 190 A., 191, 191 A., 191 A., 191, 191 A., 191	off Accile teached, down, Indigue painter, Indigue painte	PARE FOLION FRANT FOLION UP_ARROW. ANNOW_ERD: DOMN_ARROW. CY_SPEED: PLUE:	HOY TRT SHOP - EMBROY - EMBROY - LA UND - LA UND	May Describe	jecum to 000. Jec we street exciling down 127 yes, wis ped or check open 127 yes, wis ped or check open 127 yes, which was ped or yes yellow 127 yes, yes, yellow 127 yes, yes, yellow 127 yes, yes, yellow 127 yes, yellow 127 yes, also yellow 127 yel
HENT_PARSE: LEADERG_BED: PERS_BED:	JAL SHE MOV DEC LOUGE CALL MOV	MARGINE, PRO MAIL PARKS DILLE	of McClin hawked, down, the property of the pr	PARTS	HOW THAT SHOOP IN THE CHE SHOOP IN THE C	District State Control of Control	Age we size of seculing down Age we size of seculing down Color to a fair pay display Laman expectation of the Laman expectation
ERT_MARKE ERD: THO_ERD:	JA J	Links (190, 190 A., 191, 190 A., 191, 190 A., 191, 190 A., 191, 191 A., 191 A., 191, 191 A., 191	off Accile teached, down, Indigue painter, Indigue painte	PARE FOLION FRANT FOLION UP_ARROW. ANNOW_ERD: DOMN_ARROW. CY_SPEED: PLUE:	HOW TEXT SHOOT SHOUT SHOOT SHOUT SHOOT SHOUT SHOOT SHOOT SHOOT SHOOT SHOOT SHO	Titles Titles Titles C. PRES. C. PRES. Allor Allor B. M.	Age we size of seculing down Age we size of seculing down Color to a fair pay display Laman expectation of the Laman expectation
EXT_PARSE:	JAL SHE MOV DEC LOUGE CALL MOV	MARGINE, PRO MAIL PARKS DILLE	of McClin hawked, down, the property of the pr	PARTS	HOW THAT SHOOP IN THE CHE SHOOP IN THE C	District State Control of Control	jecum to 000. Jec we street exciling down 127 yes, wis ped or check open 127 yes, wis ped or check open 127 yes, which was ped or yes yellow 127 yes, yes, yellow 127 yes, yes, yellow 127 yes, yes, yellow 127 yes, yellow 127 yes, also yellow 127 yel

PRODUCTIVITY

90P1	CHP	SINECTION, DOWN SIVEAMS UP CX PACE	pars we excelling opposite of page request? If you, rewerse. (Else, is a full page displayed) (If no, iquee, plac, move file pointer to top	NEW_PAGE_END.	CALL BET	PAGE_UP	; moved down. Hero net result ; mass as ligners.
			(Elon, is a full page displayed)	,			
	JHE INC CALL	EX UP	: of page.		- Diepie	y rews + 1; JRE oot 16	
	GALL JA CALL	CK PROS. UP	:netrieve page leogth.	CE_PAGE:	BOV BRL CHP	SX,DISPLAT_ROWS SX 1	Natrieve come on screen. Touble for word index. Is there o full page? Framerue results. Estern EX = Town.
	CALL	PARTIAL PAGE DO MESTÉ	if no, partial page.		PUBER	6P, 6X	Preserve results.
O PASE OF I	CALL	CX PAGE DO PAGE UP PAÑTIAL PAGE DO MEITÉ PAGE UP MAITÉ DOMN ESONT POUP END	palse, never file pointer to top ; of page, ; of page, ; bettieve page leogth, ; can we page up a full page; ; if airesty home, skip, ; aires, nove to top of grev, page, ; write to page, file pointer; ende my beek at bottom se done.		POPP	se,1	Basters flage.
KEVEAME_UP:	CALL JAX CALL	CK PAGE 10 REVERSE PARTIAL PAGE PGOF END EI, LÄNT LINE	; olse use parties page.	13971: 8X +	sceber	of lines to move backe	
DO REVEASE.	28 160V	POUP END	gif elready home, ignore. gilbe, retrieve lest lime. gibore up a page. girt that page. girt that page.	PAGE_UP:	DEIC	#	(Indee back one line.
		PAGE UP METE DOWN MOVE UP	Hore up a page.		CALL	CE_BACINANO	(Move back one line.
POUP_EXD:	CALL	MOVE UP	Howe file pointer back to top.		298 P87	PAGE_EP	Concress coll Ledester 1781
19991	CHP	DIRECTION, DOM:	; Are we accelling appealte of	1			
	CALL	REVEAUE ON	;Are we accelling apposite of ; page request? If yes, reverse. :Eles, move to mext page.			of lines to write.	
	ART			MENT PAGE:	CALL	DI, CET RYANT CE PILE END MNITE ERD ADVANCE	Print to CRT start. Ited of file? If yes, doce. IELES, write a lime. Continue wotil requested limes
REVENUE_DE I	CALL	HOVE DOWN HOW FACE HOVE UP	:Else, move to bottom of page. :Display meet page. :Hove file poleter back to tep.		CALL	MATTE END	ilf yee, done. illes, write a line.
PODM_BIDD :	PET	HOVE_UP	;Hove file painter back to top.		JYZ	SERT WESTE	(Continue notil requested lines
BOKE	****	CURRENT SCAN-1, 9	:Nove to seem lime sero.	HRITE_EEG+	PET	-	
	CHP		:Nove to seem lime sero. ;Are we mcrolling opposite of ; page request? If yes, reverse. ;Is a full page displayed? ;If yes, continue, else ignore.	EC# 141	BOY	AR. SCAN LIMESA2	(Detrieve eran lines times two
	CALL	PEVERAE BOOK CE PAGE GO NOME	its a full page displayed?		BOY BOY	AR, SCAN LIMESA2 SI, CURRENT SCANAI SINECTION, NOME	; metriowe evan lines times two ; Metriave excremt evan line H : ; Are we excelling down; ; if we ercell down.
	PET				38	BOROLL_DOWN	if yes errell down.
REVENUE BOOKS	OR	SP, SP	pare we already bonet		A30	ST. SCAN SPEED	Else, scroll mp; add speed. Is it a wrap? If no, display new scan line. Age we at sed of file?
00 80651	MOV MOV	NOME END SI,LENT_LISE SX.SP	pire we already scener pif yes, ignore. Else, retrieve last line. Howe up the number of lines currectly displayed.		23	SX,AX SCHOLL IT CX FILT END	iff no, display new scan iino.
Domes	6764	EX, EP EX, I PAGE_UP MRITE DOWN	: currently displayed.		JUC MOV DRC	CX CBT SP SX,AM	
	CALL	MAILE DOME	strite the first sees		DIRC		; Elme, move to last some line.
CX_REVERSE:	CHP	DIRECTION, DOMN	:Scrolling down) :If no, dome.		JULP	SHOWT SCHOOL_IT	
1983 2901	CALL	MOVE_SA	Elee, move file pointer to top.	CK_CR2_191	6/03- 19/2/	SK.AN AN, CRT LONE	Febtrect BCAR lines, Febtrawe CBT line length, Showe CBT start to meet line, Check if end of video memory, Write a new line.
DRO_RET:	Marie .	61.492771	tions does not it better reached.		CATT	AX, CRT LOSE CST STÄRT, AN CS ERT SED STÖRE FLAG, 1 ROYAGOS	There CMT start to nest line.
	CHP	DIRECTION, DOWN DO SHED SI, LANT_LINE	Are we accolling opposits of		CALL	STORE FLAG, 1	
00 END+		SITLAST LINE	notriove Last line.		MON	CPT_EHD, 20	; save new CST end.
N_6891	CALL	HO MESTE SHORT OF REVENUE	phove does notil bottom reached, pare we accolling opposits of a page request? If yes, reverse, nonriewe last line. They of lest page and write, pthack if file pointer correction	SCHOLL_TT:	1604	CURRENT SCAPAL, SX	ratore new acao lime.
PACE_BAR-	MON.	40.1	phait cotti beyettebe ready		MOV CALL BET	CURRENT SCAPEL, SK CH, CRT START SRT_CRT	Program registers to new CRF start and scan lime.
	75	166 SPACE AAR AL, SPÄCE		BCBOLL_END+			
	CHP ZHS XHH	AL, SPACE END	:If space ber, est keystrohe.	SCHOLL_DOM:	505 260	SCROLL_TT	introll down; subtract apoed. ;if not wrap, display new scar.
	TWT	SPACE END AN, AN			AGD	SX, SCAM SPEED SCHOOL_IT SX, AX SP, SP CE CEF OR	page we at home position?
SPACE_ESD:	MET				AGD OR JUS JOH JUSP	CX CRT_OR	incroll down; echtract speed. ;If not wrap, display new sons. ;Else, add sons limes. ;Are we at home position? ;If no, continue. ;Else, set sons lime to sero.
Passtion sug	port re	otinee.				SECRY SCHOOL IT	
PARTIAL PROFIT	W04	COMMENT SCANAT 4	Hove to mean line many.	CS_CRT_DS:	CALL. WOV	CK CRT STAAT SITLAST LINE	Check if start of widoo memory
	909	88,87	Person with number of lines		DBC	10	;Decrement file pointer
	987	W. SX	; displayed, ptero flee if elready bome.			CH BACINARD	pocrement file pointer; pocrement file pointer; line start indes. Nove file pointer up one line. Friet the line at tep.
MALLE DOMN!	CALL	CK PAGE			HOV HOV	CH BACTRAND DI,COT START STOOK FLAS, 1 LIPES	srite the line at tep.
*****	DEC BOY	EN FLAG, 1	rwrite a full page plus one ; lime to display.		2007	SECONT SCHOOL IT	fot new ocen line.
	CALL	MRITE PAGE		1			
MOVE UP:	CALL			r serett espe			
most_un	TRC	CK_PAGE EX	; move up a fail page plus one.	CH_CHT_START:		MI, CHT LIBH BI, CHT HIANT	Betrieve bytes in CBT line. Betrieve current CBT stort. 10 15 offeet of serne
	MOV MET	PAGE UP LAST_LIMP, SI			OR	NOVE CRY	if so, nowe down one line.
		-				11	IIs it offset of secon III so, move down one lime. Illes, ease file pointer. Freserve dets segment. Hove page zero to top of wideo memory.
MONE DOME!	CALL	CE_PAGE	:Nowe down a full page.		POSH XOR HOV	\$1,61 N. 751NTT V	imove page sero to top
	16C 160V	SI, LAST LISE STORE FLAG, S WRITE_FAGE			100V	DI,TEINTY X CO.CHT.LES DI,CX COT. PTANT, DI	
	CALL DOT	WRITE PAGE			1000		
THE PARTY	CALL	CS_PAGE	;Cot page alos.		HOV SHR HOV SHR HOV SEP FOP POP	DE, VIDEO SEGMENT	
NEW PAGE:			Hove down the page request.		FOP	SA SI	; nestors registers.
	CALL	STORE FLAG, 9 MRITH PAGE CR. SK	phote down the page request.		ACO MOV		Adjust for estre line.
	CALL	CK, SK CK_PAGE AX				CHT_END, DI	
	JHE	SHORT PAGE		HOVE_COT:	508 506	CRT_RYANT, AN	moves CRT and up one line.
	CALL	PAGE_UP	pains, move up page plus ons.		ART		
	CALL CALL JWC	PACH UP HOLTE DOWN CK PILE HED HEN PAGE END	;And write the page.	CK CST END:	MOV	01.CRT E80	Datrieve current CET and.
		MEN PAGE END AN. SCAN TIMERAL	charge som line to less line.		CHE	DI,THIRTY_N CN_DNO	"End of video messay?
	2000	CURRENT SCAMES, AN			PURK	54	illee, eare file pointer
	MET	COMMAN_SCREET, AN			HOV HOV		; matrieve current CRT and clind of video memory: 121 no, does here; ; slee, eare file pointer; ; and data eegman; ; nove page does to etart; ; of video memory.
18097_FAGE:	HOY 634	SX, AX	:Por ebort files, Hove back		MOV	DI.DI CRY RYANT, SI CK, CRY_LES	

Amí is here. Its about time.



All of us want beautiful, professionallooking results from our word processing.

But who has time for the processing? Who has time to manipulate columns and margins, align paragraphs, justify lines, tinker with leading, insert graphics

and wrap text? Let's face it. Writing is hard enough



without having to struggle with formatting when you're finished. Well, now you don't have to.

Because now there's a word processor that lets you create

your words and your page layouts at the same time-as one intuitive train of

thought. While making the entire process easier, friendlier and more accessible than you ever dreamed

possible. Also a whole lot faster.



For people who do Windows. And people who don't.

With its WYSIWYG screen display, powerful use of frames and interactive dialog boxes. Amí looks a lot like a desktop publisher.

But it's actually a serious word processor that makes the most of the Microsoft" Windows environment. (If you don't have Windows, don't worry,

A runtime version is included with Amf.) Amí gives you everything you need to process words quickly. Like complete and efficient keyboard commands (or mouse,

if you insist). A 130,000-word spelling

checker. Search and replace. Cut, copy and paste. Headers and footers. Undo functions, Context sensitive help, And much more.

Amí even gives you a choice of ways to write

In Draft Mode, you can put your head down, get your words into the computer as fast as humanly possible and worry about formatting later.

Layout Mode, on the other hand, gives you instant onscreen formatting, with automatic spacing, fonts, special effects and all the other things we mentioned at the top of this ad.

If you'd rather not do any designing, you don't have to. Because Amí comes complete with 25 pre-designed style sheets.

You can use them right out of the box. Modify them, Or create your own.

You can integrate text and graphics.

Import both from other programs. And admire your documents from four fully editable page views.

hibite Now was can easily edit text and araphics and

see the results onscreen before you print

There's no time like the present. Amí is the next generation in word

processing. Yet it sells at a price that would make your grandparents nostalgic.



Amí cowes compiete with 35 pre-designed stude sheets, so veriting and formatting time is reduced to practically wothing

Buy it by March 15, 1989 and you'll pay under \$150. No kidding. We'd be happy to tell you more about Amí and where to buy it. All you have to do is call.

But hurry Time's wasting For the dealer nearest you, call Samna at 1-800-831-9679.

■ UTILITIES

	SPIR HOV BKP POP	CK.1 DB.VEDEO_BECHNYT DB.	-destare remeders.	MOST_STEEL	LOOP CHP JMI INC	STYL PER (SI), CR STO_LIMMS STO_LIMMS ST	:Get next byte. :Adjust if mext byte on efter : complete lime to evoid double : specing.
E 110:	FOP	řì		END PERMA	INC	rox .	
	AA.1			DO TAB:	AXT	cx	
E FACEMAND:	CALL		jest file pointer to	OO_TAME	DEC AND	CH CH 7	/Seve conster, ;Adjust column counter, ;Out bottom three bits, ;Adjust.
		SI, AN SI, OPPERT PILE SUPPER	i previous line. : previous line. :cot of range of buffer? :If no, does here. ;sias, preserve registers.	1	IEC	CN	Adjust.
	PUBE	MACHAMAD END	:II no, does here.	l	CALL	PAD SPACES	; Nowe to next tab position.
	PORM	EXCEMAND.	Rearrange buffer and read	l	FOF	AX "	
	POP	6 X	: in pravious 30% of file.	l	2908	CE, AN	:Adjust counter. :Next byte if iset column.
A FMAND END:		DAST_LINE; 01	:Adjust file pointer.	1	PET		,
O FAMOU END!	RET	LAST_LINE, #1	passe task time.	PAD SPACES: CX SIMPLAT:	NOV	AL, SPACE	papace character.
				WRITE VIEW	29/1	STORE FLAG, 1 CK DISP END	lare we to write it to acreen? iff no, reture. Slae, write CE epaces/attribut
(CTPTT: AK		in bytes of pravious lis		CK DIES END:	RET	STORM	/#lae, write CE epaces/attribut
2 (8000t)	NOA NOA NOA	DG (INDEX SECREDIT AN, DG : SF	Preserve data segment. Escond 44K is used for index of line laugth.	,			
	POF	AN, DE : FF	: andem of line length.		- 0 16	et file end; cv = 1 if f	ile end. ;
	PET			CK_PILE_ERD:	CHP 28	81, FILE 690	
				i .	CHP	SOT FILE SED FILE SED, OFFSET FILE S SOT FILE END	FFER + (THIRTY_E + 2)
			- Offset Rf Video start.	1	8 TC	NOT_FILE_END	
ET CHT!	NOA 193	DX, CO : STATUS_REG		1	PET		
WILCOTAL:	IR TEST	AL, DX	:No interrupts. :Rait for heriacotal trace : so will catch vertice!	NOT_FILE_ENG:	CLC		
A DESCRIPTION	21	AL. 0 HOSTIONTAL AL. CH	retrace at start.				
Principles	ace		real our vertical rations.	2 These two a	street.	es reed either the next	or previous 38% bytes. ;
	20	VENTECAL DE. 6	reciet to CRT indee register.	FORWARD:	EOR	cx,cx	pero in high half; move file; pointer ferward MEX. indical Last line 38%. "SHETY K THOWN Second half of Buffer i to first half and read 38%. IMDOVE file penter back.
	wov	AL-I	Endes to preset row scan-		SUE CALL	DA, TRIXTY X LAST LINE DE	pointer forward 30%.
	199	DOLAL.	The section of the section	PURST READ:		MOVE POINTEN	Delenk K
		ex, 1	Correct scan line times two to ectual acam line (div 2).	Tara Canada	NOV	DI, OFFIRT FILE SUFFER	Pove Second helf of buffer
	907 077	AL, SL DE, AL				CI,-T	move file pointer back.
	040	0 X	reach to indee register.		886	0.8	
	909 CAST	EXT_ADDAMES	Net Video offeet.	HONE_POINTER	NOV MOV	EE,FILS MANDLE AX, 4291P 21M	move file poteter via non.
	DEC	DX SX, SPSER	:Back to indee register. :Ride ourser by setting : CRT end.		197	21M	
		CX.CHT_END SXT_ADDRESS	; CRF eed.	MACTERNAL DA	W00	CT 1	men selecter back bir
	CALL	DET_ADDRESS		BECKEDO!	809	DX (TRINTY_X + 2)	party parties sack law.
	MET		:Integrapte back on.		CALL BOY BOY	BILOFFEET FILE SUFFER	Nove pointer back low. Nove first belf of THIRTY_K buffer to account.
T_ADDRESS:	988	CH.1 AL. OL CH.AG	:Address has to be divided by 2.	HOVE_GEFFERS		DI, OFFERT FILE SUFFER -	Preserve cetra segment.
	MOV OUT INC				POP	CS ES	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	WOV	AL, CB DX, AL	(Mrste it.			CK, THESTY E / 2	Have file pointer.
	DEC	DR AL. RE	; west indee.		MOV MER MOV	NOVEM BANDLE	I ALVA TIM STEER (INA SYCHA).
	007 180	DOE, ALL			H07 H07	CK, THINTY_K AN, 3FH 216	: Feed 3FX.
		OR AL, CL	Least eignificant byte.			216	
	OUT AXT	DX, AL	Marite it.		NOV NOV	81, DK DK, AX	Pretore file pointer.
					MCO.	PILE SEC. AN	THERTY X Store and of buffer offest.
A line to re	erked by	sither a cerrope return	or reaching the lest column.		POP	11	
WARCE:		01,01	:Use OR sa counter.			***************************************	
	CALZ POSE	DS DESER SPONERS		I INPUT: 61 1	minte t	o parameter atart. o parameter end: SX - num	
	90V 90V POP		; news length of line.	1		2L. 2L	
		99 97	: Move to new indee.	DECIMAL DEPT	Topps		:Stert with eero. ;Oot a character. ;Anci: to binary. ;If not between 8 and 9, skip.
	2002	NOVANCE SED	of 32% lines exceeded,		3C	AL, "F" DECIMAL END	IASCII to binary.
STATE THE	389	6X17	; the much; give up.		CMP JA	DECEMBL SED	
						AL. SI CL, 18 CL	imitially correct by 14
ORES:	BOY	CH, CHT, COLD LAST LIBE, SI	inetriava ceiuma.		MUL. Also	CL Sh.AL	/Hultiply correct by 18 to / shift left one decimal. /Add new cumber and store in EX.
BT_LINES	CHP ZH	SI,FILE CHO	imetries column; jews current line as new lest, jews current line as new lest, jeds of buffer?; If so, continue. DFEE = (TRIPTY E * 2) iff end of fals, ped with spoces. iff end of buffer, ares i our pointers and ; read feet NEX.	SECTIMAL_END:	JAP	SHORT WENT DESTRAL	:Adjust pointer.
		PILE SED, OFFSET FILE OF	PPER + (TKIRTY_X + 2)	SECTION END !	RET		INCOME POSSES.
	PISE	PAD SPACES	ilf end of fals, ged with spaces.	j			
	PUSK	CI CI) our pointers and	28907: 85. 0			
	PUES		; road test 30%.	SET_SCREEKI	308	811, 815	(Vae background attribute
	POP		(Restree pointers.			CL.4 SL.CL AX, SSS	i for border.
	108 108 108	CK CK			NOV INT	164	
		84					
ET_LINES:	MOV TODER	AN, ATTRI 6070	:Retrieve ettributm. :Got a byte. :Increment counter.	SET_CURROX:	208. HOT	AX.2	:fet cureor position.
		DIS ALI-STRIP_MANK			197	100	
	AND CKP			PRINT STREET	MET WOV		
	OFF.	PAO SPACES AL-TAR	:If yes, pad belance of line.	PRINT_STRINGS		AN. 9 216	
	31	00_TAX	:If yee, tab.		RET		
	JI CRP	NEXT LIFES STORE FLAG. 1	III it isnested; Iff yee, skip, Sise, write to video memory? Iff to, next byte, Iller, store the byte/attribute.	FILE_SCFFEX		4	
	CAP	STORE PLAC, 1 EXET STORE	leven and pare	THAT	F806		
	67048						(SMOOTH_ASM enc

index to only the first row and cannot access beyond that row. What has to happen is that the PRS must be reset to 0, and somehow the second row must become the first row

If SMOOTH took the BIOS line-scrolling procedure as its model, SMOOTH would copy the second character line to the first line's position in the video buffer, the third to the second, the fourth to the third, and so on. With the PRS reset to 0, row 2 (now row 1) would be displayed as desired. The second logical row could then be scrolled off the top just as the first was, by incrementing the PRS.

This kind of video memory shuffling does not work well in SMOOTH's case. however. Except during horizontal and vertical retraces, the video adapter is always undating the display with the current contents of the video buffer. This occurs in

the background even during an attempt to rearrange the video buffer's contents by moving memory down a row. Thus the move gets caught and displayed in midstream, before it can be completed, and the PRS is changed to 0. This results in a disturbing flicker. Even if the move were attempted during a vertical retrace (when there is no display update), there just isn't quite enough time to move every line before the next screen refresh begins.

START ADDRESS The solution is not to move the video memory, but rather to program two other CRTC registers: the Start Address registers (0Ch and 0Dh). These control the video address offset that is to be used as the buffer start. The Start Address registers are only 1 byte in size and are used as a pair to make up the word size needed to contain a full memory ad-

dress. This register pair is in fact programmed to one-half the actual offset, because of the way the character attribute byte pairs are stored in video memory and the way the video hardware accesses those bytes. The Start Address registers, by the way, are the same registers the BIOS programs when function 5 of interrupt 10h (Select Active Display Page) is called.

The Start Address registers tell the video hardware where to start fetching video data after each vertical retrace. In our onescan-line-per-iteration scrolling example, when the first line is to be scrolled off the screen, the PRS is reset to 0 and the number of bytes per line is added to the Start Address registers. This effectively moves the video memory down one line using nothing more than a few quick register IN and OUT instructions and without moving a thing. With the combination of PRS and

AM — BASIC FACIONAN TO CORRECT SHOOTS, COM
LATITUTE TOWARD SHOOTS, COM
LATITUTE LATITU

ORDER TO THE STATE OF THE STATE 791387 , 22, , 28, , 21, , 22, , 21, , 28.450, A9.4647, A9.4

SMOOTH BAS: As an alternative to using the source code, SMOOTH BAS will create SMOOTH COM when you run it once in BASIC.

UTILITIES

Start Address doing the programming, the window of video metnory, or active page, that is used to fill the screen is slowly inched along in video memory, one line at a time. The effect is similar to that of moving a magnifying glass over a newspaper. The text on the newspaper appears to move but the newspaper is stationary. All that is moving is the window to the newspaper.

Using a speed factor other than our onepre-iteration example implements a rollover of the PRS, instead of resetting the PRS to D. That is, if there seen lines are to be scrubled on each iteration (an are speed to the properties of the properties of the proton of the properties of the properties of the the PRS is set to 2 and the Start Address registers are incremented by a line. Programming of both the PRS and the Start Address registers can be done during the time it takes for a vertical retrace. This pretains the properties of the properties and associated filteer.

sociated flicker.

I should briefly mention one other pair of CRTC registers SMOOTH manipulates the Cursor Location registers. These registers. Ike the Address Start registers, like the Address Start registers, are used as a pair to make up the word location in video memory where the cursor is to appear. Since a visible cursor would only be a distraction to SMOOTH, the cursor is programmed to stay one line shead of the end of the end of the end of the end of the gold peaks, so it is

The SNOTH, of course, has to place the data (the centers of the file to be rowsed) in the video buffer while all this scrollings going on. A new text line is added at the bottom of the active page as each line is scrolled off the top and the buffer address start is advanced. Eventually, SMOOTH will run out of the 32K available for EGA and VGA video memory, (Access to additude the start of the

Once SMOOTH has crept up on the JSK memory limit, the active display portion now is moved by copying the active page to the starting offset (offset (f) of vidce memory. The problem of lifect does not arise in this case, however, since at this point the active page is at the end of video memory and the destination of the move the start of video memory is not currently

being scanned. After the move, the Address Start registers are reset to 0 to reflect the move and SMOOTH can again start its inching line-by-line cycle. The page copying does have one small side effect, however. As I mentioned above, moving memory takes a lot longer relative to the few register-programming instructions. Thus there is a small but noticeable pause in the smooth scrolling at this point. Since this happens only after approximately eight screen pages (32K divided by 4,000 bytes per page), the momentary slowdown is infrequent and quite tolerable. (For convenience' sake SMOOTH actually uses 30K as the top of video memory, a little

 SMOOTH adds lines to one end or the other of the video buffer's active page, depending on the direction in which lines are scrolled out of range.

less than eight screen pages.)
So far I've been talking about scrolling
forward or upward. In the first analysis,
scrolling backward or downward is a simple matter of subtracting instead of adding
the speed factor. The bottom character row
is scrolled off the screen and the new line is
added at the top of the active display page
instead of the end.

As we have seen, SMOOTH adds lines to one end or the other of the video buffer's active page, depending on the direction in which lines are serolled out of range. The lines that are added are formated according to a cough of simple rules. Only the table hurst end accurate part to the contract of the contract line is pudded to its right with contract line is pudded to its right with spaces. Any line foeds are ignored, All

other characters, including the remaining control characters, are displayed as their ASCII equivalents.

THE FILE BUFFER SMOOTH has to manage two interdependent buffers asynchronously. One is the video buffer I've discussed above. The characters used to format and fill the video buffer come ultimately, of course, from the disk file named on the command line. Rather than accepting the inefficiency of reading from the disk one character at a time, however, a block of up to 30K is read and stored in a section of memory that I'll call a file buffer. The file buffer is used to feed the video buffer. Life would be easy for SMOOTH if scrolling were limited to the forward direction and if valid file sizes were limited to the available RAM. But SMOOTH has to be able to scroll bidirectionally and to be able to handle large files. These capacities present difficulties similar to those that restrict many word processors to files that

will fit in memory at any one time.

To understand the complexities, let's look first at how easy it is to scroll forward. It is not to be strong the star of the

Now suppose the file buffer contains the following:

This is the first line.<CR><LF>
This is the second line.<CR><LF>

The characters in the first line are read and placed in the video buffer until the first carriage return is encountered. The actual carriage return is discarded, the blaine of the line is filled with spaces, and the line feed is ignored. Now, the file-buffer pointer is at the start of the second line poised for the next seroll. Assuming the file pointer is still there, let's now see what happens when we attempt to seroll backward.

We now need to read from the file buffer backward so that the previous line can

SMOOTH BY MODEM

The programs published in PC
Magazine are available by modem from PC MagNet, an on-line information service administered by
CompuServe,

To download SMOOTH.COM, 10g onto PC MagNet. Enter GO UTILITIES or choose PC MAGA-ZINE UTILITIES from the top menus, then DIRECT UTILITY DOWN-LOAD from the next. Enter the file-anner, then select the file you want. Answer (Y) to DO YOU WISH TO DOWNLOAD? Press Enter to see the transfer protocols. Choose a protocol and download the file.

To join PC MagNet, set your communications software for either 300 or 1,200 bits per second, 7 data bits, even parity, 1 stop bit, and full duplex. You can use any of more than 300 local access phone numbers, including: Boston, (617) 542-1796; New York, (212) 422-8820; Chicago, (312) 693-0330; or San Francisco, (415) 956-4191. To find the number nearest your dialing exchange after you have subscribed, or for 2,400-bps service, connect with PC MagNet and type GO PHONES. For Customer Service, call (800) 848-8990: in Ohio and outside the United States, call (614) 457-8650.

When you connect with PC Mag-Not. press Cirl-C. At the HOST NAME PROMPT, enter CIS. At the USER ID prompt, enter 177000,5000. Enter PC*MAGNET at the PASS-WORD prompt and ZIOD8903 at the ENTER AGREEMENT NUMBER

P.C. MagNet cons \$12.50 per hour for 12002-4009 service and \$65 for 300 bps, via MasterCard, VISA, or American Express. There is no additional charge for downloading source code or compiled programs from PC MagNet. These programs can be coposited to the program of the programs of the p

Photocopy this page. Trim and hole-punch the copy and add it to your DOS manual.



SMOOTH Command

Michael J. Mefford

1989 No. 3 (Utilities)

An EGA or VGA text-browsing utility that makes reading from the screen easier by providing smooth scrolling in either direction at user-selectable speeds.

Format:

SMOOTH filespec [/W][/Snn][Cmmm]

Remarks:

The fitspace entered with SMOCITH is a filtename plus any required drive and path information. The optional /W switch strips the "high bit" from Worldster document filter. The optional /Sms which sets the scrolling speed, where ms is a decimal number that represents twice the number of pixel rows to be scanned on each screen-refresh cycle. The default value for ms is 3. For comparison, the DOS character would have an mn of 28. The optional /Cammu

sets the foreground and background colors according to mmm = foreground color + (background color * 16)

The foreground and background color numbers are given in the BASIC manual in the section on the Color statement. The default is 23 (white letters on a blue background).

The Up Arrow and Down Arrow keys set the scrolling direction, and Fglup and FgDn file pa screen page. The Home and End keys go directly to the top and bottom of the file. Pressing the Spacebar (or the numeral 01 freezes the screen, which can be restarted by pressing any key. Hitting Escancels SMCOTH and returns to DoS. Pressing the Plus and Minus keys speeds up or slows down the scroll rate, as does pressing the number keys.

Note: Since SMOOTH manipulates the Cathode Ray Tube Controller registers directly, it is incompatible with the operation of SideKick and Print Screen.

Available for downloading from PC MagNet (see the sidebar "SMOOTH by Modern"), SMOOTH-LOM is already compiled and ready to run. SMOOTH-BAS will automatically create SMOOTH-LOM when you run it noce in BASIC. Creating SMOOTH-LOM from the SMOOTH-SMOOTH could be a macro assembler (IBM or Microsoft, Version 2 or later) and the following commands:

MASM SMOOTH; LINK SMOOTH;

EXE2BIN SMOOTH SMOOTH.COM;

UTILITIES

be added to the video buffer and scrolled from its top row of prieds back onto the screen. The first character encountered its the line feed at the end of the first line. Line feeds are ignored. The next character is the carriage return, which indicates an end of sentence's period now needs to be placed in the video buffer but not in the last column. The first line is less than a full 80 columns in length, so the period be clongs somewhere in the middle. But where! Tentify the left is the proper of the colpisation of the collection of the colpisation of the colpisation of the collection of the collection of the colpisation of the collection of the collection of the colpisation of the collection of the collection of the colterior of the collection of the collection of the colterior of the collection of the collection of the collection of the colterior of the collection of the collection of the collection of the colterior of the collection of the collection of the collection of the collection of the colterior of the collection of t

What we really need to know to move backward is where the start of the line is so that we can then format the video buffer starting from the left column. (Of course, for the first few pages, the previous lines will still exist in the video buffer and do not need to be refetched and reformated. Remember that when scrolling reaches the end of the video buffer, the active page is

moved to the video-buffer start, which writes over previous pages.)

BACKWARD SCROLLING To solve the backward-scroll problem, SMOOTH constructs an index of all the line starts as they are discovered when scrolling forward. The index does not consist of the actual file-buffer line-start addresses, as you might expect, but rather of the difference in bytes between the lines. I'll explain the reason for this in a moment. In the previous example, the index for the first line would be 25, the number of file-buffer bytes that it took to construct the videobuffer line. SMOOTH dedicates an entire 64K data segment for the indexes. Each index takes up a word of memory (to handle the extra-long lines the EGA and VGA are capable of displaying). This, in turn, means allowing for a maximum of 32K worth of lines, enough to handle text files of virtually any size.

The actual indexing method used in SMOOTH is a modification of the same technique used in DR. Because of memory limitations, DR was restricted to managing an index for the start of each screen page instead of one for each individual line. Since SMOOTH is less memory-bound and needs to access lines faster to keep things smooth, it keeps an index for every things smooth, it keeps an index for every

SPLIT BUFFER 1 also imported into SMOOTH the spit life buffer that is used in DR. I must give the credit for the idea of the spit buffer to Charles Pezdob, used it in his BROWSE program. A split buffer is maintained to keep file activities to a minimum. The file buffer is divided into two contiguous 30K halves that is at the case stored between the end of \$SMOOTH's code and the stack that is at the end of the 64K code-and-data segment. The first read from disk is stored in the second half of the



total 60K that is reserved for the file buffer.

In forward scrolling, lines are added to the video buffer from the file buffer. In the process, if the end of the second half of the file buffer is reached, the entire second half is copied to the first half, and the next 30K is read from disk into the buffer's second half. After the read, the file-buffer pointer is at the start of the second half, which is exactly in the middle of the entire 60K buffer.

If scrolling is reversed at this point, the file-buffer pointer is able to dip into the first half of the buffer instead of having to reread that data. In other words, the scrolling can proceed in either direction for a whole 30K without another disk access. Fewer disk accesses mean fewer pauses, which enables SMOOTH to live up to its

In backward scrolling, the start of the file buffer will eventually be reached. This time the first half of the buffer is copied

into the second, the previous 30K of disk file is read into the first half of the buffer. and the file buffer pointer is again placed exactly in the middle. Because of this, we

 Scrolling can proceed in either direction for a whole 30K without another disk access. meaning fewer pauses.

are again ready to move in either direction without further need for a disk access for a

while It's because of the split buffer that the indexes are byte differences between lines rather than the actual file-buffer pointer addresses. Depending on the direction of scrolling, the same data can be in either the first half or the second half. By keeping track of the relative differences between lines, all that must be adjusted in a block move is the current file-buffer pointer, by 30K in the direction of the move. Since all the line start addresses are relative, they are effectively adjusted as well

As you can see, the actual concept of scrolling one scan line at a time is a relatively simple one. SMOOTH only has to program two CRTC registers, and the video hardware takes care of the display. It's when all the features such as paging. backward scrolling, and large file handling are added that SMOOTH has to perform a few contortions to keep things rolling along smoothly.

Michael J. Mefford is a contributing editor of PC Magazine.

HOW DOES YOUR DISK DRIVE PERFORM WHEN CONDITIONS CHANGE?

Things change. That, we know, As your needs grow and diversify, you have to keep your options open. One operating system, company-wide, becomes two. Then three. Networking comes into the picture, and requirements get more and more

demanding That's why our high-performance, high-capacity

disk drives offer you full support for PC-DOS", MS-DOS®, Novell®, XI Macintosh®, PICK and PC-MOS/386

With Priam® you get fully tested compatibility and complete documentation to support any standard operating system you're running now

And any standard you're thinking about running. Now or later. Or, for that matter, even the standard you're not considering. Yet.

With Priam you get the speed-18 millisecond seek time-and the range, from 40 to 330 Megabytes, internal or external, magnetic or optical-to take you wherever you need

to go. Even if you don't know yet where that is. Even if you have to change direction. You also get the assurance of longer, more reliable operation, with the industry's highest Mean Time Between Failure specification and warranties of up to three years.

Call us today at 408-434-1640. Dept. 202. Ask us about the support we offer for the operating systems you're running. Or considering.

At Comdex, see us at Booth 8"0





"Give us one <u>good</u> reason why we should buy Macola Accounting Software."



"How about five great ones."

Choosing the right accounting software can be a complicated process. And due to the time and money invested, this decision should be made only once-regardless of how much your husiness grows

There's pienty of excellent reasons to buy Macola Accounting Software. Here's five great ones. Reason 1: Flexible and



Powerful. In the words of PC Magazine. Macola Accounting Software "is at the top of its class...a flexible, powerful system that is well suited to many

different businesses."

Reason 2: Thirteen Integrated Modules. it's modular, so you can add more computing power as your needs grow, from simple accounting to full scale accountability.

Accounting General Ledger-Accounts Receivable-Accounts Payable-Payroll-Assets/Depreciation

CIRCLE 263 ON READER SERVICE CARD

Distribution inventory Management-Customer Order Processing -Purchase Order and Receiving

Manufacturing Bill of Material Processor-Material Requirements Planning-Master Scheduling-Shop Floor Control-Job Costing

That's not all. There's a Report Writer that allows customized reporting and can easily transport data files to popular spread sheet, word processing and database programs.

Reason 3: The best multi-user LAN compatibility. No other software can match Macola's 15 years of maturity in mini and micro local Area Network (LAN) environments. Today, Macola is the most advanced accounting software for LANs. No limitations, no compromises.

Reason 4: Unparalleled Speed and Data Integrity, Macola Software is the only high-end accounting software written in Micro Focus COBOL...for maximum speed and data integrity. Source code is available. iBM has licensed Micro Focus COBOL

as its SAA standard for the new PS/2 and OS/2

Reason 5: Comprehensive Support. Toll-free 800-line support is available from Macola. Or, utilize Macola's nationwide network of authorized resellers for local training, customization and hands-on support.

These are just five of the many great reasons why Macola Accounting Software is the right choice for your business. For more detailed information, "live" demonstration modules and an authorized reseller in your area, call today:

1-800-468-0834 (USA) 1-800-336-8337 (CANADA)



Marion, Ohio 43302-0485 614/382-5999

Accounting Software You'll Never Outgrow.

See DOS run.



Look at DOS. It looks back at you, It makes you do all the work. You need the Norton Commander.



See this user-defined menu. It runs your favorite programs and routines at a keystroke.



View two directories—from one or two disks—at once. And move your files around quickly.



Pull down a menu for quick, easy access to the full power and features of the program.



Want a tree view? Just pop up a window You can scroll, mouse or Speed Search for directories.



To see your files, pick a directory on the left and see the contents on the right.



Remember your last 15 commands? Our Command History does. Take your pick and run them again.



View your dBASEⁿ II or III data without having to run dBASE. It's as close as a keystoke.



Another keystroke shows Lotus^a 1-2-3^a or Symphony^a files — without running 1-2-3 or Symphony

See DOS run like you've never seen it befare. Like you work see it run with any other DOS enhancement shell. See version 2.0 of the Notron Commander. InfoWind saw it and said it stands out as the best on the market... a near perfect product..., recommended for all DOS users, regardless of expertises." The new Norton Commander combines the functions of a hard disk manager with all the features you need to support and enhance the DOS command see the See your dealer right away. And see how fast DOS can be way. And see how fast DOS can be way. And see how fast DOS can be seen in the seed to see the See your dealer right away. And see

CIRCLE 302 ON READER SERVICE CARD



SPEAKING THE LANGUAGE OF THE PM API, PART 2



 ${\it Microsoft's introduction of new data types for those normally used in C has raised many programmers' hackles, but portability to the 80386 and beyond demands them.}$

uestion: What word is found very frequently in almost every C program but found only rarely in OS/2 Presentation Manager programs? Answer. The word int.

Programmers who write for the Presentation Manager often use new data lyaddefined in the PM header files rather than employing the normal C data types such as hort. Art. and Jong. This is true particularly for Ariables that are passed to the particular of the PM of the formal particular of the PM of the functions, and for storing data encoded in PM messages.

The definition of these new data types is perhaps the most controversial aspect of the Presentation Manager header files. On PC MagNet, I've recently heard programmers use the terms "arcane," "excessive," and "baroque" to describe what Microsoft has done with the header files.

The new data types are used throughout Microsoft's OSZ documentation. You simply have to learn them before you can intelligently approach the functional documentation. Even the OSZ kernel functions are documented using the functions are documented using the odd to the observation of the observatio

More important, however, is that once you realize why these new data types have been defined in the header files, you'll want to use them. As you know, an 80386 version of OS/2 is on the way. One important purpose of the new data types is to ease the conversion of PM programs from the 80286 to the 80386 (and beyond).

TYPEDEFS AND DEFINES The new data types are written in uppercase and without underscores. This differentiates them from the uppercase identifiers with underscores that define constants used as function parameters, as I discussed in the previous issue.

Most of the basic data types are defined in the OS2DEF. H header file. For some of these, the C #define statement defines the new data type like this:

#define SHORT short

Here, the identifier SHORT is a synonym
for the C data type short. In other cases,
the header files use a type of statement.

like this:

typedef unsigned short usHORT; USHORT is a new data type that is the

One important purpose of the new data types is to ease the conversion of PM programs from the 80286 to the 80386 (and beyond).

same as a C unsigned short type. You use SHORT and USHORT to define variables in your program the same way you use short and unsigned short.

Figure 1 shows the basic OS/2 data types and the corresponding C data types. As you can see, they're really quite straightforward and easy to learn. You can use either UCHAR or BYTE for an unsigned char. The BOOL data type is generally used for a variable that either 1 (TRUE) or 0 (FALSE). OSZDEF.H also defines the constants TRUE and FALSE.

Although OS2DEF.H defines INT and UINT for the C int and unsig gnal int types, these are used only occasionally in the definition of OS-2 function parameters and structure fields. The int—so common in normal C programs—is the least common data type in the Presentation Manager. We'll shortly see why.

STRUCTURE DEFINITIONS Many PM function calls require a pointer to structure as one of the parameters. The header files also define these structures for example, here's the definition of the POINTL structure that you use to specify a coordinate point when calling GPI (Graphics Programming Interface) functions.

typedef struct _POINTL {

LONG y ;
}
POINTL :

This structure contains two LONG fields, x and y. The structure is given both a tag name (_POINTL) and a typedef name

ENVIRONMENTS



OS 2 data type	C data type	Current bit length
CHAR	char	8
UCHAR	unsigned char	8
BYTE	unsigned char	8
SHORT	short	16
USHORT	unsigned short	16
BOOL	unsigned short	16
INT	int	16
UINT	unsigned int	16
LONG	long	32
ULONG	unsigned long	32

Figure 1: The basic C data types as redefined in the OS/2 header files.

(POINTL). To define a structure variable in your program, you can use either

POINTL ptl ;

The second form is more common. In either case, the pt1 variable is a structure of type POINTL. In your program, you refer to ptl. x and ptl. y to reference the structure fields. You can define an array of POINTL structures like this:

Here's a somewhat longer structure, the MENUITEM structure, which contains all the information associated with a particular item on a program's menu:

typedef structure MENUITEM SHORT iPosition ; USHORT afstyle ; USHORT afAttribute : USHORT id ; ULONG hitem ;

hwndSubMenu ;

HWND MENUITEM :

I'll discuss the HWND data type shortly. As you can see, the other fields are defined using the basic data types SHORT, USHORT, and ULONG. No ints.

Let's try to figure out why the C programmer's favorite data type has been banished to obscurity in the Presentation Manager.

MOVING TO THE 80386 One of the most common complaints about OS/2 is that it was written for vesterday's technology (the 80286 microprocessor) rather than for today's hot machine, the 80386. The 80386 supports 32-bit registers and true 32-bit addressing, which finally frees us from the 64K segment limit imposed by all the Intel microprocessors from the 8088 to the 80286.

Microsoft has publicly stated that an 80386 version of OS/2 is coming and that a software development kit for programmers will be available in the first half of this year. The 80386 version of OS/2 will, of course, continue to run programs written for the 80286 version, and it will also use the 80386's virtual 86 mode to multitask

DOS programs. At the very least, converting a PM program written for the 80286 API to the new 80386 API will require that the program be recompiled. But often such a port requires some changes to the source code as well. It's certainly not too early to start designing your PM programs for as easy a port as possible. One of the primary purposes of header files (both in normal C programming and in Presentation Manager programming) is to store machine-dependent details. Proper use of header files allows a C program to be more easily ported to other operating systems and machines

In the original design of C, the size of char, short, int, and long variables is "implementation-dependent." The int is supposed to be the machine's register size, but the only guarantee about the others is that the variable sizes are related like

char <= short <= int <= long Under the ANSI C standard, a char must be at least 8 bits, a short (and therefore an int) must be at least 16 bits, and a long must be at least 32 bits. In the current version of Microsoft C (and most C compilers for the 8088 through 80286), the data types are the minimum lengths: a char is 8 bits, shorts and ints are 16 bits, and the 1 ong is 32 bits.

For a C compiler designed to create programs for an 80386 operating system, however, the size of an int should be 32 bits, for that is the size of the 80386 registers. The short can remain at 16 bits. (It's not quite clear what will happen to the 1 ong. It could remain at 32 bits or be promoted to 64 bits.)

The int is not the only thing that gets a promotion from 16 bits to 32 bits. The 80286 uses a 16-bit aligned stack. When a function parameter is defined as a char. the compiler must generate code that expands the variable to 16 bits before pushing it onto the stack. Programs designed for the 80386 use a 32-bit aligned stack. Thus, when a function parameter is either a char or a short, the compiler must expand the variable to 32 bits before pushing it onto the stack.

The 80386 version of OS/2 will run programs written for the 80286 version and new programs written for the 80386 version. One problem that the operating system must deal with involves the different stack alignment used by these two programs. The solution will probably involve separate entry points to the dynamic link library functions. (This technique is discussed in Chapter 8 of the Intel 80386 System Software Writer's Guide \

But the different stack alignment is not the worst problem, since it can be taken care of within the operating system. A more serious problem involves the OS/2 and Presentation Manager data structures. such as the MENUITEM structure shown PM functions often require pointers to these structures as parameters. Pointers to structures are passed around quite a bit within the Presentation Manager, from program to operating system, from operating system to program, and among programs themselves.

Any structure that contains an int field would change size between the 80286 and 80386 versions of OS/2. That is a problem, and it's one reason why short (or rather SHORT) fields are used instead. The short remains at 16 bits in the 80386 version, so the size of the structure remains the same.

What happens if a 1 ong is increased to 48 or 64 bits in the 80386 C compiler? Doesn't that mess up all the structures anyway, along with the functions whose pa-

Key Tronic announces an end to the rat race.



Look for rebate coupon in Word Perfect 5.0 packages.

A satisfaction guarantee makes mind. The comfortable design, for examyou the winner.

With so many different mice on the market, making the right choice has been confusing.

But now Key Tronic introduces the Professional Series Mouse backed by an unbeatable satisfaction guarantee - either you're 100% satisfied, or you get a replacement or your money back.

Everything about this mouse is designed with your satisfaction in

productivity. And the documentation is written in clear, easy-to-understand English.

Not only that, but Key Tronic's tollfree line makes it easy to get an answer

ple, fits perfectly in your hand for greater

if you do have a question.

What about compatibility? The Professional Series Mouse works with IBM PCs, XTs. ATs. most compatibles and PS/2s.* It's Microsoft driver compatible, plus our

menuing software makes hundreds of application programs faster and easier. We've even included pop-up menus for Lotus 1-2-3.º dBASE III ™ and WordPerfect.™

So celebrate the end of the mouse rat race. Contact your local Key Tronic

dealer or call 1-800-262-6006. In Washington state call (509) 927-5515.

key tronic Professional Series®

C. TE^N and PS / 2 are trademarks and ISM[®] and PC /E[®] are used trademarks of the IEN Corporation

CIRCLE 214 ON READER SERVICE CARD

Think You Can't Afford A **PostScript** Printer?

For Just

NOW YOU CAN Print PostScript Language **Text and Graphics**

On ANY Printer



Includes Drivers for: HP Laserlet, Desklet, Paintlet Conon LBP-811, Bubble Jet BJ130; Epson LQ and FX; Toshiba 24-Pin; IBM ProPrinter, Ouickwriter; NEC Pinwrit

High Quality Scalable Outline Fonts Inclu GoScript - \$195 - Includes 13 Fonts! GoScript Plus - \$395 - Includes 35 Fonts!

GoScript Software, the Low-Cost PostScript Language Printing Solution

ORDER TODAY! Contact Your Local Dealer or call the LaserGo Order Line (800) 451-0088 (outside Calif.)

Exclusive European Distributors: 3raphic Sciences Limited, Surrey, Englar TEL; (01) 940-9480; FAX; (01) 948-2851

LaserGo, Inc TEL: (619) 530-2400 FAX: (619) 530-0099 235 Trade Place, Suite A, San Diego. CA 92126 CIRCLE 280 ON READER SERVICE CARD

PROTECT YOUR COPIES MΔGΔZINE

Moke your collection of PC Magazine a handsome addition to your office or home—and pratect and organize your capies for easy reference!

PC Magazine Binders and Cases ore made of durable, luxury-look leatherette over quality binder board. Custom designed for PC Magazine, every arder receives FREE transfer fail to mark dates and volume numbers.

FOR FAST SERVICE CALL TOLL-FREE 1-800-972-5858

MAGAZINE RINDERS

Hold your issues on individual rods. \$9.95



OPEN BACK CASES



PC MAGAZINE

Mease send □ Binders □ Cases Quantity

Payment enclosed \$_____* Add \$1 per case/ binder for postage & handling, (Outside USA, add \$2.50 per case/binder ordered, US currency only.) Charge my: ☐ Amex Visa ☐ MC (Minimum order \$15.)

Exp. Date Address

ENVIRONMENTS

rameters are defined as LONGs or ULONGs? Not at all. In that case, the header files for the 80386 version of OS/2 can simply define LONG and ULONG a little differently:

#define LONG int typedef unsigned int ULONG ;

In this way a long may be greater than 32 bits, but a LONG and ULONG will remain 32 bits. Now you see why it's best to use the new data types rather than the C data types.

FAR AND PASCAL The first two definitions in OS2DEF.H are

#define PASCAL pascal #define FAR far

You're probably familiar with the far keyword recognized by many C compilers for the PC. The Intel microprocessors from the 8088 to the 80286 have a segmented memory architecture and differentiate between near pointers (which use only a 16bit offset address within a default data segment) and far pointers (which have both a 16-bit segment address and 16-bit offset address).

To accommodate this segmented architecture, C compilers often allow several memory models: small (one code and one data segment), medium (multiple code segments), compact (multiple data segments) and large (multiple code and data segments). The far keyword lets programmers use far pointers to data in small or medium model programs and far pointers (and far calls) to code in small or compact model programs.

The keyword pascal can be used in C programs to define a function that uses the Pascal calling sequence. When a Pascal function is called, the parameters are pushed on the stack from left to right (rather than from right to left, as is normal in C). The function adjusts the stack back to normal before it returns control to the function caller

All the OS/2 functions require far calls and use the Pascal calling sequence. The word APIENTRY is defined in OS2-DEF.H as a synonym for far pascal:

#define APIENTRY pascal far The complete set of OS/2 functions are de-

PC MAGAZINE

HANSON & PC EXCHANGE ACCOUNTING

General Ledger

Accounts Baceiroble

BEDFORD ACCOUNTING (Bedford Software)

"The Perfect System for your BEDFORD ACCDUNTING is a completely integrated accounting system that includes General Ledger, Payroll, Accounts Receivable, Accounts Payable

Inventory and Job Cost. Use each module as an independent software package...or combine modules to form your completely BEDFDRD allows for greater flexibility in your reports, supports a com

pletely user defined chart of accounts, manual or computer produced checks (even (or payroll), keeps track of full or partial payments by customers, allows you to make full or partial payments to vendors, and offers quick pop-up lity to let you look up accounts and inventory informat The BEDFDRD ACCOUNTING SYSTEM was judged to be PC Magazine's

Editor's Choice in a review of 59 accounting packages conducted by Price Waterhouse, "This is truly a (complete accounting) system. Bedford's six mod ules ... are easy to install, easy to use, and so well integrated with one another that it makes accounting a snap-even for non-accountants." BEDFORD ACCOUNTING ... IBM VERSION

BEDFORD ACCDUNTING ... MACINTOSH VERSION. \$249 Peachtree Complete Accounting\$159 Duc Easy Accounting ...

LANDLORD/LANDMASTER (Sustems Plus)

bedford

"A Complete Property Management System-Easy to Use with Outstanding Flexibility. The LANDLDRD is a complete property management system that prints tenant statements, generates lease expiration lists, identifies late navers produces vacancy reports prints checks and performs all functions required by landlords and anyone who manages apartments, condominiums, shopping centers or any commercial properties...

4500 The LANDMASTER contains all the features of the LANDLDRD plus adds a complete double entry accounting system to the package for general ledger, accounts receivable and accounts psyable... \$1250



FORMWORX (Formworx)

The best package we've seen for generating forms"... Compaq Magazine ... "faster, easier to learn, and more versatile than the

FORMWORX lets you create any form instantly. Using FORMWORX'S advanced drawing tools, you can draw vertical and horizontal lines, boxes with dots, dashes or solid lines of various widths ... add heading and text using a variety of type sizes and styles...and complete your form by adding any of 95 graphics fill patterns including shading and borders. FORMWORX outperforms all of the com FDRMWORX WITH FILL AND FILE makes FORM-

WORX into the most advanced productivity tool on the market. Now, you can actually make form overlays and fill in all the blanks on your form. Save it, recall it, perform automatic mathematics and recalculations on your form... and, if you use dBASE, it's totally compatible

\$99.95 FDRMWDRX WITH FILL & FILE FDRMKITS (70 or more profess onally designed templates/package) \$39.95 Personnel Forms

\$39.95 Project Management Forms Time Management Forms. \$39.95 Graphics & Charts. Sales & Marketing Forms.

READY TO RUN ACCOUNTING (Manusoft)



....\$49.95 Accounts Payable..

\$69.95

A completely integrated, full-i that works under full control of Lotus 1-2-3. Purchase individual modules or the complete system \$69.95 Payroll.

Inventory Control/Order Entry ... 100 00 Complete System (all 5 modules)... \$100 OF

SUPPORTS BAR COOF

MICROBIZ RETAIL STORE/CASH REGISTER CONTROL (Microbiz Corporation)

The MICROBIZ RETAIL STORE SYSTEM is an extraordinary system for managing all retail store sales, customers and inventory, Quickly bill your cus tomers, keep track of your inventory, commissions, look up prices, print cash register receipts (or complete invoices) and perform all the day-to-day func-

tions required to keep you on top of your business and its cash flow. It's time to ...all for \$395. Detional add-ons to your Retail Store Software System ... a complete cash drawer that plugs into your IBM PC or compatible, a receipt printer and bar

code reader. Systems are also available for Video Stores, Beauty Salons, Liquor Stores,

Auto Repair Shops and other vertical markets. Retail Store/Computer Cash Video/Liquor Store Management., \$795

Register Software ... \$399 Beauty Salon Accounting \$795 Bar Code Reader for Above \$595 The Auto Repair Shop

The Professional Time and Billing System for Anyone Who Must Bill for Time and Service. used by more accountants, lawyers.

doctors, consultants and other professionals than any other billing system." It's unanimous. All the reviewers agree that TIMESLIPS III is the best time and billing system on the market ... and certainly

equal to or better than packages selling for \$2000 and up. TIMESLIPS received one of INFDWORLD'S best ratings ever (9.3). TIMESLIPS is memory resident, offers a pop-up "stopwatch" to time pho calls and activities, generates transaction reports, client history, aged receivables and many valuable management reports. It interfaces with many softwa programs such as Bedford, Peachtree and DAC. You may even export data to otus 1-2-3 and dBASE. CREATE THE PERFECT BILL with TIMESLIPS III.

TIMESLIPS III (for hard disk drive systems) ... \$114.0 TIMESLIPS (for floppy systems) .. TAL (link TIMESLIPS III to other accounting programs)...

We are the experts in accounting software. Choose from over 100 account packages, and vertical market packages. Call for great values on DAC EASY, PERLITEEE and more than 100 other business, accounting and vertical ma

packages.
Please call or write for our FREE 48 page full color catalog containing mor than 100,000 hardwise and software items ready to be shipped. All prices and specifications are subject to change, belivery subject to establishing Add 56 for shipping of the first item (53 for each additional item). CIRCLE 301 ON READER SERVICE CARD

HANSON & CONNORS





1-800-DIAL-PCX MONEY BACK



OVERNIGHT SOFTWARE DELIVERY

Business Forms ..

PC EXCHANG

CMO...Your Nationwide Source



Video 210 Amber Video 410 TTL Monochrome 149 Video 432 PS/2 Monochrome 169 Color 632 14" VGA 640X480 399 Color 732 PS/2 VGA 470 Monitor 1280 15" 1280X800 679

Cornerstone SinglePage Display Magnavox 7BM623 12" TTL Amber

7CM8515 14" Composite/RGB 78M749 14" Flatsquare VGA 149 CM8762 14" Comp./RG8 9CM053 14" HiRes EGA 249 369 389

9CM062 14" VGA Color NEC Multsync 2A IC-1402 Multisync



CM-1430 14" VGA

Packard Bell PB-1272 12" TTL Mono PB-1472 14" TTL 132 Col. \$ 70 109 PB-1422EG 14" HiRes EGA 359 PB-8526MS 14" Uniscan \$469 Palette EGA Phis 2399 Princeton Graphies 400 Taxan 770+ Multi-Vision 14" RGB 519 Wyse Terminals WY-30, 50, 60 Zenith ZFM-1490 14" VGA Analog 639

MULTIFUNCTION CARDS

ATD-ZuckerBoard Color Half Card Monochrome Graphics Adapt. 576K Half Card Memory AT-Primary Memory Board AST Six Pak Plus Board 170 VGA Plus Adapter Hot Shot 286 Board 399

Rampage/286 512K Boca Research TopHat 128K Expansion BocaRam/XT 0-2MB Board BocaRam/AT 0-4MB Roard BocaRam/30 0-2MB BocaMCA Serial/Parallel Boca Multi EGA

DCA Irma 2 3278 Board Everex Ram 3000 Dlx. 0-3M8 Bd RAM 8000 Dlx 0-8MB 16-8it 289 Micro Enhancer Deluxe

EVGA 256 Colors 1280x600 5th Generation Logical Connection 256K InColor Card Graphics Card Plus

VGA Card Network Card Plus **IDEAssociates** IDE-5251 Local Emulation Intel

AboveBoard 2 Plus w/OK AboveBoard 286, 512K AboveBoard PS/286, 512K 419 AboveBoard Plus, 512K AboveBoard Plus I/O 5121 Inboard 386/PC 80386 CPU 729 Inboard 386/AT 80386 CPU 800 759 Connection CoProcessor 8087 IBM PC/XT CoProc 80287-8 IBM XT 8MHz CoF B0387-16 16MHz 80386 440 Orchid Technology TinyTurbo 286 285 RamQuest II Board 545 ProDesigner VGA Adapter 320 Video 7 Vega Deluxe Adapter Vega VGA Adapter



279

FastWrite Video

QQ.

129

109

119

149

199

749

80

279

470

100

169

Call

349

570

Call

STORAGE DEVICES

Floppy Stream 40 40MB Int. Excel Stream 40T 40MB Int. 570 Excel Stream 60 60MB Ext Iomega Bernoulli Box II Int Maynard Maynstream 60MB PS/2 Ext. Call Miniscribe 8425 20MB 31/3" 40Msec

750 3650 40MB 54" 61Msec 3053 44MB 54" 25Msec 6085 70MB 54" 28Msec 349 499 599 Mountain Computer TD-4340 40MB Int Tape TD-4440 40MB Ext. Tape PC-TOO

TD-4000 40MB TapeBackup Plus Developm 20MB HardCard 40MB HardCard 699 20MB/40MB Passport Call





Paradise

AutoSwitch EGA 480





For Quality Computer Products.

THIS MONTH'S FEATURED SPECIAL - WE HAVE 1,000's MORE IN STOCK

140 Call

600 d8ase IV MultiMate Advantage II

109 Borland 169 189

1599

109

359

519

3395

249

359 499 989

169

189

339

STORAGE DEVICES	
Seagate	
ST-225 20MB w/cont	\$269
ST-238 30MB w/cont	289
ST-251 40MB 1/2 Height	379
ST-4096 80M8 Full Height	599
Sony	
31/2" 720K Floppy Drive	89
Sysgen	
Bridge-File 51/2" External	249
Bridge-Tape 40M8 External	499
Omni Board Controller	79
Smartlmage 60M8 Internal	479
OIC-File 60MB External	599
DuraPak 15MB Removable	979
Welter Laptop Subsystems	
Epson 360K Ext. Floppy	239
NEC 1.2MB Ext. Floppy	239
Zenith 360K Ext. Floppy	239

Deskpro 286/386 Desktops Call

Deskpro 286/386 Portables Call

Weltec Laptop Subsystems Epson 360K Ext. Floppy NEC 1.2MB Ext. Floppy Zenith 360K Ext. Floppy COMPUTERS	239 239 239	2400 Baud 'atternal P8FAX: 100 Group III Panasonic FX-89 Fax Board Practical Peripherals 1200 8aud Internal
AST Premium 286 Model 80 Premium Workstattons Compaq	1459 Call	1200 Baud Stand Alone 2400 Baud Internal 2400 Baud Stand Alone Sharp FO-220 Facsimile Machine FO-420 Facsimile Machine

2400 Baud External

2400 8aud External Everex Evercom 12 1200 8aud Int. Evercom 24+ 2400 Int Evercom 24E+ 2400 Ext

24008 Classic Internal PS/2 24008 Internal Murata M1200 Facsimile

Packard Bell

U.S. Robotics

1200 8aud Direct Ext

Hayes SmartModem 1200 Baud SmartModem 2400 Baud

ATD-Zuckerboard 1200 Baud Internal

EC		2400 Baud Direct Int	169
ultiSpeed HD 20MB	2299	2400 8aud Direct Ext	199
roSpeed 286 16MHz 80286			
ltraLite Laptop 9.83 MHz	New	PRINTERS	
C-T00			
40K 8MHz 8088 Dsktp.	589	Brother	
40K 10MHz 8088 Dsktp.	749	M-1709 240cps, 132 Col.	489
12 10 KMHz 80286 Dsktp.	999	HR-20 20cps Daisywheel	359
M8 20MHz 80386 Dsktp.	2699	HR-40 40cps Daisywheel	639
ysgen		Canon	
roSystem 12MHz w/40M8	2099	PC-25 Personal Copier	989
oshiba		Epson	
1000 8088 Laptop	789	FX-850 264cps, 80 Col.	Call
1200 Floppy/HD Laptops	Call	LX-800 180cps, 80 Col.	189
1600 12MHz 80C286 20MB	New	LQ-500 180cps, 132 Col.	Call
3200 12MHz 40M8	Call	LQ-850 330cps, 24-Wire	Call
/yse		LQ-950 330cps, 24-Wire	Call
0286/386 Desktops	Call	LO-1050 330cps, 132 Col.	Call
enith		LQ-2550 500cps, 24-Wire	Call
0286/386 Desktops	Call	Hewlett Packard	Call
aperSport Laptops	Call	Thinklet 2225	369

NEC

Okidata

Panasonic

P2200 Pinwriter 24-Wire

P5200 Pinwriter 265cps

LC-890 PostScript Laser

ML-182+ 180cps, 80 Col.

ML-182+ 180cps, 80 Col. ML-320 300cps, 80 Col. ML-390 270cps, 24-Wire ML-393 450cps, 132 Col.

KX-P1080i 144cps, 80 Col

KX-P1091i 194cps, 80 Col.

KX-P1124 192cps, 24-Wire

SuperSport Laptops
COMMUNICATIONS

NEC

6 6.5 2.5 Pi

'n

1200 8aud External 2400 Baud Internal 149



FX-505 Hi-Res Scanner

KX-P1592 180cps, 132 Col.	389
KX-P1524 24-Wire, 132 Col.	579
KP-P4480 Laser	Call
Star Micronics	
NX-1000 140cps, 80 Col.	169
NX-2400 24-Wire, 80 Col.	369
Toshiba	
P351-SX 300cps, 24-Wire	999

SOFTWARE

Aldus PageMaker Ver 3.0



1X-1050 264 cps.

289

Ashton-Tate

Paradox R-Database	40
Quattro	14
Sprint Word Processor	12
Breakthrough	
Timeline Project Manager	35
Central Point	
PC Tools Deluxe	4
PC-II Option Board	12
DAC Software	
DAC-Easy Accounting	5
5th Generation	
FastBack Plus	9
Fox Software	
Fox8ase + Development	20
Funk Software	
Allways	7
Sideways	3
IMSI	
OptiMouse w/Dr. Halo III	7
Page Perfect Desktop	24
Be . c c.	

Logictech	
C7 Mouse w/Software	5 79
ScanMan Scanner	219
Lotus Development	
Lotus 1-2-3	279
Lotus Agenda	289
MECA	
Managing Your Money	119
Meridian Technology	
CarbonCopy Plus 50	119
Microrim	
R:Base for Dos 2.11	449
Microsoft	
Serial or 8uss Mouse	109
Windows 286 Ver 2.1	69
Nantucket	-
Clipper (Summer 87)	+19
Peter Norton	
Norton Commander	39
Advanced Utilities	79
PaperBack	
VP-Planner Plus 2.0	119
Peachtree	
Complete Accounting	169
Quarterdeck	
DESQView 202	79
Software Publishing	
1st Choice 3.0	89
1st Publisher 2.0	79
Professional Write 2.0	179
Professional File 2.0	179
Symantec	
Q &r A The DataBase	199
The Complete PC	
Handscan For PC	179
Complete Answ. Machine	269
The Software Group	
Enable Version 2.0	399
Traveling Software	
Lap-Link Plus	84
WordPerfect Corp.	
WordPerfect 5.0	219
WordPerfect Office	249
Xerox	
Ventura Publishing 2.0	479



Your Source for Hardware, Software & Peripherals

In U.S.A.

All Other Areas call: ,717-327-9575 Fax call: 717-327-1217 Educational, Governmental and Corporate Organizations
Call toll-free: 1-800-221-4283

CMO, 101 Reighard Ave., Dept. B1, Williamsport, PA 17701 Over 400 000 SATISFIED CUSTOMERS . MAJOR CREDIT CARDS ACCEPTED

POLICY. Add 3% (minimum \$700) shipping and handling Larger shipments may require additional charges Personal and company checks require 3 weeks to clear For faster delivery, use your credit card or send cashier's check or bank money order Credit cards are

not charged until we ship. Pennsylvania and Maryland residents add appropriate sales tax. All prices are U.S.A. prices and are subject to change. All items are subject to availability. Defective software will be replaced with the same item only Hardware will be replaced or repaired at our discretion within the terms and limits of the manufacturer's warranty. We cannot guarantee compatibility All sales are final and returned shipments are subject to a restocking fee. We are not responsible for typographic or photographic errors

■ ENVIRONMENTS

fined as APIENTRY functions.

Similarly, window procedures in Presentation Manager functions must also be defined as far functions with the Pascal calling sequence. Another identifier for this purpose is defined in the same way as APIENTRY.

#define EXPENTRY pascal far

(EXPENTRY stands for "exported entry point": window procedures must be exported so that they can be called from outside the program.)

Why are the FAR, PASCAL, APIENTRY, and EXPENTRY identifiers defined in the header files? Why not just use far and pascal instead?

. One of IBM's goals is to port the Presentation Manager to its micros and mainframes. These machines have quite different memory architectures from that of the PC. The identifiers help programmers keep the keywords far and pascal out of their code. The FAR, PASCAL, APIENTRY, and EXPENTRY identifiers can be defined differently in header files for other environments, as appropriate for the particular machine and C compiler.

POINTER TYPES Often a parameter to a Presentation Manager function is a pointer to a variable. The function uses this pointer to store something in the variable. Because the program making the function call and the dynamic link library that contains the function have different data segments, this must be a far pointer, which contains both a seement and an offset.

The OS2DEF.H header files define new data types that are far pointers to the basic data types like this:

typedef CHAR FAR *PCHAR :

This defines PCHAR as a far pointer to a CHAR. In your program you can define a variable that is a far pointer to CHAR like this:

PCHAR p ;

Similarly, OS2DEF.H defines PUCHAR, PBYTE, PSHORT, PUSHORT, PBOOL, PLONG, PULONG.

These pointer data types also help to keep the words far or FAR out of your programs when you compile for small or medium model. Let's look at an example.

Suppose you need a pointer to an array of 500 bytes for use within your program. You might allocate such a pointer using the C malloc function

$$p = malloc (500)$$
:

and later free the memory by calling free:

free (p) ;

In this case you would define p like this:

CHAR *p :

This gives you a pointer that is appropriate for the particular memory model you use. It is a near pointer in small and medium model programs and a far pointer in compact and large model programs. That is the same type of pointer that malloc returns and that you pass as a parameter to free.

However, suppose a Presentation Manager message passes your program a pointer to a character array. This will be a far pointer. To store this pointer, you need a variable that is defined as a far pointer to a CHAR. Rather than define it like this:

CHAR FAR *p ;

you can use the PCHAR data type:

PCHAR p ;

This is a far pointer regardless of the memory model, but the definition doesn't require use of the word FAR or far.

When compiling for compact or large model, the two definitions

CHAR *p ;

and

PCHAR p :

are equivalent. In an environment that doesn't have a segmented memory architecture, the PCHAR type would simply be defined in the header files without FAR:

CHAR *p ;

A few other far pointer data types are defined in OS2DEF.H: PVOID is a generic far pointer, and PSZ and PCH are the same as PCHAR. (PSZ is often used for a pointer to a string terminated with a zero.) For every structure definition, the

header files also define a data type that is a far pointer to the structure. The name of this data type is the structure name pref-

aced with a P. For example, here's how PMENUITEM is defined:

typedef MENUITEM FAR *PMENUITEM ;

The data type PMENUITEM is a far pointer to a structure of type MENUITEM. You can define a far pointer to a MENUITEM structure thus:

PMENUITEM pmi ;

Or, you can define a pointer to a MENU-ITEM structure appropriate for the memory model of your program like this:

MENUITEM *pmi ;

HANDLES AND OTHERS In the last issue, I discussed handles, numbers that refer to PM objects. Each type of handle in OS/2 and the PM has its own data type. Some of the more common handles are shown in Figure 2. If you need a variable to store a window handle for your menu window, you define it like this:

HWND hwndMenu ;

Other data types defined in the header files are SEL (a selector), PID (process ID),

PM Handles and Objects

Handle data type	Object	
HAB	Anchor block	
HBITMAP	Bitmap	
HFILE	Open file	
HMF	Metafile	
HMODULE	Module (dynamic link library file)	
HMQ	Message queue	
HPIPE	Named pipe	
HPS	Presentation space	
HPTR	Mouse pointer	
HRGN	Region (used in GPI)	
HSEM	System semaphore	
HSWITCH	Task manager switch entry	
HVPS	VIO presentation space	
HWND	Window	

Figure 2: Some common handle data types and the objects to which they refer.



e take great pride in Warehouse Data Products' ten year anniversary. A decade of team commitment to servicing the computer market with low pricing, technical support and integrity.

We want to hear from you about your needs, whether it's product availability or how to better our service — we want to know. Tell the team who knows the customer is always right. Call 1-800-421-3135.

Sincerely,

Carl Beatty
Earl Beatty
President, CEO

WAREHOUSE PRODUCTS

MAREHOUSE PRODUCTS



SINCE 1979, servicing our PC buyers with low pricing,

technical experience - and reliable service. 0 F

ACCOUNTING

 Dec Eesy Acct, Ver 3.0
 \$55

 Dac Easy Light
 39

 Dollars & \$ense
 94

 Manacing Your Money 5.0
 Call
 Dollars & Sense
Managing Your Money 5.0
One Write Plus

COMMUNICATION PROGRAMS

Flying Dutchmen PC Anywhere III PROJECT MANAGER

DATA BASE MANAGERS

Fox Base Plus 2.1 Geniter ...
Knowledgeman 2 ...
Paradox 2 ...
PFS: Professionel File 2 .0 ...
Powerbase 2 .3 ... Pros.
Powerbase 2:3
QAA 3.0
Quicksilver Diamond 1:2
Revelation Advanced late & Report DESKTOP

PUBLISHING

DISKETTES

3M 5½" DS/HD 20 3M 5½" DS/DD 15 lim 25HD . .

DOS

IBM 4.0 \$120 **EDUCATIONAL**

Mavis Beacon Teeches Typing Call Microsoft Learning DOS \$30

ENTERTAINMENT

Chuck Yeeger Flight Simulator\$35 F15-Sirike Eagle Gunship Kings Quest Kings Quest IV
Microsoft Flight Simulator 3.0 | Scenery Disk 1-7 | 17 ea. | Silent Service | 30 | Speller Bee w/voice | 50 | Ster Flight Sub Bettle Where in the World

Meny More Titles Aveilable Call GRAPHICS

Chartmester \$199 Diagram Master Energrephics 2.0 . First Graphics . . . 199 Herverd Grephics 2.1 In-A-Vision Microsoft Chert 3.031 INTEGRATED

Ability\$56 Ability Plus Enable OA First Choice Fremework III 418
Microsoft Works 83 Smert Softwere LANGUAGES

Ryan McFarlan Fortran 390
Ryan McFarlan Cobel Turbo Basic Turbo C 2.0 Turbo C Pro . . Turbo Pascal/Pro 162 Turbo Prolog 2.0 90
Turbo Prolog Toolbox 59

Protect your PC against Virus Attacks

COMPUGLIARD

Molicious Programs · Vandolism · Revenge Destruction of Files · Time Bombs · Loss of Data Don't Wait Until It Hits You!!

SPREADSHEETS

Lotus 1-2-3 Lucid 3D Ouattro Spreedsheet Auditor SuperCalc 5

UTILITIES Allweys
Bettary Wetch
Copy II PC
Copywrite
Core Fast
Cubit
D.A.V.E. Eureke Fastbeck Plus 2.01 Formtools HTEST Mece Gold
Microsoft Windows 286
Microsoft Windows 386
Norton Advanced 4.5
Norton Commander 2.0
Norton Utilities 4.5 48 Numericel Methods
Org Plus Adv
PC Tools Deluxe 5.0

PC tools Detuze 5.0
Prokey 4.0
Q DOS II
Rightwriter
Sidekick Plus
Sidewice deways S.O.S. SQZ Plus Super Key Turbo Lightning

CAD & **ENGINEERING**

Autosketch DesignCad 2D or 3D Easy Ced 2.05 FastCad 1435 Generic Ced

Call WORD PROCESSING \$122 Easy Extra.....

Microsoft Word 5.0
Multimete Advantage II
Overlay Word Perfect PFS Prolessional Write SPF/PC 2.0 Varsity Volkswriter 3 Volkswriter 3
Webster Spelicheck Pro
Webster Thesaurus
Will Meker
Word Perfect 5.0
Word Perfect Executive 210 124 Word Perfect Librery 2.0 Wordster ProPack 5.0 Wordster 2000 Plus



2727 W. Glendale Ave Phoenix, AZ 85051 1-800-421-3135 1-602-246-2222

WAREHOUSE DATA PRODUCTS Division of AZ Computer Corporation 2727 W. Glendale Ave. • Phoenix, AZ 85051

Call on Novell and any other networking products

We gladly assist the first time buyer as well as the professional systems analyst. Call our toll-free technical service at 1-800-421-3135.

	A	R	D	W	A	R	E
ARC PRO TURBO 88		LAPTOP		HARD DRIVES		PRINTERS	
+64CK 4 77/9 54 MH		COMPLIT	COMPLITERS			41.00	
 Color Mono Graphi 	cs Card			Bernoull 44MB Bernoull 81201	erro.	Allegro 24	Cell
 64 Key Keyboard 		Sharp Laptop	CallCall	Bernoulli B120X	9779		
	ort	Toshiba T-1000	\$799	Barrow & BOOMY	Cell	CITIZEN 120 D	***
•1 - Parallel Printer F	Port	Toshiba T-1200FB	1569	Bernouth B220X Core Hard Drives	Cell	1200	3146
+1 - Clock Galensar +MS DOS 3.3		Toshiba T-1299HB	2419	Miniscribe 20 MB	240	180 D . MSP 40	285
		Toshiba T-3200		Diag	Cell		
Monochrome Monstor .	5900	Toshiba T-5100 Toshiba T-3100E Toshiba T-5200	4895	Priam Sesgate 20 MB w/Cont	250	MSP50 Tribute 124	385
Calor Monitor	910	Tosheu T-5200	Cell	Seacate 30 MR w/Cont	279	Tribute 124	455
	1000000	Toshiba Accessories	Cell	Seagate 60 MB	Cell	EPSON - Call on all models	
ARC PRO TL		Zenith Laptop	Call	Seacete PS/2 25 30	Cell	NEC Products	Cell
+512K RAM 8/12 MH						OKIDATA - Call on all models	
 EGA/MDA Graphic 	a Card	VIDEO BO	ARDS	Sasgeta ST 135 m/Cont Sasgeta ST 251 Sasgeta ST 4095	Cell		
+101 Key Keyboard +2 - RS-232 Serial P		AST VGA Plus	\$340	Saegate ST 251	349	OK1990 OK1991 OK1993	Cat
*2 - PIS-232 Secul P	pets			Saagata ST 4095	545	OKI391	Call
-1 - Clock Calendar						OKI393	Call
-MSDOS11		EVEREX VGA EVERS	240	MODEMS		PANASONIC 1080-1192	
Monochrome Monitor	\$1279	Genos 5200	Cell	Everex 300/1200	***	1080-1M2	100
Color Monitor	1439	NEC 1024	Call	Everes 2000 (200)	500	1091-1M2	Call
EGA Monitor	1550	Orchid Designer 800 Orchid Pro Designer Orchid Pro Designer Plus Paradise Autoswitch EGA Paradise VGA Plus	249	Everex 2400 INT	135	1092-1	. 321
RC 386 Skyacra	ner Cell	Ordina Pro Designer		Everes 2400 MNP EXT	139	1124	Call
		Provides distances on ECA	Call	Everex Mini 1200	Ce2	1524	Call
ACCESS	ORIES	Paradise VSA Plus	Cell			1592 3131	409
py II PC Deluse Board		Paradise VGA Proff	385			3125	329
DANIE CONTROL BONG	3101	Vega V RAM	Cell	Molecus Y200 INT	Call	STAR MICRONICS NX1000	
rtis Ruby Plus rytronics Keyboards .	Cell			Holmes 1200 INT Holmes 2400 INT	Cell	NX1000	179
gical Connection	Cell	AT&T				NX 1000 Color . NX 15 NX 2400	200
sch-fil. Jovetick	38	ATRT 6300 WGS, 10MHz				NY 2400	Call
ach fil Joystick	65	ATAT 6266 WGS, 12MHz	3099	U.S. Robotics Courier 2400 U.S. Robotics Sportstar 1200	Call	TORWEN	
asterpiece Plus TC 101 Keyboard	. 95	ATATANAMONS MAH	2190	U.S Robotics Sportster 1200	Cell	TOSHIBA 321 SL	Cell
TC 101 Keyboard		AT&T 6386 WGS, 16MHz AT&T 6386, 20MHz, 135 M	BHD 4599	U.S. Robotos Sportster 2400	Cell	34151	Cell
ed-Watt	65	ATB T 6386E, 20MHz, 135 I	MBH D Lan			351 SX	Cell
O Watt Power Supply	- 10	Server Tower	5399	DIGITIZERS	5	341 SL 351 SX P311	Call
BOAR	ne	UPS		Kurta Tablets	Cell		
				Summa Graphics	Cell	FREE SUFTWA	HE!
T Advantage Premium	512K 8429	Emerson				Purchase over \$100 and receive of drake absolutely FREE! Purch	ne of these
T Bamason T 613V	Cell	UP\$200	Cell	MICE/SCANNE	ERS	\$250 get two free disks, over \$40	eses over
T I/O Mini XT IT Rampage 2, 512K IT Rampage 256 Plus, 1 IT Sixpac Plus w/64K	STOK Cell	UPS300	Cell	Complete Scanners	2170	or cet all four disks when your o	o got irree.
T Storner Physics MAK	120	UPS 600	Call	Detacopy	Cell	over \$500°	Partition is
		073 300	Cen	HP Scenier	Cell	1) MIXED BAG, 2) PC-WRITE.	
		EGA MONI	TORC	HP Scanjet Logrech Clear Logrech HiPes	Cell	3) FONT-SET. 4) OR. DATA LAB	11
erex RAM 3000 erex Magic Card erex Mutt Function EM				Logitech HiPies	Cell	WE CARRY TARGUS LAPTOP I	1400 CHI
erex Magic Card		Goldstar EGA w/Swivel .	Cell	Logitech PS/2	Cell	WE CANNT IANGUS LAPTOP	MUD CE
		Mitsubishi Diamond Scan	Cell			WAREHOUS	-
rerex Magic I/O.	Call	NEC - Multisync II .	Call	Logitech Senal .	- 68		
rerex Magic I/O.	Call			Logitech Senal . Messanti Rus at Parethoush	68	PARLITON	
rerex Magic I/O.	Call			Logitech Senal . Microsoft Bus w Paintbrush . Microsoft Senal w Paintbrush	. 92	PAREITO	
rerex Magic I/O.	Call			Logitech Senal . Messanti Rus at Parethoush	. 92	PAREITO	
erex Magic I/O. ercules Graphics Plus soard 388 PC all Above 286, 512 K crosoft Mach 20	Cerl 179 Cerl Cerl 267	Princeton Utra 16	Cell Cell S360	Logitech Senal . Microsoft Bus wi Paintbrush Microsoft Senal wi Paintbrush Panasonic FX-RS 505	Call		PRO
erex Magic I/O. ercules Graphics Plus poard 386 PC all Above 286, 512K orosoft Mach 20. child Tiny Turbo	Cell 179 Cell Cell Cell 287 289	Princeton Ultra 16 Princeton Ultra Sync Samsung CM 4531 Semtron Multisync Sony Multiscan	Cell Cell \$360 446 Cell	Logitech Senal . Microsoft Bus w Paintbrush . Microsoft Senal w Paintbrush	Call	No Charge	for
erex Magic I/O. ercules Graphics Plus soard 388 PC all Above 286, 512 K crosoft Mach 20	Cell 179 Cell Cell Cell 287 289	Princeton Utra 16 Princeton Utra Sync Samsung CM 4531 Santron Multeyne Sony Multiscan Zanth	Cell S369 449 Cell Cell	Logitech Senal Microsoft Bus wiPainthrush Microsoft Bus wiPainthrush Panasonic FX-RS-505 MONITORS AMDEK 410	Call Call	No Charge MasterCard o	for Visa
erex Magic I/O. Incules Graphics Plus lossed 596-PC all Above 266, 512K crosoft Mach 20 third Tiny Turbo CO-PROCI	Cell 179 Cell Cell Cell 287 289	Princeton Utra 16 Princeton Utra Sync Samsung CM 4531 Santron Multeyne Sony Multiscan Zanth	Cell S369 449 Cell Cell	Logitoch Senal Microsoft Bus w/Parethrush Microsoft Senal w/Parethrush Panesonic FX-RS-505 MONITORS AMDEK 410 Celefota Amber w/Swizel	62 Call \$145	No Charge MasterCard o	for Visa
eres Magic I/O. Incules Graphics Plus obard 386/PC all Above 286, 512K orosoft Mach 20. child Tiny Turbo CO-PROCI TEL 287	Cell 179 Cell 297 289 ESSOR	Princeton Utra 16 Princeton Utra Sync Samsung CM 4531 Samtron Multerine Sony Multiscan Zenth	Cell S360 440 Cell Cell	Logitoch Senal Microsoft Bus w/Parethrush Microsoft Senal w/Parethrush Panesonic FX-RS-505 MONITORS AMDEK 410 Celefota Amber w/Swizel	62 Call \$145	No Charge MasterCard C	for or Visa
eres Magic IIO, recisies Graphics Plus posed 586-PC 84 Above 286, 512K oresoft Mach 20 child Tiny Turbo CO-PROCI TEL 287 287 8	Cell 179 Cell 287 289 ESSOR Cell Cell Cell Cell Cell 287 289 Cell Cell Cell Cell Cell Cell Cell Cel	Princeton Utra 16 Princeton Utra Sync Samsung CM 4531 Samtron Multerine Sony Multiscan Zanth	Cell S360 440 Cell Cell	Loginech Senal Merasoth Bus w Painthrush Microsoft Senal w Painthrush Penasone FX-RS 505 MONITORS MONITORS AMDEK 410 Goldstar Amber w Swivel Magnasis R 08 MIC 05 Amber	\$145 79 255 Cell	No Charge MasterCard of	ofor or Visa
eres Magic IIO, recisies Graphics Plus posed 586-PC 84 Above 286, 512K oresoft Mach 20 child Tiny Turbo CO-PROCI TEL 287 287 8	Cell 179 Cell 287 289 ESSOR Cell Cell Cell Cell Cell 287 289 Cell Cell Cell Cell Cell Cell Cell Cel	Princeton Utra 50- Princeton Utra 50- Princeton Utra 50- Samsung CM 4531 Samsu	Call Call 5369 446 Call Call Call Call Call Call Call Cal	Loginech Senal Mensest Bas mParrithrush Microsoft Senal in Parrithrush Panasone FA PS 505 MONITORS AMDEX 410 Goldstar Amber w/Saviel Magnasia FGB NEC 63 Amber MEC Monesth w/Lord	\$145 79 255 Call	No Charge MasterCard of TERM	ofor or Visa
erre Magic IO. recules Graphics Plus bosed Side Pic M Above 286, 512K orosoft Mach 20 chid Tiny Turbo CO-PROCI TEL 287 287 287-10 287-10 287-10 287-10 287-10 287-10	Cell 179 Cell 287 289 ESSOR Cell Cell Cell Cell Cell Cell Cell Cel	Princeton Utra 16 Princeton Utra Sync Samsung CM 4531 Samtron Multerine Sony Multiscan Zanth	Call Call 5369 446 Call Call Call Call Call Call Call Cal	Loginch Senal Microsoft Base m'Parrithrush Microsoft Senal w Paintbrush Panasonic FX-RS 505 MONITORS AMDEK 410 Goldstar Janber w Savirel Magnesis RGB Microsoft Anne NEC GS Anne NEC Monograph w Card Processed Magnesis PC	\$145 79 255 Cell Cell 138	No Charge MasterCard of TERM	ofor or Visa
erre Magic ID. recisies Graphos Plus soard 388 PC all Above 286, 512K crosoft Mach 20 chid Tiny Turbo CO-PROCI TEL 287 287-6 287-9 387-92 387-92 387-92	Call	Princeton Ultra 99 Princeton Ultra 99 Samsung CM 4531 Samtron Multi-grac Sony Multi-grac Zarvith FLOPPY DI Teac 51/* 386X Toshiba 31/* 1444MB Toshiba 31/* 720K	Call Call S300 446 Call Call Call Call Call Call Call Cal	Leginot Senal Microsoft Bas an Plantitrush Microsoft Bas an Plantitrush Microsoft Senal w Pantitrush Panasons FX-R5 505 MONITORS AMDER 410 Goldstar Amber w/Sarvel Magnesoft R6 Natio Goldstar Amber W/Sarvel Microsoft Mas 12 Princeton Mas 12 Princeton Mas 12 Princeton Mas 13 Microsoft Mas 15 Micr	\$145 79 255 Cell 136 Call	No Charge MasterCard of TERM	ofor or Visa
rere Magic I/O. serciáns Graphos Plus bosará 388 Por tal Above 286, 512K crosoth Mach 20 crosoth Mach 20 crosoth Try Turbo CO-PROCI TEL 2887 2887 3887 3887 887 872	Call 179 Call Call 287 289 ESSOR Call Call Call Call Call Call Call Cal	Princetor Utira 99 Princetor Utira 99 Samsung CM 4531 Samtron Multisyme Sony Multiscan Zervith FLOPPY DI Take 514" 2604 Tolnible 379" 1.444MB Tolnible 379" 720X HARD CA	Call Call Sale Call Call Call Call Call Call Call C	Logitoch Senial Microsoft Base an Plannthrush Microsoft Senial in Painthrush Panasonic F.X.R.9.505 MONITORS AMDER.410 Goldstar Amber wiSannel Microsoft Senial Indiana Microsoft Senial Microsof	92 Cell \$145 79 255 Cell Cell 138	No Charge MasterCard c TERM Shapping on most soft AZ ordara + 8.7% Paradonal company	ofor or Visa
erre Magic IIO. recuise Graphos Plus soard 588-PC soard 588-PC soard 588-PC crosoft Mach 20 child Tery Turbo CO-PROCI TEL 287 287-8 287-9 387-8 387-8 387-8 72 87	Call 179 Carl Carl 287 289 ESSOR Call Call Call Call Call Call Call Cal	Princetor Utra 96 Princetor Utra 97 Samsung CM 4531 Saentron Multisgne Sony Multiscan Zarith FLOPPY DI Taca 51/* 3651 Toshiba 37/* 744MB Toshiba 37/* 720K HARD CA	Call 5368 446 Call Call Call Call Call Call Call Cal	Logitoch Sonal Micropot Bas an Plantitrush Micropot Bas an Plantitrush Micropot Sonal in Plantitrush Parasance 72-18-356 MONITORS AMDEK 410 Goldstar Amber wiSarivel Magnatus fi QB Antoe Karlo Goldstar Amber wiSarivel Magnatus fi QB Princeton Max 18 Serricing TIL Amber Serricing TIL Amber	5145 79 255 Cell 68 138 Cell 78 00	No Charge MasterCard of MasterCard of Term. Shapping on most solid AZ ordars + 6.7% Parson incompany four team (14) days 1 accept purchase a	ofor or Visa Sales to chack all or clear 1 or clear 1
rere Magic IIO. reculais Graphica Plus bosed 388-PC bosed 388-PC bosed 388-PC cohel Tiny Turbo CO-PROCI TEL 2887-8 2887-9 2887-9 2887-9 3887-9 3887-9 3887-9 3887-9 3887-9 3887-9 3887-9 3887-9 3887-9 3887-9 3887-9 3887-9	Call 179 Carl Carl 287 289 ESSOR Call Call Call Call Call Call Call Cal	Princetor Utra 96 Princetor Utra 97 Samsung CM 4531 Saentron Multisgne Sony Multiscan Zarith FLOPPY DI Taca 51/* 3651 Toshiba 37/* 744MB Toshiba 37/* 720K HARD CA	Call 5368 446 Call Call Call Call Call Call Call Cal	Logitoch Sonal Microsoft Bas wi Plantitrush Microsoft Bas wi Plantitrush Plantitrush Plantitrush Plantitrush Plantitrush Plantitrush MONITORS AMDEIX 19 AMD	92 Call \$145 79 255 Call 138 Call .78 99	No Charge Master Card of Master Card of TERM. Shipping on most solh AZ ordard - 6.7% Par so mack company accept purchase a author-gad institution.	ofor or Visa S Salas ta chack all o claar 1 ordars for ons for 3 to
erres Magic IIO. recules Graphics Plus board 1988-PC board 1988-PC board 1988-PC co-PROCI TEL 1287-8 1287-8 1287-9 1887-20 1887-20 1887-20 LASER PRI LASER PRI LASER PRI	ESSOR	Princetor Utra 96 Princetor Utra 97 Samsung CM 4531 Saentron Multisgne Sony Multiscan Zarith FLOPPY DI Taca 51/* 3651 Toshiba 37/* 744MB Toshiba 37/* 720K HARD CA	Call 5368 446 Call Call Call Call Call Call Call Cal	Logitoch Sonal Micropoth San an Parethrush Micropoth San an Iwanithrush Plenssone 7-18-505 MONITORS AMDEK 410 Goldstar Amber w-Saivel Magnasar ROB MEC GS Amber MEC GS Amber MEC Microposph wCard Princeton Max 15 Enricop Titl Amber Sarrison FIL Amber	\$145 79 255 Cell 138 Cell 138 Cell 78 99 240	No Charge Master Card of Master Card of TERM. Shipping on most solh AZ ordard - 6.7% Par so mack company accept purchase a author-gad institution.	ofor or Visa S Salas ta chack all o claar 1 ordars for ons for 3 to
erex Magic I/O, erex Magic I/O	ESSOR Call 287 287 287 287 287 287 287 287 287 287	Princeton Use 3 Sym Samusing DA 4531 Sam	Call 5368 446 Call Call S368 A46 Call Call Call Call Call Call Call Cal	Logitoch Sonal Micropoth San an Parethrush Micropoth San an Iwanithrush Plenssone 7-18-505 MONITORS AMDEK 410 Goldstar Amber w-Saivel Magnasar ROB MEC GS Amber MEC GS Amber MEC Microposph wCard Princeton Max 15 Enricop Titl Amber Sarrison FIL Amber	\$145 79 255 Cell 138 Cell 138 Cell 78 99 240	No Charge Master Card of Master Card of TERM. Shipping on most solid AZ ordard - 6.7% Par son accompany company accapt purchase a author-gard institution.	ofor or Visa S Salas ta chack all o claar 1 ordars for ons for 3 to
eren Magic I/O, eren Magic I/O, ereculas Graphos Phas board 589 PC en al Above 266, 502K en a	ESSOR	Princeton Use 30 years Samusey CM 4531 Samusey CM 4531 Sory Malliscen Zenth. FLOPPY DI Taba 511-544MB Toshba 311-144MB Toshba	Call Side Side Side Side Side Side Side Side	Logitoch Sonal Micropoth San an Parethrush Micropoth San an Iwanithrush Plenssone 7-18-505 MONITORS AMDEK 410 Goldstar Amber w-Saivel Magnasar ROB MEC GS Amber MEC GS Amber MEC Microposph wCard Princeton Max 15 Enricop Titl Amber Sarrison FIL Amber	\$145 79 255 Cell 138 Cell 138 Cell 78 99 240	No Charge MasterCard TERM Shipping on most solution AZ or offact = 6.7% Par solval company or care by purchase a subnovade institution solvents our approved a 20% restock les. A solution change of the change of	ofor or Visa S Salas ta chack all o claar 1 ordars for ons for 3 to
erex Magic I/O, erex Magic I/O	ESSOR Call 287 287 287 287 287 287 287 287 287 287	Princeton Use 3 Sym Samusing DA 4531 Sam	Call 5369 Call 5269 Call 5269 Call 529 349	Logitoch Sonal Microsoft Bas wi Plantitrush Microsoft Bas wi Plantitrush Plantitrush Plantitrush Plantitrush Plantitrush Plantitrush MONITORS AMDEIX 19 AMD	5145 5145 79 255 Cell 138 Cell 138 Cell 99 240 Cell 99 240 Cell 99 240 250 250 260 260 260 260 260 260 260 260 260 26	No Charge MasterCard of MasterCard of Term. Shapping on most solid AZ ordars + 6.7% Parson incompany four team (14) days 1 accept purchase a	ofor or Visa S Salas ta chack all o claar 1 ordars for ons for 3 to


All Prices are subject to change
 We do not guarantee compatibility We stock all available products.

EASYFLOW

An on-screen flowchart processor that knows about flowcharts - not just another "screen draw" program that makes you do most of the work. EASYFLOW is a powerful full-screen graphics program dedicated to flowcharts and organization charts. With it you can quickly compose charts. More important, you can easily modify charts so they are always up to date. - Automatic: Fully automatic text centering within shapes, both horizontally and

- vertically. Fully automatic line routing & re-routing.
- Fast: Written in assembly language for speed.
- Large: Charts up to 417 columns wide by 225 lines high. Chart too large for your printer? EASYFLOW automatically breaks the chart up & prints it in page size pieces.
- Standard: All standard flowcharting shapes included. Custom shapes can be ordered. ➤ User friendly: Don't take our word for it. PC Magazine says "EASYFLOW lives
- up to its name. It's hard to imagine any easier and more flexible way to produce basic and even complex flowcharts", [March 10th 1987 issue, page 278.] Mouse: Optional but fully supported.
- ► It prints: On most popular matrix printers including IBM, Epson, Toshiba, HP LaserJet, LaserJet-Plus and many others
- ▶ It plots: On HP7440, 7475, 7550, 7570, 7585B and compatible plotters. It works: We are contractually prevented from mentioning the name of the "big eight" accounting firm that purchased a world-wide site license, but we can tell
- you that they spent months evaluating all available flowcharting packages before choosing EASYFLOW Rush delivery: Order by noon today (eastern time) and you'll have it tomorrow. Rush delivery charge is \$10.50 (instead of \$2.00) and is available only to
- continental USA and Canada Documented: 100 page manual plus over 150 screens of context sensitive help. FasyFrow works on IBM PC's, IBM PS/2 and compatibles, Requires 384 K memory, DOS 2.0 or higher and an IBM CGA/EGA/VGA or Hercules monochrome compatible

Order direct for only \$149.95 + \$2.00 S&H (USA/Canada), \$10.00 (foreign), Payment by M.O., cheque, VISA, Mastercard or Company PO



The chart fragment above was produced on an HP LaserJet-Plus and is actual size and unretouched. Publication quality charts like this can be produced using only minutes of preparation time and seconds of print time

HavenTree Software Limited Order Desk: 1-800-267-0668 PO Box 1093-P Information: (613) 544-6035 ext 49 Thousand Island Park, NY 13692

Telefax(G3): (613) 544-9632

ENVIRONMENTS

TID (thread ID). COLOR (a 32-bit red/ green/blue color), ATOM (a number that represents a character string), FIXED (a 32-bit value interpreted as a 16-bit integer and 16-bit fraction), MPARAM (a message parameter to a window procedure), and MRESULT (a message result from a window procedure). The header files also define far pointers to all the following data types: PSEL, PPID, PTID, PCO-LOR, PATOM, PFIXED, PMPARAM, and PMRESULT

WHAT ABOUT 80386 POINTERS? In the 8088 through 80286 microprocessors, a far pointer is 32 bits-16 bits for the segment and 16 bits for the offset. Under the 80386, the size of a segment increases dramatically (by a factor of 64K). An 80386 far pointer has a 16-bit segment and a 32-bit offset, a total of 48 bits.

What happens to those structures that contain fields defined as far pointers? Won't the size of the structure increase as we move from the 80286 to the 80386?

Well, maybe not. There are actually a

■ The 80386 allows an operating system to use a flat address space for some programs and a segmented model for others.

couple of different ways to implement an 80386 operating system. Those of us who have been programming for the IBM PC for much of this decade have become so accustomed to segments and offsets that segmented architecture seems like the natural order of the world.

But it's possible that IBM and Microsoft may decide to abandon segmented architecture in the 80386 version of OS/2 and to adopt a flat 32-bit address space with one big segment for the program's code and data. The 80386 allows an operating system to use a flat address space for some programs and a segmented model for others. Programs written for the 80286



Why build a printhead that can punch through aluminum, when all you need is a clear impression on a 5-part form?

The answer is uncompromising quality.

We built our new 300 Series 9-pin and 24-pin printers tougher and more reliable than they have to be. With printhead pins of cemented carbides, one of the hardest metals known, they're tough enough to make a crisp impression on a sheet of aluminum. So you can imagine how sharp they'll look driving clear to the bottom of a 5-part form.

Even after printing on aluminum, we look this good on paper.

Our engineers call this "championship specs." More than 3 million loyal users call it rugged reliability. And it shows in the quality and performance of every printer and modem we make.

Call 1-800-OKIDATA for the dealer nearest you.

CIRCLE 235 ON READER SERVICE CARD





DITURES PC Magazine presented our Maroine 320/321 LHOUGE, with their renowned "Editor's Choice" awardenconstration above made using a 24-pin MICROL INC 391 moter without ribbon on a sheet of .005 inch gauge alaminium crucial unreconded photographic.

OKIDATA is a registered trademark of Oki America, Inc. Manque deposée de Oki America, Inc. PC Magazine is a trademark of Ziff Communications Company

■ ENVIRONMENTS

version of OS/2 would continue to use segmented addressing. In this case, far pointers remain at 32 bits and the size of the Presentation Manager structures remains the same.

FUNCTION DECLARATIONS 1 mentioned at the outset that all the OS/2 functions are documented in terms of the new data types and declared in the Presentation Manager header files in the same way.

This is why it's necessary for you to learn the new data types before attempting to decode these functions. But now we're ready to look at a few

real function declarations. Here's a function I mentioned a few times in the previous issue:

ROOL APIENTRY SpisetColor (NFS, ULONG) ;

Like all of the other OS2 functions, this is an APIENTRY function—it requires a far call and uses the Pascal calling sequence. The first parameter is a handle to a presentation space; the second parameter is an unsigned long (which happens to specify the color). The function returns a BOOL, which is actually an unsigned short.

The GpiLine function takes a handle to a presentation space and a far pointer to a POINTL structure:

ULONG APIENTRY OPILING (HPS, PPOINTL) ;

The function returns a ULONG (unsigned long).

Here's a function with nine parameters.

which is called from almost every Presentation Manager program:

HNND APIENTRY WINCreateStdWindow (SWND, ULONG, PULONG, PS2, PS2, ULONG, HHODULE, USHORT, PSNND);

The first parameter is an HWND (handle to a window) and the last parameter is a far pointer to an HWND. The other parameters are two ULONGs, one far pointer to a ULONG, two far pointers to a ULONG, two far pointers to zero-terminated strings (PSZ), a handle to a dynamic link library module (HMODULE), and a USHORT.

AND MORE TO COME I have been discussing how the language of the Presentation Manager API is defined within the PM header files. We have seen that included in the header files are definitions of the new data types, structure definitions, definitions of identifiers for passing constants to functions, and the function declarations of the membel with the property of t

This certainly covers the bulk of the header files, but there is still more. In next issue's Environments column I will discuss a few macros, specifically those that help you work with the Presentation Manager messages.





"Daddy says he owes his success to who he met in college, who he met in business and to Mommy who told him to save his information on Sony data cartridges."

tant. Because a data cartridge is used for critical document storage. So it goes without saying that reliability is its most important asset. And reliability is unmatched

in Sony data cartridges.
After all, reliability in a data
cartridge means only one thing:
no loss of data. And, when it
comes to that, Sony data cartridges have been proven measurably better.

As the two charts on this page show, Sony data cartridges have the lowest dropout rate of any data cartridges made. Even after 5,000 passes.
Perhaps that's because only
Sony manufactures every single





part of their data cartridges.

Or perhaps it's because Sony has such a long history of painstaking perfection in data storage for every media.

Including the invention of the 3.5" floopy disk format.

The benefit of all our expertise will not only help your firm, it will also help you at your firm when you tell them: To make sure your critical documents are safe, just save them on a Sony.





We Took The #1 Editor's Choice In Remote Computing And Kept Going.

ANNOUNCING pcANYWHERE III

Where do you go when you're already at the top?

Up! And up! And up!

The PC Magazine #1Editor's Choice in Remote

Computing is now even faster. Even easier to use and even more clearly the leader, with new, unbeat able features that can't be found anywhere else.

Plus, now you can use pcANY WHERE III' with

PC MacTerm¹¹ to run a PC from your Macintosh. PC Magazine wrote: "pcANYWHERE is one of those rare programs that costs less than the competition yet offers better performance."

THE BEST IN THE BUSINESS JUST GOT BETTER

pcANYWHERE III lets you run any PC remotely from any other PC, terminal, or Macintosh. Completely control all programs, data, attached peripherals, and internal cards, such as network adapter cards, on the distant computer. Hansler files, Print on either end. All with complete security

pcANYWHERE III is also the best solution for remote access to a Local Area Network. In fact, Novell chose pcANYWHERE III for remote computing with its new NetWare Asynchronous Communications Server (NACS)." These are only some of the great, new features:

AUTOMATIC CALL BACK prevents unauthorized access, and lets you control which side of the communication abouths phone charges. DAIL DIRECTOM'Rets you store a list of phone numbers and make calls with a single keystroke. CALL LOGGING records call time and duration—great for client billing and customers support.

VOICE/DATA SWITCHING lets users talk into the same phone line being used for data transmission. RECORD AND PLAYBACA is excellent for remote diagnostics and training, entire remote sessions can be captured and played back later BETTER THAN A CARBON COPY

PCTech Journal: "What is the final verdict on Carbon Copy PLUS...its Teatures are surpassed by those of a

Copy PLUS...its features are surpassed by those of a package recently reviewed —pcANYWHERE...ease of use, dependability, lexibility of operation, cost effectiveness. On these secrets, pcANYWHERE is the better alternative." PC Magazine: "If there's one program that can handle it

performed flawlessly... inexpensive enough to be installed wherever there's a modern." Family and Home-Office Computing: "A 'best buy' in

Family and Home-Office Computing: "A 'best buy' i my book"

And they didn't even see pcANYWHERE III! LOW PRICE INCLUDES BOTH HOST AND REMOTE SIDES

Best of all, pcANYWHER: III retails for only \$145. Million of the retained of the software necessary of the postof pcANYWHER! III provides the software necessary of the posttion of the post-post of the post-post order, call your lead dealer or definition of the order (DAW at 226-687/115, or white to Dynamic Microprocessor Associates, Inc., of East 24th (Street, State 100.)

p.ANYMIERE III. p.ANYMIERE, and PC Moc Term ore tradements of Disease. Movement ever Associates Office mode to an incidence of their monotonesses.

New York, NY 10165





p:ANYWHERE III. THE INDUSTRY CHOICE FOR REMOTE COMPUTING.

COMPARING DOS AND OS/2 FILE SYSTEMS



The OS/2 equivalents of QFN.C and QFN.ASM conclude the Power Programming Library updates; a hard look at the limitations of the FAT file system yields insights into the future.

uch carping and not a little criticism has been directed at DOS's so-called FAT (file allocation table) file system lately. In the early days of MS-DOS, the superiority of the FAT file system over its historical predecessor (the CP/M file system) was so glaringly obvious that few programmers were inclined to complain. At that time, too, few users knew of anything better. But, as fixed disks have grown larger and users familiar with more-sophisticated file systems on workstations and minicomputers have come into the microcomputer world, the Panglossian attitude toward the FAT file system has begun to fade. The gripes about the DOS file system

focus on

- the 8- and 3-character limitations on filenames and extensions;
 the 64-character limit on paths;
- file access performance on large fixed disks:
- the tendency of files to become fragmented (to be assigned to disk sectors that are not adjacent, which slows file access);
 the limited amount of information maintained in the disk directory; and

the infamous 32MB volume limit. The adventious group of early OS/2 users and software developers are the most recar addition to the peanut gallery of FeAT critics. Once hand, these people are relieved that OS/2 can read and write disks formatted by DOS, making moving files between the two environments effordless. On the other hand, they had apparently hoped (in defiance of common sense) that OS/2 could provide this media compatibilities. ity and simultaneously offer a dramatically better file system.

Thus the FAT file system has become the file system that people love to hate. Before jumping on the bandwagon though, let's take a quick look at file system terminology in general, at the FAT file system's classic limitations and the reasons for them in particular, and at some possibilities for the future.

FILE SYSTEM TERMINOLOGY
"File system" is a nasty, overloaded computer term that can have two completed, or only the system of storage, such as a floopy disk, "file system" refers to the interdependent tables, control areas, and storage areas written on the disk. Takentogether, the various elements of a file system define the locations of all files, their contents, and the disk's free space.

As shown in Figure 1, the file system on 2DOS disk is made upon the bost sector, the root directory, the file storage area, and the file allocation table, which describes the usage of each allocation used (cluster) in the file storage area also contains all of the directions of the contains areas are initialized by the FOR. MAT program, and the boxt sector contains a table should be described by the folder of the contains areas are initialized by the FOR. The contains areas are also all the contains a section of the form of the form of the file of the form of the form of the file of the form of the file o

When used in connection with an operating system, the term "file system" refers

to those internal routines that translate application program requests to manipulate files into appropriate directives to the system's disk device driver. The driver is the module that issues the actual hardware-dependent commands to the disk itself. In both DOS and OS/2, the file system con-



Figure 1: These areas are initialized by the FORMAT program. The boot sector contains a table called the BIOS Parameter Block (BPB), which completely describes the disk's characteristics.

■ POWER PROGRAMMING

verts application program file function calls into requests for the transfer of logical disk sectors. The file system then uses the information it finds on the disk in the boot sector, FAT, and directories, as illustrated in Figure 2. The driver, in turn, converts logical sector numbers into physical unit, head, cylinder; and track addresses.

FAT FILE SYSTEM PROBLEMS
Many of the limitations of the FAT file
system have their origins in other systems.
When Tim Paterson was writing 86-DOS
(which later evolved into DOS 1.0), he
adapted the file allocation table concept
from Microsoft's standalone BASIC.




Figure 2: The handling of a disk access request demonstrates the relationship between application program, the operating system kernel (with its embedded file system module), the disk driver, and the physical disk device.

which was the first high-level language to nu on the famous Altair microcomputer. The use of a centralized table in which each entry represents a disk allocation unit and the entries are chained together to represent files—the FAT—was ideal for floppy disks. In a floppy disk system the unitper of allocation units was small enough that the entire FAT could be kept in memory at all times.

yd all times.

As mulippe Grive systems and largetical disk Janue become continuo, busine the disk Janue become continuo, busine treated by the continuous and the continuous formation of the continuous and the continuous formation of the continuous and the continuous simply not practical to keep the entire FAT for each drive resident in memory. The memory is needed for the execution of application programs, instead. Consequently, since the operating system must also read in FAT section in order to locate the require time-consuming disk head movements—even when the data in the file itself is stored in configuous sectors.

Moreover, when a file is being created or extended, the FAT must be searched sequentially for a free slot to be assigned to each chank of data as it is written. Since there is no guarantee that free slots will be well localized, performance is degraded both when the file is written and when it is accessed later. Pieces of the file are likely to be scattered all over the file.

The 8-character limit on DOS filenames and the 3-character limit on extensions descends directly from Digital Research's CP/M operating system for 8080and Z-80-based microcomputers. Paterson wanted to make it as easy as possible to port existing CP/M application programs to 86-DOS, so he cloned the file control blocks (FCBs) used in CP/M to open, create, read, write, and delete files. The FCBs have fixed-length fields for filenames and extensions, which were propagated by Paterson into the format of disk directory entries. Even though most DOS programs today use the more-powerful "handle" file functions (introduced in MS-DOS, Version 2.0) instead of FCBs, the 8-plus-3 limit is still with us because of the structure of disk directories.

Little is known about the origin of the 64-character limit on pathnames. This limit appeared in DOS 2.0 (the first DOS ver-




Figure 3: A hypothetical relationship between the application program, the operating system kernel, an installable file system, the disk driver, and the physical disk device.

sion to support a hierarchical directory structure) and has remained unchanged in subsequent versions. The number appears to be completely arbitrary, and was probably one of those implementation decisions that "seemed reasonable at the time."

That old bugaboo, the 32MB limit on volume sizes, has a very clear and simple basis, however. The file system in the DOS kemel issues its requests for logical sectors to the disk driver by passing the

driver a pointer to an information structure called a request packer. The request packet field that holds the sector number is 16 bits long, which allows 65,536 sectors to be identified: 0 through 65,535, 65,536 times 512 bytes (the standard sector size in IBMcompatible systems) is 32MB.

In Compag DOS 3.31, and now in IBM and Microsoft DOS 4.0, the definition of many internal disk-related tables and structures, the BIOS Parameter BIOS, and the disk driver read/write request packets have been changed to support 32-bit sector numbers. DOS 4.0 can theoretically, therefore, support volumes as large as 2 gigabytes. The new limiting factor is the 32-bit file pointer used in the system file ta-

FUTURE FILE SYSTEMS Versions 1,0 and 1,1 of 0.52 use a FAT file system just like that of DOS. OS2 Version 1.1 supports volumes larger than 32MB in the same manner as DOS 4.0. In response to the other criticisms of FAT file systems, Microsoft and IBM have stated that 052 will be upgraded to support something called an "installable file system," but they have revealed few details. Let's try to

imagine what they have in mind.

As far as the operating system goes, we can easily predict that the file-system logic will simply be segregated into a separate, replaceable file. This would be loaded into memory as the result of some CON-FIG.SYS file directive, much like a device pass "logical" file manipulation requests (in terms of opens, closes, reads, writes, and so forth) to the file system module, and the file system module would request disk sector reads and writes from the disk driver via the kernel. Figure 3 illustrates such a hypothetical future system.

Once some such mechanism is in place, there is no reason why multiple file-system modules can't be loaded at once, each assigned to a different logical drive. That will allow an OS/2 program to read or write disks in any imaginable format. The operating system needs a "default" file systems on that it can boot itself off the disk.

presumably, the FAT file system.
"Externalization" of the file system
from the operating system kernel in this




Figure 4: The OSI2 version of QFN.ASM, which qualifies filenames. The DOS version appeared in the July 1988 Power Programming column.

■ POWER PROGRAMMING

manner will open up a whole new range of opportunities for ordivate bouses. An ordivate house. An opportunities the interface between the kernel and the the file systems is published, a new file the file systems is published, and will have been can be written by anyone willing to give to the trouble, just as a new device can be written now. A period of rapid file system evolution is bound to follow opportunities of the properties of the pro

Installable file systems sound very attractive, but how likely is it that they will arrive in our lifetimes? Pretty likely, I'd

puess, and here's why: in a thinly disassied form, incluable file systems have been supported in DOS for quite a while peared in DOS for quite a while speared in DOS version 3.1, is really just an installable file system. It intercepts requests from application programs for file operations on logical drives assigned to a network device, and it sends the requestances the restrict of the properties of the programs of the properties are supported to a return of the programs of

The CD-ROM extensions, which Microoft has been selling for some selling for some income, are another example of an installable file system. The structure of a CD-Mod disk is nothing at all like that of a FAT-Format disk. This is partly because CD-Mod disks are so enormous (SOOMB), their seek intense are so long, and their data transfer rates are so slow that FAT access methods are imparcical. It is also because for non-volatile data there are much better ways to law out files and directories.

In short, knowing that DOS has served as an installable file system test-bed for a couple of years, and knowing that OS/2 al-

```
| March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | March | Marc
```

Figure 5: The OS/2 version of QFN.C, which qualifies filenames. The DOS version appeared in the August 1988 Power Programming column.

YOUR FAVORITE KEYBOARD. GUARAN

25% SMALLER FOOTPRINT.



That's right, Guaranteed. Right off the bat, you're going to wonder what to do with all that extra

desk space. Then you'll start typing and you won't believe it. If it sounds like we're excited about our

new keyboard, you're right, As soon as you get your new ZEOS*/RS keyboard, sit down and plug it in.

The first thing you'll notice is a lot of extra space on your desk. The ZEOS/RS (Reduced Size) keyboard is more than 25% smaller than regular 101 Enhanced keyboards yet it features the standard key sizes

and layout. Now start typing.

Can you believe it! That's what we're talking about.

If you don't agree this is the best feeling keyboard you've ever used, return it within 30 days for a full refund And that fantastic ZEOS Tactile/Click

feel isn't the only thing you'll notice. This keyboard is what speed typing is all about. Our new multi-key rollover feature can handle typing speeds in excess of 100 words per minute. You not only get the best keyboard made,

but you also get that extra ZEOS value. Like an anti-static dust cover at no additional change. Our famous ZEOS Full Year Warranty, toll free technical support and

Expedited Replacement policy are yours too. Start enjoying your new ZEOS/RS keyboard right away. Order yours now!

The ZEOS /RS Keyboard, Check These Features!

 25% smoller footprint thon regulor 101 Enhonced keyboords, yet ondard key size and spocing. ulti-key rollover every speed typist

will love. ■ Superb Mechanical Tactile feel with the perfect "Click!" = Fully XT/AT and PS/2 compatible. 30 day full money book guorontee and one year worranty. Anti-static dust cover included at no additional charge.

ORDER NOW TOLL FREE 800-423-5891

Open days, evenings and weekends. FAX Orders Dial: 612-633-2310 In Minnesota Call: 612-633-4591 MasterCard, VISA and C.O.D. 530 5th Avenue NW, St. Paul, MN 55112 Se habla Español.

CIRCLE 723 ON READER SERVICE CARD

A Special Note from the

President of ZEOS International: Why sell our own keyboard? Well, as you probably know, ZEOS makes some of the best '286 and '386 com-

puter systems around. We sell thousands of them

Not too long ago we started to notice something. People who bought computers

from us were calling back to order extra keyboards. We decided to call and find out why. These customers told us they love our computers (which we figured) but they love our keyboards too! They were actually going around replacing the keyboards on other

brands of computers they already owned They were switching everything to ZEOS keyboards! We figured other people might like to

replace their old keyboards too. That's why we ran this ad. I am personally asking you to give this keyboard a try. If you don't like it, we'll refund

every dime you paid. Guaranteed Greg Herrick, President

ZEOS International, Ltd.



Peans and 85.00 for shipping it has rading. Your ZEEN instruction we with the sundant of conductable for an additional for cold-extension of the radial of \$1000, ZEEN keybourds use the stand XEE, and the stand in
DAZZLING PERFORMANCE.



12MHz, 16MHz and 20MHz '286 HARD DRIVE SYSTEMS

As high as 20MHz! Dazzling performance is yours with one of these high performance full size ZEOS '286 Systems. Each comes complete with our standard features includ-

ing drives, monitor, high speed controller, etc. Our full size case features room for up to 5 half-high drives, two of which are internal. Incredible values.

 286/12—Complete 12 MHz System with 512K of Zero-Wait RAM, High Speed 32MB Hard Drive and all the standard ZEOS goodies. ONLY \$1395.00

■ 286/16 — Complete 16MHz system with 1MB RAM on board and High Speed 32MB Hard Drive. Faster than a 386 16MHz when running 16-bit software! ONLY \$1895.00

■ 286/20—At 20MHz, it's the fastest. Complete with our 32 MB, High Speed Hard Drive and IMB RAM. This is what Dazzling Speed is all about. ONLY \$2095.00

COMPLETE 12MHz '286 WITH 32MB HARD DRIVE ONLY \$1295.00

80286 CPU, 6/12 MHz Dual Speed, Keyboard Selectable.
 Zero-Wait State RAM, 512K expandable to 4MB on the

motherboard (16MB System Total).

32MB Hard Drive, 1.2MB Floppy Drive.

Ultra high speed Hard/Floppy controller. 1:1 interleave,

800 KB/sec transfer rate.

High Res 12" Amber Display with Tilt and Swivel Base.

Compatible graphics controller.

ZEOS Enhanced Keyboard, Pleasant Tactile/Click Feel.

Serial and Parallel Printer Ports.

Clock/Calendar with Battery Backup.

6-16 and 2-8 bit expansion slots.
 80287 support, up to 12 MHz.

80287 support, up to 12 MHz.
 Space Saver Case with Security Lock, LED indicators.

- Space Saver Case with Security Lock, LLD indicator

200,7

DAZZLING PERFORMANCE. INCREDIBLE PRICES. Can you believe it? Yes.

you can!
We've proven it to thousands and we would like to

sands and we would like to prove it to you. ZEOS* systems are sold *complete*, ready to plug in and fly right out of the box. And the quality

and prices are incredible.

How is it possible?

Because your ZEOS computer comes to you factory direct, fully assembled, burned-in and tested in our own laboratories. Every system is built to order. Custom built actually, right to your own specifications.

And our quality and per-

formance are second to none. We don't just say it. We guarantee it. That's why your new ZEOS system comes with a Full One Year

Limited Warranty and our 30 day Full Refund Satisfaction Guarantee. So pick out your dream

INCREDIBLE PRICES.



COMPLETE '386 VERTICAL SYSTEM. 64MB DRIVE! NLY \$2995.00

(20MHz add \$500)

Acknowledged worldwide as the highest performance value anywhere. Same great standard ZEOS features found on our other complete systems plus:

■64KB Zero-Wait CACHE using 64K of SRAM. ■ 1MB of 32-bit RAM system expandable up to 16MB.

■ 65MB High Speed Seagate Hard Drive. 80287 and 80387 optional.

Heavy Duty Vertical Case.

Call about our new 25MHz systems. Now Shipping!

COMPLETE 16MHz '386 DESKTOP WITH 32MR HARD DRIVE. (20MHz add \$500)

■ Genuine 32-bit Intel 80386, 16 or 20MHz parts.

■ 1MB of RAM Expandable to 16MB.

■ 32MB, High Speed Hard Drive, 1.2MB floppy drive.

 Ultra high speed Hard/Floppy controller. 1:1 interleave. 800 KB/sec transfer rate!

High Res 12" Amber Display with Tilt and Swivel Base.

Compatible graphics controller.

101 Key ZEOS Tactile Click keyboard.

■ Serial and Parallel/Printer Ports.

Clock/Calendar with Battery Backup.

2-32, 4-16 and 2-8 bit slots.

80287 and 80387 support.



machine and order it now with confidence, Dazzling performance and incredible prices await you. Guaranteed. Order now by calling 800-423-5891.

Other ZEOS Options Include:

■ Basic Configurations: Call for prices on systems

without drives, etc. EGA/VGA Upgrades.

14" EGA color monitor with EGA card, add \$495. 14" VGA system, add only \$695

 High Capacity Drives.
 Many other drives and options are available. Call Toll Free for details, 800-423-589

ORDER NOW TOLL FREE 800-423-5891

EAX Orders Dial: 612 633 2310 530 5th Ave. NW St. Paul. MN 55112 Open days, evenings and weekends. MasterCard, VISA and C.O.D.



AUTOMATIC INVOICING AND STATEMENTS, PURCHASING, STOCK CONTROL WITH BILL OF MATERIALS, GOODS RECEIVED NOTES, RECEIPTS, PAYMENTS, ACCOUNTS PAYABLE, ACCOUNTS RECEIVABLE AND GENERAL LEDGER.

EASILEDGER is the most practical and easy-touse accounting systems available today. For only \$95, EASILEDGER manages your finances as well as giving you an instant up-todate record of your whole business. EASILEDGER is suitable for all compatible PC, XT and AT systems and only requires 256k of

ORDER TOLL FREE Tel: 1-800-521-ASTRO

DMS Computers Incorporated, 222 Cedar Lane, New Jersey, 07666-3309. Telefax: (201) 907-0463. CIRCLE 277 ON READER SERVICE CARD HBGAA 12052

replace stolen or diamage comprehensive Computs handware, media and pu protection includes their evolutionalies, and more, avolutionalies, and more, avolutionalies, and more.	Most co polici you n ed equipmen erowners cou archased soft t, fire, accide Even costly	mputers are not it ats may exclude on eed. Do you have n? You will if you erage. It provides ware for just penn naal damage, nab power surges are o	full replacement of ies a day! Your ural disasters like covered. Just select
call for immediate cover			rise the combou of
Up to \$2,000 \$ 2,001-\$ 5,000 \$ 5,001-\$ 5,000 \$ 5,001-\$ 11,000 \$ 11,001-\$ 14,000 Call for rase on higher	\$ 39 \$ 89 \$ 89 \$ 109 \$129	Cocal 1-6H-363 On CompuServe GOSAF SAFEWARE, The	
10 DAT TRIAL Review your guaranteed or your money Name		lays after you receiv	e it. Satisfaction 140
Address		Phone (Durtime)	
Da	☐ MasterCard	Em	
Card #			

CIRCLE 728 ON READER SERVICE CARD

POWER PROGRAMMING

ready has network and CD-ROM extensions under development, we can deduce that OS2 support for installable file systems is in the lag. The transition from supporting noe installable file system to supporting as many as you like should be a much simpler step than the original, mayor from no installable file system at all so one installable file system. It would be nice to installable file system at all so one installable file system, at all so one installable file system, at all so one installable file system at all so one installable file-system tooks in DSC too, so that they installable file-system books in DSC too, so that they installable file-system books in DSC too, so that they installable file-system books in DSC too, so that chains swill not be installable file-system books in DSC too, so that they installable size of DSC manners with the original system file file file system for the original system file system for the original system file file system file system for the original system file system file file system
systems. Microsoft has also announced that it not only plans to allow for installable file systems but will actually develop a new file system (operating system module and disk format) that will eliminate many of the FAT file system restrictions. Gordon Letwin (the author of Inside OS/2 and one of OS/2's designers) is said to be spearheading the effort. I can only hope that Letwin, who is a Unix devotee from way back, won't incorporate too many Unix concepts into this wonderful new file system. Unix file systems are notoriously fragile-so fragile that Unix automatically runs a file system fixup program called "fsck" each time it is booted. In Unix environments, total trashing of the file system requiring a complete reload from backups is commonplace; Unix fans take this for granted and forget to mention it when they are explaining how much better Unix is than DOS or OS/2.

In any event, what can we learn about the apparently forthcoming "improved" file system by examining the existing OS/2 file function calls? It's interesting that many of the OS/2 functions can return file information that is not present in FAT filesystem directories. For example, the OS/2 functions that search for matchine filenames provide for the return of no fewer than three sets of times and dates for each file: the time and date of file creation, of the last write, and of the last access. They also allow for a 16-bit file attribute (FAT file system directories contain 8-bit attributes), and for the return of a separate file allocation size and current file size. The OS/2 function that creates a file allows the program to specify an initial allocation. Never before in PC History an offer Like This—Only From Northgate:

Take Your Pick...

286/20MHz

386/16MHz

Real 386, No SX Baloney

Same Price • Same Configuration

\$2,699(Complete System)



Turn the page for the amazing details



Yes! Either One—\$269900

FEATURES UNMATCHED ANYWHERE ... BOTH SYSTEMS INCLUDE:

One Mbyte of RAM • A 65
Megabyte 28MS Hard Drive •
One 1.2MByte AND 1.44Mbyte
Floppy Drive • Two Serial, One
Parallel Port • Full Size Desktop Case • Famed OmniKey/
102 Keyboard (pick of the
pros) • 14* MonoGraphics Flat
Screen Amber or White Monitor
• Performance-enhancing software • MS-DOS 4.01GWBasic
(full manuals) • AND One-Year
Warranty with our unique Overnight Parts Replacement Policy
(freight paid by Northgatch)

386/16 ox 286/20 Take Your Pick

For the second consecutive year, the readers of Computer

Shopper, world's largest computer magazine voted Northgate Computers "Best Buy" of all products advertised in the magazine and "Best Buy" for its 80386 computer system.

NEW! Northgate "Big N" Revolving Credit Card. (Not a lease—you own it!)

FORES

(Not a lease—you own it!)
No money down * 3 years + to pay
*iow monthly payments unlimited
funds available! Works just like
your VISA or MasterCard. OR...

Lease it with Northgate...

Northgate has a flexible lease
plan suited to your needs. With no
downpayment and up to five years

downpayment and up to five yea terms, if cash conservation is your concern, ask about leasing your system with Northgate. PHONE NORTHGATE NOW...

What a Delightful Dilemma! Fastest 286 system in the industry (Infoworld 11/14/88) or a real 32-bit 80386/16MHz.—

EITHER ONE, CONFIGURED ALIKE, AT THE SAME ASTONISHING PRICE.

NORTHGATE'S 286/20 Super Microcomputer is a bit faster under DOS...BUT WAIT...our new 386/16SM is not an SX it's a real 386 with true 32-bit performance.

Which one is best for you? Either way you'll get famous Northgate performance, quality, workmanship and warranty. As with all Northgate systems both feature 800,000 Bytes Per Second Throughput—OR FASTER - speed second to none!

Both systems include 1MB RAM expandable to 16MB: A MicroScience lightning fast 65MB hard drive (28MS access speed) with a

16-bit high speed dual RLL drive controller.

Add to these a host of extras only Northgate includes with these complete systems and you have an incredible buying opportunity.

PLUS...Northgate makes available a wide range of options you can select to have us custom-build into your 286 or 386 system at Northgate "No Baloney" pricing.

If One of These is Not For You...Ask about Northgate's 286/12 and 16MHz systems; 386/20 and 25MHz systems. All feature high performance and the same hard drive and video options at eye-opening low prices.

SPECIAL BONUS MEMORY UPGRADE OFFER WHEN YOU BUY THE 386/16

Most vendors charge upwards of \$500.00 per megabyte. Add 3MB to the Northgate 386/16 for just 899900 NOTE: IMB chips—1 or 4MB only can be installed on motherboard. This price applies only to memory approach with the 186/16 system.

HARD DRIVE OPTIONS— Prices include Drive and RLL, ESDI or SCSI

SIZE	TYPE	ACCESS	ADD TOSYS.
40Mbyte	SCSI	18MSec	\$ 300.00
108Mbyte	RLL.	28MSec	\$ 600.00
80Mbyte	SCSI	18MSec	\$ 700.00
130Mbyte	ESDI	18MSec	\$1000.00
160Mbyte	ESDI	18MSec	\$1200.00
300Mbyte	ESDI	17MSec	\$2300.00
640Mbyte	ESDI	17MSec	\$3800.00

VIDEO OPTIONS—Prices include

SIZE	SPEED	TYPE	TOSYS
14 Inch	16-Bit	VGA Mono	\$325.0
14 Inch	16-Bu	VGA Color Analog	8625.0
14 Inch	16-Bit	VGA Color +	\$725.0

Color + is 800 x 600

Phone Now...Let Northgate begin building your computers...Today!

1-800-548-19

Hours M-F 8 am-7 pm CST., Sat. 9 am-2 pm CST



TERMS: VISA, MC, COD, Credit Card, Pre-Payment (allow 2 weeks for personal checks to clear), Wire Transfer and Purchase Orders for Rated Accounts. We also ship to APO and FPO. All shipments are FOB Minneapolis, MN.

For corporate and institutional sales in Texas, Louisiana and Oklahoma, call (512) 343-7591.

Northgate and Omnilkey are trademarks of Northgate Computer Systems. Inc. All other products are trademarks or registered trademarks of their respective companies.



13895 Industrial Park Blvd., Suite 110. Plymouth, MN 55441 n Canada and Foreign Cauntries call: Comparate Rendomanters (617) 553-0111 + FAX (612) 553-3695



and its documentation states that "when possible," OS/2 will pre-allocate the space to minimize access times.

With regard to naming limitations, there is nothing 'wired into' OS2 function calls that requires a path, fiferance, octension to have any specific length. If a program provides a path, annex, or extern being accessed, OS2 returns an erver, no name is ever silently truncated, as happens in DOS. If an OS2 program is obtaining a pathname (such as the "current officetory") from the operating system and the buffer at provides is to small, IOS2 consumed for the buffer.

OS. 2 also has distinct function calls that get, add, or change the volume label. This is very unlike current versions of DOS, which force you to use variants of the file search, create, and rename functions. That seems to include that future file systems of the ready of the control of the

QUALIFYING OSZ FILENMES. The source Isitings (QFINASM (Figure 4) and QFIN.C (Figure 5) are the last installments in my OSZ eath-tup campaign. These specifications into fully qualified pathmess—pathments that include a drive and a complete path from the root directory. They are the equivalents of the DOS QFIN.ASM and QFIN.C rootines that were published in the July and August 1988 isuses of PC Magazine; pieces refer to those work and or used to have the rootines work and or used.

The OS/2 versions of TRYQFN.ASM and TRYQFN.C are available for downloading from PC MagNet.

THE IN-BOX Please send your questions, suggestions, and comments to me at any of the following e-mail addresses: PC MagNet: 72241,52 MCI Mail: Imil BIX: rduncan



PERSONAL FINANCE MANAGER
Complete personal finance manager with direct link to TurboTax. Checking and portfolio
management. Invisatment Advisor. Household Inventory, Budget Analysis. And Much

Morel Coming first quarter 1989. Under \$100. The only way to count your beans.

1-800-782-1120 (CALFORNA)

T5 SEE YOUR LOCAL DEALER OF order direct Shipping in-

FREE!! While supplies last, copy of the latest Price Waterhouse Personal Tax Advisor included with your direct order.

CIRCLE 343 ON READER SERVICE CARD

1024X768 IBM COMPATIBLE VGA VIDEO CARD

VGAWONDER

THE SECOND WONDE

1024X768

Plus: VGA, EGA, CGA, MDA & Hercules on Standard MULTISYNC monitors

Net the Phenomenal VASMONDER does at all at 18M Handwort level compatibility with naturaniary monitor deets and not ple wiches or compatibility with naturaniary monitor deets and not ple wiches or competent with ALTO BEST ETEST for So 16 bits 16sts. running with a 16bit datapath with 11 interfaces. 100% 18M HANDWARE LEVEL COMPATIBILITY means that ALL software and operating systems designed for 18M systems will run. 1024 WILL BE DISPLAYED IN COLOR ON STANDARD MULTI-FREQUENCY MONITORS. Although these features are expected from AlTI they are NOT AMALABLE from other manufactures. Eck on all monitors including RGB & TLT means a perfect card for committee of the plant of the pla

CIRCLE 540 ON READER SERVICE CARD



sions. Ask your

TI VOA WONDER — ATI Technologies Inc. Multiligne — NEC Home Electronies In LITOCAD — Aurodesi Inc. WINDOWS — Microsoft Inc. OZ M — Digital Research I ENTURA — Xeros Crop. HERCULES — Hercules Computer Technology Inc. M

dealer for more information





Mention Unisys and everyone will probably say mainframe. It's true we have a proud tradition of leading technology in that area.

We also make minicomputers, a full line of UNIX O/S-based systems, and offer just about everything else you would expect from an international computer company.

Including an entire family of personal computers. But we know small businesses need to know more before they'll invest in our line.

So start with the latest Intel 80286 and 80386 technology. Then choose from a wide range of PC operating environments, including MS-DOS, XENIX, and OS/2, all of which run standard off-the-shelf software.

Now add our Software Guide to Marketers, which lists the dealers and Value-Added Marketers who sell specific software applications that can solve your specific business problems.

Contact us today and ask for your directory so you can find out who sells Unisys PCs and small business systems in your area. You'll discover we offer much more than a good line. Call 1-800-547-8362.

UNISYS AND YOU. The power of²





UNISYS

Some People Buy FastWrite VGA For Its Blinding Speed.



And then again, some people buy it for its high ution. Or its 100% hardware compatibility. resolution. Or its 100% nardware comparitions, But whatever you buy if for, FastWrite VGA is guaranteed to give you VGA performance like you've never seen before. Because FastWrite VGA outperforms all competitive VGA boards. Pure and simple. Tou see, this powerhouse surpasses standard IBM VGA in both color and resolution. Which means you get

resolution up to 800 x 600 with 16 colors, or 640 x 400 with 256 colors.

We even offer a 256K memory upgrade that gives you 640 x 480 with 256 colors and our exclusive noninterlaced 1024 x 768 with 4 colors And not only is FastWrite VGA 100% register

level compatible, it's also the only VGA solution that's form factor compatible. It has the same daughter card connectors as the IBM PS/2 Display Adapter, to accommodate hardware add-ons in the future.

What's more, your current VGA software - or any you plan to buy—is guaranteed to run on FastWrite VGA. Even OS/2 products. It's backwards compatible with EGA, CGA, MDA and Hercules modes. So all your software will run faster than ever before.

Of course once you buy, you get free technical support, guaranteed VGA compatibility and a full five-year warranty. All for a price that won't leave you staring

blindly into your wallet. So visit your local dealer and find out more about FastWrite VGA We guarantee

that you'll see the difference.

CIRCLE 127 ON READER SERVICE CARD

SPREADSHEET CLINIC



Use the @TERM functions in 1-2-3 to calculate the term of a loan; convert values into word form with a nine-formula macro; gain the User key functions in 1-2-3.

A macro that compensates for the lack of a User key in Lotus 1-2-3

I use both Lotus 1-2-3 and Symphony. Unlike 1-2-3, Symphony features a key that lets you invoke macros named without a Backslash and a single letter or number. You simply press Symphony's "User" key (F7), type the name of the macro you want to invoke, and press Enter.

To simulate he action of Symphony's User key in 1-2-3, I created the macro shown in Figure 1. The first statement requests the name of the macro you want invoke. Type the name of the macro and press Enter. 1-2-3 will enter your responas a label into MACRONAME. So, if you typed ESTIMATE, 1-2-3 would enter the label 'ESTIMATE into cell BS.

The next statement commands 1-2-3 to enter the result of the string formula +"(Branch "&MACRONAME&")"

into NEXT (cell B3—the next cell in the macro). Basically, this formula concatenates your response to (Get Labet) between the strings "(Branch " and ")" in the NEXT statement. For example, if you typed ESTIMATE in response to the {Get-Label} prompt, 1-2-3 would place the label {Branch ESTIMATE} into NEXT.

This result is a {Branch} command that routes the execution of the macro to the cell you specified. Since NEXT is the next cell in the macro. 1-2-3 will begin executing the macro you specified as soon as it re-calculates the formula in NEXT.—Frank Overman; Fort Wayne, Indiana

This macro does add a much-needed feature to Lotus 1-2-3. However, the macro can be streamlined through the use of the [Dispatch] command, as it is shown in Figure 2.

The first statement in this macro, similar to the first one in Figure 1, solicits the name of a macro and places your response into the cell named MACRONAME (cell

B4). Then, 1-2-3 executes the statement
B2: '(Dispatch MACRONAME)
This commands 1-2-3 to branch the mac-

ro's execution to the range whose name is stored in the cell named MACRO-NAME—the name you specified in response to the {GetLabel} prompt.

Figure 3 shows another useful modifi-

Figure 1: This macro enables you to invoke macros that do not have traditional names.

```
A B C D E F
(GetLabel "Enter macro name: ",MACRONAME)
(Dispatch MACRONAME)

MACRONAME
```

Figure 2: A {Dispatch} command is used to route the execution of the macro to the cell you specify.

```
A C D E

//TOP(NAMS)(?)-
2 (Lot POSITION, QCELLPOINTER("address"))
3 (Exp POSITION)
4 (Dispatch POSITION)
5 POSITION
```

Figure 3: This macro lets you choose the name of the macro you want to execute from a list.

■ SPREADSHEET CLINIC

cation of this technique. This macro lets you choose the name of the macro you want to execute from a list of all the named

ranges in the worksheet. The first statement commands 1-2-3 to issue the /Range Name Create command, press the F3 key, and then pause. You'll see a full-screen listing of all the range names in the worksheet. While the macro pauses, move the highlight to the name of the macro you want to execute and press Enter. 1-2-3 will highlight the range you selected in the worksheet.

While the range is highlighted, 1-2-3 will execute the command

B2: '{Let POSITION, @CELLPOINTER ("address"))

This enters the label form of the absolute address of the upper-left cell of the highlighted range (the range whose name you selected) into the cell named POSITION (B6). For example, if you selected the name TEST, which applied to cells B53..B99, 1-2-3 would enter the label 'SB\$53 into POSITION.

The third statement in this macro commands 1-2-3 to press Esc six times, canceling the /Range Name Create command. Then 1-2-3 will execute

'{Dispatch POSITION}

commanding 1-2-3 to route the macro to the cell whose address is stored in POSI-TION; that is, the first cell in the macro whose name you selected.

A nine-formula model that converts values into word form

While looking through some back issues of PC Magazine recently, we stumbled upon a complex macro in the September 30, 1986, Spreadsheet Clinic that converts a value into word form. Using this macro you could convert the value 12.34 into the label '***TWELVE AND 34/100***, or the value 123.45 into the string ***ONE HUNDRED TWENTY-THREE AND 45/100***, and so forth.

Although this macro works well, its length makes it somewhat difficult to enter into a worksheet. So we developed the nine-formula model shown in Figure 4 can convert the value 1234.56 into the string *****One Thousand Two Hundred Thirty-Four Dollar(s) and Fifty-Six Cent(s)****, for example.

The functions and formulas in cells C4. F4 of this worksheet are C4: @INT(D1/1000)

D4: @INT(D1/188)-(C4*18) E4: @INT(D1)-(C4*1888)-(D4*188) F4: @VALUE(@RIGHT(@STRING(D1,2),2)) They parse the value in cell D1 into its component parts. The function in cell C4 returns the thousands component of the

value (in this case, 1); the formula in cell D4 returns the hundreds component (2): the formula in cell E4 returns the tens and units components (34); and the function in cell F4 returns the "cents" component (56).

The formulas in cells C5.. F5 are

OVLOOKUP(C4, \$A\$1..\$B\$28,1) 401F(C4<=20,**,

"-"E@VLOOKUP(@VALUE(@RIGHT(@STRING(C4,0),1)), SAS1..SBS20,1))

-- LEVLOOKUF (EVALUE (ERIGHT OSTRING(D4,0),1)),5A51..\$8\$20,1))
OWLOOKUF(E4,5A51..\$8\$28,1) 4017 (E4<=20.

"-"&GVLOOKUF(GVALUE(GRIGHT(GETRING(E4.8),1)),SAS1..SBS28,1)) GVLOOKUF(F4.SAS1..SBS28,1) &GIF(F4C=28,"", PVLOORUF (PVALUE (PRIGHT OSTRING(F4,0),1)),\$A\$1..\$0\$20,1))

They convert the results of the formulas and functions in cells C4..F4 into word form, using the vertical lookup table in cells At .. B28. Therefore, the formulas in

cells C5..F5 return the strings "One", "Two", "Thirty-Four", and "Fifty-Six". (Note: Cell B1 of the lookup table contains a null label. Also, the formulas in cells D5..F5 are simply copies of the one in cell C5.)

The function C7: 017:D1>=1000000comep1<0.


in cell C7 uses the results of the formulas in cells C5..F5 to produce the word form of the value in cell D1. If the value in cell D1 is greater than or equal to 100000 or less than 0, this function will return the string "*****VOID*****". If the value is less than 1 but greater than 0, this function will return a string in the form "****No Dollars and a Cent(s)******, where a is the result of the formula in cell F5. For example, if cell D1 contained the value .34, this

function would return the string "*****No Dollars and Thirty-Four Cent(s)****** If the value in cell D1 is less than 100 but greater than or equal to 1, the function "****a Dollar(s) and b Cent(s)*****"

in cell C7 will return a string in the form where a is the result of the formula in cell E5 and b is the result of the formula in cell F5. For example, if cell D1 contained the value 12.34, the function in cell C7 would



Figure 4: The function in cell A7 of this worksheet uses the results of the formulas and functions in which does the same thing. Using this you | cells A4, D5 to convert the value in cell B1 into word form.



DS-2000 and 3000: The Affordable Scanners From Chinon.



CIRCLE 318 ON READER SERVICE CARD

to OCR applications, or for scanning

SWIFTAX...

EVEN IF YOU'VE NEVER PREPARED A TAX RETURN, SWIFTAX MAKES IT EASY TO DO YOUR OWN -AND KEEP MORE OF WHAT YOU EARN!

Step-by-step, line-by-line, SWIFTAX guides you through your Federal tax tertums, and instructs you on which characteristics and the state of the sta

· A Taxpayer Questionnaire helps you decide which

commonly used supporting schedules-1, A, B, C, D, E,

are linked and automatically updated whenever data

F, R, and SE—and Forms 2106, 2441, 3903, 4562, 6251, and 8615. All forms, schedules, and worksheets

· Calculates, completes, and prints out the most

· Automatically checks your tax aiternatives, and

calculates the lowest amount of income tax you

· Displays actual IRS forms on-screen, fully updated

· Generates and prints exact IRS versions of Forms

1040, 1040A, 1040EZ-complete with your data-

approved by the IRS for signature and submission.

using a laser or dot matrix printer. All printouts are fully

to reflect all 1988 tax law changes.

forms and schedules you must complete.

Features:

is entered.

must pay.



FREE with every program— THE PRICE WATERHOUSE "PERSONAL TAX ADVISER" Tax Information & Planning Guide

- Prints out itemized lists of interest, dividends, etc., that are too long for the standard forms.
- Sets up unique Taxpayer Files, enabling you to make changes to your completed tax return at a later date.
- Allows you to set up your own tax planning program by entering "what if" scenarios to project your taxes at various values.

This Program Also Includes:

- Context Sensitive HELP Screens: Just press a key and you'll be guided through this program with thoughtful, complete, line-by-line IRS instructions.
- SwiftKeys: Provides instant access to forms and schedules.
- A Built-in, Multi-Function Calculator.
- A Memo Pad: Allows you to write yourself important notes — while you are working on any of the forms and print them out on paper or save onto disk.
- At a press of a key, a special HELP screen summarizes the 1988 tax law changes.
- Timeworks Exchange Policy: Allows you to purchase next year's SWIFTAX at half price.
 And, it's tax deductible!



Apple lie, lic, liGS Find SWIFTAX at your local dealer or order direct from Timeworks. Just call: 312-948-9202.

For IBM PC & Compatibles . . . Also available for

■ SPREADSHEET CLINIC

return the string "*****Twelve Dollar(s) and Thirty-Four Cent(s)*****".

and http://cour.com/s/ and http://cour.com/s/ if the value in cell D1 is less than 1000 but greater than or equal to 100, the fination in cell. C7 will return a string in the course of the course of the course of the Court(s) """", where is it here not of the formals in cell E5, and c is the result of the formals in cell E5, be the result of the formals in cell E5, for example, for the formals in cell E5, for example, for the course of the course of the course of the formals in cell E5, for example, for the course of the formal in cell E5, or example, for the course of course of the course of th

The table in cell D1 is less than 10000 but greater than or ceptal to 1000, the function in cell C7 will return a string 10000 but function in cell C7 will return a string in the form "******* where a is the result of the formula in cell C5, a is the result of the formula in cell D5, c is the result of the formula in cell D5, c is such a central to the formula in cell D5, c is the result of the formula in cell D5, and the result of the formula in cell D5, and the result of the formula in cell D5, and consistent with the result of the formula in cell D5, and consistent with the result of the formula in cell D5, and consistent with the result of the formula in cell D5, and consistent with the result of the formula in cell D5, and the sum of the formula in cell D5, and the cell D5, as it does in Figure 4, the function of the formula in cell D5, and the cell D5, as it does in Figure 4, the function of the formula in cell D5, and the cell D5, as it does in Figure 4, the function of the formula in cell D5, and the cell D5, as it does in Figure 4, the function of the formula in cell D5, and the cell D5, as it does in Figure 4, the function of the formula in cell D5, and the cell D5, as it does in Figure 4, the function of the formula in cell D5, and the cell D5, and t

If the value in cell D1 does not contain a cents component, the result of the function in cell C7 will end with the characters "No Cent(s)******

Calculate the term of a loan, using the @TERM function

In the May 31, 1988, issue of the Spreadsheet Clinic, K.M. Gunsteens presented a formula that calculates the term of a loan (the number of payments required to pay it off), given the amount borrowed, the monthly rate, and the amount of each monthly payment.

Gundenn's formula works well, but hi's more complex than it needs to be. In fact, 1-2-3 features a function— @TERM—that does the job quite nicely, simply specify the monthly payment amount as the first argument, the annual rate divided by 12 as the second argument, and the principal amount multiplied by —1 as the third argument. Multiplying the result of the function by —1 returns the total number of monthly payments.

The worksheet shown in Figure 5 is an example. Cells B1, B2, and B3 of this worksheet contain the values 100,000 (the principals). 10 percent (the annual rate), and 1,000 (the amount of each monthly payment), respectively. Cell B4 contains the function

-@TERM(B3,B2/12,-B1)
As you can see, this function returns

5100,000

A Amount Borrowed: Annual Rate: Bootbly Payment:

Figure 5: The @TERM function in cell B6 of this worksheet calculates the term of the loan described by the values in cells B1..B3.

215.90579 as the number of payments—the same value returned by Gunsteens's formula.—Bob Clark; Westminster, Colorado

This is correct. Most 1-2-3 users use the GTERM function to calculate the number of equal periodic deposits required, at a given rate, to accure a specified future value. For example, you might use GTERM to calculate the number of annual \$5,000 deposits required for the value of your IRA to grow to \$100,000. But it can also be used as described above—to calculate the number of neriods needed to revaw a loan.

It is strange that this form of the GTERM function seems to work only in Lotus 1-2-3, Release 2.01. Release 1A does not feature the GTERM function, and in Release 2, any GTERM function, and in Release 2, any GTERM function with a negative third argument will return the value ERR. If you use either of these releases, you will also have to use Gunsteen's formula to calculate the term of a loan.

Contribute to the Clinic

Share your latest spreadsheet discovery through PC Magazine's Spreadsheet Clinic. We'll pay you \$50 or more for anything we print, plus an extra \$25 if you submit your letter on a disk together with a printout. Mail your contributions to Spreadsheet Clinic, PC Magazine, One Park Averus. New York, NY 10016

PC voice mail, now only \$199

Watson®, hailed by one reviewer as "the premier voice mail station" at \$498, is an even better value at \$199. Watson eliminates telephone tag and gives you bigsystem features like auto speed-dial, auto answer, message forwarding. and built-in 300/1200 bns modem. For an ear-opening business applications demo, call 1 (800) 6-WATSON (in Mass., (508) 651-2186). To order, call 1 (800) 533-6120 (in Mass., (508) 655-6066).



Natural MicroSystems Corporation

CIRCLE 733 ON READER SERVICE CARD

PC EXCHANGE PROGRAMMER'S WORKBENCH

dbase at the speed of c dBx Translates dBASE Applications to C

The Power Environment for dBASE Programming

You dBASETM programmers know what n empressive and readable language opened environment. But the price is de-based performance. Even compiled dBASE doesn't offer the speed that some users require those days. The load of speed offered by software writen in the Clanguage. The answer is dBxPM dBx translates dBASE to C. It offers you a major competitive advantage over the next dBASE programmer. Keep writing

in dBASE. Take every application all the way to completion. Then use dBx to translate them top to bottom to C¹

BRIEF/dBRIEF

Many worthy utility products supply

to use them separately, then co

needs that dBASE*'s programming lar guage doesn't—dUTILTM, dFLOWTM

their output into your dBASE program

No longer dBRIEFTM, wynen in

and a host of others. Trouble is, you have

s macro language, grabs hold of

BRIEF and rums it into a complete dBASE fill and fill Plus programming domein Using BREF's underlying shell capable ties and its own interfaces, dBREF can

ties and is own interaces, dantar can run external utility libranes, plus dBASE dself, and link to the ClipperTM, Foxbase + TM and Quicksilver compilers, all with dBRIEF still loaded and running

the show it can do what BRIEF already

Other advantages C is portable eve to other operating systems like UNDX/ XenxTM To the Macintosh or Amiga dBir gwes your applications a passport to places dBASE carnot go Has its own file manager for single user, but links to major C file managers c-tree and dBC—for compatibility with dBASE files or multi-user support. We have everything you'll need, including

with Labrary Source Call for Pail Source Pricing

. Convert a screen layout into dBASE

windows, a greet convenience alongside

deplayers detablance, index files, proble deplayers of the problem of the problem of the property of the property of the property of the programma of the progr

and harddek recommended BRIEF / dBRIEF Last \$275, Ours call

your program files
• Expand keystrokes into full dBASE

Indent automatically for clegic

ode for interactive data entry.

• Declay dBASE file structures in

Sophisticated Tools Essential For Fast Database Handling

Btneve is a library of subroutines that allows the programmer to build a data base application using any language. It takes complete charge of all the creation indexing, reading, writing, insertion, deletion, forward and backward search ing its balanced tree indexing so finds any key in a million in less than 4 accesses. That's fast! Brieve is multi-lingual also it includes

more than 20 language interfaces (including C. BASIC, PASCAL, FORTRAN). However if it turns out that you are using something a little unusual, worry not. The marrial includes a chapter on how to write a language interface to Bineve Bineve's vital statistics are equally in Brueve's vital statistics are equally unpressive Fisemay have up to 24 notexes, fued record length to 4090 characters, fued record length to 44K, notexes to 255 characters, files of 4 billion bytes Network support includes Novell, 3-COM, IBM PC NET, Software Latt's Muthlain

and many others XQL is a relational database manage ment system deagned especially for programmers. Imagine being able to access your database with the ease of SQL (Structured Query Language) statements and still laving the power to process that data right down to the byte level Think about your applications. A large part of your software development effort is probably devoted to managing data stored in files on disk. Hours spent with

NOVELL: BTRIEVE, XQL, XTRIEVE

gram more important parts of your appli-cation. Why not let XQL do it for you XQL will increase your programming. iductivity and let you focus on building The XOL system works in tandem with Brneve and has an equally powerful chasses. No limit on the number of records per file. Max. file size is 4 gigs bytes. Max. record size equals 4K, Max. indexes per file is 24. The one version. works for single or multiuser systems, DOS Ver 3 0 or greater. All languages

Xtneve is the final ingredient in the Novell programming recipe It is a menu driven, data tetneval system, that allows you to quickly find information and dis-nlay reports. System developers can pay reports system severopers can easily customize Xtneve to display com mand mesus, help files, and error mes-sages in the English spoken by the cus-tomer Xtneve screens then gives menu choices that users can quickly recognize making Xtneve an easy product to use and understand Report Option for printing customised



FOXBASE +2.10 The Fastest, Most Powerful, dBASE Compatible Database Management System, NOW!

New FOXBASE +2.10 is faster and more features such as built in support for pull down and pop-up menus, a new screen new advanced automatic applications penerator to write programs for you auto ers to handle most database options effortiessly and, much, much more plus. Foxbase is still dBASE compatible

enhancements. Bun almost any dBASE fully supports commands like Browse. Eds. Append. Crewe Modzy Report. and Modzy Label, even in the middle of

FoxBase + Version 2 10 FroeBase + Main User (LAN) Unlammed Rustime FoxBase + Macustosh

ing lines of code to search and store data GSS GRAPHICS SYSTEM Leave the Device Driving to GSS

that stick to the standards. Not the least of reasons why GSSTM has emerged as the re-emment graphics toolmaker is that if At the heart of the system is the CCI standard Development Toolict. It has all language imeriaces and device drivers for keyboards, mace, joyeticles, tablets, printers, plotters, comerns. The drivers completely insulate your application. from concern for device showncracy

GSS KernelTM conforms to ANSI's GKS

2b and has all its drivers and language bindings Macro level tools to draw, color segment, transform, store and recreate an object. The Metafile Interpreter reads for recreation on various devices Quality software* IBM finites so They aed GSS under their own label Royalties Needs 255k Lat Ours Needs 255k Let
CGI Dylpment Toolket Sens
Kernel System \$495
Kernel for fBM RT \$795
Metalide Interpreter \$255

MICROSOFT LANGUAGES

Powerful Implementations Of The Most Popular Programming Languages tonary concert in RAS Microsoft C 50 The flagship of the Microsoft line runs up to 30 percent faster than its predecessor. Its new optimization, features deliver untouchable execution speeds, 100 new additional hibrary

Microsoft MacroASSEMBLER 50 If you ever wanted to take on the challenge of assembly, here's your opportunity "MASM" 5 0 is a lot easier to use, has completely revised documentation, and a "Mused Language" programming Microsoft QuickBASIC 40 as a revolu-

Microsoft C Microsoft Macro-ASSEMBLER

tionary concept in BASIC proors

Microsoft QuickBASIC Microsoft FORTRAN

It allows you to run, edit, debug, and run again. Our friends at Microsoft have elim stated the dreaded compile step. When-ever you edit your code QB4 automatically incorporates your changes, so that if can run a program of 150,000 lines in Each member of this language family

\$150 \$109 \$ 99 \$ 66

CLIPPER

R&R RELATIONAL REPORT WRITER

MORE PROGRAMMING TOOLS FOR...

dBASE, C. FORTRAN, BASIC, COBOL, PASCAL dbc ISAM, FoxBASE, Greenleaf, Halo '88,

Logitech MODULA, MicroFocus COBOL, Norton Utilities, Panel Plus, Periscope, Phoenix, Polytron, RM/COBOL, Sprindrift, Tom Rettig's Library, Windows for Data...and many more.

Call or write for prices and information.

PC EXCHANGE







User-to-user



A faster way to copy large quantities of data between two floppy disks; have your computer execute a specific task at a certain time; get a list of filenames in a useful format.

How to list filenames in a useful format without editing

One way to get a list of filenames in a directory is to pipe the results of DIR and edit the file, removing the size, date, and time columns. This is not hard to do. Eliminating the spaces before the extension and replacing them with a period can be messy if the filenames vary in length. For example: COMMAND COM

ANSI SYS FILENAME EXT DATA

My solution is to copy the desired files to NUL and redirect the COPY command messages to a file, as in

COPY *.DOC NUL > DOCLIST Now all you have to do to DOCLIST is delete the last line. It will look like this:

COMMAND . COM ANSI.SYS FILENAME.EXT

1 File(s) copied There's some overhead here, since each file is read in its entirety. But for short files it's quick and beats the messy editing of a regular directory listing.-Ed Volkstorf: Chesapeake, Virginia

You can save the trouble of editing out the last line of the listing by piping the output through FIND. For example:

COPY *.DOC NUL | FIND /W "copied" >

the file without writing it anywhere. It will also take whatever time is required to read every file you've requested.

There is a better way, though. The FOR command expands a wildcard filespec into each of its individual members. Figure 1 shows a batch file that creates a list of files matching a filespec and stores it in the output file you choose. Like COPY, above, it leaves the filenames in a useful format, but it doesn't have to read each file.

SUBST rescues compilers from contending over an environment variable

One of my first programming ventures was with BASIC. When I purchased Quick-BASIC 4.0 from Microsoft, I was very pleased with its excellent programming environment. Installation was fairly simple, mainly requiring the environment variable LIB to point to the location of the libraries when linking occurred.

Recently I've started to explore other languages such as Pascal and C. When I purchased Quick C from Microsoft, I was surprised to find that this, too, uses the environment variable LIB. This concerned me since I still plan to program in BASIC. To solve my problem, I turned to DOS. Using the SUBST command, I found a way to use the environment variable LIB for both QuickBASIC and Quick C and still keep everything separated.

First I decided to have my executables. libraries, and source programs reside on logical drives Q:, R:, and S:, respectively. (There was no special reason for using these logical drives.) I then added the following line to CONFIG.SYS:

LASTDRIVE=Z

This allowed logical drives up through Z:. Next I defined the environment variable LIB and the logical drives. I added

SET LIB=R:

SUBST Q: C:\QBASIC SUBST R: C:\QBASIC\LIB SUBST S: C:\QBASIC\SOURCE

to AUTOEXEC.BAT in my root directory. I also added these logical drives to my

ECHO OFF IF "%2" == " GOTO Params IF EXIST %2 DEL %2

ECHO Storing list of files matching %1 in file %2 FOR %%f IN (%1) DO ECHO %%f >> %2 GOTO End

:Params ECHO SYNTAX: "DOCLIST filespec outputfile" :End

Copying a file to NUL reads the data from | Figure 1: DOCLIST.BAT creates a nicely formatted list of files matching a template.

The best 3.5" floppy drives at NEW low prices...

MANZANA MEANS BUSINESS.

That's why 8 of the 10 largest corporations in the U.S. have tested and purchased our 3.5" floppy drives. Because we offer quality, reliability and compatibility.

HOST-POWERED PLUS \$374.95 An externel, host-powered 1.44MB 3.5* floppy drive. Functions without sacrificing or of your internel drives, Comes with Mux Adapter Card and 3Five* software.

HIGH-DENSITY EXTERNAL \$384.95 A host-powered 1.44MB drive with our Hig Density Controller Card to upgrade your XT to high density 3.5" compatibility. Includes 3Five' software.

3rd INTERNAL" PLUS \$289.95 For those with 3 or more drawn have 1,44MB 3.5° drive in a 5.25° frame, Mux Adapter Card, cabling and 3Five* software.

INTERNAL PLUS \$199.95 A 1.44MB 3.5" drive in a 5.25" frame, with µ3Five* softwere and mounting herdwere.

HIGH-DENSITY CONTROLLER (HDC) \$94.95 Upgrades your XT or compatible to support 1,44MB 3.5" drives. Supports up to 4 drives internally, or 2 internal and 2 external. Includes 3Five* softwere

MUX ADAPTER CARD \$89.95 Supports two floppy drives, internel or external, in addition to existing drives. Includes 3Five* software.

3rd INTERNAL" MUX CARD \$99.95 Includes cable to support e third drive

SPECIFICATIONS Works with any DOS 2.0 or above Full compatibility at 720K and 1.44MB. One year limited hardware warranty



P.O. Box 2117, Goleta, CA 93118 FAX (805) 968-5449

To order: contact your dealer or call us directly at GO WITH MICRO D ■ HSER-TO-HSER

path's environment variable. This ensured that they would be found in all circumstances. Therefore, my path command looked like this:

PATH C:\EXE:C:\COM:C:\BAT: C:\TOOLS;Q:;R:;S:;

Defining environment variables using logical drives has an added advantage: it doesn't eat up too much of the limited environment space.

Finally, I created the two batch files in Figure 2 and put them in a subdirectory. C:\BAT, where all my batch files are.

A logical drive cannot be replaced with a new definition. It must first be deleted and then redefined; hence the first three lines of each batch file. The /D parameter to the SUBST command tells DOS to delete the logical drive definition. The second three lines define the new meanings of the three drives. The last two lines put the user in drive S:, and then execute the correct compiler environment. An optional filename may be specified when the batch file is executed.

If other Microsoft products use the environment variable LIB, this technique could be safely applied to these as well. To use the LIB environment variable for other applications, you simply have to create a batch file similar to those above.-David Hendrickson; Riverton, Utah

```
SUBST Q: /D
SUBST R: /D
SUBST S: /D
SUBST Q: C:\QBASIC
SUBST R: C:\QBASIC\LIB
SUBST S: C:\OBASIC\SOURCE
Q:QB %1
```

SUBST O: /D SUBST R: /D SUBST S: /D SUBST Q: C:\QC\BIN SUBST R: C:\QC\LIB SUBST S: C:\QC\SOURCE

Q:QC %1

Figure 2: These two batch files, QB.BAT and OC.BAT, assign drive letters for programming in BASIC and C. respectively.

I've certainly used SUBST to save myself keystrokes. It's a lot easier to type T: than CD \PROG\LANG\TURBO, But I never thought of changing the directory referred to by a given drive letter. That's one clever idea! Note, too, that your path string can be more compact when you use SUBST. For example,

PATH C:;D:;L:;P:;W:

instead of

PATH C:;C:\APP\DOS;C:\APP\LOTUS; C:\PROG\PASCL;C:\APP\WOPRO

SUBST first appeared in DOS 3.1.

Set your computer to execute a specific task at a certain time

In previous User-to-User columns. I have seen batch files that execute once a day and some that execute on a given day. Here's one that executes only at a given time of day: TIMEBOMB.BAT.

To use this program, copy TIME-BOMB.BAT in Figure 3 and CURRENT .BAT in Figure 4 onto your RAM drive, along with FIND. EXE and MORE.COM. Modify CURRENT.BAT to include the commands you want executed at the predetermined time. You should make sure everything is ready to go when the fateful hour strikes (for example, the tape drive is set or the printer is loaded and on-line). Then simply type

TIMEBOMB hh:mm:

where hh represents the hour in military time and mm represents the minutes. For example, TIMEBOMB 20:30: would set a timer for 8:30 p.m.

The second colon at the end of the time is mandatory in order to distinguish between hh:mm and mm:ss. In other words, it prevents releasing your program at hh:20:30 instead of 20:30;ss. The program as shown here is written for DOS 3.3, but the basic concept will work with any version of DOS.

TIMEBOMB.BAT has some limitations, the most serious being that it requires a RAMdisk. The program constantly accesses the drive, so you want to avoid putting your hard disk through a torture test. In addition, your PC cannot be used

(805) 968-1387

It Takes Guts To Turn A Laptop Into A Deski

Most desktop computers are entirely too big and too clumsy to make it off the desk, to say



the T3200's capabilities quickly and easily

nothing of making it out of the office. But with the lightweight portable Toshiba

T3200, that's no longer a problem. We've squeezed everything you'd expect

from a powerful desktop computer into a light, slender 19-pound portable - packaged to go. It has two built-

in IBM-compatible expansion slots for networking and mainframe communications, A 12MHz 286 microprocessor for high-speed data handling, A 40MB hard disk for quick,

A separate numeric keybad speeds data entry

easy access to all your applications. A 720KB, 31/2" diskette drive. And a full megabyte of RAM that's expandable to 4MB for

The T3200 is backed by the Exceptional Care Program (no cost er See your dealer for details. IBM is a registered trademark of inte memory that can rival even the most muscular desktops around.

It even comes with a built-in EGA gas plasma display and an EGA monitor



port - standard features that some desktops

consider optional extras. Yet, it gives you the freedom to go anywhere your work takes you - from your boardroom to your living room.

A 12MHz 80286 So call 1-800-457-7777 for the microprocessor Toshiba computer and printer helps speed data handling dealer nearest you. We'll see to it

that you get in on all the latest inside information. A built-in EGA gas plasma display han dles sophisticated graphics with



unes Corporation. In Touch with Tomorrow

... customers and dealers alike are WordPerfect 5.0 to be a perfect 10." t, splendic - Bill Yurdin. Micro D's Cor re, offering e Archibald, Publishing t feature-laden

"WordPerfect 5.0's colossal improvements recommend it to power users of all stripes."

- Eric Alderman, PC World

ve ever seen. "Beyond any question, Personal Publishin;

Perfect 5.0 is a fine progr

I must candidly reveal that product is nothing short of aweson * cone. Federal Computer

ably the best in the world om Harrington

"WordPerfect 5.0 offers strong incentives to switch. WordPerfect 4.2 was already the most comprehensive word processing program on the DOS market, but the

"The question is whether orth the wait. The answer is es: WordPerfect 5.0 is a wordprod nasterpiece." - Jon Pepper, PC Week

latest incarnation raises the performance and expectation levels in this category to new highs." - Christopher O'Mail Personal Computing

"Flexible, strong, and quick,

WordPerfect is the office/professional word processor...the program is a superior value." - InfoWorld

ct 5.0 kingp

is the

roces

rogram

Burnett

and By

sors.

word p Jim Seymour, PC Comput

Introducing the most highly acclaimed word processor since WordPerfect 4.2.

At WordPerfect Corporation, we viewed the release of WordPerfect 5.0 with a lot of excitement and a little trepidation. After all, we took WordPerfect 4.2, the world's favorite word processor, and changed it.

And even though we made WordPerfect 5.0 easier to use, more powerful, and more feature rich than 4.2, we wondered if loyal users would WordPerfect agree with us.

Today, we're glad to say that the response has been incredible. People everywhere are discovering that WordPerfect 5.0 has replaced 4.2 as the world's best word processor.

Ask your dealer about 5.0, or talk to someone who is using it. We're confident that once you've tried it, you'll never go back to your old word processor. Even if it's WordPerfect 4.2.

> For more information, call or write WordPerfect Corporation, 1555 North Technology Way, Orem, Utah 84057, (801) 225-5000. (In Canada, call 1-800-267-2499.)



■ USER-TO-USER

for other work while it is patiently waiting for the correct time to spring into action .- Ernie F. Deel: Decatur, Alabama

If you use this method with DOS versions prior to 3.3, you'll have to make a few changes. First, add COMMAND.COM to the list of files you need to copy to the RAMdisk, Remove @ from the beginning of the first line in each batch file. Last, change the line "CALL tick" to

COMMAND /C TICK.BAT

Really and truly, only use this batch file on a RAMdisk. You don't want to put any physical disk drive through such punishment

If you want a continuous display of the current time, add this line just before "CALL tick":

ECHO | MORE | TIME | FIND "Current"

This will give you a series of lines in the form "Current time is 12:59:59.59". which is updated every few seconds. You may also want to move the line that echoes GECHO OFF ECHO %1 %2 %3
REM *** Your commands go here *** PAUSE

Figure 4: Whatever you put in CURRENT.BAT will be executed at the time passed to TIMEBOMB BAT.

the alarm time to after ":start" instead of before it

Why does it work? Before the correct time, the FIND lines filter out all output from TIME, leaving TICK.BAT empty. When the output of TIME includes the specified time, it gets written to TICK .BAT; for example, "Current time is 12:00:01.25." Now TIMEBOMB calls TICK, and TICK calls CURRENT, which performs whatever tasks you've listed. Do note that if the commands in CURRENT BAT take less than a minute to execute. they'll be called again in the next loop of TIMEBOMB.BAT.

@ECHO OFF CLS ECHO TIME BOMB set for %1 :start ECHO | MORE | TIME | FIND "%1" | FIND /V "-" > tick.bat CALL tick GOTO start

Figure 3: This disk-intensive batch file activates CURRENT.BAT at the specified time.

METRO IMAGEBASE FLECTRONIC ART.

Professional-quality, high-resolution electronic art for serious desktop publishers.

- Professional-quality art created by leading illustrators.
- More than 4 times sharper than typical "clip art".
- One large image per file for easy manipulation.
- 100 usefully grouped images per package.
- Guaranteed satisfaction or your money back.

100 images per package



Ventura Publisher, XPress, Cricket Paint and WordPerfect 5.0. File Format: All Macintosh and MS-DOS PageMaker disks use .TIF, Ventura Publisher disks use .PCX and WordPerfect 5.0 disks use .IMG.

System Requirements: Computer: Macintosh 512E, Plus, SE, II and IBM sys-tems configured for desktop publishing.

Works with: PageMaker, Ready, Set. Go!,

Storage: A hard-drive is strongly recommended. Printer: Laser Printer

For information call. 1-800-525-1552, Fax: (818) 881-4557 (Outside U.S.: (818) 881-1997). Metro ImageBase, Inc., 18623 Ventura Blvd., Suite 210, Tarzana, CA 91356



NewsletterMaker Pictures that really make headlines. Seasonal, edu cational, holiday and sports. Images to illustra almost any occasion



Borders & Boxes Decorative signs symbols, corners, bury borders and more. For

Team Sports



The Four Seasons

Art Deco



Business Graphics Senous and not so set manas to work with Offices and office equip managers and meetings. and financial symbols

ReportMaker ical, social, indus tnal, agricultural and financial symbols. Images to give your reports more impact.




Food A generous serving of images. From soup to nuts, waiters and chefs, banquets and barbecues

Other available packages: Weekend Sports Nine to Five

Exercise & Fitness Travel

Money-Back Guarantee If you are not completely satisfied with the selection of images, return the complete package within IC days for a full refund.

To order call toll-free: 1-800-525-1552





Metro ImageBase, Inc. 18623 Ventura Blvd. Suite 210, Tarzana, CA 91356 1-800-525-1552, Fax: (818) 881-4557

CIRCLE 155 ON READER SERVICE CARD

PCM 2/89

■ USER-TO-USER

Copy floppies faster using an intermediary RAMdisk

It can take a long time to copy a large quantity of data between two floppy disks, especially if the individual files are small. Each time the active floppy drive changes, you have to wait for the new drive to come up to speed. The floppy drives have just enough time to shut off, before they are needed for the next read or write.

I cut my copy time in half by copying from the source to a RAMdisk, then from the RAMdisk to the target floppy. This allows the read to go uninterrupted because the floppy drives never stop. RCOPY1.BAT in Figure 5 copies all files on drive A: to drive B: via the RAMdisk.

RCOPY.BAT in Figure 6 is even more flexible. It allows you to select files by using a temporary RAMdisk subdirectory, \TTEMP. Then it lets you copy them from

or to any path, using DOS COPY. This requires RCOPY.DAT, which is created by RCOPY.BAT and contains

Y<RETURN>

to be in the current directory (or you can add a path). If you use this line, you won't have to answer the question "Are you sure (Y/N)?" prompted by the command DEL D: 'TTEMP'*

This single-drive, same-name copying capability is especially useful for rewriting an old disk to counter magnetic loss, or for duplicating a floppy when you have only one 51/4-inch (or 31/2-inch) drive.

Of course, you must have a RAMdisk that can hold all the files you're going to copy. Remember to change the drive designation in this batch file to coincide with your own RAMdisk or hard disk if sufficient RAMdisk space is not available. Using a hard disk won't be as fast, but it's better than direct floppy-to-floppy transfers.—Scot Suhr; Fairborn, Ohio

```
ECHO OFF
ECHO COPYING ALL FILES FROM A: TO B: THROUGH RAMDISK D:
ECHO .
ECHO - - PRESS CTRL-C TO ABORT - -
ECHO ABOUT TO DELETE ALL FILES ON D:
DEL D:*.*
COPY A:*.* D:
COPY D:*.* B:
```

Figure 5: RCOPY1.BAT is a simple way to copy the contents of A: to B; via RAMdisk D:,



Tandy Computers: The broadest line of PCs in America.



Tandy[®] 4000 LX



Get the power and performance of Intel's 80386 ...at 20 MHz.

To streamline your heavy business workload, turn to the Tandy 4000 LX. With its 32-bit Intel® 80386 microprocessor operating at 20 MHz, the 4000 LX delivers new performance to database management and sophisticated computer-aided design.

Two megabytes of zero wait-state memory make the 4000 LX ready to use with MS® OS/2, as well as MS-DOS® software. With this much memory standard, the Tandy 4000 LX is also ready to use as the hub of a powerful multiuser office system running SCO® XENIX® software. And as

a network file server in a 3Com® workgroup, the 4000 LX provides 20 MHz performance for exceptionally high-speed data transfer.

The Tandy 4000 LX is highly expandable. Three front-panel device slots and eight expansion slots give power users the flexibility needed in configuring the optimum system.

The Tandy 4000 LX complements our Tandy 4000—a 386th machine operating at 16 MHz. The one-megabyte Tandy 4000 is the cost-effective solution for many of today's most high-performance applications.

The new generation Tandy 4000 LX. From the best-selling family of PC compatibles made in America.


Send me a 1989 RSC-20 computer catalog. Mail to: Radio Shack, Dept. 89-A-741 300 One Tandy Center, Fort Worth, TX 76102

Name		
Company		_
Address		_ 1:
City	State	_
ZIP	Phone	_

Tandy Computers: Because there is no better value™

Intel/Reg. TM and 386/TM Intel Corp. MS, MS-DOS and XENDY/Reg. TM Microsoft Corp. SCD/TM The Santa Cruz Operation. 3Corn/Reg. TM 3Corn Corp.

Radio Shack
COMPUTER CENTERS
A DIVISION OF TANDY CORPORATION



Epson LQ-1050. Wide-carriage 24-pin; 261 CPS draft; 88 CPS letter quality. Epson LQ-950. Mid-carriage (100 column) 24-pin; 261 CPS draft; 88 CPS letter quality. Epson LQ-950. Nide-carriage (100 column) 24-pin; 261 CPS draft; 88 CPS letter quality. Optional single-bin cut sheet feeder satalisate on all models how evan himsted warrants, standard: Epon in a registered trademat of Serkio Epson Corporation. Epson America, Inc., 2780 Lombs Bivd., Torrance, CA 90005, (800) 922-8911.

"It was always so frustrating. Changing from continuous paper to single sheets or envelopes. But not anymore. Not since I got my Epson LQ-1050.


It changes the paper as fast as I can change my mind."

We call this feature SmartPark* You'll call it sensational. The wide-carriage LQ-1050 lets you switch from tractor-feed to single sheet printing and back again in an instant. You can do the same with envelopes and multi-part forms, too. You can even change from one sharply-defined typestyle to another with one touch of our SelecType panel.

For the same letter quality performance in a slightly smaller size, choose the unique mid-carriage Epson LQ-950. It can print $8\frac{1}{2} \times 11^n$ paper sideways and even handles oversize envelopes. For printing standard business correspondence, there's our narrow-carriage Epson LQ-850.

Whichever Epson LQ printer you choose, you get the exceptional value, reliability and performance that's made Epson the world's letter quality leader. It seems some things never change.





"When you have to keep a TV station up-and-running around the clock, you need as much help as possible. That's why we built an extensive LAN with more than 60 active nodes. And that's also why we rely on Carbon Copy Plus!

"With Carbon Copy Plus, our reporters, producers and engineers can use ordinary phone lines to access the LAN-wherever they are. So it's almost as easy to log-in from across the country as it is from the next office. And if I'm home at night and there's a network problem, I simply use Carbon Copy Plus to remotely access the network and locate the problem. In fact, we've found that roughly 90% of network problems can be remotely solved using Carbon Cooy Plus."

Remote Control Puts You In Control! Like Steve Curcuru and the rest of the

team at WNEV, you'll find Carbon Copy Plus is the ideal product for remote LAN access. But even if you don't have a LAN, Carbon Copy Plus is ideal for sharing a DOS application with a distant user, giving a remote product demonstration or just running programs located on your office PC from home.

Join the Crowd!

Find out why Carbon Copy Plus is the leader in remote control software. Call us today and join thousands of satisfied users like Steve Curcuru. You'll be in good company!

Carbon Copy plus

CIRCLE 228 ON READER SERVICE CARD

MERIDIAN TECHNOLOGY INCMIIII

USER-TO-USER

This is a very good point. It's faster to | copy between two floppies using a RAMdisk. And if you just have one floppy, it's

much faster and avoids unnecessary disk swapping.

You can simplify the batch file in

```
IF NOT ERRORLEVEL == P GOTO /ERROR
IF "%1" == "" GOTO |INSTR
IF "%2" == "" ECHO COPYING FILES %1 TO C
IF NOT "$2" -- "" ECNO COPYING FILES $1 TO $2 THROUGH D: TTEMP
ND 0:\TTEMP
COPY 0:\TTEMP
COPY D:\TTEMP\*.* %2
IF NOT EXIST RCOPY.OAT ECHO "RCOPY.OAT"
   EXIST RCOPY.OAT DEL O:\TTEMP\*.* < RCOPY.OAT > NU.
HOT EXIST RCOPY.OAT ECHO OCLETING ALL FILES IN \TTEMP
NOT EXIST RCOPY.DAT OEL D:\TTEMP\*.*
G070 1530
ECHO STRTAX IS THE SAME AS MS-OOS "COPY"
           RCOPY (drive:)|PATH||FILESPEC| [drive:]|PATH||FILESPEC|
(WILDCARDS ARE ALLOWEO, OEPAULT ORIVES/PATHS OBSERVEO)
```

ECHO - YOU CAN COPY TO THE SOURCE ORIVE USING THE SAME FILENAME ECHO - OISPLAY THIS HELP BY TYPING "RCOPY" NITHOUT PARAMETERS ECHO ERROR ENCOUNTERED OURING RCOPY Figure 6: RCOPY.BAT copies files from one floppy disk to another using a RAMdisk. Figure 6 and avoid the need for the file RCOPY.DAT. Find the four lines in a row that refer to the existence of RCOPY DAT. Delete them and replace them with this single line:

ECHO Y | DEL D:\TTEMP*.* Piping the echoed Y into the DEL command is the same as using RCOPY DAT, but it saves some batch lines.

Share Your Secrets

Reveal your latest DOS and systems discoveries through User-to-User, and we'll pay you \$50 or more for any submissions we print, plus an extra \$25 if you submit your letter on a disk. If you send a disk. please include a printout. Mail your contributions to User-to-User, PC Magazine, One Park Avenue, New York, NY

This is what a year's worth of PĆ Magazine looks like...

... and PC Week, PC Tech Journal, MacUser, Government Computer News, Lotus Magazine, Digital Review, Microsoft Systems Journal, Communications of the ACM.

Introducing COMPUTER LIBRARY!

and A+.

COMPUTER LIBRARY™ is the ultimate desktop reference on computers and computing, It's a database containing the full text of a year's worth of these 10 leading computer publications, all on a convenient, monthly updated CD-ROM. And If that's not enough, it also includes abstracts of computer related articles from over 110 other periodicals like InfoWorld, Data Communications, Comnuter Reseller News, and Datamation.

Altogether, each disc covers more than 43,000 articles that have appeared in the last 12 months.

Fast, Easy To Master!

Locating the exact information you need is a snap because COMPUTER LIBRARY includes BlueFish searchware from Lotus Development Corporation. Just enter the topic you're interested in. BlueFish rapidly locates all the articles that mention that topic and makes them avail-

able for your instant retrieval.

COMPUTER LIBRARY is designed to boost the productivity of anyone who is professionally involved with buying, managing, supporting, marketing, or developing computer

hardware and software. Once you begin using it, you'il wonder how you ever got by without it.

Subscribe Now1

COMPUTER LIBRARY requires a CD-ROM drive. if you don't already have one, we can help you save money on a fast, reliable Sony drive, complete with a 12-month warranty.

An annual subscription to COMPUTER LiBRARY costs only \$695. To subscribe or to get more information call (212) 503-4400 today.



THE ULTIMATE DESKTOP REFERENCE

CIRCLE 158 ON READER SERVICE CARD

THERE ARE FOUR WAYS TO MEASURE THE SPEED OF A LAN.



Ours only wins in three of them. Remay under PC-MOS/BBO* or PC-DOS & turns you server PC

How fast does it install. We have no competition in this category, LANLink SX installs

In about fifteen minutes, and it doesn't take a technician to do it. Since LANLink SX uses standard parallel or RS-232 serial ports, installing a network means little more than connecting the cable and loading the software.

and loading the software.

With hardware LANs, installation can easily take two daysone to set it up and one to tweak it. And it also takes someone who really knows what he's doing. That is, someone expensive.

2. How fast does it transmit.

Okay, this is the category we don't win; the hardware LANs are generally a little quicker. At least, they are under optimal conditions, which is how they rate themselves.

But LANLink 5X is prerry quick, too. At half a megabit per second, it's way our ahead of any other software LAN and right at the heels of the hardware types. Which, of course, are far more expensive.

3. How fast does it maintain.

The real cost of a network is not so much the initial price as it is the continuing outlay for maintenance—adapting it to changing needs. That's something LANLink 5X does practically on its own. into a muiti-tasking controller, driving a truly expandable LAN that is easily and quickly upgradable.

A hardware LAN on the other hand, becomes obsolete as new

technology is introduced. And, to keep the network up and running as applications change, you need the attentions of a technician, on a continuing basis. A very well-paid technician.

4. How fast can you pay for it.

Now we've arrived at the bottom line, where LANLink 3X is topices to beat. You can install a five-user LANLink network for about the same cost as the LAN board in a board-interven network. On top of that, factor in what you save on installation and mainte-

LANLink SX is available immediately, and it comes with a money back guarannee. Its price of \$505 includes a server and a satellite module plus the network operating

system. Additional satellites are avail-

For complete details on the fastest software-driven network available, call 800-451-LINK.

LANLink SX. Because three out of four ain't bad.

THE SOFTWARE LINK
3577 Parkway Lane. Norcook GA 30092 (404) 448-5465 FAX (404) 263-6474

CIRCLE 101 ON BEADER SERVICE CARD

Power user



Microsoft Word tips on how to speed up marking index entries, substitute the blank form feature for bookmark markers, and automatically save all files in all windows.

Here's a tip on how to save all files in all windows automatically in Microsoft Word

When working with several documents in Microsoft Word, saving each separately can be a chore. The macro below illustrates a way to save all documents in all windows:

The first and last lines are for usen who mormally leave their menus turned off. The first line turns the menus on so that Worf first line turns the menus on so that Worf will display the message entered in three. The last line turns the menus off upon the menus off upon the menus off upon their last line. The second line asks for the number of open windows. The fourth line saves each window, moves to the next, and finally returns you to the window from which you started after the last window is such as window is such window.

Note that this macro is designed for files that have already been saved at least once, as the files are saved to their previously defined paths and filenames. Trying to save new documents will result in error beeps. No damage will be done, but the files will not be saved.—Gary Pollack; Eugene, Oregon

There are at least three useful refinements you can add to the macro, as shown in Figure 1. First, by using the While . . . Endwhile command instead of the Ask com-

mand, you let the macro itself decide how many windows there are to save. Lines 2 and 3 in Figure 1 save the first window, enternal their highlight axx, and move to the next window. Line 4 checks to see if the highlighted selection in the current window is axx. If it is not, the macro saves the current window, moves on to the next window, and checks for xxx again. It will repeat this checking process until it comes back to the original window.

The second refinement utilizes Esc Transfer Save (line 6) instead of Crlt-F10 to make the save, and it also adds a pause after the Save command. This forces the macro to stop and let you enter the name you want to save it under. If you have the summary sheet option turned on, you'll also need a second pause command, as shown in Figure 3.

Third, by using the If . . . Endif command (line 6), you can have the macro test to see whether the file already has a name. The macro in Figure I will save the file if it already has a name, and will stop to let you enter a name if there is none.—M. David Stope.

Add a Goto command in Microsoft Word to zip through text or highlight selections

Many word-processing programs have a Goto command to move the cursor to any designated character. The macro shown below effectively adds this feature to Microsoft Word:

```
*Ask text=7Enter character*

while text=>""

<t
```

When invoked, the macro prompts you for a character to move to. If you enter a comma, for example, the highlight will move to the next comma, where you're prompted either to accept the current position or to enter a character to move to again. To stop the macro, just hit Enter by itself.

Note that you can use this macro as a subroutine within other macros. For example, if you add an F6 to the beginning, the macro will extend a highlight to the chosen characters, rather than move to them. If

```
cctl escoctab 22/enter>
csctlescoctab (22/enter)
csccctaff (alce "- pause-enter) pause * endif * enter>
cwhile selection (> 'xxx*'
cwscts.cif fielde "- pause * endif * enter>
csccts.cif fielde "- pause * endif * enter>
cttl escoctab 22/enter > cttl endif * enter>
cttl escoctab 22/enter > cttl endif * enter>
cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escoctab 22/enter > cttl escocta
```

Figure 1: This Word macro will save all open files. It automatically checks to see if a document has been saved to a file and if it hasn't, the macro stops to let you enter the filename for the save.

"Where to get the best and most current free and shareware software

"...and where to get good information about that software? The answer is easy on both counts: it's the Public (Software) Library

"It is special for a number of reasons. The monthly newsletter covers all the newest programs and updates, and is sprinkled with informative tips on getting the most from your PC.

"The Library's software collection is among the largest, but it's also carefully culled to remove buggy programs and those that are essentially just inferior duplicates of "The PsL probably does a hetter job of

keeping up with updates than any other source... I've seen older versions of many programs listed in other places long after the new versions are avaluable from PsL. "What accounts for the size and quality of the Library's collection? [Head librarian] Nelson Ford's enthusiasm for his work and his dedication to seeking out and testing

new materials are obviously key factors Steve Cummings, August, 1987
 Computer Currents Magazine

"The distinguishing feature of the Public (Software) Library is comprehensiveness and meticulous attention to detail." Alfred Glossbrenner, May, 1988
 Personal Computing Magazine

"PC-SIG... landl many user groups distribute disks.... The quality and cleanliness of these source varies widely, however, one dist-based library that takes great care... is the Public (Software) Library."

- InfoWorld, December 7, 1987

"The PsL is an ideal source of software for home computer users, small businesses, schools and any other end-user."

- Capital PC User Group Newsletter; December 1987

"My personal favorite of the shareware houses is the Public (Software) Library." - Brit Hume; June 27, 1988 Washington Post Syndicate

Find out about the thousands of free and low-cost programs available with a FREE sample issue of our current newsletter and library catalog. Or subscribe to the monthly newsletter for only \$18/year.

PUBLIC (software)

P.O. Box 35705 Houston, TX 77235-5705 MC/Visa Accepted

CIRCLE 529 ON READER SERVICE CARD

■ POWER LISER

you add an F6 before and a Del after, the macro will highlight the selection and automatically delete it .- Daniel Hobart; Saint Michel d'Euzet, France

Unlike the Goto commands in most programs, this macro requires that you use two keystrokes: the character itself and an Enter to tell the macro that you're done. At first glance this may look clumsy, but the advantage gained is that you can use Hobart's macro to look for specific words, not just characters. In fact, you can use it (without the highlight extension) to double as a standard search macro.-M. David Stone

Here are two macros that will speed up marking index entries in Microsoft Word 4.0

Microsoft Word 4.0 comes with a very clumsy macro for marking index entries. The macro inserts an .i. (to mark the beginning of an entry) and a semicolon (to mark the end) as hidden text, but it only works with single words. If your entry is "Russian rulers," the macro will mark "Russian," and you will then have to move the semicolon. Further, the supplied macro does nothing to help mark subentries.

Here's a macro that will automatically mark any highlighted text, whether a single word or a phrase:

odel>calt me.i.rcalt apere>cleft>cins>crisht> And here is another one that will let you identify index subentries with predefined superentries:

<alt x>e.i.Russian Rulers ; <alt space><left><ins><right>

In this example, the superentry is "Russian rulers." If you are marking the file for

several superentries, you will want a separate macro for each. After indexing a document with super-

entries, the extra text can be distracting. However, note that the second macro shown above formats the superentry as Hidden Text. If you set the Show Hidden Text option to No (under <Esc> Window Ontions), the superentries will not show on-screen.-Salvatore P. Ricciardi: Chicago, Illinois

The index macro that came with my copy of Word 4.0 works without problems on multiword phrases. However, the first macro presented here uses fewer keystrokes to produce the same result. Ricciardi's second macro is a highly useful enhancement

A shortcoming of these macros and of Word's own index macro is that they all assume you have already highlighted the index word or phrase when you call up the macro. To me, it seems more natural to define the item to index as part of the macro. as in the following:

<p

To use this version, place the cursor on the word (or on the first word in a phrase) you want to index. The macro will highlight the word with F8, turn on the Extend Selection feature with F6, and pause. To index a single word, hit Enter. To index a phrase, just extend the highlight and then hit Enter .- M. David Stone


Productivity Tip

In WordPerfect 5.0. Alt-F3 does not "reveal all," as promised. Some of your document's formatting information, notably the printer selection, gets stored at the beginning of the file, before the text.


You can use the blank form feature in Microsoft Word 4.0 to substitute for bookmark markers

If your word processor lacks the equivalent of WordStar's Marker command, you usually have to keep your place when flipping back and forth between portions of a document by inserting strings of meaningless characters, such as xxx, and then using the program's search feature to find them. Microsoft Word 4.0 offers a better solution, which uses a feature actually intended for building on-screen, fill-in-the-blanks forms. This feature is faster than using the Find command, and it requires fewer key-

What you do is position the cursor and press Ctrl-1 to get a marker. This inserts a chevron at the cursor position. Now move



Select the points you want to remove from your regression model...



... Then press F6 to refit the model and recalculate the statistics.

Because "Statistical Graphics" Is Better Than Just Statistics <u>and</u> Graphics

Most of today's PC statistical packages give you all the statistics you'll ever need. Some even give you a few graphics. But only STATGRAPHICS from STSC gives you integrated statistical graphics in an environment you control.

Unique "What If" Interactivity STATGRAPHICS jets you explore

data relationships fully, producing higher quality, more timely solutions. Define your data and assumptions, run the procedure and review the results, modify data and assumptions repeatedly and take another look—and another. All without leaving the procedure or making permanent changes to your data.

Integrated Statistical Graphics

Coupled with STATGRAPHICS' interactive environment are over 55 types of graphs — traditional ple and bar charts, histograms, 30 line and surface plots, quality control charts, and more. All are integrated with the procedures so that they can be displayed instantly and modified repeatedly.

Query data points, do on-screen forecasting and model fitting, overlay graphs, or zoom-in on any area for a closer look. With flexibility like that, you can spot and investigate visual trends in your data—trends you may have missed if you looked only at the numbers.

Over 250 Statistical Procedures

- Direct Lotus® and dBASE®
 Interfaces
 - ANOVA and regression analysis
 - Experimental design
 - Quality control procedures
 Multivariate techniques
 - Nonparametric methods
 - Exploratory data analysis
 Forecasting, time series

analysis, and more. STATGRAPHICS—

The Best Way to Do Statistical

Put the power of STATGRAPHICS to work for you today—all for only \$895°. For our free convincer kit or the name of a dealer near you, call (800) 592-0050 ext. 200

in Maryland, (301) 984-5123; Internationally, (301) 984-5412. Telex 898085 STSC ROVE

STSC STSC, Inc.
2115 East Jefferson Street
Rockville, Meryland 20852

international prices vary. Available through design and distributors worldwide. STATGRAPHICS, Lotus, and dBASE are registered trademarks of Statistical Graphics Corporation, Lotus Development Corporation, and Ashton-Tate, respectively.





A wide variety of grephs supported on over 100 displays, printers and plotters, including the new IBM PS/2™ Series.

EVERYBODY

But they're not all switching to the database management system you might expect.

In a recent industry survey, two-thirds of the respondents who intended to buy a DBMS did not intend to buy dBASE.

And, perhaps coincidentally, two-thirds of recent R:BASE* buyers have used another DBMS before.

Why are they switching to R:BASE?

Because nobody really needs a DBMS: they only need what a DBMS can do.

And users find that the friendly facade of other software is fine for questions. But R:BASE has the right answers for their information management needs.

With R:BASE, you can handle all your data management (not just queries) without learning a single command. Our Prompt By Example (PBE) lets you point-and-pick, then R:BASE does the work.

When you find that you're repeating yourself, you automate simply by recording your actions in a macro file.

Or use our application generator to quickly create complete, correct business programs without touching a line of program code.



Data is data, but information is power.

R:BASE gives you that power. And even impartial judges seem to agree: PC Magazine, Software Digest, Datapro and InfoWorld all just gave

IS DOING IT.

tware

R:BASE their highest marks.

Because to its ease-of-use, R:BASE adds speed, functionality and data integrity in a combination you don't get with dBASE, Paradox, DataEase, Oracle or any of the other contenders.

R:BASE is optimized for speed, with an intermediate code compiler that makes your applications sing. And a true compiler is on its way.

You can use its Englishbased language in command mode, to modify programs R:BASE writes for you, or to

write your own solutions from scratch.

Simple menus, prompts and our "paint-the-screen" techniques make sophisticated screens, forms and reports quick and easy to create. With R:BASE forms, you can view and


easy to create. With R-BASE forms, you can view and update data from several tables at the same time. Create computed fields. Include scrolling regions

computed rigids. Include scrolling legions so you can work with all the data from other tables. Add rules for data integrity.

And R:BASE is relational, so your

rules stay with the tables—applications can't avoid or change them. And forms can be set up to cascade changes through related tables. So you can trust the information you get.

We also give you an SQL implementation that even novices can use to create simple yet powerful queries.



earner-generation auto-retresn in other DBMSs, won't bring your network to its knees when you expand with our Six-Pack or Network Unlimited versions

Applications that just won't quit.

R:BASE is the second-largest selling PC DBMS in the world, and it's backed by all the training, service

and third-party support you'll ever need.

It's providing end-users with the

its providing end-users with the information they need in large businesses and small. On stand-alone PCs and in networks sharing data with minis and mainframes. In insurance and real estate companies, factories and universities, government

offices and the storefront down the street.

Check out what R:BASE can do for you with your local dealer, or write: Microrim, Inc., P.O. Box 97022, Redmond, WA 98073-9722.



Call 1-800-624-0810 today.

*Computer & Software News, 9/5/68. Microrim and R.ffASE are trademarks of Microrim, Inc. Oth products and services mentioned are not. © Microrim, Inc. 1988.

Because Resources Should Be Shared



BayTech engineers Printer Sharing.

Make the most of your investments in valuable printers, computers, plotters, modems, and other resources with a printer-sharing device from BayTech. We manufacture a diverse product line engineered for flexibility and speed that lets you share your resources and maximize your investments. From simply sharing one or more printers between computers, to creating a complete network for printer sharing and computer-tocomputer communication, BayTech has a device designed to meet your specifications. Call toll free today to learn more

about maximizing your resources.

CIRCLE 172 ON READER SERVICE CARD

BayTech_|

Bay Technical Associates, Inc., Data Communications Products Division 200 North Second St., P.O. Box 387, Bay Saint Louis, MS 39520 USA Telex: 910-333-1618 BAYTECH. Telephone: 601-467-8231 or toll-free

800-523-2702, EXT 982

■ POWER USER

wherever you want in the document. To return to your bookmark, press Ctrl->. This sends the cursor to the next chevron in the file. If there are no chevrons between the cursor position and the end of the file. the search will begin again at the top of the file -Steven Chan: Toronto, Ontario. Canada

Using this feature to mark your place has yet another advantage. If you have multiple markers in your file, you can use Ctrl-> to move forward one marker at a time, or Ctrl-< to move back one marker.

Of course, being able to open several windows on the same file in Word may itself make the use of markers unnecessary. You can jump from one window to another, or even look at both parts of the file simultaneously. Jumping between fullscreen windows has much in common with using markers. Looking at more than one window at a time goes a step further .- M. David Stone

The If command in Microsoft Word macros can let you branch to your choice of subroutines

Although Microsoft Word 4.0 lacks a Goto command for its macros, you can use the If . Else . . . Endif command to achieve the same result. Suppose, for example, that you have three form letters recorded under the glossary names Receipt, Conf. and Request. If all three share the same heading for date, placement on the page, and so forth, you can create a single heading macro, and end it with an Ask command such as

.esk type=7 Which form letter to use? 1-receipt, 2-confirmation, 3-request for service-This tells the macro to stop and wait for

you to enter a number. The final command in the macro should be oif type-"1"-receipt-fl>-else-test1-fl>-endif-Entering a 1 will expand the Receipt glos-

sary entry in your document. Any other entry will call on the test I macro. Test I should look like this:

-if type="2"-conf<f3>-else-test2<f3>-endif-

you entered a 2. Otherwise, it will call on the Test2 macro, which will expand the Request glossary entry. Since each macro calls on the next in a chain, you can extend the branching to any reasonable number of choices .- Paul R. Murphy; Fanwood, New Jersey

It's certainly a useful way to provide menu selection within a macro, but there's an easier way to do it. Just put all the If commands in one macro and drop the Else statement, as in the following:

.ask type=? What type of form letter? (1-3).
.if type=?1*.receipt<[3>.endif.
.if type=?2*.conf<[3>.endif.
.if type=?3*.recuestf[3>.endif.

This will function in exactly the same way as Murphy's linked macros. Word will simply run through the list of If commands, skipping to the Endif statement each time the condition is false and expanding the macro the one time the condition is true.

Also note that you can get the same result by putting the entire text of each letter in its own If . . . Endif statement. This might be unwieldy with entire letters, but the same technique works nicely, letting you choose among alternative boilerplate paragraphs within a letter .- M. David Stone

Productivity Tip

Relay Communications has an electronic bulletin board with all current patches for Relay Gold and Relay Silver. Registered users should check in at (203) 797-0595. Set your system for Relay terminal type and protocol, 1,200 or 2,400 bps. The password is Danbury.

Share Your Power

Tell fellow users about your latest technical tips for hardware and software applications (other than spreadsheets, networks, languages, or DOS) through Power User, and we'll pay you \$50 or more for your trouble, plus an extra \$25 if you submit your letter on a disk. If you send a disk. please include a printout. Mail your contributions to Power User, PC Magazine, One This will expand the Conf glossary entry if Park Avenue, New York, NY 10016.



Mainframe Power for your PC!

MicroWay is your best source for the software and hardware you need to get true 32-bit speed out of your 386 mechine. If you don't n a 386 PC, we provide a number of powerful PC and AT upgrade paths

MicroWay offers transputer based parallel processing boards and languages that run in a PC. AT, or 386. Each of the T800 RISC processors on these boards packs the power of a 20 MHz 386/1167. Our best selling board, the Quadputer, has four T800s end boasts 40

MIPS/8 megaflops of processor throughput. Our mW1167 slotless numeric coproce cards are compatible with Acer, ALR, AT&T, Compaq, Dell, Everex, HP, Micronics, NCR, Olivetti, Tandy and Wyse 386 systems. We will soon offer an mW1167 that runs in the Micro

nannel of the IBM model 70 and 80. Our NDP compilers and NDP utilities are the

Dr. Robert Atwell, leading de calculates that NDP Fortran-386 is saving him \$12,000 per month in rentals of VAX hardware and software while doubling his productivity

Fred Ziegler of Aspen Tech in Cambridge Mass, reports, "I ported 900,000 lines of Fortran source in two weeks without a sing problem!" AspenTech's Chemical Modelin

System is in use on mainframes worldwide and is probably the largest application to ever run on an Intel processor.

Dr. Jerry Ginsberg of Georgia Tech reports, "My problems run a factor of six faster using NDP Fortran-386 on an INWI 167 equipped 386/20 than they do on my MicroVAX II.*

key to taking advantage of the two to five-fold increase in speed that the mW1167 provides. The compilers generate mainframe style code, while our utilities aimplify ports from either the PC or the mainframe world. A new utility enables our NDP compilers to call HALO 88. If you are curious about the benefits of the NDP/mW1167 approach, consider the follow-ing (price estimates are for complete systems):

Coprocessor	Speed (Flops)	Price
80287-10	80.000	\$3,000
80387-20	440,000	\$5,000
mW1167-20	2,100,000	\$8,000

VAX 8650 In fact, meny of our users have ported increases in turnaround of 2 to 4 times that of their VAXI Call us for complete details

32-Bit Compilers and Tools

NDP Fortren-386™ and NDP C-386™ Compilers generate globally optimized, mainframe quality code. Both run in 386 protected mode quality code. Both run in 385 protected mode under Phar Lap extended MS-DOS, UNIX, or XENIX. The memory model employed uses 2 segments, each of which can be up to 4 gigabytes. They generate code for the 80287, 80387, or mW167. Both include high speed EGA graphics extensions written in C that perform BASIC-file screen operations.

 NDP Fortran-386TM Full implementation FORTRAN-77 with Berkeley 4.2, VAX/VIII and Fortran-66 extensions \$595

 NDP C-386™ Full implementation of AT&T's PCC with MS and ANSI extensions....\$595 NDP Package Pricing 387FaatPAK: NDP Compiler, Phar Lap end 80387 Coprocessor 1167FeatPAK: NDP Compiler, Phar Lag and mW1167 Coprocessor 16 MHz: \$1695 20 MHz: \$2295

Pher Lap Development Tools . . . \$495 Virtual Memory Extension \$295 NDP Windows TM - NDP Windows includes 80 functions that let you create, store, and recall menus and windows. It works with NDP C-386 and drives all the popular graphics adapters: Library: \$125, C Source: \$250

NDP Plot™ — Calcomp compatible plot package that is callable from NDP Fortran. It includes drivers for the most popular plotters and printers and works with CGA, Hercules, EGA and VGA ...

NDP/FFT™ — Includes 40 fast running, hand noded algorithms for single and double dimen-soned FFTs which take advantage of the 32-bit addressing of the 386 or your hard disk. Call-able from NDP Fortran with mW1187 and 80387 support \$250 387FFT for 16-bit compilers \$250

HALO 88 to NDP Graphica Interface - This module enables you to call graphics routines in HALO 88 from NDP Fortran or C \$100

MicroWay* 80386 Support (508) 746-7341

Parallel Processing

Monoputer 2™ The world's most popular PC transputer opment product now extends the memory available for developing transputer applica-tions from 2 to 16 megabytes. The board now features a DMA bus interface for fast I/O. Monoputer 2, an ideal platform for porting mainframe Fortran or C code, provides the speed of e 386/20 for 20% of the cost! Monoputer 2 with T414 (0 MB)

Monoputer 2 with T800 (0 MB) Quadputer This board for the XT, AT or 386 can be purchased with 2, 3 or 4 transputers and 1, 4 or 8 megabytes of memory per transputer. Two or more Quadputers can be linked together to build networks with mainframe power which use up to 100 or more transputers One on a mainframe to 16 minutes on a system containing five Quadputers

Transputer Compilers and Applications MicroWay offers Parallel languages for the Monoputer and Quadputer cel Systems Parallel C MicroWay Occam2 \$495 \$895 3L Parallel C

3L Parallel Fortran \$750 MicroWay Prolog Interpreter Microfield - Finite element analysis \$1600 PeraSoft Parallel Environment .
Performance Monitor \$300 C Source Level Debugger \$300 T800/NAG™ (See NDP/NAG)

387BASICTM - Our 16-bit MS compatible compiler introduces numeric register variables to produce the fastest running 80x87 code on

Compaq 386/20/25 Add-Ons

RAMpak** - One megabyte 32-bit me module fits in Compag memory slot .\$650.00 mW1187** is built at MicroWey using Weitek nts end includes an 80387 so mW1187-18 mW1167-20 \$1595 mW1167 Microchennel-16 \$1205 \$1595 \$2495 mW1167 Microchannel-20 Weltek 3187-25 80387-20

Numeric Coprocessors

8087-2	
80267-8	
80287-10\$27	
80387-16\$42	
80387-16SX\$45	
80387-20\$59	
80387-25\$69	ė
287Turbo-12 (for AT compatibles) \$45	¢
256K 100na DRAM\$1	
256K SIMMS\$11	
1 MB SIMMS\$45	¢
(All of our late) connecessors include 87Test	

Intelligent Serial Controllers

microwey's AT4TM, AT8TM, and AT18TM, the fastest intelligent serial controllers, run in AT, 80386 and PS/2 PCs. They come with drivers for UNIX, XENIX, and PC MOS.
AT4...\$795. AT8. SROECO. AT4 ... \$795 AT8 ..\$895.00 AT16 ... \$1295

32-Bit Applications

PSTAT-386 - Popular mainframe statistics peckage. Full version was ported\$1495 NDP/NAG™ — Features a library of 268 engineering and scientific numerical algorithms.

12 MHz PC Accelerators

\$299 \$399 \$199

FaatCACHE-286 12 MHz SuperCACHE-286 12 MHz FastCACHE-286 9 MHz . . .

World Leader in PC Numerics

P.O. Box 79, Kingston, MA 02364 USA (508) 746-7341 32 High St. Kingston-Upon-Thames, U.K. 01-541-5468 USA FAX 617-934-2414 Australia 02-439-8400 Germany 069-75-1428

LANGUAGES



Detecting printer errors is simple with this C program; hints to free up memory when debugging large programs with Turbo Pascal 5.0 and the Turbo Debugger.

Detecting printer errors and shortening printer timeout in C

I've written a printer driver that detects printer errors (out-of-paper, paper jam, and so forth). While I want it to be useful in a variety of C programs and compilable with a number of compilers, the version submitted here works with Borland's Turbo C. I found that the Turbo C biosprint() function could be used to detect the proper error code when the printer failed. -H. Austin Hummel: Bloomington, Min-

The PCPRINT.C program shown in Figure I uses interrupt 17h, the BIOS printer interrupt. There are three functions performed by interrupt 17h: sending a character to the printer, initializing the printer, and getting the printer status. Since the status can be retrieved whenever a character is sent to the printer, you can check the status of every character or group of characters. Fortunately, the biosprint() function and its counterpart in the MSC 5.0 library, _bios_printer(), both allow you to pass an entire string of characters to the printer and return any resulting error codes.

Only a few of the bits returned by these functions are valid for printer error checking; the result should be ANDed so only these bits are checked. This is done in the function PcPrint(), which returns a nonzero value if a printer error has occurred. The error value can be checked by the function PcPrinterr(), which will print the appropriate error message on the screen.

It's not necessary to use PcPrinterr(); it just shows you how these bits might be interpreted for an application program. Note that if the printer is turned off, I/O error and Out-of-Paper error bits are set.

rupt 17h is its tendency to take too long to report an error. To prove this to yourself, compile PCPRINT.C with the calls to SetPrTimer() and GetPrTimer() removed. Then, with your printer turned off, run the One annoying characteristic of interprogram. Be patient! Although this re-

```
/* peprint.c
    For MSC 5.#/QuickC: cl pcprint.c
For Turbo C: tcc -DTURBOC pcprint.c
#include<stdio.h>
#include<bios.h>
                 /* printer error code bits */
#define PR_TIMEOUT
#define PRINT ERRS 3
struct printerrs
  char *errmeg;
  int arrval:
  printerrs[PRINT ERRS] =
  *Printer time out*, PR_TIMEOUT,
  "I/O Error", PR IOERR,
"Out of Paper", PR PAPEROUT,
/* general purpose macros */
#define PRINTER_ERRBITS (PR_TIMEOUT | PR_IOERR | PR_PAPEROUT)
. this function sets the printer timeout to 'vel' for printer 'pr'
 roid SetPrTimer(val, pr)
int wel, pr;
  unsigned char far *Pr tim out = (unsigned char far *)PRINTER TIMEOUT ADDR:
                                                                        (continue)
```

Figure 1: A C program that demonstrates working with the printer and handling errors.

LANGUAGES

sponse may have been acceptable when I PCs and printers were slower, the default time-out value is too high (14h on my machine). It can be set to a smaller value, and

the printer error will return more quickly. The SetPrTimer() and GetPrTimer() functions set and get the timer value for each printer. This value is found in the BIOS data area at 40:78h. If you cast a far pointer to that address, these functions can access and change the byte to a value that will speed up the error return time. You | -Richard Hale Shaw

can set this to a value as low as I, as PCPRINT does. Be sure to reset it to its Debug large programs with Turbo original value for the sake of other, less enlightened applications.

To compile PCPRINT for MSC and Quick C, use:

cl poprint.c For Turbo C, use:

tcc -DTURBOC poprint.c

Pascal 5.0 and the Turbo Debugger

Turbo Pascal 5.0's integrated debugger and the new standalone Turbo Debugger allow programmers to find and solve problems faster than ever before. Unfortunately, those of us working on large programs still have to cope with the ever-present memory crunch. Even if you don't have EMS memory or a 386 machine or a second computer to use for remote debugging, there are still some techniques that you need to know for using the new debuggers on your big programs.

If you try to debug your program and find that you've run out of memory, the first trick is to free up as much memory as possible. First, unload any resident software you normally use like SideKick or PRINT. Then check your CONFIG.SYS file and remove any unnecessary device drivers. Allocate as few buffers, files, and stacks as possible (say, buffers=8, files=20, and stacks=0.0) to make DOS as small as possible.

Now install the Turbo Debugger or Turbo Pascal to use as little memory as possible. For Turbo Debugger, use TDINST to set the 25-line mode on EGAs and not allow 43-line mode. If you're not debugging a graphics program, turn off Complete Graphics Save. Reduce the Log List Length, reduce the size of the History Lists, and set Screen Update to Flip, You can also experiment with the -M command-line option to set the debugger's

heap size. For Turbo Pascal, use TINST to set the Compile Destination to Disk, Link Buffer to Disk, turn off Full Graphics Save (if you're not debugging a graphics program), turn Standalone Debugging off while using the integrated debugger, turn off 8087 emulation if you don't need it, and reduce the size of the Edit Buffer to as small as possible for your source files. If it's practical, use Turbo Pascal 5.0's new overlays to reduce memory requirements as much as possible, remembering that speed of execution isn't critical during debugging. You may want to overlay during debugging and remove the (\$O) directives for the

working program. If your program still won't fit, then it's

```
Pr tim nut[pr] = vel;
                               /* set printer time out value */
* this function gets the printer timeout value for printer 'pr'
int GetPrTimer(pr)
int pr;
 unsigned cher fer *Pr_tim out = (unsigned char fer *)PRINTER TIMEOUT ADDR;
 return Pr_tim_out[pr];
                                  /* get printer time out velue */
/* this function prints an error message for the printer error bits set
· in erryel
woid PcPrinterr(erryel)
unsigned errval;
  printf("\nPrinter error: ");
  for( i = 0: i < PRINT ERRS: i++)
    if(errvel & printerrs[i].errvel)
printf(* %s*,printerrs[i].errmsg);
unsigned PcPrint(str, pr)
obar *str;
 int pr;
  unsigned retvel;
if( (retvel = bios printer(PRINTER WRITE, pr, (unsigned)*etr))
6 PRINTER ERRBITS)
#endif
      return (retvel & PRINTER ERRBITS);
  return 8;
main()
  unsigned retvel;
int nldvel;
  oldvel = GetPrTimer(LPT1);
SetPrTimer(1,LPT1);
                                          /* oet nld timer value */
                                        /* set new timer velue */
  if(retvel = PcPrint("this is a test\n", LPT1)) /* print the string */
    PcPrinterr(retvel);
                                        /* report eny error */
  olse
    printf("\nPrint test was successful");
  setPrTimer(oldvel, LFT1);
                                          /* set the timer value */
  exit(#);
                                                                    (Figure 1 ends)
```

At Last, Someone Got It Right... The World's First Perfect Keyboard! OmniKey/102™

FOR XT, AT, 386 TYPE SYSTEMS

Read what the experts say...

12 function keys on the left where God intended them... revolutionary and much needed... Better than any observed keyboard... duplicates the responsiveness and tactile feedback of the original BM keyboard... A viable entative to IBM? sown model... dumble, well-designed, sensible and has just the right feel..." rnative to IBM®'s own r Gary Ray, PC Week.

"Tuess surprised to discover how (Northgatels) keyboard increased my productivity.


My ears can tell when my fingers have mistyped, and when I'm flying across the
keys, my fingers get the kind of feedback they evidently need."

Kelth Fernell, Compute Magazine.

"Ripting on the (Northgate) is more comfortable han on any of the replacements I've tried." Jonathan Matzkin, PC Magazine

EXCLUSIVE "Click/Tactile Feel"

WE PUT THE F KEYS ON THE LEFT



Compatible with the IBM® enhanced keyboard including a Sys Rq key for ■ ESC key is where it belongs, next to No. I

- inframe access
- The 12 Pully Programmable Puncture

 The 12 Pully Puncture

 The 12 Puncture
- Keys are positioned on the left where everyone told us they belong for increased
- Exclusive Northgate Click/Bactile touch using Japanese made ALPS scaled electro-mechanical key switches rated for virtually a lifetime of use.
- ne-Year UNCONDITIONAL
- WARRANTY Aresthing breaks, we fix or
- LED light panel for CapsLock, NumLock and Scroll Lock (IBM doesn't have lights) ESC, CTRL, SHIPT, ALT lays are color coded Red, Green, Blue for WordFerfer users. Vertical templates fit, too!
- ter Key is jumbo sized, L-shaped, ckspace key is double width. Both Shift is are oversized for error-free operation.
- CTRL SHIFT ALT Keys are aligned

- CTRL lay is where you expect to find it, CapsLock key is next to space baz.
 - ■9 Curser and screen control keys on
 - Pull Numeric Keypad AND WE'VE EVEN ADDED AN (=) KEY FOR FULL REDUNDANCY WITH TOP NUMERIC
 - RUW. Spread sheet users and accounts
 - 12 window pencil-in strip so you can customize Function Key notes to yourself. Built to last with full metal base (marry keyboards are all plastic). Owni Key/ IC2 has a solid, 55 lb. "sit down on your desk to stay feel."
 - New Stim-Line ergonomic profile.
 - Pop-up back legs adjust typing angle for maximum comfort. ■ 100% Novell ELS Software Compatible

Now! PS/2 Compatible! Omni Key can be used with IBM PS/2 models 30, 50, 60, 80 ONLY \$2500 add



13865 industrial Plant Blind, Suite 113 * Phymouth Mile S

CTM nni Key 102 899.80 S.... C/T 84 \$79.00 L

e charge to my | Was | D grature of Cardholder

time to get fancy with the source code. There are three compiler directives that apply to debugging: (\$R+), (\$D+), and {\$L+}. Having range-checking ON (SR+) doesn't affect the size of the symbol table but does add lots of code to your programs. The latter two directives don't affect the program code but control what gets put into the symbol table.

In addition to DOS, the debugger, your program, and its data, you need one additional chunk of memory to hold the symbol table for your program. This symbol table tells the debugger the names of the files making up your program, where each line of the program is in memory, and what the names of all the variables are. The (\$D+) inserts the line-number information and allows you to debug a particular unit. The (SL+) adds local identifiers to the symbol table. By being selective about which of these directives each unit is compiled with. you can exercise a lot of control over the

size of the symbol table in the final program. Try turning Local Symbols off (or using (\$L-)). Build your program and see if it will now fit. You lose a lot of debugging features without local symbols, but it's very easy to try and see if this will work

for you. If it still doesn't fit, try debugging only part of it at a time. If your program consists of a menu structure that calls several routines, compile only those selections you're actually testing. You'll save all of the code and symbol space required for the other sections you don't care about. Using Turbo Pascal's conditional compilation and smart linking can make this a fairly painless process if you're careful about how you set up your units and main program. A typical menu-based program might be organized like Figure 2.

In this example, each menu selection is in a unit by itself and AddCust, DelCust, and DispCust might be overlaid. Now add

some conditional directives to the top of each of these units that follows this format:

(SIFDEF AddCust) (SD+, L+, R+) (SELSE) (SD-, L-, R-) (SENDIF)

For convenience, the variable name in the first line should match the name of the unit you're editing. Now if you do a Build of the main program, all of the menu selections will be compiled for small size, creating no symbol table entries. If you want to test the AddACustomer routine, you'll want to enable the debugging for that unit. Enter a conditional definition for AddCust using Options/Compiler/Conditionals or the /D command-line option and Build the program again. To test the DisplayACustomer routine, you'd define DispCust and Build again. You can enable combinations

of these by separating them with semico-

lons; for example, AddCust;DispCust.

easy ways to boost



CIRCLE 380 ON READER SERVICE CARD

(800) 343-7484

PC MAGAZINE # FEBRUARY 14, 1989

WHY YOU SHOULD BUY COMPUTERS BY THE BOOK.

A s you can see from our 4-page ad at the behavior of the page and at the Dell is the best possible way to buy computers. And this book is the best way to order. The Dell Computer Catalog. In 28 pages, it gives you full information on our high-performance 386° systems, 286 systems, 18ser printers, and much more.

Besides our own equipment, you'll also find a full line of software, peripherals, accessories, enhancement products, and networking solutions. All al lower-than-retail prices with higher-than-retail service and support. Just call us at (800) 426-5150. In Canada, call (800) 387-5752.

Or send the attached reply card. And we'll send a catalog immediately.



CHISSIPELL COMPLITES CORPORATION 184 is a rendersely of last Company

AD CODE NO. 1182

NEW BLAISE TOOLS

The fastest way to create powerful programs with Turbo Pascal 5.0 and Turbo C 2.0!

Blaise Computing, manufacturer of function libraries that offer easy-to-use solutions to your programming needs, introduces:

POWER TOOLS PLUS/5.0-\$149 anietely intermed and lightning fast routines

-completely integrated and lightning-fast routines to help you:

 Add moving bar pull-down ments and windows to your user interfaces; NEW! ◆ Generate context sensitive help acreens; NEW ◆ Add easy-to-use date and time conversion mentions; NEW ◆ Lt users; choose from window.

oriented pick lists; NEW? ◆ Create and access "huge" data structures, NEW? ◆ Use multiple-line edit fields with fully cordigurable edit loys; NEW? ◆ Speed up your sorting with flexible in memory sort routines; NEW?

with flexible in memory sort routines, AEW?

◆ Add EMS support; NEW? ◆ Write TSRs and ISRs ensily;

◆ Control DOS memory allocation;

◆ Create powerful programs in Turbo Pascal 4.0 & 5.02.

Turbo C TOOLS/2.0-\$149

—tight, fast, high quality functions to help you:

◆ Add easy to use mouse support for windows and menus; NEW?
◆ Quickly include virtual windows and menus; NEW?
◆ Integrate your windows and menus with Turbo Ch text windows, NEW?
◆ Create context, sensitive help screens; NEW?

 ◆ Provide multiple-line edit fields with fully configurable edit brys, AEW ◆ Use bryboard and video services (including enhanced bryboard and VGA.), NEW!
 ◆ Write TSRs and ISRs easily; ◆ Create powerful programs

in Turbo C 10, 15 and 2.0! FREE with these products!

Source code, complete sample programs, a comprehensive reference manual with extensive examples, the Norton Guides Instant Access Program, and as online database. We also offer free technical support and a bulletin board system dedicated to technical issues.

Unleash your programming potential!

Biaise Computing offers programming tools that are fast, flexible and affordable. Call now to order or to ask for a free brochure on our full line of products for Card Pascal.

Put Blaise tools to the test! If at any time during the first 30 days you are not completely satisfied with their speed and flexibility, we'll refund your money.

Call 800-333-8087 today!

BLAISE COMPUTING INC. 2500 Ninth St., Suite 30, Berkeley, CA 94710, (415) 540-5441 FAX: 415-540-1898



■ LANGUAGES

Note that you must use Build and not Make or Compile to make the conditional directives take effect.

You can take this one step further and have the compiler remove the code for those sections you're not testing. To do this, change the program framework in Figure 2 to look like Figure 3.

Now, when you build the main program, you'll include only those units that you're actually testing and leave out the code and symbols for the other units. For example, defining AddCust will compile the AddACustomer routine with all debugging options on and omit all other func-

tions in the program (except quitting).

The only problem with this is that it's difficult to compile a full working version of your program. You can either list all of the individual units in the conditional definition (in this case, AddCust;DelCust;), or add an All directive like this to the top of the main program:

```
{$IFDEF All}

{$DEFINE AddCust}

{$DEFINE DelCust}

{$DEFINE DispCust}

{$ENDIF}

When you compile the main program, us-
```

oug- When you compile the main program, using All in the conditional directives will in-

```
PROGRAM Whatever;
```

Clesnup

END.

```
USES Crt, TAccess, AddCust, DelCust, DispCust, Manu;
VAR QuitFlsq : Boolesn;
```

```
DECUM Initialize;
CHICATO TRIBE;
CHI
```

Figure 2: The framework of an imaginary program to be debugged.

```
PROGRAM Whatever:
USES Crt, TACCESS,
  ($IFDEF AddCust) AddCust , ($ENDIF)
  ($IFDEF DelCust) DelCust , ($ENDIF)
  ($IFDEF DispCust) DispCust , ($ENDIF)
 Henu:
VAR QuitFlag : Boolean:
BEGIN
  Initialize;
  QuitFlag := False;
  REPEAT
    CASE GetMenuChoice OF
      ($IFDEF AddCust) 1 : AddACustomer ; ($ENDIF)
      ($IFDEF DelCust) 2 : DeleteACustomer ; ($ENDIF)
      ($IFDEF DispCust) 3 : DisplayACustomer ; ($ENDIF)
      4 : QuitFlag := True
    FLSE
   FND
 UNTIL QuitFlag;
 Cleanup
```

Figure 3: The imaginary program framework of Figure 2, with conditional compilation code added to aid debugging.

New diskdoubler doubles the storage capacity doubles the storage capacity of your hard disk



for \$189

Upgrade the disk drives in your PC the easy way!

Datran's NEW DiskDoubler dd2000. The DiskDoubler incorporates the latest

in high-speed data compression technology and fits into any available slot on an IBM PC, XT, AT, 286, 386 or compatible,

running DOS 2.0 or greater. Upgrade the capacity of ANY disk drive. One DiskDoubler board lets you double the storage of ALL disk drives in your PC (including partitioned drives). No matter what size or type of disk drive you have, the DiskDoubler will typically double it. This includes floppies, removable disk drives, Bernoulli Boxes, SCSI, ESDI and

RLL drives. Even optical disk drives! Completely Transparent Operation. The DiskDoubler is designed specifically

for general business applications such as word processing, spreadsheet, and dBase files. It is compatible with most software programs so that once installed you can use your PC as you normally would while

DiskDoubler works in the background. Simple Installation - No cables or connectors

Installing the DiskDoubler is simple and automatic. It plugs into any available slot and works with your existing hard disk drive and controller.

No Reforming Required. DiskDoubler does not require that the

drive be reformatted. Utilities are provided that can compress all or part of your disk drive without removing the data or modifying your disk drive in any fashion. In fact, DiskDoubler will allow you to configure any logical or physical drive to be either a "compressed" or "uncompressed"

Low Power Consumption.

No need to worry about your power supply having enough juice to add another hard disk. The DiskDoubler only needs 1/2 watt.

Breaks 32MB DOS Barrier.

DiskDoubler doubles the amount of data your disk drive stores so it effectively allows your disk drive to store up to 64MB while staying within the 32MB limitation. How DiskDoubler Works.

At the heart of the DiskDoubler is a new. powerful, high-speed data compression microprocessor that incorporates Datran's state-of-the-art data compression technology which represents years of research and development. This custom, highspeed data compression chip can process up to 400 million bits per second.

Its performance and speed makes it look as though you added a disk drive of double the capacity to your PC.

Long Life Performance. 3 year limited warranty.

Satisfaction Guaranteed. 30 Day money back guarantee.

System Specifications System: IBM PC/XT/AT/25/30, 286, or 386 Operating System: DOS 2.0 or greater Memory: 64K memory (TSR) Slot: One short slot (no cables or

connectors required

FOR THE DEALER NEAREST YOU OR TO ORDER DIRECT BY PHONE: 2-0456

Leadership in Data Compression Technolog

Datran Comporation/2505 Foothill Bird /La Crescenta/CA 91214/Phone (818) 248-8780/FAX (818) 248-8785/felex 4932115/LubaCom (818) 248-8789 IRM PC: AT AND DRAFE AGE THE TRADEMARKS OF THE DESPECTIVE CHANEDS FOR IA CRESCENTA, CA

LANGUAGES

MiniScribe



Our Complete Family o Card Drives™

30 Day

"WorrvFree'

Guarantee

If for any reason, you

are not completely

Card Drive" HARD CARDS

Card Drive 20-8225 68ms \$279 Card Drive 30-8438 68ms \$309 Card Drive 40-8450 46ms \$359

Availabile for PC/XTand most Tandymodels. Quality engineered for reliability. Auto park heads.

ONE YEAR Warranty. Super easy installation and setup

PC/XT KITS

- /		
	20Mb	ST
1	30Mb	M
	40Mb	M8
1	62Mb	M3
J	80Mb	ST2
}	130Mb	M60

satisfied with any product, simply return it for a prompt and courteous re-

All products include a ONE YEAR Warranty and our 30 Day Worry-Free Guarantee!

half height 65ms \$244 3438 half height 65ms \$279 450XT half height 46ms \$319 3675 half height 61ms \$379 51/PS180 half height 40ms \$499

085/PS180 full height 28ms \$699 All kits come COMPLETE with the drive. controller, cables, How-To Manual and mounting hardware, 40Mb and larger

drives also include partitioning software. Seagate

40Mb Seagate ST251-1 half height 28ms \$399 71Mb MiniScribe M6085 full height 28ms \$539 *110Mb MiniScribe M6128 full height 28ms \$629

High Capacity Drives! 160Mb MiniScribe M3180E half height 16ms \$1375 340Mh MiniScribe M9380E full height 16ms \$2195

These drives come with an ESDI "1 to 1" high performance Hard/Floppy Controller!

All drives include AT mounting hardware and "Disk Manager" partitioning software!! *110Mb drive requires an RLL controller

Friday, 10am to 3pm Sat, MST ever a Surcharge for Visa or ArtsterCard Orders





or To Order International odwsy Rd. #110 - Tempe, AZ 85282 (602) 784-1038

HARD DRIVES

International Orders: (602) 784-1038 Toll Free Customer Service: (800) 234-5197 Toll Free Order Status: (800) 234-5197 TELEX: 405765 FAX: (602) 829-9193

ione and availability subject to a ns are NEW, 5% euroberge for American Express and COO orders.

pping for EXPRESS APO/FPO orders. 30 Day Oussense
let must be undamaged and in original condition. PCG028 de: per

clude all of the menu functions

Using these techniques and carefully organizing your program will permit you to debug programs of almost any size, even on less-than-state-of-the-art machines .- Scott Bussinger: Tacoma, Washington

There are a few other ways to save RAM for debugging. On a system that has expanded memory, Turbo Pascal uses 64K of it for the edit buffer, thus freeing 64K of normal RAM for your program. The standalone Turbo Debugger will use almost no RAM if you configure it for 80386 use. And if you have two computers, you can connect them with a serial cable and use Turbo Debugger on one to debug programs on the other. This last method takes 15K on the machine that's being de-

One other point. There are two ways to define conditional symbols, both of which are used in the above discussion. First, you can define a symbol right in the code of a Unit, using the {SDEFINE} meta-command. Such a symbol is defined only in that Unit. Second, you can define a symbol globally using Options/Compiler/Conditional defines in the integrated environment or the /D switch in the command-line compiler. When you define a symbol globally, it's recognized in every Unit.

The final example of the All symbol demonstrates both kinds of definition. If All is defined, then the compiler also defines three local symbols. This definition affects only the main program, instructing the compiler to include the Units and code related to those three symbols. It does not affect the other Units, so they are compiled without any debugging code.-Neil J. Rubenkine

Speak Your Language

Share your knowledge of BASIC, C, Pascal, FORTRAN, and COBOL with Languages readers, and we'll pay you \$50 or more for any tips we print, plus an extra \$25 if you submit your letter on a disk. If you send a disk, please include a printout. Mail your contributions to Languages, PC Magazine, One Park Avenue, New York, NY 10016.

To learn Microsoft QuickBASIC, you only need a manual this thick.



You're looking at something you won't see anywhere else.

It's called QB Advisor. A remarkable new hypertext electronic manual that can make you instantly more productive, even if you don't know the first thing about programming QB Advisor actually lets you experiment by cutting and posting useful sample programs right into your programming window. Only Microsoff has it. Only Microsoft could. And it's just one of the things you'll beam about new Microsoff "Quickha'SiC version 45 for IBM* PCs and compatibles.

Another is the steep-by-steep tutorial that actu-

ally takes you through every stage of programming by working you through a complete program. And QB Express—the interactive way to

And QB Express—the interactive way to learn all about your programming environment in a matter of minutes—not hours.

Microsoft QuickBASIC also comes with Easy Menus that let you develop programs with a minimum number of menu choices. Contextsensitive Help for immediate help with error messages and variables by simply punching a key, or clicking a mouse. And a built-

in debugger that lets you see exactly what your program is doing, as it's doing it.

Best of all, Microsoft Quick-BASIC is packed with enough power to handle whatever problems drove you to programming in the first place. Fact is,

it translates your program into executable code at an incredible 150,000 lines per minute.

Microsoft QuickBASIC version 45. If programming is the only way out, this is the easiest way in.



INTRODUCING DATALAN

The Performance Champion.



Network your PCs with DATALAN and get full compatibility with the software and PCs you want to use plus the speed you need. In benchmark tests, the DATALAN network offered substantially higher performance than Novell's proprietary PC network.*

DATALAN proves you can have a network that combines speed and full IBM and Microsoft compatibility. As your needs grow, you can upgrade your DATALAN network to include dedicated high-performance file servers and up to 255 users.

And the performance champion is available today. From Datapoint. Take advantage of the DATALAN network offer for just \$1295.†

You'll receive a complete three-user network including:

- Three network adapter cards
 Three NETBIOS modules
 Four-port passive hub
- DATALAN/4 software
 Complete documentation, including a videocassette on planning and installing your DATALAN PC

network

\$129500

COMPLETE NETWORK PRICE Just add your PCs and the optional cables and DATALAN is ready to provide you with network performance and compatibility.

Try DATALAN in your office for 30 days risk-free!

If you're not completely satisfied, return the package for a full refund. Use VISA, MasterCard, or a corporate purchase order to place your order. For immediate shipment, call

For immediate shipment, call 1-800-DATALAN. Or write to: Mike Basehart

Datapoint Corporation 9725 Datapoint Drive San Antonio, Texas 78284

DATAPOINT

DATALAN with dedicated file server vs. Novell SFT with dedicated file server.
 Plus tax and handling charge.

^{7.} Plus to and naturing change:
Detaport and the "D" logo are trademarks of Disapoint Corporation registered in the U.S. Patent and Trademark Office. DATALAN is a trademark of Disapoint Corporation. Microsoft is a trademark of Novel, inc. IBM is a registered trademark of International Business Machines Corporation.

PC TUTOR



Interchanging font files among application programs; adding support to hard disks by altering the disk controller; memory options can be limited on some AT. compatibles.

Source code and machine code are different versions of the same information

I have used and greatly enjoyed the utilities provided in your Productivity section. It intrigues me, however, that I can't generate the real programs. Why is it that an assembly or BASIC program creates the actual program that we use in the end?—Fred W. Erickson: Orem. Utah

Computers in general, including the IBM PC, are able to process information only when it is presented as binary data known as machine code. Because it is in a binary form intended for a computer, machine code is not easily understood when viewed by humans. To make the programming of computers easier for humans, assembly language was developed.

Assembly language uses an easily understood mnemonic instruction to represent each machine code instruction. So, for example, the machine code instruction 18118188 88118111

can be written as assembly code in the more understandable form of MOV AH.34h

Assembly language listings, such as those provided in the Utilities section, are known as source code and are translated by the assembler into their machine code equivalents. The BASIC program listed in each Utilities column is an alternate method of creating a file for those readers who

don't own a copy of an assembler. It simply stores an executable file as DATA statements that can be easily printed and typed in, and then re-creates the file when run. For more information on the way the BASIC program works, see the Utilities column. September 27, 1988.

A PC-XT can be modified to add support for new hard disks by altering the disk controller ROM

The fixed disk BIOS in the IBM PC-XT hard disk controller supports only four different sets of hard disk parameters. I would like to change the ROM on the hard disk adapter. What are the equivalent EPROMs that I can use?—Henry Chang; Palos Verdes, California

There is nothing very mysterious about ROM (read-only memory) chips. They simply contain software programs in an unerasable format. Modifying and replacing ROMs with EPROM (erasable, programmable ROM) chips involves two small steps: a hardware task and a software

The hardware part of the job is the easiest. The mechanics of "burning" an EPROM are simple. Many mail-order firms and computer stores sell "PROM burners" that come complete with all the correct hardware and control programs needed to perform the task.

The modification also requires some software skill because you are, in essence, patching an executable program. A COM New Jersey

file that has been badly modified with DE-BUG isn't likely to run properly. But a badly modified ROM will probably stop the computer system from running at all.

The ROM chip on the XT hard disk controller holds 8K of data and is addressed starting at C800.000th. To replace it, use a 2764 EPROM. The "27" indicates the family of EPROM that the chip belongs to, and the "64" indicates the number of kilobits the chip contains. Thus, 64 kilobits arranged as an array of 8-bit bytes yields 8K of storage.

Memory options for dividing system board RAM can be somewhat limited on some AT compatibles

My mail-order AT clone came equipped with 640K on the motherboard configured as two 256K banks and two 64K banks. Because it was billed as "expandable to IMB," I replaced the existing 64K chips with 256K chips in order to get some extended memory.

After settine the configuration switches

and nunning the SETUP program, I discovered that the hardware would not allow me to allocate memory as 640K of conventional and 344K of extended. Instead, my only option was 512K of conventional and 512K of extended. Is there an inserval way to get around this limitation? I know I could purchase a memory board that would backfill conventional memory in 640K, but that seems like an expensive option—Robert J. Strelau: Highstown.

Write More Better Or Your Money Back



Grammatik III is the guaranteed way to eliminate "more" writing errors. It's IBM PC software that improves your

writing fast...s you use it.
Grammatik Ill uses Artificial
Intelligence to proofread your writing for errors in grammar, style,
punctuation, usage, and spelling,
punctuation, usage, and spelling,
elmein condext, right on your
screen. Then, it offers suggestions
for improvement and let syou revise
your document immediately, without
going back to your word processor.
It's really that easy, Commande, Ill
way to improve your word processor.

Memos, letters, reports... everything you write WILL be clearer and more concise or your money back? Call for complete info. Or, order Grammatik III now for only \$99.00 and write better right away.

CALL NOW! (800) 872-9933

Gram·mat·ik III

*Try Gryamath III rath five. If not completely satisfied, return it within 30 days for a full refund. Notwork Edition (for up to fee users)—3189. Grownish is a trainment of Wang Labrotonics, Inc. © 2898 Reference Software, Inc., 330 Tournand SC.

R, San Evenciara, CA 94107

■ PC TUTOR

The 80286 chip can address a full 1MB of memory when operating in real mode. The IBM PC AT design, however, assigns the top 384K of the 1MB address space to ROM (read-only memory), leaving only 640K of address space for RAM. Any additional RAM must be addressed after the 1MB boundary.

The problem of RAM addressing on a system board appeared when manufacturers began allowing four banks of 256k RAM to be installed. Because the IBM design required that the lower 540K of RAM be addressed differently than the top 384K of RAM, it required special hardware and influenced the design of the system board.

To save money, some manufacturers don't support split addressing. Unfortunately, yours is one of them. Your best solution would be to reinstall the 64K chips on your system board, for a total of 640K. Then buy a memory expansion board and install the two banks of 256K chips.

If you select the correct printer driver, WordPerfect can output draft printouts instead of NLQ

Using the November 11, 1986, PC Magazine printer issue as my guide, I purchased a Panasonic KX-P1091i II dot matrix printer. However, I'm experiencing a problem that I hope you can solve.

I use the printer with a Compan Deskin pro and WardProject 4.2. Regardless of the position of the print mode selector switch, the printer makes a double pass switch, the printer makes a double pass switch, the printer to print in draft through 5 from white WordProject, I still cannot get the printer to print in draft mode. Do I need to reset the DIP switches to make it work in draft mode, or is this not any help that you could give ne with this printing problem.—Lyle K. Holmes; APO, New York

The problem you're having is not with the printer, but with the WordP-erfect printer driver. The WordP-erfect program itself doesn't know what type of printer you have attached to your computer. It is the printer driver's responsibility to communicate with the hardware, and it is giving the

instructions to your printer to make two passes. As long as you use the Panasonic KX-P1091i driver, you will get NLQ output instead of draft.

To get the single-pass, or draft, output you want, simply select another printer and driver. WordP-offeet 4.2 will support up to six different printer definitions. Simply define a new printer and select the definition "DOS text printer," When you wish to the print in draft mode, use the printer number assigned to this definition. The characters will be passed to the printer without interference.

An 80386 can speed up most ROM operations by duplicating the ROM code in shadow RAM

I have an AST Permium/286 computer with IMB of RAM, an ATT EGA Wonder video card, and a NEC MultiSyne II monitor. This combination works quite well, but the sercen updates can be slow. Some of the new 386 machines map the machine BIOS and the video BIOS from ROM into RAM with the intent of speeding up the display.

Is there a program that could do this on machine? If so, would there be a noticeable improvement? If this was done, where in memory does the code go? —Gary Pritchard; Toronto, Ontario, Canada

The amount of time the PC must take to by read information from ROM (read from ROM) (read point memory) is generally greater than the time spent reading the same information from RAM (random-access memory). Because for this, copying the BIOS (Basic In-put/Output System) program to RAM will generally speed up a computer's generally speed up a computer's permanene. ROM code, however, is usually written to execute at a specific address and cannot be relocated by simply copying the code to another location.

On your 80286 computer, assuming the ROM could be patched to run in a new location, the memory occupied by the ROM would be removed from the 640K allowed for programs. Since the typical BIOS ROM for an AT takes up 32K, this much memory would be taken up as if the BIOS were a TSR program.



At 17,400 bps and under \$1,000... The new champion is Courier HST.

The race belongs to the swift and that's why USRobotics' Courier HST is "the champion".

In race after race among high speed moderns, the Courier HST outperforms the highpriced competition.

The writers at Data Communications and the inde-

pendent testing laboratory, Telequality Associates, concluded in their head-tohead modern test:

"The USRobotics Courier HST modem, the least expensive of all the modems tested, outperformed all the pseudo-duplex modems on

the line simulation tests..."

And PC Magazine calls the Courier HST, "the top price-performance ratio at 9,600 bps."

USRobotics:

The secret to our success?
Partly, it's our innovative asymmetrical data pump with MNP™

Level 5 data compression delivering 17,400 bps... saving you money on phone line charges.

Partly, it's our unique automatic fallback/fall-forward which assures you the fastest speed possible.

But there's even more to being "the champion" than that.

Mostly, it's the security you get from knowing you are buying the #1 rated modern.

If you are considering trading in your current

modern for a high speed modern, don't get left in the dust. Get the new champion—Courier HST.

Call 1-800-DIAL-USR In Illinois (312) 982-5001



The Intelligent Choice in Data Communications

North McCommirk Boulevard Shoke Illinois 60076

"Wated fair by Data Communications under Requestly encountered line contitions. Data Communications with the United State by Data Communications and software names identified by 0 or " are trademarked or US Robotics, inc. Other computes and software names identified by 0 or " are trademarked or undersafts of their respective manufactures."

For sales in the United Wingdom, please cell Miscoro, List, Spowde, Targeton, Telephone 0473 233000.

IBM Quality ITL Price



	200		
M#	100	-	TIE
Elite	88	286	386
Memory	256K	512K	1Meg
Processor	8068	80286	80386
Speed	10 MHz	10 MHz	16 MHz
Drive	360K	1.2 Meg	1.2 Meg
Power Supply	150W	200W	200W
Keyboard	84	101	101
BIOS	Phoenix	Phoenix	Phoenix
Speed Option	5	20 MHz	25 MHz

LAN File Servers File Server Includes: *1.2 Meg Floopy ase *1 Meg Zaro Walt RAM "Keyboard er Case *1 M parallel printer port "Hard disk & high speed on (800 Kbytes/Sec) "Arcnet LAN adapter. 60Mcg 110Meg 338Meg Processor 10 Mhz 80286 \$2294 \$3299 \$2249 \$2574 \$4299

\$4599

\$2549 25 Mbz 80386 \$7849 \$3174 \$4899 Add \$74 for Ethernet LAN Card Diskless Workstations Monochrome Monitor Graphics card wiparallel por LAN adapter *Kayboard

20 Mhz 80286

Mbz 80386

Processor Arcnet Ethernet \$749 10 MHz 8088 (256K) \$4.00 10 MHz 80286(512K) \$1049 20 MHz 80286 (512K) \$1349 \$1099 \$1399

LAN Adapters Ethernet Arcnet *10 Mbits/sec *2.5 Mbits/sec LAN Software

Novell is the registered leader in LAN software. All thes packages can be used Ethernel or Archet LAN adapts Novell Netware FIS1(4 user) \$538 ELS 11 (8 user) 286 v 2.12 (100 user)

286 SFT v 2.12 (100 user) \$3649 Network OS 100% Novell compatible \$150/user--30 users \$1200

1-800-253-4001 ext. 16 Innovative Technology, LTD. P.O. Box 726 Elk City, OK 73648 alisfaction Guaranteed * Systems in stock for im diete shipping porng 3% * Fax Line (405) 243-2610 , Technical info. (pping 3% * Fix Line (405) 243-2810 , recrease (residents, (405) 243-1559 cover/NSAMC NO SURCHARGE *AMEX Add 4% M PC XT and AT are a registered trademark of inter-

PC TUTOR

On an 80386 computer, however, the rules change. Memory located at any physical address can be "mapped" by the 80386 to seem to appear at another address. Thus, a 32K section of memory, physically located past the 1MB limit of DOS, can be mapped to appear in the same location as the original BIOS ROM. The ROM code is copied to the new section of RAM, then the mapping is performed. The result is faster-executing ROM code. This technique is generally referred to as "shadowing.

Interchanging the many font files from different application programs isn't generally practical

My problem is the general proliferation of fonts, which seem to be eating up all the real estate on my hard disk. I have fonts everywhere! I've got screen fonts, printer fonts for my HP LaserJet Series II, fonts for Microsoft Windows, fonts for Microsoft Excel, and fonts for GEM, I've even got fonts from Bitstream that I use with Ventura Publisher. Is there anything I can do to allow me to use these fonts with other packages? I'm not a novice with PCs, but all these fonts have me haffled. Is there a book or software package that can lead me out of the font jungle?-Roger Crowley: Great Mills, Maryland

Your problem with multiple fonts isn't unique. Software publishers tend to design their products to use proprietary file and font formats. This isn't necessarily to be incompatible, but to enhance some specific aspect of their program's performance. Plans to use a common format are also hampered because no widely accepted standard for font formats is employed by software developers. Users are required to carry the burden in the form of more files to store.

Some companies, like Bitstream, manufacture the fonts themselves. The program developers may convert the fonts to their own format and include them with a package or provide a conversion utility. Unfortunately, there's no general method for determining which fonts are compatible with which package-other than the one they came with.

EGAs don't display wide borders and sometimes don't work with screen-recall programs

When I had a CGA monitor. I had no dark margin around my monitor. I am told that it is the nature of the EGA monitor to have a dark margin. The majority of the screen responds to COLOR.COM. Do you know how I can get color over the entire surface of the EGA monitor?

With the CGA monitor, I used a program called WAITASEC that would allow me to scroll back anything that went off the screen. Since I started using my EGA, I find that these programs do not backscroll beyond what is on the screen. Do you know why?-Sherwood L. Shulman; Bradenton, Florida

The area of the display that appears as a border is referred to as the overscan area. On a CGA, this area is quite a bit larger than on the EGA. As you note, this is a characteristic of the design of the EGA specification, and it isn't something that can be fixed easily.

If you're willing to experiment, however, some partial solutions were given by Charles Petzold in PC Magazine's twopart series "Exploring the EGA," August 1986 and September 16, 1986, Programs like WAITASEC (Power Programming, PC Magazine, November 26, 1985) depend on intercepting the Scroll Screen function request to make a copy of the line of text that is about to roll off the top of the screen. To increase the display speed, some EGA cards perform this function internally. Thus WAITASEC is never notified that it must save the text.

Ask the PC Tutor

The PC Tutor solves practical problems and explains points of general interest about using your hardware and software more productively, and answers basic questions about DOS and systems in general. To see your questions answered here, drop a line to PC Tutor, PC Magazine, One Park Avenue, New York, NY 10016. We're sorry, but we cannot answer questions personally.



Send And Receive Fax Right From Your PC











From \$395

JT Fax internal and portable 4800 baud models for PC/AT/XT and PS/2.

9600 baud board with optional modem daughter card.

Call to order the right JT Fax for you

1.800.548.3420 In Georgia: (404) 564.5566 Fax: (404) 564.5528





How UDS squeezes more out of the V.32 standard

Believe it! In the hands of UDS engineers, the V.32 standard means a lot more than 9600 bps, full-duplex.

Every UDS V.32 is fully compliant with the CCITT recommendation, but that's only the beginning. Model V.3225, the latest in the UDS V.32 family, offers lots of extra features.

First of all, there's MNP level 5, the data compression/error control technique that increases data throughput by as much as a 2:1 ratio. In other words, a UDS V.3225 can give you full-duplex error-free communication at 19.2 kbps!

When your dedicated line goes down, V.3225 is the Ideal dial back-up

solution, it even checks the dead line periodically and switches back to it as soon as it's available.

Then there's V.22 bls operation; if your V.3225 receives a call at 2400 bps, it automatically drops to that speed, and full-duplex communication goes on.



Got a real data density problem? The card you get in your free-standing V.3225 can be plugged directly into the Universal-Data Shelf," giving you

as many as 16 channels in a standard 19- or 23-inch equipment rack. To learn how the V.3225 can squeeze more from your datacomm system, contact Universal Data Systems, 5000 Bradford Drive. Huntsville, AL 35805, Telephone

205/721-8000: FAX 205/830-5657. Universal Data Systems

CONNECTIVITY CLINIC



Clustered CPU cards make remote LAN connections easy; SRVCLOCK and NETCLOCK updated; a model for IBM's High Level Language Application Program Interface.

Writing code for IBM's HLLAPI is easy if you have a model

Your coverage of LAN gateways in Connectivity Clinic (December 13, 1988) mentioned that IBM's High Level Language Application Program Interface (HLAP) made it possible to automate the process of signing on to a mainframe computer. However, I wonder how hard it is to use this interface. Can you give an exmaple?—Gil Milligan, Desini, Fortoda

The C language program in Figure 1 is an example of a mainframe session sign-on using HLLAPI. I must emphasize that

TSO.C is a bare-bones program that needs the addition of a lot of error-trapping routines and a user friendly interface before it is practical.

This example underscores the primary conclusion of our gateway reviews; you need to have a very good understanding of the mainframe communications link process before you try to install a LAN gateway. However, it also shows that the calls from C (or other high-level languages) are easy to use.

Functions such as doconps (connect presentation space), doskey (enter a stored string), and dopause are intuitive functions and have a syntax that is easy to use. The sample program clearly shows how the

functions are formatted and called.

It is relatively safe to experiment with

HLLAPI programming. HLLAPIs are available for many gateways, and the front-end processors of IBM systems are reasonably tolerant of stations trying to log in. Using HLLAPI is a good way to learn more about mainframe communications and how to control communications links.

Two favorite network time-keeping programs are updated and revised

I revised my SRVCLOCK and NET-CLOCK programs to be more reliable in large networks and where SRVCLOCK

```
And the first design design of the property of
```

Figure 1: This simple program, TSO.C., needs error-trapping routines to be practical, but it serves as a good example of how to use the C programming language to interact with IBM's High Level Language Application Program Interface (HLLAPI).

CONNECTIVITY CLINIC

must handle multiple requests.

I have improved the performance of SRVCLOCK by separating the NetBIOS "listen" and "send" functions and linking them via a circular buffer. This combination produces a system that resists errors and handles requests efficiently.

My changes to NETCLOCK include a retry for the call routine (in case SRVCLOCK does not have a listen currently pending) and enabling it to deliver an emotivel on exit.

We tested the programs in a number of large environments and with multiple machines that were repeatedly calling SRV CLOCK. In our tests the new SRV CLOCK program recovered from errors, whereas the old SRVCLOCK version was unable to answer any of the new calls after an error.

an error.

Note that SRVCLOCK reads the CMOS (complementary metal-oxide semiconductor) RAM to obtain the date and time. The machine that's running SRVCLOCK must have a clock in CMOS at the same locations as an IBM PC AT.

—Alan Ouere: Boise: Idahor.

Having the correct—or at least the same—time on all network stations is important in many applications. Applications a for data entry, billing for professional services, and order entry are just a few types of jobs where it is important to keep accurate time. The SRVCLOCK and NETT—CLOCK programs work together to pass the time of day from one machine to all others on the network.

The original SRVCLOCK and NET-CLOCK programs are our most popular LAN utilities and are available on PC MagNet. In fact, many subscribers have commented on their value in the PC Mag-Net forums.

SRVCLOCK runs on one machine in the network and NETCLOCK runs on each workstation. Because these programs communicate through the NeBlOS services of the network, SRVCLOCK carrier un on any station with a trustworthy clock. When it receives a request from NETCLOCK, SRVCLOCK reads the time from the on-board clock and passes it to the NETCLOCK rests the workstation clock to the value re-creded from SRVCLOCK.

If you are running on non-NetBIOS networks like NetWare or VINES, don't forget to make NetBIOS services available before using NETCLOCK and

SRVCLOCK.

Due to space limitations, we cannot publish the new code for NETCLOCK and SRVCLOCK in this column. However, you can download the new ASM and COM files (or the originals) from PC

MagNet. Note: instructions for using PC MagNet are given in the Utilities column of each is-

Productivity Tip

If you have a DEC VAX in your environment, you should consider using it for a PC network server. DEC, Novell, and Apple all market server software for the VAX. The VAX probably won't be the only server on your LAN, but for big files and heavy printing jobs it works well.

Remote LAN connections are easy using clustered CPU cards

We need to connect remote workstations to Novell-based LANs that are out of state. We will use them for light processing and liet transfer, approximately 1 to 3 hours per day. Currently, we add remote workstations for "remote control" through networked PCs running Carbon Copy Plus, fast moderns, and votee-grade phone lines. The disadvantages are that we must dedicate network PCs to this job and incur long-distance charges.

Can you tell me what alternatives are available?—William D. Baccich; New Orleans, Louisiana

From what you've written, I don't think using the X-25 services of a public data network (Consectivity Clinic, September 13, 1988) will be connented for you. Suggest you train all beautions of the property
I think that you should consult with several long-distance telephone carriers. Dialed long-distance calls are more of a bargain today than they ever have been for businesses that have medium-to-large call

For more information on the QuickLink IV card, write to Cubix Corp., 2800 Lockheed Way, Carson City, NV 89706, or call (702) 883-7611.

Getting back up to speed on connectivity issues

I enjoy the information included in Connectivity Clinic every issue. I have been out of the country and need to get back up to to date. Does PC Magazine publish this information in any other form or must I buy all possible back issues? Can you recommend other publications that concentrate on telecommunications and connectivity issues?—Mark Nicholston, Glendale, Arizona


You can get the programs listed in this column, plus the full text of the magazine—including back issues—electronically, through PC MagNet on Compu-Serve.

While we shine our light on comparative equipment reviews and information designed to make PCs more productive, our sister publication in the Ziff-Davis family of magazines, PC Week, has a Connectivity section that focuses primarily on news.

Network Your Questions

Connectivity Clinic gives you practical solutions to networking problems of all types. We'll pay \$50 or more for any tips we print, plus an extra \$25 if you submit your letter on a disk, and we'll gladly answer any questions you have, at no charge. We're sorry, but we're unable to answer letters personally.

Mail your contributions to Connectivity Clinic, PC Magazine, One Park Avenue, New York, NY 10016, or you may contact Frank J. Derfler, Jr., via MCI Mail (be sure to use Derfler's box named CON-NECTIVITY CLINIC).



Features	ProDesigner VGA Plus	ProDesigner VGA	Designer 800 VG.				
Ben & BIOS Support	16 and 9 Det	16 and 8 Bks	8 Bit				
Extended VGA Modes							
360x480 256 colors	Yes	Yes	Yes				
640x350 256 colors	Yes	Wish User Upgrade	With User Upurado				
640×450 256 colors	Yes	Wath User Uperade	With User Upgrade				
800x600 L6 colors*	Yes	Yes	Yes				
800x600 256 colors*	Yes	With User Uperade	Wish User Unerade				
1024a766 16 colors*	Yes	Walt User Upgrade	No				
3 - 132 column 16 color modes	Yes	Yes	Yes				
100% Register and BIOS Computable with VGA, MCGA, EGA, CGA, MDA and Hercules	Yes	Yes	Yes				
Auto Mode Switch, Auto 8/16 Bus Sense and Auto Morstor Select	Yes	Yes	No				
Suggested Retail Price	5.599	5499	5199				

The Orchid ProDesigner.

Dip your brushes into the Orchid palette to create picture-perfect images.

With 26 high resolution colors, nine extended modes, and a leeb thus, the Orchid ProDesigner series brings your creations to life at lightning speed. The product line is register-level compatible, upgradeable, and affordable. Whether you're using desktop publishing, CAD/CAM or business applications, you'll see brillaint designs from a colorful perspective. The ProDesigner series lets you accent your work with vivid graphs.

Installation is a snap. ProDesigner automatically configures to your monitor and 8 or 16-bit bus. And because you use more than one application, ProDesigner ingeniously selects the correct mode on its own. So you can concentrate on unleashing your genius into the creative world of Orchid graphics.

ProDesigner, Designer R00 and Orchid are trademarks of Orchid Technology. BIM, VGA, MCGA, ECA, CGA, and MDA are trademarks of International Business Machines. All other products are the trademarks of their respective stamplactures.

ORCHID TECHNOLOGY 45365 Northport Loop West Fremont, CA 94538 Tel: (415) 683-0300

ORCHID (EUROPE) LTD. Basingstoke, U.K. Tel: +44 256-479898



Supports these standards on both interfaced (IBM 8514 and compati

CIRCLE 140 ON READER SERVICE CARD



ake advantage of this special offer and subscribe to PC Magazine and SAVE 60% with these low prices-You'll SAVE over \$1.76 a copy!

Subscribe to the IBM/MS DOS magazine that delivers hands on tested PC-PS/2 product comparisons and evaluations conducted by PC Labs, the publishing industry's independent IBM-compatible product testing laboratory and save! Two years (44 issues) for \$51.97. SAVE 60%!

Less than \$1.19 a copy! One year (22 issues) for \$31.97. SAVE 51%!

Only \$1.45 a copy. Savings based on new sstand price of \$2.95 per assue Basic annual subscription is \$44.9° SPECIAL DOUBLE BONUS!

PC MAGAZINE'S 2-DISK UTILITIES LIBRARY: VOL. 1 plus the ALL NEW VOL. II Here are 78 utilities that will speed your keyboard, locate files in seconds, add DOS to working disks, and more! YOURS FREE when you





FOR FAST SERVICE CALL 1-800-525-0643

PC Magazine's Direct Marketing Connection For PC Products

For many of you, mail order is your primary means of purchasing PC products and services.



Arlington Computer Products gives you the best prices on IBMPCs...and Compaq tool

IBM	PERSONAL SYSTEM II
Model 3	30, 20 MB, w/Monitor\$1899
Model 5	50, 20 MB, w/Monitor \$2749
Modei 5	50Z. 30 MB. w/Monitor \$2999
Model 6	30, w/44 MB and Monitor \$3495
	50. w/70 MB and Monitor\$3895
	30, w/44 MB and Monitor \$4595
	30, w/70 MB and Monitor \$5195
	80, w/115 MB and Monitor \$6495

IBM XT & AT Cell for Custom Configurations

COMPAQ 286 PESKTOP - (12 MHZ)

ive io i	64 Aor	ok	r				В.									\$.	2	29	15	
Mo	del	40	1													\$.	54	54	S)
Мо	del	110	Ю													\$	6	99	15	
20																\$	39	97	5	
40																ş.	44	19	98)
	Mo Mo 20	Mode Mode 20	MPA Model 40 Model 10 20	MPAQ Model 40 Model 100 20	MPAQ I Model 40 Model 100 20	MPAQ P Model 40 Model 100 20	MPAQ PO Model 40 Model 100 20	MPAQ PO Model 40 Model 100 20	MPAQ POI Model 40 Model 100 20	MPAQ POR Model 40 Model 100	MPAQ POR' Model 40 Model 100	MPAQ PORT Model 40 Model 100	MPAQ PORTA Model 40 Model 100	MPAQ PORTA Model 40 Model 100	MPAQ PORTAL Model 40 Model 100	MPAQ PORTAB Model 40 Model 100	MPAQ PORTABL Model 40	MPAQ PORTABLE Model 40 \$56 Model 100 \$63 20 \$38	MPAQ PORTABLE: Model 40	ive 640K, 40 MB, 0 MB, 0 MONITO \$2295 IMPAQ PORTABLES Model 40 \$5645 Model 100 \$6995 20 \$3975 40 \$4495

w/40 MB\$4175

COMPAQ 386 Model 3865 W/40 MB /16 MHZ) \$3795

Model 386E MB (20 MHZ)\$3749 Model 386E w/40 MB (20 MHZ) \$4749 Model 386E w/110 MB (20 MHZ)\$5749 Model w/110 MB-25 MHZ.....\$7199 Model w/300 MB-25 MHZ......\$9099 COMPAQ DESK PRO

Portable III 20 MB\$3599 1 Driva, 640K, 20 MB Green or Amber Monitor\$1695

AST PREMIUM

10 MHZ, 512K, 1 floppy, 40 MB serial and parallel porta, mono monitor. \$2099 MULTIFUNCTION

20 MHZ, 1 MG, 1.2 floppy, 40 MB, mono monitor. \$3299

PRINTERS EPSON

LX 800 \$189	LQ 500 \$299
DFX 5000 . \$1349	LO 850 \$519
FX 850 \$339	LO 1050 \$719
FX 1050 \$449	
EX 800 \$399	LO 2550 \$919
OKIE	DATA
ML 320 \$339	ML 321 \$469
ML 390 \$469	ML 391 \$839
393	.\$925
TOSI	HIBA
321 S/L/341 S/L	
351 SX	\$899
NE	C
P5200 \$539	
P2200 \$349	P9XL \$1049

BUANDO
DFI w/384K \$199
AST 6 Pack w/384K\$229
AST Rampaga AT w/512K \$389
AST Hot Shot \$355
Orchid Tiny Turbo \$279
Orchid Twin Turbo \$399
Intel Above Board PC \$239
Intel Above Board 286 \$389
Irma Board \$695
AST 5251-11 \$529
AST 5251-11 Plus Enhanced \$589
CHIPS

ROARDS

258K Chips each \$	11
8087-3/-2\$109/\$1	49
80287-8MHZ \$1.	66
80287-8MHZ \$2	29
80287-10MHZ \$2	69
80387-16 \$3	99
80387-20	99
80387-25 \$6	59
	_

SOFTWARE
D Bese III Plus \$379
D Bese IV \$479
Framawork \$399
IBM Displaywrite IV \$299
Logitech Mouse \$74
Lotus 123 \$299
Managing Your Money \$125
Microsoft Mouse \$109
Microsoft Word \$219
Mouse Systema Mouse \$99
Multimate Adv. II \$259
R Base for DOS \$439
Symphony \$429
Ventura Desktop Publ \$499
Word Perfect 5.0\$219

m	JUE	mo.	•	•	VES
Haves	1200/2	400		 5	289/\$41
Everes	1200/	2400		 	\$79/\$14
Evara:	2400 (Exter	nal	 	\$24
					\$16
					\$121
Sharp	FO-420	Fax			\$129

Quietwrite	r	Ш	١.										4	1	1	99
Proprinter																
Proprinter	X	2	4.											\$	5	49
Proprinter	×	L				ı								\$	5	49
Proprinter	X	L	24	ŀ	ı,									\$	7	19
							ı									

	Leaerja											
	1 MG L											
	2 MG L	Jpgr	sbe	ı								. \$599
	4 MG L	Jpgra	ade	r								\$1199
L	25 in 1	Fon	١.,									. \$279

DRIVES & TAPES Ext. 51/4" for PSII . . \$199 SEAGATE HARD DISKS

Ext. 1.2 for PSII ... \$219 20 MB for XT (ST225), \$269 Toshiba 3½" 720K . \$99 30 MB for XT (ST238), \$289 Toshiba 3½" 1.44 . \$105 40 MB for AT (ST251), \$349 20 MB Tape \$339 40 MB for AT (ST251-1)\$419 40 MB Tape \$459 80 MB for AT \$599 IOMEGA Bernoulli Box II 51/4" 20 MB Int. w/card \$969

Bernoulli Plus

PLUS Hard Cerd 20 MB . . \$529 Hard Card 40 MB . . \$849 VIDEO BOARDS

ATI EGA Wonder	\$189
ATI VIP VGA	
Compaq VGA	
Everax EGA Autoswitch	
verex VGA	
Herculas Graphics Plua	
NEC MVA 1024	
Orchid VGA	
Paradise Autoswitch 480 .	
Paradise VGA	
Paradise Professional	
/ega VRAM VGA	
/ega VGA	\$269

MONITORS

Multisync \$579
Muitisync Plus \$889
Multisync XL, 19"\$2075
MITSUBISHI
EGA \$399
Diamond Scan \$499
PRINCETON
HX12E \$449 Ultrasync \$519
SAMSUNG
Color/EGA \$229/\$339
Multisync \$439

Arlington Computer



800-548-5105

Products, inc. ARLING

America's choice and Arlington Computer Products choice is EPSON®

It's not herd to understend why. Care in design, engineering end manufacturing heve made Epson en industry leeder and the industry standerd. And to back their reputation, e one year warranty stands behind every Epson product.

Arlington Computer Products is en euthorized Epson® dealer, Please cell for Immediate delivery et very competitive prices.



Epson FX-850

Narrow-carnage 9-pin, dot-matrix printer SmartPark." a unique Epson paper-handling innovation, lets you switch from fanfold to s sheets or envelopes without removing hardware

or paper · With a standard push feed tractor and sing sheet friction feed, the FX-850 can handle virtually any type of paper as well as envelopes

Exclusive SelecType front control panel puts
popular printer features and SmartPark operations at your fingertips. The FX-850 prints 264 characters per secon (CPS) in high-speed draft mode (12 CPI), 54 CPS in Near Letter Quality mode (12 CPI)



Epson FX-1050

Wide-carriage 9-pm, dot-matrix printer a unique Epson paper-hani innovation, lets you switch from fanfold to single sheets or envelopes without removing hardware

or nape With a standard push feed tractor and single sheet friction feed, the FX-1050 can handle virtually any type of paper as well as envelopes Exclusive SelecType front control panel puts popular printer features and SmartPark operations at your fingertips.

The FX-1050 prints 264 characters per second. (CPS) in high-speed draft mode (12 CPI). CPS in Near Letter Quality mode (12 CPI)



Epson LQ-500

· Enson's 24-pm, dot-matrix technology creates true letter quality characters and high-resolution graphics

· Prints 180 characters per second (CPS) in draft mode, 60 CPS in letter quality (12 CPI) · Automatic single sheet loading, standard pull tractor and friction feed for versable paper

· Exclusive SelecType front control panel offers

quick, easy selection of popular typestyles, fonts and pitch . Two resident, letter quality fonts - Roman and

New "shadow" and "outline" ornit modes for use with desktop publishing applications



Epson LQ-850

. Epson's 24-pin, dot-matrix technology creates true letter quality characters

. Exclusive SelecType front control panel offers quick, easy selection of popular typestyles, fonts

and pinch · 264 Characters per second in the high-speed draft mode delivers outstanding productivity

. 88 Characters per second in Letter Quality mode for enhanced, high-resolution characters . In draft mode or Letter Quality mode, the LQ-850 runs at a surprisingly quiet 55 dB noise level



Epson LQ-1050

 Enson's 24-pin, dot-matrix technology creates true letter quality characters

· Epson's SmartPark * . 264 Characters per second in the high-speed draft mode delivers outstanding productivity

. 88 Characters per second in Letter Quality mode for enhanced, high-resolution characters In draft mode or letter quality mode, the LQ-1050

runs at a surprisingly quiet 55 dB noise level Exclusive SelecType front control panel offers. quick, easy selection of popular typestyles, fonts and pitch



Epson LQ-2550 24-Pin technology creates superior Letter

Quality characters and high-resolution graphics up to 360 dpi

- · 7-Color printing capability is standard
- Epson's SmartPark* · Exclusive LCD Selective front control panel for easy selection of pre-sets, fonts and printer
- functions · 133 Characters per second print speed in
- Letter Quality mode (12 CPI) · 400 Characters per second print speed in draft mode (12 CP Eoson LO ESC/P" assures software
- compatibility



WHEN YOU'VE GOT AN EPSON YOU'VE GOT A LOT OF COMPANY

CIRCLE 336 ON READER SERVICE CARD Epson is a registered trademark of Seiko

Arlington Computer Products, inc. SU25-E S. MALMO ARLINGTON HEIGHTS, IL 80005 Call: 800-548-5105

In Illinois 1-312-228-6333

Fax: 312-228-0516



Make PC Magazine Come Alive!

Join PC MagNet and have instant access to PC Magazine's utilities and editorial staff.

PC MagNet is PC Magazine's on-line information service, which is administered by CompuServe. \$12.50 per hour lets you:

- · Download any of PC Magazine's utilities
- Download files from the Forum data libraries
- · Talk to editors and columnists
- · Tell Dvorak and Zachmann how you really feel
- · Trade tips with Charles Petzold or Ray Duncan
- · Search for back articles on-line If you already have a CompuServe account, simply
- enter GO PCMAGNET at the ! prompt 4. At the USER ID prompt, enter 1770
 - At the PASSWORD prompt, enter
 - your name and enter your MasterCard, or American
 - ersonal User ID num rd will be displayed at the end of
- A new password will arrive in the mai There are no connect charges for PC Mag



ONE CALL GETS YOU STARTED! Sign up on-line at no additional charge.

subscribe, set your modem to: 100 or 1,200 bps, 7 data bits, even parity, 1 stop bit and full duplex. Call one of the num (714) \$20,0724 e GA (404) 266, 2014 (301) 254-7113 (617) 542-1796 (312) (03,0330 (214) 953-0212 rles, CA......(213) 739-8906

FL(305) 266-0231

mb PA en CA in Francisco CA (314) 241, 3102

gton, DC u can locate a local telephone access er, or 2,400-bos service, by typing GO PHONES at the ! prompt.) 2. When you receive a Connect or C

Detected message, enter Ctrl-C. 3. At the HOST NAME prompt, enter CIS. Net during the subscription process

CIRCLE 497 ON READER SERVICE CARD



MS-DOS" BUSINESS TWARE

123 201

LANGUAGES/UTILITIES

BOOKS

OTHER MS-OOS SOFTWARE

MODEMS & RODENTS Everys Internal 200/1203 with software Logarouse with otheren. But or Sens Logarouse with First Publisher

STANDBY POWER SUPPLIES

FLOPPY ORIVES

HARO DRIVES & TAPE BACKUPS

CIRCLE 252 ON READER SERVICE CARD

ORDER TOLL FREE
1-800-527-0347.0.m

FREE SHIPPING!*



"Serving You Since 1980 P.O. Box 224767

Telephone. 214-631-7900 Fecsimile. 214-634-8303



Designer Carry Case for Laptops: Extra pockets for portable printer, battery pack, pocket modern, manuals & software etc Comes with handle and shoulder strap For NEC EL A HD and all Toshiba Laptops. Specify model

2400 use own barrary. Operate on Bell and CCITT standards. 2400

149 TOUCH BASE Systems World Port Pocket Moderns Both 1200 & includes AC Adapter and Carbon Copy PLUS comm sw. Comes with 25 1200/2400 159/259 With any Laptop 1200/2400

QUADRAM JT Fax Portable slips into your pocket and plugs into any MS DOS computer's senal port to let you tax from wherever you are JT Fax board goes into your PC All come with software

T Fax 4800/9600 JT Fax Portable SHARP FAX MACHINE: Group 2 3 Companione Auto contreat control and half tone transmission 10 page auto feeder. Acti

and transaction reports. Copy function. Automatic redial. 32 sulo disling. numbers. Built-in phone FO-220 (Beige) 979

SHARP FO-220

SHARP UX-180

SHARP FO-420

MURATA M1200/M1600

ATI VGA Wonder (256k)

DRCHID Pro Designer V

Paradise VGA Plus

ZENITH Z.449

Paradise VGA Plus 15

PARADISE AutoSwitch 480

Paradise VGA Professional VIDEO-7 Vega VGA

9 to 15 Pin Connector-Required for

some Monitor/Card combinations 20

KEYTRONIC 101 Keys for IBM PC, XT

AT with Function Keys on top row

separate Cursor Control Keypad and

Mouse Bus or Ser

Backup Backup High

Keypsd

arranty from us

PS/2 Mouse C-7 Sensi or Bus

M.Day Dur

Vega V-RAM VGA (256k)

GENOA SuperEGA HiRes

SuperVGA HiRes 5200-10

JT Fax Portable

Fax Board 9500

OHADRAM JT Fax 4800/9800 279/549

THE COMPLETE PC Fax Bird 4800 289

Answaring Machine-Voice Mail

1279

1239

339

379

279

149

8997529

699 / 799

* DICONIX 150 Parallel w/3" Catra . . . 299 * NEC P2200 . . . 329

969

NEC MultiSpeed EL II NEU multiSpeed EL II MultiSpeed HD w/20 MB Battery Pack-Specify EL or MD Carry Case EL/HD Floppy 5 25° Ext 360K for HD 2299 NEC Modern 1200/2400 Int 269/339 TOSHIBA LAPTOPS T1000 w/out Carry Case T1000 w/Tohiba Carry Case T1000 w/Case & 768K Card 749

T1200F. 2 floppy w/out CC T1200FB. Backlit w/out CC 1299 1459 T1200H, 20MB w/out CC 2159 T1200HB. Backlit w/out CC 2299 T1600 w/out Carry Case T3100E w/out Carry Case T3200 w/out Carry Case

T5100 w/out Carry Case T5200-40MB w/out CC T5200-100MB w/out CC ACCESSORIES for Toshiba LapTops
With Laptop Use Second Price Weh Laptop Use Sect AC Adapter T1000/1100 + AC Adapter T1200 Auto Adapter T1000/1100+ T1200 239/210 Battery Charger Battery Charget T1200 23
Battery Pack T1200 29
Battery Backup T5100 29
Carry Case for T1000 or T1200
Carry Case for T3200 or T5100 55/70

lesigner Carry Case w/pockets for SW manuals, portable printer i Specify model 149/ Experision Chaus w/interface for 1100 + /1200 or 3100/5100 869/829 1100 + /1200 or 3100/5100 869/829 WonUnder Expansion slot for 1100 + . 1200 or 3100/5100 269/250 Floppy 5 25* Est 3800 269/270 Memory 768k T1000 269/290 Memory 768k T1000 299/290 Memory 2MB T3100E 929/590 Mamory 2MB T3100E 929/590 Mamory 3MB T3200 1239/1200

Mamory 3MB 13200 1239/1200 Mamory 2MB T5100 1049/1020 Modem 1200 tol T1000 319/300 Modem 1200 No Blot T1200 299 When installed T1100 + /1200/3100/5100 Toshiba 1200 Int Megaheriz 1200 Int w/aw 169/159 Megaheriz 2400 Int w/sw 279/259

Prometheus 1200 Int w/sw 149/139 Prometheus 2400 Int w/sw 329/300 Adaptemodem 2400 Int 329/300 World Port 1200 Ext 2400 Ext w/AC Adapter 259/250 Toshiba cable for Ext Moderns 20 Numeric Keypad T1000/1200 99/90 meric Keypad T3100E 99/90

Brooklyn Bridge 99/90 129/120

Some riems may be more. Credit card orders add 5% to amount ow FAX: 714-691-2364

ALPS Allegro 24 pm ALO 200 Color 15/24 pm ALO 300 Color 15/24 pm ALO 300 Color 16/24 pm ALO 324E Color B-D Tractor 200/300 Ribbon ALO Black/Color P2000 w/Tractor P2100 w/Tractor P2100 w/Tractor P2000 w/Tractor P2100 w/Tractor P2400 Color, w/Tractor 24 pm DICONIX Ink.Jet 150 CONIX InkJet 150 parallel with 3" or 5 cable With any Laptop NEC P2200

NEC P2200 5200/5300 Cotor Ke 5200/5300 Cut Shi Fdr 5200/5300 * TOSHIBA 321SL * TOSHIBA 341SL KENSINGTON Printer Stand 515/689 169/199 449 4 599 4 · With FREE With Prepaid Printer O

PLUS HARD CARD: Single Slot 20/40 MB 49 499/649 20/40 MB TOSHIBA 3.5" Int 1 44MB with TOSHIRA 3.5" In 1.44MB with 109
BEAGATE, For PC/XT MALF HT 1991 PACE 200 MIS 15 200 200
BEAGATE, For PC/XT MALF HT 1991 PACE 200 MIS 15 200 200
Fully Presented, PRO PACK vaculates concrolled active observation of the part of the package observation of the package of the packa

SORLAND Signet Specify 5.25 or 3.5 35 BORLAND Sprint - 3.5" SE LOTUS symphony 3.5" Ver 1.2 199 LOTUS Matro 3.5" Ver 1.0 35 DC Paul Due 3.5"

Battery Watch by Traveling aw Desk Link by Traveling aw Laplink Plus by Traveling aw Microsoft Windows 386

Sony 1303/2 to MAC II Cable 10 * TAXAN 770 MultiVision plus 529/500 ZENITH ZCM-1490 Flat Screen 649/620 With Zenith Tilt & Swivel 659/640 Zenrih Tilt & Swyrel UNIVERSAL Tilt & Servet MATH/RAM CHIP 64K RAM 120ns Set of 9 256K RAM 120ns Set of 9

CALL 8087-3 PC/XT 5 Mb+ 8087-2 PC/XT 5 Mhz 80287-6 AT 5 Mhz 80287-8 AT 8 Mhz 80287-10 AT 10 Mbz 80387-18 for 386 Machines 399 80387-20 for 386 Machines 499

With Display Card . . Use 2nd Price

LOGITECH AutoSync with EGA Card.

MITSUBISHI D Scan 1371 449/430

Diamond Scan Tilt & Swivel - add 20

NEC MultiSync II-1402 569/569 NEC MultiSync PLUS 899/570

Remote TV & RGB Monitor 449/430

BONY 1311CR-13" Trinkron Color

4007480 SHARP UX-350

20

20

30

30

20

529/510

559/640

LogiMouse & Paint Show

Diamond Scan 1361

Sony 1311 to IBM Cable

Sony 1303/2 to IBM Cable

SONY Multiecan 1303

SONY Multiscan 1302

OEM Varsion Identical Keyboard w LOGITECH with Plus software LAP TOP Moderne See SYSTEMS EVEREX 1200 tot w/BirCom 2400 w BrtCom Int/Ext 159/199 HAYES 1200B Internal-No SW 219 Logitech Publishe LogiPairt/LogiCadd B with SmartCom II PROMETHEUS 2400G Ext 179 TOUCHBASE BYSTEMS

MOUSE SYSTEMS PC Mouse Bus with PC Paint Plus World Port 1200 Ext 2400 Ext w/AC Adapter ZOOM HC 2400 Int /Ext REPLACEMENT POWER SUPPLIES

+ TOSHIBA 321 SL/341 SL ... 449/599 +

* FREE DELIVERY

525 Watta Turbo Backup SOLID STATE UPS 3" High SS400/SS700 KENSINGTON Masterpiece

For PC XT 150 Watta DATASHIELD Surge Pro 100 300 Watts Turbo Backup 450 Watts Turbo Backup

TOSHIBA T1000 749 * LOTUS SYMPHONY 3.5" Ver 1.2 199 * * SUPER SPECIALS *

* FOREIGN ORDERS * * PLUS HARD CARD 20/40 . . . 499/649 * For foreign orders add special handling charge \$50) For Printers & Monitors 30% (Min. \$150)

POLICY: Min. order \$100 for COO! Credit Cards: Prepaid orders Min. \$50. Prices & availability subject to change . PICKUP HOURS Mon-Fri 3 to 5 pm. PLEASE CALL FIRST FOR WORKORDER # .

* APO * FPO * For APO/FPO orders, add special handing

charge \$30 per order. Shipping charges add Fits (Mrs. \$20) For Printers & Monstors 10% (Min. \$40). Some tems may be more. No COO

714-897-2 PLEASE REFER TO AD # PC 905 National: 1-800-284-7746 NJ: 201-572-7500 TX: 713-462-7800 Illinois: 1-800-272-3888

LITY SPEED AND VALUE

LEO, the most popular personal computer in Europe for years, now available in the U.S.A.

8088 processor, 10/4.77 MHz 256K RAM, 640K RAM expandable

· 360K floppy drive, FDD controller · 8 exp. slots, 150W power supply Turbo/reset buttons & key lock · 101 enhanced keyboard



\$49.95 Ability Plus™ integrated software specially priced with the purchase of any LEO system.

- Relational Database Graphics, "slide shows"
- Full-featured Word Processor Spreadsheets with Advanced Macme
- Menu-driven, competible communications.

LEO JET20

 80286-16 processor, 20/16 MHz Scores 22.5 on Norton SI 1 MB w/80ns RAM chips

4 MB expandable, 0 wait state 1.2 MB FDD, FDD/HDD controller 2 serial, 1 parallel ports

8 expansion slots (2x8, 6x16 bit)

80386-16 processor, 16/6 MHz

 Scores 17.6 on Norton SI 2MB memory w/80ns RAM chips 16 MB expandable, 0 wait state

 1.2 MB FDD, FDD/HDD controller 2 serial, 1 perallel ports

 220W power supply, Tower case 8 expansion slots (2x32 bit)

101 enhanced keyboard



LEO AT®

80286-12 processor, 12/6 MHz Scores 13.7 on Norton SI

512K w/80ns RAM chips 4 MB expandable, 0 wait state 1.2 MB FDD, FDD/HDD controller 8 expansion slots (2x8, 6x16 bit) 101 enhanced keyboard

FAX MACHINES 可MURATA \$649

FREE

\$789

SCALL

90 DAYS

ON SITE

SERVICE

M1200

· Fax, phone and cop G2 and G3 compatible 9600 bps modem

 worldwide compatibility auto/manual answer polling feature

summarizing journal

M1600 same as M1200 · 30 memory dials

anaso

ASER PRINTER 11 pages per minute

11 resident fonts 512K memory 5 emulations

MONITOR SPECIAL

DATAS \$89

 14° non-glare flat screen
 mono TTL, amber, green, b/w high res. 720x350, Tilt/swivel base

CH-6413N

QUIMAX 2 YEAR WARRANTY

· 14° EGA color, 0.31 mm dot pitch · 640x350 resolution, Tilt/swivel hace DM-3014 \$129

14" VGA b/w, for PS/2 and compatibles 720x480 resolution, Tilt/swivel

base DM-3114 \$369 14" VGA color, 256 color 720x480 resolution, Tilt/swivel base

SYNCO

\$239 CM-14DC 14" RGB color, 0.39mm dot pitch 640x200 resolution. Tilt/swivel base

CITIZEN MATE/12 AT BEST PRICE

80286-12 processor, 12.5/6.25MHz 1 MB RAM memory, 32 KB cache

RAM 1.2 MB FDD, FDD/HDD controller

EEGA video card (640x480) 2 serial, 1 parallel ports 101 enhanced keyboard MS-DOS 3.3 and GW-BASIC

COMPUTER OUTLET POLICIES: We accept MasterCard, Visa.

American Express (add 3%) Discover (add 3%), and company or personal checks (allow 10 days for processing)

2. Pleese add 3% for shipping and handling

3. IL residents add 7% sales tax 4. Call RMA# for return authorization 5. Returns may be subject to e

restocking fee Prices subject to change and all

items subject to availability TRCLE 362 ON READER SERVICE CARD

ILES O Grand Ave., Bensenville, IL 60106 & other locations in CA, TX and NJ Sales Hours: 8:00am - 8:00 pm (CDT), 7 days a week

Mouse \$29

1200 Baud Modem

	Jada 10 MHz Turbo XT 1398	Monitors
	640K Motherboard w/256K RAM	Amdek 310A amber
	Floppy Disk Controller	Amdek 410A111
	140 Watt Power Supply	14" amber flat screen12
	101 Enhanced Keyboard	RGB 640 X 240 Color
		EGA 640 x 350 cotor
	Monochrome Graphica System 1698	VGA 800 x 560
	640K RAM, 360K Diak Drive	NEC MultiSync GS118
	Printer Port, Amdek 310A Monitor	NEC MultiSync II
	30 MB Hard Disk System add 1298	NEC MultiSync Plus
	CGA Color System add 188	NEC MultiSync XL \$206
	EGA Color System add 1398	Mutsubishi Diamond Scan 149
Į	VGA Color Systemadd 1568	Zanith 1490 tlat screen 1818
1	Jada 10 MHz Turbo 2861845	Sony 800 x 600 Multi Scan 48i
1	1 MB Motherboard w/640K RAM	
ì	200 Watt Power Supply	Kayboards 84 Key At-style
1	Clock/Calender	101 Key enhanced
1	Enhanced 101 Keyboard	101 Key ennanced
1		Printars
1	Mono Graphics System 1098	EPSON LX-800 9 PIN
1	1.2 MB Floppy Drive & Controller	EPSON EX-800 9 PIN
1	Printer Port, Amdek 310A Monitor	EPSON FX-1050 Ca
ı	40 MB Hard Disk System edd 1438	EPSON EX-800
ı	12 MHz, 1 MB of RAM add 1148	
	Jade 20 MHz Turbo 386 11998	EPSON LQ-500 24 PIN
ł	1 MR of RAM on Motherboard	EPSON LQ-850 Ca EPSON LQ-950 Ca
	1:1 Interleave FDD/HD Controller	EPSON LQ-980 Ca EPSON LQ-1050 Ca
i	2 Serial, 1 Parallel, Clock, Celender	EPSON DFX-5000
1	101 Enhanced Keyboard	
ł	101 21112111111111111111111111111111111	Okidata 320
1	40 MB Mono Graphics System 2388	Okidata 321
1	1.2 MB Floppy Disk Drive	Okideta 380
ı	40 MB Hard Disk Drive	Okidata 391
	Amdek 310A Monitor	Okidata 383
1		Citizen 1200
	Diak Drivas	Citizen 1800
	350K haft height	Citizen 100010
	360K full height	NEC P2200
	TEAC 55 BV	NEC P5200552
	1.2 MB for AT	NEC P5300
	3%" 720K	
	3½" 1.44 MB	Diconox 150 Portable
	514" ext. 1.2 MB tor PS/2258	
	5-1 EAL 1-E MO 10: F0/2200	Daisywheel Printer
	Hard Disk Drives	40 CPS Parallel and seriat \$24
	10 MB w/controller1198	CO Grand Storett 24
	20 MB w/controller	Hewlett Packard DeskJet
	30 MB w/controllar	DeskJet
	40 MB w/controller	128K PDP Desk RAM9
	40 MB for AT	EPSON emulation cartridge %
	ST 125 20 MB1248	TMS RM/HELV Soft Font
	ST 138 30 MB298	Ink cartridge
	ST 251 40 MB	
	ST 251-1 40 MB1448	Hewlett Packard LasarJat
	ST 4096 80 MB568	LaserJeti1Ca
		25 in One Font Cartridge 139
	Tape Back-up	4 MB card w/0 mamory 116
	Mountain 40 MB XT	1 MB memory card
	Mountain 40 MB AT378 Mountain external 40 MB1498	2 MB memory card
	CMS 60 MB taps	4 MB memory card
	Omo ov wp saps498	roma carrioga9
	4901 W. Rosecrans Ave. Box 50-	46

	Model
88 18 88 88	Terminals YYSE model 30 *288 WYSE model 50 *1368 WYSE model 85 *438
18 18 18 18	Joystick Krett 3 button Joystick 119 Dual Game Port 119
88 88 88 88 88	Plottar Roland DXY 885
58	Scanner Complete Hand Scanner 178 Logitech Scen Man 1248 Diamond Flower 3000 1248 Hewlatt Packard ScanJet Cell
58 68 68	Digitizars Summa Sketch 12 x 12
11 99 11	Mouse \$29
ell ell 38	LogiTach LogiMouse Bus. 178 LogiMouse Serial 178 LogiMouse Hi-rez 168
58 58 38 28	Mouse Systems PC Mouse with Paint
58 58	Microsott Mouse w/Paintbrush '98 Mouse w/CAD Call Mouse w/Window Call
58 28 98	Complate PC Complete Hand Scanner
8	Complete Answering Machine 1248 Switch Boxes Parallel or Serial (Specify)
98 98 68 98 18	Parameter Serial (specify) 2 way AB 128 3 way ABC 138 4 way ABCD 558 5 way ABCDE 68 Crossover X 68 AutoSwitch 3 way 1198 AutoSwitch 8 way 1248
ell 96 56 45 48 48 98	Modems 1200 internal w/software 148 2400 internal w/software 198 1200 external 1158 2400 external 1158 2400 external 1176 1161 2400 BSZ 116mal 1176 1161 2400 BSZ 1278

		_
188 168 138 119	Intal 8087 "98 8087-2 "143 8087-1 "158 80287-6 "158 80287-8 "228 Above board PC 6 Above board 286 5 In boerd 386 "	80387-16 1398 30387-20 1476 80387-25 1598
78 948 948 948	10' printer. 25' printer. 9' sanal. 25' sanal. 50' sanal. 100' sanal. Keyboard extender. Monitor extender.	112 118 118 118 118 118 118 118 118 118
76 78 56 68	Color Graphics w/ EGA card VGA card AST EGA Par/Ser/Clk AT 1/0 Par/Ser/Clk AT 1/0 Par/Ser/Clk AT 1/0 Par/Ser/Clk AT 1/0 Par/Ser/Glk AT 5/0 Par/Ser/Glk AT 5/0 Par/Ser/Glk AST SXPsk Plus AST XFormer Paradles auto EGA	Parallel 48 Parallel 48 Parallel 48 Parallel 48 1148 1258 Clock 1158 18 /Game 58 sma 56 sma 56 liler 1126 1116 1116 1157 1576
Ils Ils	Surga Protector	

S. L. Weber 6 o															
Isobar 4 outlet															
Isobar 8 outlet														J	4
Isobar modem	ij	pı	ď	ė	0	¢	4	0	r						ŧ
Trippilla Batte	ŋ		34		:	k		u	P						
Trippilla Batte 450 Watt UPS															
Trippille Batte 450 Watt UPS 750 Watt UPS															

Tripplite Line Stabilizer
600 Wett LC98
1200 Watt LC1158
1800 Watt LC1188

178

MicroSpeed PC-Trac Ball Vertical CPU atend Keyboard drawer . . .

Place orders and use our technical support toll free!

California Torrance, Santa Ana, Woodland Hills Kearny Masa, Sunnyvale Taxes ison. Houston Arizona Phoanix

Smyrna Not all stems in stock at our nine retail locations

Continental U.S.A. 1-800-421-5500 Inside California 1-800-262-1710 Fax machina 1-213-675-2522/All others 1-213-973-7707

orders from qualitied tirms and institutions No surcharge on credit card orders. CA., TX. GA. & AZ residents add sales tax. Prices and

availability subject to change without noti Shipping and hendling charges via UPS ground 50¢/lb. UPS air *1.00/lb. Minimum charge 13.00.

QUALITY PRODUCTS COMPETITIVE PRICING • PROMPT DELIVERY CUSTOMER SERVICE (7AM-5PM PST) 24 HOUR ORDER HOTLINE 415-592-8097

415-592-8121

MESESD

MF355B DD1

Seagate Seagate

20, 30, 40

and 60MB

Hard Disk

Drives

ST251-1 ST277

ST277XT

Allows unattended back-up of 40MB in 40 minutes · Standard QIC data format · Easy to use menu-driven soft-wara · Full, incremental, selected, modified or dated file back-up.

Disk Drives

Half Height

40MB Fest 28ms (Drive only). . . . 60MB Drive only (PC/XT/AT). . . . 60MB w/Controller (PC/XT).

OMB w/Controller (PC/XT). . . OMB w/Controller Card (AT). .

30MB Hard Disk Card

E in reduces power consumption • Eesy installetion • Pre-tested and low-level formatted

SA30.....\$379.95 40MB Tape Back-Up

DJ10 40MB Tape Back-Up and Tape \$349.95

TB40 40MB Tape Carridge. \$24.95

Jameco 5.25" PC/XT
& AT Compatible
Disk Drives

JE1020 350K Black Bal. (PC/XT/AT) ... \$ 89.95 JE1021 350K Beige Bal. (PC/XT/AT) ... \$ 89.95 JE1022 1.2MB Beige Bal. (PC/XT/AT) ... \$109.95

JF1022 (Echand)



Star Multi-Font Dot Matrix Printer

9-pin dot matrix print head • Centronics parallel interface Epson or IBM modes • Print in Courier, Sanserit, Orator-1 nd 2, condensed Pica, Elite and italic in all modes

NX1000.....\$199.95

3.5" PC/XT/AT Compatible

Disk Drives

3.5" 720KB - Mounting Frame Included (PC/XT/AT) . . \$129.95 \$109.95

3.5" 1.44MB - Mounting Frams included (PC/XT/AT) ... 9149.95 \$129.95

Driver Software. \$14.95

ST225YT BI

\$269.95 \$339.95

\$249.95

E LOGITECH ! ScanMan and 3 Button Mice

IBM PC/XT/AT ScanMan offers a full 4 inch window et 400dpi resolution.



ScanMan Scanner \$199.95

C7PLUS 3-Button, Serial Mouse. . . . \$79.95 BUS 3-Button, Bus Mouse w/board \$79.95 lemeco



BIOS ROMS

JE1001 4.77/8MHz (PC/XT)....\$89.95 JE1002 4.77/10MHz (PC/XT)....\$109.95 JE3005 8/12MHz (AT).....\$329.95 JE3010 8/16MHz NEAT Board (AT) \$469.95

Intel Inboard 386/PC and SALE! and 200 only

nocard 396 only:

- Upgrade your XT
to a 386 for less than \$1,000.00 • Expand to 2 megabytes

80387-16 math co-processor capability • Uses only a
single slot • 5-year warranty IB1200 Inboard 386/PC W/IMB RAM \$899.95

MB4320 Above Board 286 PLUS \$429.95 MB4420 Above Board 286 PLUS multi-function board with 512K RAM

2400/1200/300 Modems



1200/300 Baud Pocket Modem. \$ 99.95 1200/300 Baud Internal Modem. . . . \$ 89.95 2400/1200/300 Internal Modem. . . \$129.95 1200/300 Baud External Modem. . . \$ 99.95

Jameco IBM PC/XT/AT Compatible Keyboards



Commence Allen	THE PROPERTY AND ADDRESS OF THE PARTY AND ADDR
JE1015 JE1016	JE1016 Pictured Standard AT layout (XT/AT) \$59.95 Enhanced layout (XT/AT) \$69.95
RAM, V2	0 & Intel Math Coprocessors
*4164-150	65,536x1 (150na)\$2.59
*41256-100	262,144x1 (100ns)
41256-120	262,144x1 (120ns)
41256-150	262,144x1 (150na)\$11,49
UPD70108-5	(5MHz) V20 Chio (Replaces 8088) \$7.49
UPD70108-8	
	(Replaces 8088 or 8088-2),
8087-2	Math Coprocessor PC/XT and
	Compatibles (8MHz)
80287-10	Math Coorocessor AT and
	Compatibles (10MHz), \$279.95
80387-16	Math Coprocessor 386 (16MHz) \$439.95
80387-20	Math Coprocessor 386 (20MHz) \$589.95
*511000B-10	1.048.576x1 (100ns)

U.S. Funds Only Shipping: Add 5% plus \$1.50 Insurance California Residents:

Add 6%, 6½% or 7% Sales Tax



JE1044

JE1045

JE1061

VISA'

AM's Subject to Frequent Price Change Send \$2.00 Postage for a FREE 1989 CATALOG FAX Numbers: 415-592-2503 or 415-595-2664 © 1989 Jameco Electronics

Telex: 176043

AMI 80386 AT Compatible 16MHz and 20MHz Motherboards

Expandable to 2MB (Zero-K included) of 32-bit RAM with expansion board

Expand an additional SMB using the JE3030 (below, Zero-K included)

XT footprint-AT compatible 80387-16/20 capability

· Built-in set-up and diagnos · Includes AMI BIOS ROMs · One-year warranty



TITE

JE3025 Dichured

JE3020 16MHz 80386 AT Compat. Motherboard \$1199.95 JE3025 20MHz 80386 AT Compat. Motherboard \$1499.95 JE3030 8MB (Zero-K) Daughterboard...... \$249.95 IBM COMPATIBLE DISPLAY MONITORS

12" Amber Monochrome — TTL Input, High Resolution (PC/XT/AT)

AMBER.....\$99.95 14" RGB Color - CGA Compatible Amber/Green/Color Switchable, 640 x 200 Resolution (PC/XT/AT)

CTX2410. \$279.95

14" EGA Color - EGA/CGA Compet., 720 x 350 Mex. Resolution (PC/XT/AT) TM5154.....\$399.95 14" Multiscan Color - VGA/PGC/EGA compatible, 800 x 600 Max. Re Iution (PC/XT/AT)
TM5155....

.....\$549.95 **EGA/VGA MONITOR AND CARD SPECIALS** 14" EGA Monitor and EGA Card - EGA compatible, 720 x 350 Max. Resolution - displeys up to 16 colors (PC/XT/AT)

JE1059 SAVE \$40.001.....\$519.95 13" VGA Monitor and VGA Card - VGA compatible, 800 x 560 Max. Resolution - displays up to 256 colors (PC/XT/AT)

JEVGA.....

Graphic F MGA, 1 Display CGA or 3 Cards



	JE1050
JE1050	Mono Graphics Cerd w/Printer Port (PC/XT/AT) \$59.95
JE1052	Color Graphics Card w/Printer Port (PC/XT/AT)\$49.95
JE1055	EGA Cerd w/256K Video RAM (PC/XT/AT) \$159.95
JE1071	Multi I/O with Drive Controller and Mono Graphics (PC/XT)
M	lultifunction, I/O and Expansion Cards
JE1060	I/O Cerd with Seriel, Geme, Parellel Printer Port end Real Time Clock (PC/XT)

RS232 Seriel Half Card (PC/XT). \$29.95

360K Floppy/Hard Disk Controller Cerd (PC/XT).... \$129.95

360K/720K/1.2MB/1.44MB Floppy/Hard Disk Controller Card (AT). \$149.95

JE1062 RS232 Seriel Helf Card (AT).....\$34.95 JE1065 JE1081 3MB of expanded or extended memory, parallel printer port, seriel port and game port (zero-K on-board) (AT)...... JE1082 loppy and Hard Disk Controller Cards 20/40MB Herd Disk Controller Card (PC/XT).....\$79.95 JE1043 360K/720K/1.2MB/1.44MB Floppy Disk Cont. (PC/XT/AT) \$49.95

IBM PC/XT and AT Computer Kits also available! \$20 Minimum Order

Prices Subject to Change Subject to Frequent Price Changes

24 HOUR ORDER HOTLINE (415) 592-8097 • The Following Phone Lines Are Available From 7AM-5PM PS.T.:
• Customer Service (415) 592-8121 • Technical Assistance (415) 592-9990 • Credit Department (415) 592-9983 • All Other Inquiries (415) 592-7108



\$599

THE™ XT /10 SYSTEM

THETM PC+ Turbo XT/10 System

 Intel 8088-1Switchable from 4.77 to 10MHZ • 512K RAM Expandable to 640K . Dual Floppy Controller . 150 Watt Power Supply . Mono/Color Video Graphics Board . 12" Monochrome Monitor • 1 Serial/1Parallel/1 Game Ports & Clock • 101 "AT" Style Key Keyboard . FREE 1 Year Warranty.

THE™ 286/12 SYSTEM

THE™ Complete 286/12 Professional System

 12MHz Switchable Speed • 512K RAM Expandable to 1024K • 1.2MB Mitsubishi Disk Drive • FDC/ HDC Dual Controller • 40MB Seagate (ST251-1) Hard Drive • 1 Serial/1Parallel/Clock & Game Port · Color/Mono Graphics Card · 101 "AT" Key Keyboard • 200 Watt Power Supply . 12° Monochrome Monitor • FREE



PRINTERS PANASONIC

KXP4450

CALL

545.

365

435

1-=

CALL

CALL

477

477

645

949

850

1875

1221

1325

1010

25

950

1049

Color Systems With Mitsubishi Monitors

ì	CGA Color System	100300000000000000000000000000000000000	\$869
	EGA Color System		
	CGA w/20MB \$1137.	EGA w/20MB	\$1347

Color Sys	tems With Mitsubishi Monitors	
		\$1779.
		\$2099.
A Color System		\$2229.

1180

1124

1524

1592

1505

FPSON

\$950

LX800

FX850

\$195

475

460

377

420

76

86

529

649

269

FX1050

LQ 2550.

WAREHOUSE CLUB*! AMERICA'S #1 COMPUTER

EG

BUSINESS SOFTWARE aker 3.0 ASHTON TATE dBase IV ASHTON TATE Multimate Adv. I 269 BLOCK DEVELOPMENT Form Tool 57 BORLAND Paradox 2.0 449 BORLAND Quattro 139 ROBI AND SideKick Plus 135 CENTRAL POINT PC Tools Deluxe 40 CHIPSOFT PRO 1040 CHIPSOFT Personal 1040 CALL DAC SFT. DAC Easy Acct 3.0 57 LOTUS Lotus 1-2-3 295 MERIDIAN Carbon Copy Plus MICROSOFT Excel 2.0 309 MICROSOFT Windows 386 130 MICROSOFT Word 4 (MICROSOFT Works 97 PEACHTREE Accounting II 158 PETER NORTON Utilities. Adv 75 PFS Professional Write 113 PFS First Publisher 74 **PFS** Harvard Granbics 265 RIGHTSOFT RightWriter SYMANTEC OSA 30 186 WORDPERFECT Wordperfect 5.0 216 XEROX Ventura Publisher 459 MULTIFUNCTION CARDS

AST Advantage Premium 512K

INTEL Above board 286 w 512k

THE™ Multi I/O P/S/G/CLK/CAL, X

LAPTOPS

ORCHID Tiny Turbo 286

ORCHID Twn Turbo12

THE™ Mono Color Card

THE " AT Multi I/O P/S/G

THE WAS A FGA Cord

THE THE Super EGA 640

TOSHIBA

T-1200HB

LAPTOP

TOSHIBA T-1200F

TOSHIBA T.3200

SANYO Portable II

TOSHIBA T-3100/20

TOSHIBA T-5100 40MB

COMPAO Portable III MDI 40

TOSHIBA T-1000 Lanton w/512K TOSHIBA T-1200H

\$427

250

359

65

209

65.

2275

1390

2975

3675

4695

COMPUTER SYSTEMS

CALL
CALI
CALL
CALL
CAL
CALL
CALL

MONITORS

NEC MULTISYNC II JC-1402



263

359.

345

249

579

AMDEK 410 MONOCHROME MAGANOVOY 14" BGB MAGNAVOX 14" EGA MITSIBUSHI 1410 EGA MITSURISHI 1409 CGA NEC Multisync II PRINCETON Ultarsync 16' PRINCETON Ultrasync 12" THE 12" Amber Monochrome

SONY 1302 MULTISCAN 26 DPI/TILT SWIVEL

5649

MONO & COLOR CARDS

HERCIII ES Granbics Card Plus \$185 Color Card or Mono A.T.I. EGA Wonder 800 x 560 222 **ORCHID** Designer VGA 319 PARADISE Auto Switch 480 178 PARADISE VGA Plus Card VIDEO 7 Vega Deluxe 640 x 480 210 VIEDO 7 VGA

MODEMS

1 Year Warranty

THE™ 2400 INTERNAL BAUD MODEM

HAYES Smartmodem 1200	\$285
HAYES Smartmodem 2400	424.
THE's 1200 Ext Baud Modem	85.
THE THE 1200 Int. Baud Modern	69.
THE TH 2400 Ext Baud modem	129.
THE** 9600 Int. Baud Modem	369.
THE™ 9600 ExI Baud Modem	469.
HIS BOBOTICS HIST 9600	620

PLOTTERS & SCANNERS

HOUSTON INSTR. DMP 41	CALL
HOUSTON INSTR. DMP 42	CALL
HOUSTON INSTR. DMP 51	CALL
HOUSTON INSTR. DMP 52 MP	CALL
HEWLETT PACKARD Scanjet	1003.
PANASONIC FX-RS506 Scanner	1199.
IOLINE PLOTTERS	CALL
SUMMAGRAPHICS (12x12)	CALL

CMS 360K Ext PS/2 Flopp IOMEGA Bernoulli II 20MB Inti IRWIN 64MB int tape for IBM PS/2 IRWIN 145 40MB Internal Tape MINISCRIRE 3650 40MB KA MINISCRIBE 3675 60MB HD Kit MINISCRIBE 6128 Full Ht MITSURISHI 360K 1/2 Ht Drive MITSURISHI 1MB 3 5° FD MITSUBISHI 1 2 MB Floppy 1/2 Ht PLUS + Hardcard 20 PLUS . Hardcard 40

FLOPPIES & DRIVES

SEAGATE ST-225 20MB Kil SEAGATE ST-251-1 42MB HD SEAGATE ST-4096 80MB Full HI

LQ1050 NEC LC890

P2200

	171	
	to the	_
^	1	=
b		
		350.
		350

P5300 OKIDATA ML 320 ML 321 ML 390 ML 391

131. 185. 122.	ML 393 C
	Scanjet F Deskjet
•	Languist

SHARP FO.220

FAX PAPER (pack of 6)

HEWLETT PACKARD Package 710. 1719 FAX MACHINES

*Join America's Fastest Growing Computer Warehouse Club For As Little As \$10

To Order 1-800-621-SAVE Export& 1-312-205-1300

Monday-Friday 8:30 AM-6:00 PM Saturday 10:00 AM-4:00 PM • Tech Support 1-312-205-1410 · Major Credit Cards Accepted Customer Service 1-312-205-1510 - All Prices Subject To Change
 All Prices Reflect 3% Cash Discount
 PM0: PM0289A

CIRCLE 353 ON READER SERVICE CARD

CANON 8 CANON 25 MURATA M 1600 SHARP FO-300 SHARP FO-420

TER DISCOUNT WAREHOUSE SAMSLING



Nobody Sells For Less

AT&T The right choice 5300 WGS \$1099.42 6312 WGS . . . Model 63 4995.85 All WGS Mariele Come with Keyboard



DFX5000 EX800

del 75



FRSON FX1050 L0950 101050 L02550

LOWEST EVER EPSON PRICING



CALL COMPUTER DISCOUNT WAREHOUSE™ NOW! Open terms available to approved credit CHARTER MEMBER

100 School Cold and Other (312) 498-1426 (312) 291-1737

In Illinois FAX

MEMBER


Leprecard Disk Cards for PC & AT Computers

Leprecards feature Seagate drives, the acknowledged leader in technology and reliability. You can use them as the first or second hard disk in your system. Low power consumptio drives mean less strain on your system. You get a 1 year warranty, unlimited technical support & our illustrated installation and user's quide. Models available for IBM PC/XT and compatibles, AT's and compatibles, as well as the TANDY 1000/A/SX/

FREE SOFTWARE: TakeTwo, the backup utility PC MAGAZINE named Editors Choice in 1986 & 1987, & PC KWIK disk cacheing from Multisoft.

MODEL	LPC 30/40	LPC 49/28
DRIVE	ST138R	ST157R
SIZE/PERFORMANCE	32MB 40ms	49MB 28ms*
8 BIT PC/XT TYPE	\$389	\$549
16 BIT PC/AT TYPE	\$449	\$599

*Average access speed per partition. Tandy 1000/A/SX/TX Leprecards add \$20.



Seagate PC/XT Disk Kits

- Pretested & formatted
- · Western Digital short slot controller
- · 30 Page installation guide & reference manual Cables, mounting screws, full & half-height face
- TakeTwo backup software, PC MAGAZINE "Editors Choice"
- · PC-KWIK cache software by Multisoft
- 1 Year Warranty, 30 Day Money Back Guarantee
- Optional: 150 watt, UL/FCC approved power supply for IBM PC's, \$69



TANDY 1000 kits add \$20

20MB KIT \$279

Seagate ST225 - 21.4MB/65ms./Half-Height/14.8 watts

30MB KIT \$299 Seagate ST238 - 32.7MB/65ms./Half-Height/14.8 watts

- 40MB KIT \$459 Seagate ST251 - 42.8MB/Half-Height/11 watts
- Preformatted into a pair of 21MB/28ms. partitions
- Seagate ST277R 65.5MB/Half-Height/11 watts Preformatted into a pair of 32MB/28ms, partitions

LepreFAX Modems



\$359

\$289 4800 \$559

- · Sends/Receives from any Group 3 Fax
- Sends ASCII or word processing files Prints on standard dot-matrix or laser printers
- Easy to use Pop-up Menus
- Automated sending during low phone rate Portable external plugs into PC/XT/AT serial
- port. \$359
- PC Magazine Editor's Choice
- InfoWorld Product of the Year

AT Disks

- · Seagate Drive with IBM AT rails & cables SpeedStor or OnTrack large drive software
- · Formatted, Partitioned & Tested

aize	Arober	apeed	POPMER	Capacity	Price
нн	ST251	40ms	MFM	48MB	\$359
HH	ST251-1	30ms	MFM	42MB	\$449
HH	STOTED	40ma	DII	CEMP	6400

FH ST4096 28ms MFM 80MB \$599



11:11:11 frag.

-80286-12Mhz 1 wait state (0 optional) 8 slot American made motherboard -Room for 1 full and 3 half-height drives -220 watt power supply, Award BIOS -Serial/Printer ports, Clock/Calendar Choice of 1.2 or 1.44MB floppy drive Western Digital 1:1 interleave Disk controller -LepreKeys Enhanced keyboard with tactile switches & built-in calculator -RAM standard expandable to 1MB, 1 year warranty - 30 day money back guarantee.

28612 Computer

PERFORMANCE RATINGS

NORTON SYSTEM MIPS PowerMeter IBM Model 507 1.6 147.2 Compaq 386-16 15.6 2.8 319.9 Shamrock 286-12/0 15.3 253.3 Shamrock 286-12/1 11.8 178.9

Complete Systems with Serial/Parallel Ports: Monographics Card & Monitor \$1095 VGA Card & Monochrome Monitor \$1295 EGA Card & EGA Monitor \$1495 \$1595 Orchid VGA Card & Multiscan Monitor Orchid Designer VGA Card & NEC Multisync II Monitor \$1895

CIRCLE 184 ON READER SERVICE CARD



733AA Lakefield Rd., Dept. P, Westlake Village, CA 91361



To order, or get our free catalog, call TOLL FREE 800-722-AT-XT Colifornia 805-373-7847

FAX 805-379-9345 No extra for Visa/Master/Discover (AMEX add 3%).

- · Prices include UPS surface shipping.
- · Federal Express shipping just \$1.50 per pound. · 30 Day money back guarantee. Corporate & Institutional PO's accepted.
- Call for our FREE catalog.

7 AM to 7 PM Monday-Friday 8 AM to 2 PM Saturday Call on Sunday



Visa, MasterCard, Disco-and American Expre

IBM-NOVELL **Network Support** \$85/Hour 1-800-634-8215

IBM PS/2

1% Consultant and Reseller ccrual Program

IBM P8/2	
Model 25 - Color	\$1250
Model 30 286 20 Mb Blac	\$1810 . \$1565
Model 30-20 Mb Disk	
	\$2700 \$3120 \$3200
Model 50—60 Mb Disk Model 60—44 Mb Disk Model 70—60 Mb Disk	\$3700
Model 70-60 Mb Disk	\$3900 \$5300 \$4250 \$4900 \$5900 \$8750
Model 70-120 Mb Disk	\$5300
Model 80-44 Mb Disk Model 80-70 Mb Disk	\$4800
Model 80—44 Mb Disk Model 80—70 Mb Disk Model 80—115 Mb Disk Model 80—314 Mb Disk	\$5900
Model 80-314 Mb Disk	\$8750
COMPAQ 286 Ned 1/540 K	\$1870
286 Mort 1/40 Mb-540 K-Mooven	\$2300
386 Deskpro/20 60 Mb 386 Deskpro/20 130 Mb	\$2300 \$5200
386 Deskpro/20 130 Mb	\$8500
	\$4475/5400
386S Deskpro 386S Deskpro 20Mb/40Mb	
3865 DESKOTO ZUMO/40MD 386/25 110Mb/300Mb	\$5800/8900
386/25 110Mb/300Mb Portable II Model 4 Portable II Model 20 Portable II Model 40	\$2500
Portable II Model 20	\$3400
Portable II Model 40 Portable 386 Model 40	\$5400
	. \$6800
	\$3800-4200
T1000 T1200FS T1200FS T1200FS T1500	1775
T1200FB	\$775 \$Call \$2399
T1200HB	\$2399
T3100/20e	\$2500
T3200	\$Cell \$2800 \$3600 \$4700
T3100/20e T3100/20e T3200 T5100	\$4700
	P8
285/20 Super Sport 386/40 Turbe Sport	\$3300
	\$5600
386 System 286 System 8088 System	\$2600 \$1200 \$540
286 System	\$1200
SEAGATE 30 Mb Not SEAGATE 30 Mb Not SEAGATE 40 Mb Not SEAGATE 40 Mb SEAGATE 40 Mb SEAGATE 40 Mb SEAGATE 40 Mb SEAGATE 80 Mb FOSHIBA 1 44 Mb FOSBOY PROCOM Ext 5 25" for PS/2	\$250
SEAGATE 30 Mb Kit .	\$295
SFAGATE 40 Mb	\$295 \$366 \$449 \$639 \$125
SEAGATE 80 Mb	\$639
TOSHIBA 1 44 Mo Floppy	\$125
Hardwood (III D.63 NY PS/2.	- 9000
MAYSCRIBE 20 No Hard Care PLUS 20 Mc/40 Mb Hard Care PROCOM 30 Mb/40 Mb PROCOM 45 Mb for PS/2 MAYNARO 20 Mb	\$379
PLUS 20 Mb/40 Mb Hard Can	\$535/647
PROCOM 45 Mb for PS/7	\$795
MAYNARD 20 Mb	\$Call
MAYNARD 20 Mb FAX SHARP F0220/F0300 SHARP F0420/F0500 T0SHIBA 3010	*******
SHARP FORZOVERSON	\$1200/1400
TOSHIBA 3010	\$1275
IBM 6157 for PS/2 IRWIN 40 Mb Int/Ext MAYNARD 60 Mb XT/AT Int/Ext MAYNARD 60 Mb for PS/2 MOUNTAIN 80 Mb	\$1350 \$465 \$675/881
MAYNARD OD MID XT/AT Int/Fx	\$675/861
MAYNARO GO Mb for PS/2	\$899
MONOCHROME MO	\$1199
BU DEN 1500	\$200
COMPAQ Mono Amber/Green	\$210
COMPAQ VGA Mono	
AMURK 210/410	\$79/145
	\$85
PACKARD BELL Amber/Green	TORS
MONOCHROME MOI IBM PS/2 8603 COMPAD Worn Amber/Green COMPAD VGA Mono AMORK 210/410 MULTISYNC GS PACKARD BELL Amber/Green COLOR/EGA MONE	
PACKARD BELL Amber/Green COLON/EGA MONI AMDEK CROS/C722	#244/49E
PACKARD BELL Amber/Green COLOM/IEGA MONI AMDEK C800/C722 IBM PS/7 8512 SAMSUNG RGB Comp	\$435
MULTSYNU SS PACKARD BELL Amber/Green COLOR/REGA MONE AMORK 0800C722 BM PS/2 8612 SAMSUNG RGS Comp ZENITH 1390 PGS UtraSync	

VGA/CAD MONITOR	
COMPAQ VGA Color IBM PS/2 8513 IBM PS/2 8514	\$515
ZENITH 1490 NEC MultiSync XL NEC MultiSync Plus	\$2070
NEC MuteSync 2 MITSUBISHI 6905/6922 \$233 CSA 1016 HITACHI 4119	\$1779
NETWORK	\$55,00
HOVELL	
INTERFACE CARDS ARCHET PC110 LAMBoard PS2 ARCHET PC110 LAMBoard ARCHET PC110 LAMBoard ARCHET PC110 LAMBoard ETHERNET Interface Connector ETHERNET Plus Board (for 286) G-NET Interface Card wealthe WESTERN DIGITAL Ethernet Cards.	\$700 \$470 \$1500 \$1509 \$2120 \$2740 \$52740 \$52740 \$520 \$185 \$235 \$235 \$235 \$235 \$234
ACCESSORIES ARCNET Passive Hub ARCNET Active Hub Ethernet Terminators	\$80 \$469 \$38
Reveil trained and authorized sales and support.	
IBM Adapter Card IBM Buk Expander PC Lan Program	\$450 \$425 \$150
1-800	eat A

TERMINAL	
WYSE 50 Amber or Green WYSE 60 Amber or Green WYSE 65	\$370 \$295 \$394
SOFTWARE	t
Aldus Pagemaker Auto Cad 9 0 COMPAG DOS 3 31 dBox IV	\$459 \$2200 \$89 \$455
DisplayWrite IV IBM DOS 3 3/4 01 IBM OS/2 Standard 1.0 IBM OS/2 Extended	\$250 \$90/110 \$235 \$550
Lotus 1-2-3 V 2 01 514/3/h* Moltostate Advantage 2 Norton Advanced Utilities Paradox 2 0 Smartcom IU/II	\$292/299 \$259 \$75 \$418 \$90/150
Symphony Ventura Publishing Word Perfect 5 0 LASER PRINT	\$420 \$490 \$225
HP LaverJet II/IID HP DeskJet NEC LC890 PANASONIC KX4450 TOSHIBA PageLaser HP ScanJet	\$1675/2999 \$675 \$3244 \$1590 \$2499 \$1075
PRINTERS	
Epson FX 850 290/84 cps FX 1050 260/94 cps FX 1050 260/94 cps FX 800 300/90 cps L0 850 254/88 cps L0 1050 264/88 cps L0 950 L0 2550 DFX 5000	\$345 \$510 \$459 \$510 \$745 \$Call \$929 \$1399
Okidata	
320/21 390/91 393	\$365/477 \$464/535 \$945
Penesonic	
KX 1180 I KX 1191 I KX 1092 I 240/48 cps KX 1124 192/48 cps	\$Call \$Call \$320 \$319

KX 3151 22 cps L0	\$461
NEC P2200 170/55 24 Wire 8850 55 cps P5200 P5300 P5302 290/100 cps P532 290/100 cps P532 400/140 cps	\$339 \$1125 \$507 \$705 \$829 \$1025
Outbettler Guetwriter III Proprinter III Proprinter III Proprinter III 24 Proprinter III XL	\$Call \$1125 \$485 \$709 \$645
Toshiba 321 S/L 216/72 cps 341 S/L 216/72 cps 351 SX 350/100 cps	\$499 \$630 \$1000
COMMUNICATION	PM/
IMM SEC 20-80 STSS Frendam MR FSC 20-80 SSS Frendam MR FSC 20-80 SSS Frendam MR FSC 27-80 SSS Frendam MR FSC 27-81 SSS FRENDAM SSS FRE	9675 \$575 \$490 \$490 \$100 \$159 \$243 \$282 \$277 \$419 \$419 \$419 \$137 \$137 \$190/228 \$290/380
MULTIFUNCTION C	
EVEREX MagieCard OK AST 6 Pack w/384K AST Advantage/2 for PS/2 COMPAQ 1Mb Memory 386/20 COMPAQ 4Mb Memory 386/20 VIDEO BOARD:	\$2200
COMPAG VOLI	SCall .
COMPAQ VGA	\$Call \$419

CHIPS

ACCESSORIES

ny Price Dick

In Illinois Call 1-312-654-4100

SALES AND QUOTES (Dutside Illinois): 1-800-634-8215 SHIPPING AND TECHNICAL SERVICE: 1-312-654-4170 QUOTE-A FAX: 1-312-325-4969

- Corporate and volume purchases invited. Call Dick. . 24 hour burn in on all CPUs.
- Stock orders placed by 3:00 CDT shipped same day.
 100% financing available.
- · Credit card purchases subject to
- Prices subject to availability and change without notice
- . Prices reflect 3% cash discount · Allow 10 days for personal
- · Wire transfer accepted . Minimum \$5.00 shipping/
 - · Returns subject to restocking . Prenay and take 1% discount
 - · Educational P 0's welcome * System prices CIRCLE 295 ON READER SERVICE CARD

USA * FLEX Has Quality, Name-Brand Products at UNBEATABLE PRICES!!

MONITORS

SAMSUNG 14" RGB CW-4656	\$20
SAMSUNG 14" EGA CM4531	\$345
SAMSUNG 14" SYNC-MASTER CN4551	\$42
SAMSUNG 14" VGA CQ4551	\$37
MACNAVOX 13" EGA 9CM043	\$32
MAGNAVOX 13" RGB CM8762	\$24
MAGNAVOX 13" VGA 9CM062	\$38
NEC 14" MULTI-SYNC II	\$57
ZENITH 14" FLAT TENSION VGA 1490	\$62

Save \$20 on Any Monitor and Paradise Video Card Combination!

VIDEO CARDS

PARADISE

PARADISE MONO/COLOR CARD	.,99
PARADISE BASIC EGA	\$149
PARADISE MONOCHROME EGA	\$159
PARADISE AUTOSWITCH 480 EGA	\$179
PARADISE VGA PLUS	\$259
PARADISE VGA PLUS 16	\$309
	PARADISE BASIC EGA PARADISE MONOCHROME EGA PARADISE AUTOSWITCH 480 EGA PARADISE VGA PLUS

LAPTOP COMPUTERS

\$2349
\$2989
\$3699
\$4689
\$895
CALL

FAX MACHINES MODEMS

FAX MACHINES	
SHARP FO220	1989
SHARP FO420	\$1298
MURATA M-1200	\$699
MURATA M-1600	\$899
MODEMS With Communication Softw	vare
"TIDBIT" 2400 BPS INTERNAL	199
"TIDBIT" 2400 BPS EXTERNAL	\$119
"smalltalk" 4800 BPS INTERNAL	
"desktalk" 4800 RPS EXTERNAL	

PRINTERS -

EPSON LX-800 CPS: 180-draft, 32-NLQ	°188
EPSON LO-SOO CPS: 180-draft, 60-NLQ	\$298
EPSON LO-BSO CPS: 264-draft, 88-NLQ	\$518
EPSON FX-BSO CPS: 264-draft, 54-NLQ	\$338
EPSON EX-800 CPS: 300-draft, 60-NLQ	*399
WIDE CARRIAGE	
EPSON FX-1050 CPS: 200-draft, 54-NLQ	\$449
EPSON LO-10S0 CPS; 264-draft, 88-NLO	\$718
EPSON LQ-2550 CPS: 264-draft, 111-NLQ	\$918
EPSON DFX-SOOO CPS: 533-draft, 80-NLC	CALL

LQ-950 CPS: 264-draft, 88-NLQ	\$588
Panasonic	5730

PANASONIC 1124 24-pin, 192-CP.	
PANASONIC 1S24 24-pin, 142-CP	\$549
HEWLETT-PACKARD BRAND	
TONER CARTRIDGES	each \$86
HEWLETT-PACKARD INKJET CA	RTRIDGES
FOR DESKJET PRINTER	\$16.95
LASER PRINTER	CALL

MOTHER BOARD EMULATION BOARDS

WESTERN DIGITAL MOTHER BOARD		
80286, EGA & Hard Drive controllers, ØK	\$499	
DEA S251 EMULATION BOARD	\$529	
RMA 3270 EMULATION BOARD	\$699	J

TAPE BACKUP SYSTEM

COLORADO MEMORY SYSTEMS 40 MB

INTERNAL \$299 EXTERNAL \$399

<REQUIRES DC2000 Data Cartridges >
Call About 60MB Tape Backup System

DATA CARTRIDGES DISKETTES

SONY.

OD 2000 Data Cartridges \$17.49 OD 600A Data Cartridges \$19.99 DISKETTES 3'4" DS/DD, Bulk Minimum 100. ea. \$1,32

USA #FLEX

1-800-872-3539 (Orders only please)

FAX# 312-351-7204 stomer Service & Tech Su 312-351-7172

Connect Your EPSON Printer to Your IBM Mini or Mainframe!! Enloy Maximum Price

and Feature Performance

For IBM 3270 Users

The AVATAR EP-Connect 3287 Emulation Board Is a plug-in card that allose the popular Br950H printers to be used in the standard 3270 applications. With the EP-Connect 3287, ##\$500 printers can be attached directly to any IBM control unit, emulating the IBM 3287 mainframe printer.

EP-Connect requires no additional hardware interface.

LED indicators are mounted on the EP-Connect board to provide status information. It is both logically and physically attached to the IBM system by a direct coaxial connection to the control unit.

For AS/400 and System 34/36/38 Users

The I-0 8300 emulation card connects with EPSON printers to meet all your application needs. The I-0 8300 allows EPSON printers to emulate the IBM 4214 protocol used in the Systems/3x environment. In addition, the I-0 8300 also offers full S219-compatibility and its Command Pass Thru feature give users access to all built-in features of EPSON printers.

The I-O 8300 and AVATAR EP-Connect 3287 Installs in the following EPSON printers:

EX-800	EX-1000	LO-950
FX-86E	LQ-850	LQ-2500
FX-850	LQ-1050	DFX-5000
FX-286E	LQ-2550	FX-1050
and A	LL Future EPSON	i Printers!!

Buying an EPSON printer with the I-O 8500 or AVATAR EP-Connect 3287 will save you thousands compared to price of buying an IBM printerii

Call for Your Epson Printer and Card Combination Price
YOU WON'T BELIEVE THE SAVINGS!!!
WHEN YOU'VE GOT AN EPSON,
TOUTE BOT ALLOUF COMPANY EPSON

USA + FEX is the dealer for state-of-the-art personal computers, peripherals, media and supplies. We have high volume purchase ing power to keep our mail order prices extremely competitivel We've been in business eleven years and have gained a reputation for offering only top quality products. Our customers received full technical support long after the purchase is made. As an industry leader we guarantee you the service and support you deservel!



Putting these parts together is as easy as 1-2-31



First, lift off the top of the printer and locate the serial header socket.



Second, gently insert the I-O 8300



Third, snap out the interface plate and plug in the 9-oin "T" connector.



Connect the system, and you're ready to go!

USA #FLEX

contraction in inclination for immember cover you should be applied to the substitution of the substitutio

1-800-872-3539

FAX# 312-351-7204 For Technical or Customer Service 312-351-7172

> 135 N. Brandon Drive, Glendale Heights, IL 60139

COMPUTER DIRECT

WE WON'T BE UNDERSOLD!

MOBER MABNESS SALE ALL ARE HAYES COMPATIBLE

1200 Baud Internal Modem • 1200 Baud Bell 212A/103 at 1200/300 BPS Automatic Dialing & Answering
 Built-In Speaker with Volume Control
 Separate Voice and Duta Jacks
 Both Touch Tone and Pulse Dialing

Our Low

Saie Price 2400 Baud Internal Modem

Full or Half-Duplex Operations
 Auto Dial In Pulse. Tone & Tandem
 FCC Certified and Registered
 Auto Originate and Answer Modes
 Reverse Mode Dial

Our Low Sale Price

2400 Baud External Modem

7 System Indicator Lights
 Both Tone & Pulse Dialing
 Built-in Speaker with Volus
 For all Computers

Our Low Sale Price 1200 Baud Migent

Pocket Modem Free Terminal Software

5%" Floppy Disks

106% Cortified . Lifetime Guarante

each

19'

Double Sided Double Density

Lets of 25

-Made in the USA-

31/2" Micro Disks

100% Cartified • Lifetime Guarantee

Double Sided **Double Density** Lots of 50

no limit

*16 MHz 286 IBM® AT® Compatible Computer



Included FREEI MS DOS & GW Basic

 Runs on AC or battery * Turns on/off automatically Small enough to put in your pocket
 Plugs directly into your serial port on

MMMMM

MANNAN WA

many computers Easy to use; no switches to set
 On-screen status lights show call progress

· Hayes com

Our Low Sale Price

Frices do not include all apong charges. Call to get your lowest delivered cost. We name all disposed or on write cost to your All postulges are normally alloyed UTS Consent. 2nd day or enemally leading your postulations of the cost o

*80286 16 Bit Microprocessor
 *1.2 MFEG Friggs Disk Elvis
 *16 MHz (Landmark CPU Rating)
 *16 MHz (Landmark CPU Rating)
 *10 Key "AT Style" Keyboard for 314" drives
 *Clock/Calendar & Security Keyboa
 *Clock/Calendar & Security Keyboa
 *Floppy/Hard drive Controller included
 *512K RAM Memory Installed
 *Paralled & Serial Ports

Low Sale Price List \$1995

IMMEDIATE ANSWER 1-800-BUY-WISE 800-289-9473 Outside 800 Service Area Call 312-382-5058

180 CPS Printer

Near Letter Quality Super Graphics

*Lifetime Warranty

Lowest Priced 180 CPS Printer ever!!

· New No Jam Tractor Feed · New Pressure sensitive Controls · Roman NLO Font

· Lifetime Warranty on Printhead · 2-year Immediate Replacement on Printer! · 8 K Buffer

Our Low Sale Price

*640K Laser Turbo XT® Compatible Computer

www. STYLE Frunk ? our Choice Migent Ability or Enrich

ith Purchase of Computer

 640K Professional Turbo XT Computer
 360K Floppy Disk Drive & Controller
 Ms DOS & GW Basic Monochrome Card

 Parallel/Serial Ports Complete DOS & System Tutor Included FREE!

Our Low Sale Price

vn available for \$79.95, List \$179

We Love Our Customers!

22292 N. Pepper Road Barrington, IL 60010

CIRCLE 244 ON BEADER SERVICE CARD



Your PC STORE that's as close as the PHONE

PMG-2/14-89

Special! CompuGUARD

> Best Buy see Floppy Driver

AST Premlum

SAVE UP TO 70% **SINCE 1984**

PRODUCTS NOT LISTED ... CALL!

CAD...etc.

PC & MAC

New Orders:

.65

ZENITH 1490 \$579 DESIGN CAD Standard or 30

DRAFIX Call

MITSUBISHI

\$179

art Modern 1200B int whw

OARDS & NETWORKS

VENTURA **PUB 2.0** MAKER Call

Call Summagraphics Mac 12x12 Ta \$269

WSP-60

\$145 SE

nai File 2.0 nai Plan 1.00

Turbo Basio, C. or Pascal Ventura Publishing 2:0 ... VersaCad & Libraries ...

DIGITIZERS & PLOTTERS

8X eachines Queen
PF3: First Publisher
PFS: Puri

ONITORS G&A White

OFTWARE

gGraph

0460 F.U.S are sections. Process cannot use our annual series are subject to a restocking les. Per-warranties, 8 claims are responsibility of manufacture only. All returns are subject to a restocking les. Per-impany checks delay shipping. AZ orders only add 6.7% lax. Orders are processed same Day, International orders

HITACHI Digitizer 10 Year Warranty Fujitsu 3.5° 720k Drive Miksubishi AT 4064 Mi

\$349

DMP 62 MP Options Stacht Purns Tab (10-Year Wa PurnsPro 12x12,40th,Pen,5H

HELPERS

It PAYS to BUY- MHI! ones 265/355 __Call Service You

Expect !! Volume Bids Wecome!

> ASTERCARD PO's Just Call First.

\$457

\$155

Intel coprocessors Genuine & New

C7 Clear Mouse & Paint
Hilles Bus
Bus & Paint
Serial & Publisher

OPTICAL

DataBase Specia Q & A ... 177 Questro ... 149

MHI Warehouse, Inc. 8129 N. 35th Ave. #2-306 Phoenix, AZ 85051 1-800-621-3999

Order Info: 602-997-8877 Fax: 602-943-3633



BIGMOUTH

APPAPIL NO second 5 Med Order Brist Mi

Voice Mell System • Auto Diel ***/***
• Digital Voice Recording \$199*5
• Smart Answering Machine \$199*5
• HAND SCANNER

H.P. LASER JET IIS 1699 Line 800-223-6312

CIRCLE 369 ON READER SERVICE CARD

adway (32nd St.) NYC 10001 212-725-1234

- suca

\$289

Lasers for Less!



H-P Laserjet ii H-P Deskjet \$719 H-P Thinkjet \$359 H-P Paintjet Panasonic Laser Partner \$1,595 Toshiba Pagelaser 12....\$2,499



improved Memory Expansion

arter Board

letware memory expansions are significantly less expensive and can be expanded. Plugs into all Laserjet printers or Canon's LBP-8 II. Full two year warranty and thirty doy satisfection guar

EZ\$ EZ\$ Improved Font

Oq@eQq@e Cartridges Sure, our sale-priced Jetware is much less ex pensive, but the improved print quality is really why you should buy. Full two year warranty and thirty day satisfection guarantee!

Heavy-Duty Word Processing!

4 in 1 (medium/bold/italic faces for Courier 10/12, Prestige Elite, & Letter Gothic) 5129.95 1-2-3 and dBASE Users! ont sizes; up to 240 cols on 8.5x11 page \$129.95 \$139.95 ... \$89.95 Prestige Elite ..

ernational Times Roman & Helvetica \$119.95 Prestige Elite Legal Courier 10 Legal Prestige Elite & Math . \$80.05 \$80.05 Times Roman & Matl tter Gothic P & L ...

Times Roman P & L.
Courier 10 & Letter Gothic
Courier 10 & PC Linedraw
Times Roman & Hetvetica & PC Linedraw tica & Tax Linedraw Helvetica & Linedraw (Portrait or Le EAN / UPC / OCR Times Roman & Helvetica (8-14pt)

QMS Jetscript (Postscript) Kit\$Call H-P Black Toner Cart. \$99.95 H-P Letter Tray (8.5x11)\$59.95 H-P Legal Tray (8.5x14)\$69.95

Use Visa, MC at no charge, Prices and Specificatio May Charge, shipping & handling 3% Cont. US. Call Today for Your FREE Catalog! Computer Express

Excellence in Computer Sales Since 1982 PO Box 6578. So Bond. IN 46660. Toll Free 1-800-348-2778

FAX (219) 255-1778 CIRCLE 220 DN READER SERVICE CARD



HARDWARF I · COMPUTERS - - PRINTERS CALL AST Turboloser PS ACER SMG ALL CITIZEN MSP40 Citizen Mote/12 meung XT /AT / 386 CALL NEC LC890 Law CALL Panasonic 1091i Share Laptops - DRIVES/TAPE ---Panasonic Al Models QMS PSB 10 Lower Seegote \$7251-1 380 CrystalPrint WP.... CrystalPrint Series if Tibe Drives bernout: Box II of vier 4, 40M8 Tope OTHER HARDW Averes RCMER Topic CALL 349

besigner VC EGA Wonder 800 Super EGA HI Res V-RAM VGA AST 5251/11 Above Board 286

Complete FAX 9600 yes Moderns 659 Proctool Moderns Detectory 730 . . . Hitachi Pumo Pro Kurto Digit zers Symmothylich 499 Donnyt DW8804 Sweet P600 239 Sweet P600 153 Amdris Smort Scon OALL Diamond Scon 14" CALL Goldstor 1420 BGA 379 Princaton Uthasync 319 Genius Plus 420 SOFTWARE

89

200

319

- ACCOUNTING - - SPREADSHEETS -239 Framework 61 139 Letus/Symphony Bedford Acco 59 Mcrosoft Excel CALL Short SW System New Views Open Systems - DATABASE - WORD PROCESSING Advenced Revision AFR Grandview CALL Microsoft Word 4 CALL Multimote Advortage 6 one of N DB XL Diamond Fox Base + 205 Spnnt 249 Word Perfect 5 0 429 Word Perfect 5 0

Lotus Agendo 199 Xywrite Bi 4 185 - UTILITIES - GRAPHICS - Microsoft C Bine 185 Quick Bosic /C CALL Turbo Poscol/C 225 Desgrew 2.0

Page Perfect PFS. First Publisher II 119 Windows Devel Kil 509 Desklink 2 Auto Switch Design Cod or 30 Freelance Plus Generic Cod Level 3

Show Partner FX

52 Looks 105 Norton Uhlmes Adv 279 Sarva Plus 309 Who What When D5. Water Budget Office 225 Statements

800-662-2686 orders on

for Ca. Orders, Tech Support, 415-255-2230 Call or Write for Free Catalog

PAYMENT: Viso, MasterCond, Cashlers.Checks; 1
sonal Checks with hold, Qualified Pol. CA or
odd sales lox SOFWARE SHIPPING— UP'S ground
of order, 55 mm UP's Blaz-75. of order, 57 r
HABOWARE — Call for charges DEFECTS: Replaces
received or our corlon. PETCHS: Subject for rest



584 CASTRO ST., SUITE 487 SAN FRANCISCO, CA 94114



PRODUCT CATEGORIES

HARDWARE		MISCELLANEOUS	
ADD-ON-BOARDS405	DISKETTES409	ACCESSORIES 425	DISK
CD-ROM	EXPANSION UNITS409	BAR CODING 425, 426	CONVER
CABLES406 COMMUNICATIONS 406	PERIPHERALS 409, 410	BOOKS/CATALOGUES/ PUBLICATIONS 426	SERVICE
407	POWER SUPPLIES 410, 411	COMPUTER	MAILING
COMPUTER SYSTEMS 407, 408	PRINTERS411	INSURANCE426 DATA	NETWO
DISK DRIVES408	SECURITY411	CONVERSION 426, 427	SUPPLIE
SOFTWARE		DATA RECOVERY SERVICES	TRAININ
ACCOUNTING 411, 412	MANUFACTURING 418	RATES AND INFO	RMATI
BUSINESS	MEDICAL	PC Magazine Marketplace is a sp	ecial econom
MANAGEMENT 412	MUSIC418	product and service listings. Listings are grouped by category	and sold by o
BUSINESS TIME MANAGEMENT 412	PREVENTATIVE MAINTENANCE418	ond color option available. Standard Directory Listings are a issues at \$575 per issue (\$2300 to	
COMMUNICATIONS 412 413	PROGRAMMERS	For additional information call 21	
CONSTRUCTION413	TOOLS418, 419	MARKETPLACE A	DVERT
DATA BASE413	PUBLIC 110 120	STAFF	D I DICE
DATA ENTRY 413	DOMAIN419, 420	PC Magazine, 3rd floor	Sr. Adverti
DESKTOP PUBLISHING 413, 414	REAL ESTATE 420	One Park Avenue New York, NY 10016	Linda Anni
EDUCATION414	RELIGION	Group Sales Director Kathryn J. Cumberlander	Wanda D. Production
ENGINEERING414	SALES MARKETING 421	Group Sales Manager Daniel L. Rosensweig	Anne Brock
ENTERTAINMENT/ GAMES 414, 415		Support Manager Monica B. Dixon	Robert Clar
FINANCIAL 415, 416	SECURITY421, 422	ARABA D. DIVOI	
FLOWCHARTING 416	STATISTICS422, 423	ACCOUNT MANAG	ERS
GRAPHICS 416, 417	SURVEYS	Senior Account Manager Glenda Campbell (212) 503-5118	Kenneth Sona WV, H., V.E.2
HEALTH417	TAXES	NY, GA, PA, VA, DC, OH, AK, WY, M Jeanne De Simone (212) 503-5156	Michael Brook
INVENTORY417	UTILITIES423, 424	1A. MN. WI. AR. NC, IN. RI. DE, SC. 1A. ID, MI, OVERSI-AS	Jonathan Ade
MAILING PROGRAMS 417, 418	WORD PROCESSING 424	Kathleen Morris (212) 503-5176 FT, TN, NB, HL, (CA 94000 & UP) 1-0000 f	M. WA. MD. MD. SD (ALL) Q5-4ADS

MISCELLANEOUS	
ACCESSORIES 425	DISK CONVERSION 42'
BAR	CONVERSION42
CODING 425, 426	DISKETTE COPY
BOOKS/CATALOGUES/	SERVICE
PUBLICATIONS 426	MAILING LISTS 42
COMPUTER	
INSURANCE426	NETWORKING42
DATA CONVERSION 426, 427	SUPPLIES42
DATA RECOVERY	
SERVICES427	TUTORIALS 42

RATES AND INFORMATION

PC Magazine Marketplace is a special economical section for product and service listings Listings are grouped by category and sold by column inches, Sec-

ond color option available. Standard Directory Listings are also available for a minimum of 4 issues at \$575 per issue (\$2300 total).

MARKETPLACE ADVERTISING STAFF

Sr. Advertising Coordinator Linda Annis-Lopez Advertising Coordinator Wanda D. Brown Production Director Anne Brockinton Production Coordinator Robert Clark

ACCOUNT MANAGERS

Kenneth Nova (212) 503-5175 WV. FL. VT. SH, (CA 9399) DOWN: Michael Brooks (212) 503-5125 MI, CL. B., KY, MI, OR, OK, AL, MO, SM, IA Jonathan Adewumi (212) 593-5117 M. WA. MD. AZ. CO. NV. MS. KS. ND SDIALL CANADA:

HARDWARE/ADD-ON-BOARDS

from your

with Fax-Mail 96™ Entirely menu driven . . . installation and configuration are easy ... better print quality than tax machines . . . most closely resembles the (HP) LaserJel Courier typelace (of all lax boards tested)

-PC Magazine Exchand comparison lest

Our Fax-Mail 9614 9600 bos board plugs into any IBM or compatible PC. Familiar spreadsheet-style software

allows you to send, receive, store, display and print fax documents from your PC. Merges letterhead and your signature

automatically, broadcasts lax to multiple locations, works entirely in the background

For more information or to order call 617 235-3026 VISAMC/AMEX

Brooktrout Technology, Inc. 110 Cedar Street Welleslov Hills, MA 02181

Complete system for

THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

Every IBM and Apple II compute needs a clock. The ClockPro keeps periect time and doesn't waste a valuable slot. It's easy to install and works on any IBM PC, XT, AT Apple I/e, I/c, 1[+ and all compatibles and is covered by a full 10 year warranty and 30 day money back guarantee.

HIHITE \$4895 Annies so ene sues

TO ORDER: 1-800-458-5448 . VISA & MasterCard accepted 10670 Treena St., Suite 10, San Diego, CA 92131

Never enter time and date again. dClock II \$49.95 Slotless Clock-Calendar

· Compatible with most computers. · Easy to install. Replaceable battery. · 30-day money-back guarantee. · Great gift idea.

To Order (817) 540-0938 Or write to Microsync MICRO. 2107 West Euless Blvd. Euless, Texas 76040 Please add \$2.50 for shopping & handlage CIRCLE SES ON READER SERVICE CARD

REAL VOICE Digital Records for your PC, XT, AT or Company

♦VOICE MAIL SYSTEM

◆TELEMARKETING SMARTEST ANSWER MACHINE

***AUTODIAL-DATABASE** ♦VOICEPAD"

Voice for your Pr ◆PROGRAMMER'S

TOOLKIT (optional '79") \$26900 - 5 am (415) 652-9600 Talking Technology, Ir

THE X-BANDIT 4 EMS 4 For XT-AT Enhanced, expanded memory utilizing LIM 4 0 specifications. Segmented memory mapping, split memory addressing 2 mb in one sint 8 mb Intal Sonnier RAM risk auto configuration software, manual, warranty all

included \$195 TELETEK ENTERPRISES INC. 4600 Pell Drive Sacramento CA 95838 (916) 920-4600

(916) 927-7684 FAX

CD-ROM

CD-ROM/WORM OUTLET THE BIBLE LIBRARY

SAVE WHILE SUPPLIES LAST

DISCOUNTED GROILERS MICERAW-HILL SCIENCE SUPERMAP PC-SIG US ATLAS GEOVISION AND MANY MORE! CALL 1-800-543-1734 - ANYTIME

ONE DAY SERVICE (716) 852-6711 C.O.D. ACCEPTED JASON ENTERPRISE

5459 Main St. Williamsville, N.Y. 14221 CIRCLE SM ON READER SERVICE CARS

PC Magazine Marketplace 2nd Color Option Available

TO PLACE YOUR AD IN PC Magazine Marketplace

Call (212) 503-5115 or (800) 825-4ADS

PC MAGAZINE . FEBRUARY 14, 1989



THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

CABLES



PUT YOUR PRINTER UP TO 300' AWAY! NEW LONG RANGER" PRINTER EXTENDER AND BUFFER Uses standard 4-wire phone cable will plugs, up to 300' (N7 cable included) Optional 20K (15 no.) or 5 no.)

unteed compatible with all software warranty, 30-day, money-back guarant

RANGER TECHNOLOGIES, INC. 22% FIRST ST. #119 SMI VALLEY CA 9309 (805) 583-8847



dd an extra keyboard and onitor up to 250' from your PC system unit. Now available for * VGA and PS/2.

OEALER PROGRAM AVAILABLE PRICES START AT \$219.00 CYBEX CORPORATION 800 H. Bob Waltace Ave. Huntaville, AL 35805 (205) 534-0011 E 555 ON READER SER



COMMUNICATIONS

NOBODY DOES

SHARP MURATA

BETTER MACHINES

Full Troining Factory Worranty Immediate Delivery Installation Low Discount Prices CALL NOW

nerica's Low Price

AX OF AMERICA 1-800-342-3299 IND. Call 219-256-7019 CIRCLE SIG ON READER SERVICE CARD



Invisible Network . Includes all hardware and software-nothing extra

 Invisible Network** boards give high performance. install easily, and connect with dual twisted-pair wire.
• NET 30 ** Network Operating System is full-feature. Network Operating System is full-featured has extensive on-line help, and saves memory . File sharing, print spooling, file record locking, menu system security, network management, diskless . Also compatible with NETBIOS, IBM-PC LAN

Program," Novell Advanced Netware " . Lifetime warranty and 30-day money-back quarantee. Model 200 Medel 200 A Model 100 Companishty IBM PC XTAY IBM PC XTAY IBM PS 2

Mirco Channel 0 7 Mbps 1 8 Mbps Price \$199 00 ca \$299 00 ca \$399 00 ca

For more information call (415) 221-0916 or write CIRCLE SET ON READER SERVICE CARD

d deal.

PC-Hooker

Connect any two IBM compatibles and transfer files back and forth at speeds exceeding 115,000 baud, faster with parallel

Faster than LapLink Easier than Bridge

- Universal serial cable. parallel optional Bi-directional transfers
 - Disk/file management, eg. Dirtree, Sort, Find, View
 - · Text edit and print facility · Chat mode
- 5 %" and 3 %" disks PS/2 ready

PC-Hooker includes everything you need for fast and easy file transfers for only \$79.95. PC-Hooker PLUS with Hayes modem support is \$99.95. Do everything in the background with PC-Hooker TSR for

\$129.95. For a limited time. parallel cable FREE with PLUS and TSR Order today 1-800-888-8455 CIRCLE 563 ON READER SERVICE CARD

call

call

FAX MACHINES 385 Sharp FO 300/500

Murata M1200/1600 Savin, I. II. III. M. V.

 PRINTERS • H/F DISK DRIVES

US Data Link 14433 Pickwick Lane Garden Grove, CA 92644 nia - 714-839-5419 FAX:714-839-5036

honeBoot by cybex Far away and your computer is off! Phot you "be there"... all you need in a Phot modem to power us your remaining.



 d ring pickup lets you share a voice line
 Bulli-in hardware security code ts, 10 Amp capacity
section for both AC and Twisphone line

CYBEX CORPORATION
2000 H Bob Wallace Avenue
Hantaville, AL 15605
(203) 534-0011
ORGLE 562 ON READER SERVICE CARO

LOCAL AREA NETWORK

information and literature

nstalling network (415) 837-2385



COMMUNICATIONS

ADD A SECOND USER to your XT/AT/386

- . Two users can work s taneously under DOS on
- same or different programs. · Use any off-the-shelf DOS
- occorem SHARE file, data, modern, math co-processor, printer





ZAKI Corporation + 4

1200H/HB \$2199.00/2399.00 3200 \$3640.00 5100 \$4649.00

SANYO COMPUTERS | Murata MI/1200/1600... \$ 695/Call

| Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | Systom | S Cannon 20 (100)/\$....\$1075.00/Call Call Lowprice T.P.C. 12603 Hoover St. Gurden Grove, CA 92641

Rent*Buy*Lease 800-444-3199 FAX 714-801-1202 cost effective. You can deliver information anywhere in the continental U.S. in

DATA NETWORKS FROM \$270/MONTH

Distributing information via satellite is profitable and


seconds to an unlimited number of locations. You control authorization to re your transmission. 5.T.A.R. provides you with everything you need 5.T.A.R. will help you get started. Call us today at (801) 225-7000 Satellite Technology And Research 530 SOUTH COMMERCE BOAD, DRIM, UTAH BASIS FAX (801) 225-1660 CROLES BASIS ON READERS BERVICE CAND.

Sherp • Murele • Toehibe • Brother • Panasonio CHIPS - All Speeds * R4K Call * 256K Call

Processors Intel _ Call Summesketch/Plus \$339 LASER PRINTERS Panasonio-KP4450 81599 1-800-243-7775

Illinois 312-394-3334 FAX#312-394-5235 "WE ARE THE CHEAPEST" COMPEAX, INC CIRCLE SIG ON BY ADER SERVICE CARD

COMPUTER SYSTEMS



NATIONAL COMPUTER lesa Blvd, San Diego, CA 92131 (619) 530-2446 \$1.695

CIRCLE 175 ON READER SERVICE CARE

COMPUTER SYSTEMS

MICRO WHOLESALES (713)-772-4160

AST COMPLITERS 286, Model 80: 512K Flam \$1365 Model 90, 140K, 140, 170, 390 Call

MITSUBISHI COMPUTERS MP286, 310:640K, 1.2M FDD MP3MR. 110:1MB, 1.2M FDO Laptop 2881, 200: 840K, 20MB \$2295 ZENTTH LAPTOP 184HR: 840K, 20MB HD, Doe Supersport 266, 1MB, 20MB HD Low

Dealers and Consultants Welcome, cattour strong on the control Service Catto

. Spanate Specials.

MYLEX W DIGITAL - DTC

. 1:1 INTERLEAVE .

USM DISTRIBUTORS

415-952-5885

386 sys 16:20 1MB RAM 40MB \$2227

Seagate 60MB RLL HD ST277R

Furtsu 360K Floppy Drive B1 Sony 3 5" 1 44MB F Drive

Samsung 4551 Multisync Moral Star NX-1000 Printer 144cos

DMC 1234 South St., Long Beech, CA. 9000 Tel: (213) 422-4444 Fax: (213) 422-7676

Adaptec 2372 1 1 AT RLL cont Micropolis 1325 72MB 28ms HD

CIRCLE 171 ON READER SERVICE CA

FPSON PRINTERS FX850, 264 cps, 9 pin, NLQ LX800, FX1080, LQ800, LQ1080 HEWLETT-PACKARD

LeserJet II whoner 7475A Plotter, S pens PANASONIC PRINTERS IOC-P1124, 192/63 cos. 24 pin 1080, 1091, 1093, 1595, 1524 Call

INTEL MATH CHIPS All chics (9097, 90997, 90097) Hours: (M-F) 9:00a-5:30p CST

6346

Macdor IBM PS/2's XT-1140 200 200 000 XT-2190 XT-4170 Up to 41% off! XT-4380 XT-8760

MODEL 60-041 8.495 MODEL 89-111

> 2000 Griffin Road - Suite #4 Ft. Loaderdale, FL 33312 (305) 985-9406

Computer Systems Disk Drives AVOID THE HASSLE 8088 sys 4 8MHZ 640K 20MB 286 sys 6/10MHZ 540K 40MB

\$388

(all 1-800-GO TO PRC

10 MHz AT 640K VCIA System Highest Quality Components Knowledgeable & Courteous Personnel Full Line Computers & Peripherals in Stock

Oet it all at

IN CALIFORNIA, CALL: 1618-350-8810

TO PLACE YOUR AD IN PC Magazine

Marketplace Call (212) 503-5115 or (800) 825-4ADS

COMPLITER SYSTEMS









FORT WORTH COMPUTERS 377 PLAZA, GRANBURY, TX 760

Expandable to 1 megabyte On heard clock and calend board clock and cale Digital speed displey Hardwere reset & turbo sw.
 S-Dr. capacity with 3-Dr. open ■ 200 watt power supply

Comes with:

Zero K RAM

1.2M floppy drive
Floppy/HD ctrir

■ 101-key keyboard 770.00 925.00 AWIN COMPUTER PRODUCTS We stock over 100 items of periphers cards, please write for our price list.

TO PLACE YOUR

AD IN PC Magazine Marketplace Call (212) 503-5115 or (800) 825-4ADS

LAPTOP SPECIALS ZENITH - TOSHIBA - NEC · SHARP · DATAVUE

The Latest Laptops at Low Prices along with a wide Selection of Accessories including SW or 3W Ext. and let. Drive Units For Laptops and Desktops. New Tandy 1400 LT and Toshiba

1100 + Internal Hard Drive 1200 and 2400 Baud Moderns. Diopnix Printers and Numeric Keypads For Laptops Panalax and Sharp Fax Machines For Fast Reliable Service Call

COMPUTER OPTIONS UNLIMITED 201-469-7678 - 7 Days SAM-10PM (EST) CIRCLE STY ON READER SERVICE CARD

DISK DRIVES

SPECIAL REPAIR COUPON Capacity Flat Rate SPECIAL VALID THROUGH 3/15/89

10-14mb \$75 15-19mb \$99 20-30mb \$125 \$112.50 \$150 \$135.00 31-40mb 41-49mb 8175 \$157.50 50-85mb \$210 \$189.00 86-120mb \$275 \$247.50 121-150mb \$325 \$292.50 Test & Eval \$25

We repair most mojor brands FLOPPY DRIVE REPAIRS FLAT RATE \$35 and \$45 90 day warranty on all repair 5 day turn-around time. JE TECHNOLOGIES, INC. 21011 Itasca St. - #7 Chetsworth, CA 81311 Telephone (818) 709-6400

THE

SHOWCASE

FOR PRODUCTS

AND SERVICES IN THE MS DOS

MARKET . . .

DISK DRIVES

Did You Hear Who's Easy?

megamate

 easy to use, easy to install, and easy on the wallet. Megamate is the 3.5 inch 1.4 MB drive you can add to any PC/XT/AT.



- Installs in just minutes. Handles any 3.5 inch IBM disk, 720 KB or
- 1.4 MB, automatically. Complete – drive, card, software.

 Attractive and compact, barely bigger than a disk. MicroSolutions 132 W. Lincoln H. DeKelb, IL 60115 nouter Products

DISKETTES



815.756.3411

51/4" DS/DD 39 100% CERTIFIED LIFETIME WARRANTY

800-222-0490 in NJ 201-462-7628 FAX 201-462-5656

FOR MORE INFORMATION OR TO PLACE YOUR AD CALL 212 503-5115 . . .

DISKETTES



Preformatted disks save you time and money!

Memorex · Nashua · 3M 5¹/₄" (from 48¢) • 5¹/₄" HD • 3¹/₂" • 3¹/₂" HC Call toll-free TODAY!

1-800-321-4<u>66</u>8 In Colorado (303) 423-0371. Open 8:00 to 5:30 Mountain Time, Monday-Friday.

L, P

ALF Products, 3940 Youngfield St., Wheat Ridge, Co. 80033

CIRCLE SATION READER SERVICE CARD

EXPANSION UNITS



1:1:

Name Brands * Low \$\$

EVENUEION BOARDS

COMPUTER ATS (ASIA)

GRAPHICE CARD (189). ATI EGA 3189

GRAPHICE SAND (189). ATI EGA 3189

GRAPHICE SAND (189). VEGA DI 5279

SEAGATE (18) to 100

SEAGATE (18) to 100

MEMOTIFIE (18) to 100

TO ATI 500

VLM Computer Electronics 10 Park Place, Morristown, NJ 07960 (201) 267-3268*Visa, MC, Check or COD

CIRCLE 505 ON READER SERVICE CARD

EXPANSION UNITS

PERIPHERALS

CALL DRAM CO.

10085 Gueranteed

Dynamic RAMS 120NS, 100NS, DIP & SOJ 150NS, 120NS, 100NS & BONS 150NS, & 120NS

Policy: Price subject to change. Mn. order \$20, MC/VISA add 4% CA residents add 6.5% sales tax UPS: Ground \$5, air \$7 (1 lb)

(415) 398-2987 Open M-F 9-6

P.O. Box 590127 SF CA 94159-0127 OU E SAG ON DEADED SERVICE CA



S 2.85

I.C. EXPRESS

ROM UPGRADE CHIP FOR ORIGINAL IBM PC This is the hard to get IBM upgrade ROM that allows your original PC to utilize the full 640K of RAM and

allows your PC to recognize and use a bootable hard disk. These are authentic IBM chips - not pulls. ONLY \$49.95 EACH!

SELF-RELIANT PC PRODUCTS 1750 Kalakaua Ave. #3-133 Honolulu, Hi 96826 TELEPHONE: 808-946-1808

CIRCLE 588 ON READER SERVICE CARD

PC Magazine Marketplace 2nd Color

Option Available



OVERLAND DATA IS THE EXPERT when it comes to connecting your PC to the mainframe and mini computer world. OUR ENGINEERS DESIGNED the most successful tape drives in use

today. PC/XT/AT/386/PS2/compatibles
 800, 1600, 3200, 6250 BPI

Free tutorial on tape systems
 Fastest tape subsystems available
 EBCDIC/ASCII conversion

IBM & ANSI labeled tapes
 DOS, XENIX, UNIX, PICK

Highest quality customer service
 Quick delivery

 Software tools supplied Stock full range of tape drives
 Network backup and More!

Overland Data Inc. 5620 Kearny Mesa Rd. San Diego, CA 92111 Tel: (619) 571-5555 • FAX: (619) 571-0982

CIRCLE SAS ON READER SERVICE CAR

9-Track Tape



MINISTREAMER"

Now you can exchange data files between your IBM PC/XT/AT and any mainframe or mini-computer using IBM compatible 1600 or 6250 BPI 9-Track tape. Unit can also be used for disk backup. Transfer rate is up to 4 megabytes per minute on PCs and compatibles. Subsystems include 7" or 101/2" streaming tape drive, tape coupler card,

JUALSTAR.

9621 Irondale Avenue Chatsworth, CA 91311 Telephone: (818) 882-5822 CIRCLE 500 ON READER SERVICE CARD THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

PERIPHERALS





- High Speed Backup
- All Software Complete System . Service and Support, easy

call (818) 343-6505 or write to: Contech Computer Corp. P O. Box 153 Tarzana, Calif. 91356

CONNECT

CONTECH LE S91 ON READER SERVICE CARD

9-TRACK TAPE

- Complete system manufacturer Support PCXT/AT/PS2 & Mac-Read & write 800/1650/8250 Use with 18M, DEC, HP tapes - Links to FORTRAM, C, COBOI, Networking capability - Customized softwars available - Powerful date extraction - Large inventory of Anrisu, - Cipher, Kennedy, Qualater - Fast technical support - System prices from \$298.05

Avoid the middleman-Go direct!

FLAGSTAFF 602-779-3341 ENGINEERING FAX 779-5998

CIRCLE 592 ON READER SERVICE CARD

PERFORMANCE PERIPHERALS TOSHIBA LAPTOP COMPUTERS

*2400 hps Expansion Slot Internal Moderns for T1100 + . T1200, T1600, T5100, T5100, T5200

M2 (EC - S+19 RJ11 & Acoustic Coupler Jacks M2 (ES - S199 RJ11 Jack, RS252 COMMS DIL-9 *2 atti bps Internal Modern for Toshiba T1000 M2 dC · \$449. RH1 & Acoustic Coupler jacks *2 and hps Built-In Modern for T1200, T1600 M2 aBI - 5,599 RJ11 jack, power control mode *COMMS-2 Expansion Slot Card: *Dual COMMS Expansion Card D232E - \$299 *SCSI Alt2 I/O Expansion Card: SCSIE - S299 *CONNS-2 Internal T1000 Card S2521 - S149

AdaptaPOWER external battery power packs and power adapters for the laptop computers. PRODUCT R&D Corporation 1191 Pacific # 201. San Luis Obspn. CA 93:01 Phone (805 546-9713 FAX (805) 546-9716

CIRCLE 593 ON READER SERVICE CARO

POWER SUPPLIES

TURBO-COOL 150: Cool. Quiet Power



MODEL		COOLING		
STANDARD XT	150W	1.0X	STD	\$69
STANDARD AT	200W	1.0X	STD	\$109
SQ150 PC/XT	150W	1.4X	-84%	\$129
SQ200 AT	200W	1.1X	-85%	\$169
TC150 PC/XT	155W	2.2%	-50%	\$149
TC200 PC/XT	200W	2.7%	STD	\$189
TC250 AT	250W	1.6%	STD+	\$189

FCC; UL; 1201/2401, 4 drive plugs, heavy duty comconents; patented cooling system; I year warr PC POWER & COOLING, INC. tain Way Bons 619) 722-0612 CIRCLE 595 ON READER SERVICE CARD

PLOTTERS

Affordable Large Format Plotting



Features that say value ...

Economical: \$1,000 less than other large format plotters

> Compatible: Operates with all popular CAD software supporting DM/PL. Multiple Media Sizes as small as 81/1" x II" or as large as 36" x 48" eliminates the need for a second plotter.

Practical speed you can really use 10" per second assures good drawing

throughput while optimizing the speed at which most plotter pens can draw without skinning CIDCLE SOA ON DEADED SERVICE CARD C-D \$1695 (Sugg. rel. \$2295)

TO PLACE YOUR

AD IN

PC Magazine

Marketplace

Call (212) 503-5115

or (800) 825-4ADS

A-D \$2295 (Sugg. ret. \$2695)

A-E \$2695

(Sugg. rel. \$2995) Marte to USA

Repeatability and Resolution: 004 assures quality suitable for the most demanding applications including PCB artwork. Vacuum Paper Hold Down guarantees perfect registration.

CALL NOW AND WE'LL SEND YOU A FREE SAMPLE PLOT. (415) 490-8380

ZERICON 40491 Encyclopedia Circle, Fremont, Ca 94538

DM PL is a trademark of Houston Ins

PC Magazine Marketplace the ultimate target market!

The brand specifiers who read PC Magazine don't have the time to shop around, their only concern is getting what they need as quickly as possible.

They'll DIRECT their attention to PC Magazine Marketplace

For them PC Magazine Marketplace's Direct-Response/ Display Ad format represents a fast, easy and cost effective method of product acquisition. They know it will have the products they need and the information they want regarding price, volume discounts, specifications and delivery.

If you think that your business can benefit from the 700,000 brand specifiers who read PC Magazine ... YOU'RE RIGHT!

So take DIRECT action and call (212) 503-5115 or (800) 825-4ADS

THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .



FOR MORE INFORMATION OR TO PLACE YOUR AD CALL 212 503-5115 . . .

POWER SUPPLIES

UNINTERRUPTIBLE POWER SYSTEM

- Protect Your System and its Valuable Data from Sag, Surge, Brownout and Blackout
- True On-Line
- · Sine Wave Outout.
- · Space Saving, Compact Design, Rechargeable Maintenance Free
- Sealed Lead Acid Battery.
- · Back Up Time 5-15 Minutes Load Dependent
- · Dealer and VAR Inquiry Invited. · COD Order Accepted.
- . Full 1 Year Warrantee for Parts and Labor.
- . High Frequency DC-DC Converter.
- · Complete input/output isolation

SPECIFICATIONS

DESCRIPTIONS	UX-150	UX-210	REMARK
Input Characteristics A. Voltage range	90Vac-132Vac or	90Vac-132Vac or	Selection Free
	180Vac-264Vac	180Vac-264Vac	(Option)
B. Frequency C. Phase	50 or 60 + - 3 Hz Single (2P + E)	50 or 60 + - 3 Hz Single (2P + E)	
	Unigit (El + E)	Origin (ET + L)	
Output Characteristics	500VA True Dn-Line	4 10 10 T D . 1	
A. Power Back-Up Through	500VA True DII-LINE	1 KVA True Dn-Line	
B. Voltage	100-230Vac + -1%	100-230Vac + ~ 1%	Factory Setting
C. Frequency	50/60 Hz + ~ 1%	50/60 Hz + -1%	Factory Setting
D. Response Time	1 msec max.	. 1 msec max.	
E. Transient	5% max	5% max	
F. THD	3% max.	3% max	
G. Power Factor	0.8-1.0	0.8-1.0	
H. Efficiency	80% min.	80% min.	
t. Audible sound	50 dB max.	50 dB max	No Audible Sound
3 PRICE	\$995.00	\$1995.00	

ALSO, UX-130, 300VA, OFF-LINE, SQUARE WAVE OUTPUT, \$495.00

LUCKY-GOLDSTAR INT'L (AMERICA), INC.

1050 WALL STREET WEST LYNDHURST, NEW JERSEY 07071 TEL: (201) 460-8010 TLX: 219108 LGI NY FAX: (201) 935-5686

CIRCLE 596 ON READER SERVICE CARD

PRINTERS

THE SHOWCASE FOR **PRODUCTS** AND SERVICES IN THE MS DOS MARKET . . .



Expandable Memory Boards: 1MB - \$ 277 2MB - \$ 579 4MB - Call Font Cartridges 7+ - \$ 209

HP Plotter (HPGL) Emulation: LaserPlotter - \$ 129 D.H. SYSTEMS, INC. 1940 Cotner Ave. Los Angeles, CA 90025 (213) 479-4477 VISA-M/C CIRCLE 597 ON READER SERVICE CARD

PRINTERS

CITIZEN PRINTERS MODEL 120D 120 CPS.25 NLO 167 50 MODEL 1800 180 CPS 35 NLO 183 .50 MODEL MSP 40 330.0 80 COLUMN MODEL MSP 45 240 CPS,40 NLQ 475.00 132 COLUMN MODEL MSP 50 300 CPS.50 NLO 80 COLUMN MODEL MSP 55 300 CPS.50 NLO 550.00 132 COLUMN MODEL PAS

DAISYWHEEL 132 COLUMN SEQUEL (713) 461-4218 VISA AND MANTERCARD EXCEPTED

CIRCLE 598 ON READER SERVICE CARD

PC-PASSWORD™

"THE ULTIMATE IN SECURITY" or IBM XT/AT and COMPATIBLES



SECURITY

Affordable Data Protection

in a recent review by ng PC Magazine As noted in a re Hardware based password protection Prevents DOS boot-up until Password is entered

Encryption/Decryption capabilities Requires little or no memory Unattended system security ea. + Shipping

\$17995

COMPUTER (612) COMMODITIES 942-0992 7127 Sharty Oak Rd + Minneapolis, MN + \$5344

CIRCLE 599 ON READER SERVICE CARE INSURES FOR POWER SURGES!

When SAFEWARE designed the original computer insurance policy, they decided to cover even the notorious POWER SURGES. Today you can buy comprehensive, but replacement protection against theft, accidents, lire, earthquake, water AND power surges for as tittle as \$39 a year. Calt for details & immediate coverage. 1-800-848-3469 SAFEWARE, The Insurance Agency Inc. 2929 N. High Street

P.O. Box 02211 Columbus, OH 43202-0211

SOFTWARE/ ACCOUNTING

NEW! TIME-SAVING PAYROLL Automates weekly, bi-weekly, semi-monthly or

monthly payroll for up to 200 hourly and/or salaried employees. Accepts time as hrs: min. All taxes + city, 401k, after-the-fact payroll tips. Prints checks/W-2's/Quarterly reports \$95 + 2.50 s/h Money Back Guarantee. Visa/ MC/Amex/DC. Call. fax or write: Phoenix Phine Software Cornoration 7830 East Gelding Drive, Suite 400 Scottsdale, AZ B5260 B00-331-1B11/602-483-0991 or Fax 602-94B-1379

MIP FUND ACCOUNTING

The MtP Fund Accounting System meets the financial and managerial reporting requirements of not-for-profit and governmental organizations. The System teatures multiple fund and fiscal years, user-defined reports and six levels of account coding. Modules offered: G/L, A/P, A/R, Payrolf, Encumbrance, Expenditure Budget, Revenue Budget and Lotus/DBase Interface MIP FAS is available for IBM XT and compatibles. MICRO INFORMATION PRODUCTS 505 East Huntland Dr., Suite 340 Austin Texas 78752 (512) 454-5004 1-800-MIP-FIND

FIXED ASSET ACCOUNTING APS FIXED ASSETS, A Complete menu driven

Lotus template, computes and tracks depreciation for book, tax and AMT. Generales full reports. Requires Lotus 1-2-3 1A or 2 X. Over 5 hundred in use. 30 day moneyback guarantee. Price \$150.00: For additional information or to order contact

Protessional Services Microsystems 370 Seventeenth #1350 Denver. CO 80202 (303) B25-0461

The leading fund accounting system for local govts and non-profit organizations. Modules include General Ledger, Accounts Payable, Encumbrance, Obligation Tracking, Accounts Receivable, Payroll, Budgeting, Fixed Assets and Oonor Receipts. The system supports up to 99 funds, 9999 depts, PC-FUND runs on the tBM-PC and most MS-DDS and XENtX computers. AMERICAN FUNDWARE, INC. P.O. Box 77302B Steamboat Springs, CO 80477

(800) 551-4458 (303) 879-5770

dbase accounting tools GENERAL LEDGER "ACCTS PAYABLE "dinvoicer & A/R "Sales analysis "Service Billing "Drder entry

"JOB COSTING "JOB ESTIMATING *PURCH ORD/INVENTORY *PAYROLL \$99 ea + s&h w/dBASE 2, 3 or 3 + Source Code datamar systems 4876-P Santa Monica Ave San Diego, CA 92107 (619) 223-3344 Visa-M/C-AMEX-Check-CDD

THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

ACCOUNTING



World's Finest Fund Accounting Software Utility Billing Business License Accounts Receivable

General Ledger Accounts Payable Purchase Order

Police Citations Cash Management Work Management Cash Register Syste Pet License UNIX, XENIX, VMS, MS-DOS, PS/2, Networks

CORBIN WILLITS SYSTEMS 35754 Mission Blvd., Fremont, CA 94536 * (415) 790-5600

Cities, Non-Profits, Grants, Utilities, Counties, Education, Special Districts CIRCLE 500 ON READER SERVICE CARD

BUSINESS

THE GENERAL STORE RETAIL OPERATIONS SYSTEM

The complete software system for <u>RETAIL</u>. Multiuser/Network ready. Cash Drawer, Bar Code and online credit card auth. Accounts Receivable



Inventory Control Point of Sale Accounts Payable Point General Ledger · Hardgoods

Apparel

Crichlow Data Sciences, Inc. 1604 428-0005

PC ORDER PAD

Smarter than a Cash Register Handles Cash and Charge sales Prints Receipt/Picking slip Reports Sales totals with margins. Tracks inventory Easy & Fast, On-line HELP Options include Bar Code or OCR. Cash Drawer. Network or Remote site versions Runs under MS/PC DOS Customizing available Dealers invited

COLUMBIA SYSTEMS. INC. 10420 S E Hittcrest Drive Portland OR 97266 (503) 654-7722

PC Magazine Marketplace 2nd Color

Option Available

BUSINESS PROJECT MANAGEMENT

PROJECT SCHEDULING IN 1-2-3 AND SYMPHONY

choices to create projects on your spreadsheet Link project costs & dates with budgets. Ask 'what if' with time! spreadsheet. Link project costs & dates with budgets Ask "whatil" with line! Draw Gentt charte of dates stack the state of pecify work hours vacations and tays on a graphic calendar. Work: CGA EGA VGA Hercules. \$179.9: FRONTLINE SYSTEMS, INC.

CIRCLE 752 ON READER SERVICE CARD

BUSINESS TIME MANAGEMENT

CALENDAR SCHEDULING

- PC-CAL
- · Personal and Group Scheduling
- Familiar Displays
- Simple Setup and Operation
- Repeating Appointments
- Copy, Move, Modify
- Available for DOS, OS2, Xenix,
- HP3000
- Many Useful Displays and
- Printed Reports DOS & OS2 FOR \$95.00
- BRADFORD BUSINESS SYSTEMS 25301 CABOT RD #201 LAGUNA HILLS. CA 92653 (714)859-4428

CIRCLE 753 ON READER SERVICE CARD

PC Magazine Marketplace the ultimate target market!

The brand specifiers who read PC Magazine don't have the time to shop around their only concern is getting what this need as quickly as per

They'll DIRECT their attestion to PC Magazine Marketplace
For them PC Magazine Marketplace's Direct Response Display M bound represents a fast was
and cost effective method of product acquisition. The knew it will have the products they need and the information they want regarding price, volume discounts, specifications and delivery If you think that your business can benefit from the 700,000 brand specifiers who read PC IF MARERICATI

So take DIRECT action and call (212) 503-5115 or (800) 825-1ADS

BUSINESS TIME MANAGEMENT

Multiple Scheduling!

Scheduler II

Single and multiple schedules
 Appt/Memos pop up on key word
 Finds first or mutual openings
 Graphic display of month

•Graphic display
•Flexible time intervals
•IBM Compatible \$19800 VISA
CO.D

Executive Computer Systems 1571 Fenpark * Fenton MO 63026 orders: info: (800) 727-0498 (314) 343-5757 CIRCLE 754 ON READER SERVICE CARD

COMMUNICATIONS

BARR High-Performance RJE Workstations

BARR/SNA RIE and BARR/ HASP are communications hardware/software packages for the IBM PC and PS/2 series of computers

Full featured:

- · multiple printers,
- unattended operation.
- · print speed beyond 6,000 lpm,
- · special forms, · line speed to 56,000 bps.
- · dial-up or dedicated lines, and · serve as a LAN gateway.
- BARR/SNA RJE emulates IBM 3777-3 in an SNA environment. BARR/HASP emulates IBM 3777-2 and HASP on the 360/20.

BARR communications software is also available with

PC-SYNC internal modems: 208AB, 201C, 9600.



Barr Systems, Inc. 2830 NW 41 St. Bidg M Gainesville, FL 32606 800-BARRSYS or 904-371-3050

CIRCLE 755 ON READER SERVICE CAR

COMMUNICATIONS

COMPUTER-TELEX-LINK Your PC can send and receive telexes quickly

and easily with Computer-Telex-Link Replace that aging telex machine! Add telex service to your business for cost effective worldwide communications! Computer-Telex-Link transforms your PC into a state-of-the-art communications tool for felev

Cawthon Software Group 24224 Michigan Avenue Dearborn, Michigan 48124 Phone 313-565-4000

MULTI-LINE PC-DOS BBS The Bread Board System (TBBS) - Secure.

reliable, full-leatured commercial EIS for IBM XT/AT/386/PS2 or compatible Easily customized by non-programmers. Kermit, X & Y - Modern High performance allows up to 32 simultaneous callers. User audit trait 300/1200/2400/9600 bos

eSoft Inc 15200 East Girard Avenue, Suite 2550 Aurora, Colorado 80014 (303) 699-6565

UNATTENDED FILE TRANSFERS

- · Error tree transfers between multiple sites · Schedule transfers any time(s), any day
- · Use stand alone or with other programs
- No complex script languages to learn · Easy set-up commands like Send, Receive
- LAN compatible. Multi-level security.
- · Introductory offer \$75 per location
- SFI, Inc. Box 531650 Grand Prairie, TX 75053
- (800) 433-5355, (214) 264-2626

TO PLACE YOUR

AD IN

PC Magazine Marketplace

Call (212) 503-5115 or (800) 825-4ADS

· 一个是不是不是一种的

TO SEE THE SECOND

THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET

FOR MORE INFORMATION OR TO PLACE YOUR AD CALL 212 503-5115 . . .

COMMUNICATIONS



CONSTRUCTION

COST ESTIMATING BIODING

Powerful, comprehensive system for building fast, accurate and competitive estimates. A complete, stand-alone program Menu-driven. very easy to use. Over 30 types of reports. IBM XT/AT and compatibles. Hard disk, 512K. dB III wereinn with course node also avail. System \$245, demo \$10 (CA add tax), CX:W0:C00 CER INTERNATIONAL INC. 2018 I No Shore Ave. Oakland, CA 94606 415-268-1948

CONSTRUCTION MANAGEMENT ordable understandable software for build

ers. Job cost, billing time and materials or percent complete, payables, change order and retention tracking in one package Prints checks statements bids 30 + reports Clear manual & help windows, backed by our professional phone support staff \$795 YARCH SYSTEMS. INC 813 Reddick St Santa Barbara Ca 93103

(805) 966-3666 DATA BASE

BASE III PLUS Workalike

Free Trial, Send No Money PC MAGAZINE MAY 17, 86' emit 1 is a programmable rela

SMS faster operation in the interac-tive mode — the menu mode is a fancier Assistant mode 1 on 1 a 3 II is a great deal for those who would be glad to have a dBASE III PLUS clone. 30 day that bill grogram (USA only) put or buy now money back guarantee. Call

21 Findrecol Ones Trunbul, CT 00611

DATA BASE

ROOTS III FOR GENEALOGY

Organize your family free and print carriers-ready family books containing charts, ted and indexes Slove retrieve and display 1 000's of family facts with biographical sketches and source documen billion Eightning-bed searches and sorts 750 nave manual. Salisberton muscerteed. Write for free hearture \$250 (a CA bal COMMISSIET 2257 Old Mindfallald Way Cla &

Mountain View CA 94043 415-967-1900 800-327-6687 DATA ENTRY

DATA ENTRY EMULATOR

PC's, compatibles or PS/Z's. You will not find any Data Entry System
-FASTER, EASIER to use, or LOADED
with more USABLE features. Distribuoption. Fully manu driven. A complate edit language included Call for our free 30 day trial period

Price \$395 -avail. for IBM ASH400 & S/36 COMPUTER KEYES 21929 Makah Rd Woodway, WA 980 TEL: 206/776-6443 FAX: 206/776-7210 USA: 800:356-0203

DWCLE 759 ON READER SERVICE CARE

It's ideal for • Central, distributed and LAN syst • Applications requiring data integr

DATALEX

100 Pine Street, Suite 2400 San Francisco, CA 94111 800-962-8888 415-362-44

DATA ENTRY

A Data Entry System Perfect Enough to Satisfy Type "A" Personalities.

If you demand the same accuracy, perfection, and hard work from your data entry software as you do from your self, then RODE/PC is your type of product. RODE/PC is a type "A" solution for people who insist on easy applica-tion design, powerful validation, two pass and trail verify modes, exceptional conditional processing, full record

output control, complete system management facilities, data security and much more. RODE/PC is an extraordinary product to meet extraordinary Like RODE/PC your hardware must be right for today and ready for tomor now DPX recommends RODE/PC with the IBM® Personal System 2º prod

ucts. They feature an integrated system design and the quality and dependability you expect from IBM. Along with the IBM OS/2," the Mixlels 50, 60, 70, and 80 offer the exclusive "IBM Micro Channel". Architecture See for yourself why 6 of the 10 largest companies and thousands of others in the 15 have selected B-10E-PC as the ultimate PC data entry solution. Our customers say "B-10E-PC is a bounting product, durgend by people who clearly suberstand the market" Call in to docum your data entry plans and sak about our evaluation program.





VDE-Viking Oata Entry The premier data entry system. Full featured to mejace key ourch & knydisks. Full screen "FORMS" double-key weeky wide variety of ophors crossloots, subtotals batch balancing, delication datetics skinners etc. Character

VIKING SOFTWARE SERVICES INC 2815 East Skelly Onive Suite 816 Tulsa, Oklahoma 74105 (918) 745-6550

KeyEntry III Using dedicated, on-line or older systems? Let KeyEntry III. the most widely used system IN THE WORLO show you the full potential of PCbased data onto UNMATCHEO leatures and capabilities. Supports retworked and standalone PCs. Call today for complete Evaluation

Package¹ Southern Computer Systems, Inc. 2732 Seventh Avenue South Birmingham AL 35233 (800) 533-6879 or (205) 251-2965

DESK TOP PUBLISHING

We don't do newsletters But if you're doing, 1,000-page technical documents, we're the

best-automated, style-sheet-driven, sophisticated pagination slick publishing features, and camera-ready output.

GML/PC™

The technical documentation and specifications specialist.

and Technology Corporation. 1900 Mourtain Blvd., Oakland, CA 94611 Telephone (415)339-3530 CIRCLE 762 ON READER SER Telex:509330 COMMAND TECH

> TO PLACE YOUR AD IN PC Magazine Marketplace

Call (212) 503-5115 or (800) 825-4ADS



THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

MARKETPLACE

DESK TOP PUBLISHING



OCR SCANNERS

Landrop OTR software developer - Support PCATA (1925 a Mee - Paged tast from documents, forms, books and magazines using "SPOT" OCP program foreign length of the page of the

Desktop Publishers!

when you need the best tools for Screen Capture and Image Management: Collage

Publishing Utilities
Accurate, super-fact grejecting, image browsing
within your applications, capture previow, LM
EMS 40 support, and much much more!
Supports EGA, VGA, Hercules, CGA, MGA
adapters, Suppersed retail price, only \$0,0,25

Inner media, inc.
(80)465-3216 Voca. -7196 Fax Visa, MC, An, Exp.
DIFFICE 764 ON READER SERVICE CARD

Optical Character Recognition (DCR) PC-DCR* without consust printed hyper decurrents into editable led lets for year desting publishing sylem Suppose IP Scallel Conso Paracons and most other deskips sceness. Pre-based for many popular and barrette to read virtually any hybridy not foreign from. People proportional but, mallor printer couple and Aretor copies 3355 Cando MaRCA VIDCA MCC DO. Since Publishing Co.

P 0 Box 391 Cedar Grove, NJ 07009 (201) 783-6940

> THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

EDUCATION

THROW AWAY YOUR COMPUTER MANUALS!

Learn Popular Software Programs With . . .
VIDEO INSTRUCTION TOOLS

| VIDEO INSTRUCTION TOOLS | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 1990 | 19

1313 Newburgh Westland, Mi 63/85
(313) 729-0325
FAX (313) 729-2238
GROLE 765 ON READER SERVICE CARD

ENGINEERING

STRUCTURAL DESIGN
First highly interactive intercepted conscious for

Yes, inply literacture design of BeAMS COLtestioutral analysis and feeling of BEAMS COL-UNINS, IRISSES and FRAMES alloy material. Early missed opposition seed in example, three samps white producing efficient, accusate three samps white producing efficient, accusate designs, Specily PC, XI or AT and send \$25 for demonstration delicities to C-Squared 8-Squared Software Design Inc. 481 Buch Street Bit 200 Dept. A-2 San Francisco, CA 94108

ENG-SCI GRAPHICS OMNPLD(S) (screen graphics) & OMNPLOT

OWNPLOIS ISSUEM graphics & OWNPLOIS IN IPP, (pittler damp proods integrated enginesingscendic 2-0 8-30 graphics with NO PRO-SAMMING, ROUNED Menu-demon, flooble, potensional Choice of burnals tabular line, conbacu, but, pie, 3-D wile faime & much more OWNPLOISS \$185, (MANPLOISP) both \$295, MICROCOMPATIBLES, INC. 301 Freidor Brown, Silver Spring, MD 20901 (2011) \$340-680.

SIMULATION

GPSSPE to a lutiposer usston of GPSS, the most popular mischare simulation larguage. Specifically designed for intractive tax on the day high-yeard incorporations. If is likely alternative spatish and with features such as intractive graphics and amention Litting GPSSPE, you can prade the behavior of complicated real world spatiens. MINUTEMEN SDETERABLE.

P.O. Biol. 171/16
Size MA DITT/5

800-223-1430/508-897-5662 Ext.316

ARCHITECTS AND ENGINEERS
The AEMAS system is designed for Architects,
Engineers & later limits where transitioning proyect costs is required Modules include Job Cost, Paparol, IAP, AR, filmicining, Personnel Scheduling, Report Generator and General Ledger Multi-Parmaisi are available DAM-BASICS
THOSE DEAM STATES
TH

Chesterd, OH 44106 (216) 721-3400 PC COMPUTE:RNST, CONTROL Poweful PC SW Tools for Engineering PC emulatin of HP-41 So Calculator 589 PC-HP41 Region & Date UPDownland SN \$116 PS Spire enhanced So: Calculator 5149

PC Super enhanced Sci Calculator \$149 • EEE 488 bet Control option \$195 • IRS -228 test Control option + Moderns \$195 • IRP-EL linst control option \$195 • IRP-EL linst control option \$195 • SCIC INC (Framenty Eclipse Logic Inc.) PO Box 231178 Trigent, OR 97223 1900 1942-9886 / (503) 684-6068

PC Magazine Marketplace the ultimate target market!

The legal specifiers who read Pf Regsize don't have the fine in shop around. their only concern is petting what they need as quickly as possible. They'll ISBECT their attention to Pf Regarder Rankelphare

For them PC Regarine Rarketplace's Breed Emposes Dopley M. Second: represents a last, was and out effective method of product supurstant. They know of will have the products they need and the right nations they wast respecting price, whose decounts, specifications and delivery. If you find that your business can berefit less the 70,000 beauti specifiers who need PC Regarine — 100'128 SEMIT!

Se take SHREET action and call (202) SRI-SRIE or (NRI) 825-8486

ENTERTAINMENT/ GAMES

Win Lotto!!

To precision were the process of the same
Lotto Pro Pius 578.5
Lotto Pro Daily 538.5
Lotto Pro Ltd Im 519.5

Professional lottery software fi those serious about winning.

Lette Pre LTD for the count lette player
Lette Pre player one maps both letter
Lette Pre player one maps both letter
Lette Pre Daily playe any daily lette spin
Lette Pre Plus player any lette with the
most advanced hashness available, in any
lettery program on the market boday.
BMS AND COMMATABLES S 1/4 or 0 1/6

Cell now to order and receive a free book LOTTO flow To Pin-And Wife by Robert Serestic, with your order! Cascade Sierra Inc. 1-800-456-5825 1-206-246-3057

Put a pro in your computer!

Dept P12 P.O. Box 46844

Septile, WA S8146

CROLE THE ON READER SERVICE CARD.

FLOTTO
The FAST LOTTERY Program! For all IBM core computers. Pay any PICX B lottery game with easy report and but results inchanny logic bedates for lample, formed & GMFLE POINTS and be the first to be one one one or to a so that to play and finding our mane energy of the as but to play and FLOTTO Send \$17.95 + \$2.00.541 check or money wider (populy) flagsy sized to PIC Light, the:
PO Bers 1852.0

P 0 Box 18532 Info only Tampa, FL 33679-8532 (B13) 254-1328

SPORTS HANDICAPPINIS SOFTWARE SSRW with hose comp & greycond Parksagarra schwer \$12.95, \$22.95, \$57.96, \$77.95 and; big 17 fermies auryand since, special limes, cotts, lock, port steeth, & festion-PP schooled Beneals, Resturbed, as times proceedings through participation, special limes, cotts, lock, port steeth, & seven-\$20.95 Handicap races & games in minutes MOVFAS Beneals, Resturbed in SCF HAME EXCHANGE PD Bior \$382-PC W Bioparticify, Mr 46033 (131) 662-708 feet 1-100-57-9467

PC MAGAZINE . FEBRUARY 14, 1989



ENTERTAINMENT/GAMES

LOTTO! \$5 DEMO DISK

Only GAIL HOWARD, the NATION'S ORIGINAL LOTTERY EXPERT, has doc-amented evidence of LOTTERY JACKPOT WINNERS using her published and com-AND ONLY GAIL HOWARD has the conbring you this very special li

time offer. **DEMONSTRATION DISK** ONLY \$5.00

for your evaluation of GAIL HOWARD'S SMART LUCK COMPUTER ADVAN-TAGE" You get all Gaif's famous LOT-TERY ADVANTAGE charts to help you pick the best numbers to play in your favorsite store or international gome. Please specify which sumes Demo includes the entire just of post warrang numbers for your come

* FREE * with your Demo Disk order GAIL HOWARD'S 64 Pg. Pocket Guide to LOTTERY WINNING WHEELING SYSTEMS

GAIL HOWARD'S DEMO DISK -check or money order only \$5.00 for 5-1/4" - \$6.00 for 3-1/2"

GAIL HOWARD'S SMART LUCK COM-PUTER WHEST." (\$29.95 - \$2.00) GAIL HOWARD'S SMART LUCK COM PUTER ADVANTAGE* (\$1995 - \$2 v/h) GAIL HOWARD'S BOOK, LOTTO: HOW TO WHEEL A FORTUNE (22X pages \$1495 - \$2 000

SMART LUCK COMPUTER SYSTEMS Dept. PC-6, P.O. Box 1519 - White Plains, N.Y 10609 (312) 934-3300 CIRCLE 767 ON READER SERVICE CARD

Love Problems STARPANTON" - The program I talk you your astrological spatibility with someone also ompaitbility with someone alse, imply enter birthdays or signs and TARPANION gives you an strological profile of the match Rates ental, emotional, spiritual, money. mental amotional, spiritual, money, and aexual compatibilities. STARPANION quickly checks the compatibility of mates, colleagues, clients. Friends bosses or anyone ents, friends, bosses or anyone us with the Miner's love this program the PMP of the PMP

on your mono monitor Works with any monographics card flums meet and CGA programs, even self-dooting ones. The best performance for your mone XT or AT system-works great Realistic and very unableworn for fast moving games. These Work: BASICA, Fight Servaleor, GRASP, PACMAM, ZAXXON, LODERUMNER, PrintShop, etc. \$29.95 00-COLO

RUN COLOR GAMES

1-800-854-0561 ext 854 (orders) \$1.00 shoping CA resided \$1.00 MCV/SA Williamson Software 6400 Westminster #115, Westminster, CA 92583 (714)894-3216 CIRCLE TO OUR READER SERVICE CARD

FREE SOFTWARE

A disk FULL of the best PD programs we could find. Utilities, games, business and much more all FREE and uncluded withour big DISCOUNT SOFTWARE CATALOG ON DISK. It's easy to use and full of great values! Send \$3.95 for disk, S&H or CALL:

SOFT-BYTE. P.O. Box 556 Dayton, Ohio 45405 (513) 278-1110

Specify M5/DOS, Apple, CM64,MAC CIRCLE 766 ON READER SERVICE CARD

WIN LOTTO MILLIONS!!!

LOTTO PICKER PLUS stores past Lotto & Pick 3/4 #'s & uses multiple statistical analysis to improve your chances of winning. Works for all lotteries worldwide! Bonus #'s-no sweat! Database editor, support, & much more! You get the PICKS, not jumbled statistics! \$34.95 (+5.55 sh) 3.5" add \$10 NY add lax GE RIGGE SERVICES, INC 170 Broadway, Suite 201-PM

New York, NY 10038 1-800-634-5463 x293 INFO 718-317-1961

ADULT SOFTWARE
25 vol. CGA. 10 vol. monographics,
25 75 se post. (Enriga refers & 3.5° add \$1.00 ea.)
25 75 se post. (Enriga refers & 3.5° add \$1.00 ea.)
25 75 se post. (Enriga refers & 3.5° add \$1.00 ea.)
25 vol. set \$9.50 s. (Monographics) roll set \$4.00 \$9.50
25 refer Catelog WANNC Was meet be 21—please state age.
26 ded Conact Computing Services
29 D. Box 1257-PCM, Secaucus, NJ 07096-1257
refers to be; 1484-850 tilk. Collember 2016-124-816-816 HIGHE 771 ON READER SERVICE CAP

The COMPLETE Lottery TRACKER and WHEELER™ The MOST COMPREHENSIVE Lottery Software Program on the Market Today for PICK-6

our Sold in all 50 states and 17 Foreign co. . Store Past 1000 Winning Lottery Numbers and Dates! Track as many State or international Lottery Garmes as you want! No Limit!
Produce EXPERT Trand Charts to indentity Those HOT and DUE Numbers!
Analyer HSX ways. Bell Curver, Recency, Promissage, Frequencies, MORE!
Produce STRISTICS for ALL Numbers You Play — NO Randomizing Nare! Choose From the Worlds MOST Popular WHEELING SYSTEMSI No other lottery software package provides all of these features! When we say complete, WE MEAN COMPLETE Easy to use MENU DRIVEN SCREENS. Printer and Color Monitor recommended but not required for use "All wheeling systems and program features take only SECONDS to complete! Detailed Lottery user manual included. Why pay more for

Use our Years of experience with Your computer advantage! 1 He S4 CASH PROJES the lind 8 weeks with the help of your program! The Racter and Wheeler IS the BEST followy software program I have used owned. Over \$2100 ahead after ALL expenses? BC. El Paso, TX Twon 4 cash proves the first 2 times I used the Bracker and Wheeler* 8 L.M., Waterington, DC The COMPLETE Lottery TRACKER and WHEELER IS SPECTROULAR!

Don't Hesitate! Place your Order Now! MCWes Call 2017res 1-800-824-7888, Ext. 283 For Canadian Caters 1-800-544-2600 Entertainment On-Line®, Inc. PO. Box 553, Dept. PC. Weetboxs, MA 01581

The PREMIERE Lottery Software and Audio Products Company MC. Viss and NO croims shopped within 1 week Process above 2 weeks for Personal Checks MA Residents add 5% sestion by 1, 1988 Entertainment Chick and Time Order Direct or see Your Local Software Dealer

ELECTRONIC CHESS BOOKS

ANALYST 1 Complete "Chess books" with more than 20,000 diagrams, superb animation and expert on screen analysis. Learn from the masters or play your own variations IBM PC como Chaese Best Games 1980-85. Act of Piece Co-ordination. Sustaining the Initiative \$59 (US) each + \$3 (0) och HALCYON PRODUCTS INC

PO Box 65, Station "A" Scarborough, Ontario Canada M1K 5C1 VISAMC CALL (416) 471-6892

FINANCIAL



sider formal with.

18 checking accounts
235 investment accounts
Linguid Oil scheduler
On time help
Prop up calculation
Prints reports & bar charts
Prints and the charts
Prints and

Call 301-948-9539 or wife Column One, Inc. IN MC Comments Comments rection the from Their system at NO Set 2286 or 3254 RICLE 773 ON READER SERVICE CARD

FINANCIAL

Legal Finance, Real Estate @ Good by Mg CFA's ☐ APN'S comply to US Regulation 2 ☐ 16 Digit Accuracy ☐ Fixed & Ashiratable Relax ☐ Future Value ☐ Net Present Val ☐ Internal Rate of

Trield & Loan Price [] Face to use means Points & Fees U Great for elient per-

E.D., New York, MY

Only \$149.95 + \$5 S&H Demo deli & manuai avaliable for \$30-\$5 S&H 36380 Garfield - #1, Fraser, Mich 48326

THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

FINANCIAL



METCHANTS & & s. the case to use. CPA designed money ement/accounting program for home and business. It offers Cash, checking, savings & credit card management, checkbook balancer, budgeting, financial statements, graphics, fast financial data have with three-way look-up. Handles up to 999 accounts and

ted manual. Not copy protected. SourrCourrs 5.0 also prints any type of pin feed or laser check & updates your

 relimates your 1988 income tax analyzes financing options & savings programs - compute interest rates & loan payments computer

 manages mail lists — zip & zipha sorts — prints labels & index cards · provides password protection. focal year support & pop up

• 10 day money back guarantee Call or send \$29 plus \$5

AISAMC COL 1-800-223-6925 ada 215/205/7300

College Road N F Codat Rapids, Iowa 52402

Introducing Andrew Tobias' Financial Calculator™

The program that provides quick answers to all your financial questions Andrew Tobias' Financial Calculator's from the best setting software Managing Your Moneys answers questions on:

- . College and retirement planning . Effects of new tax laws
- · Compound interest calculations
- Mortgage refinancing
- Loans and annuities · Investment analysis
- . Buy vs. rent vs. lease · internal rate of return Rental property analysis
- . And more! For 2564 WM PC or compatible Only \$44.951 Order your copy today by calling 1-800-835-2246 ext. 12 Mention this ad and receive an additional discount!

RRECO: 355 Riverside Avenue, Westport, CT 05880 We have make the decisions that make a difference.

CIRCLE 776 ON READER SERVICE CARD



MetaStock" \$195 Demo Disk-\$5

Interest (Interest Interest In

1-800-882-3040 EQUIS International, Inc. Box 26743 S.L.C. UT 84126 (801) 974-5115

783 ... It is

LOAN PLUS

Fully menu driven! UserFriendly! Organizes all phases of Loan Processing Easy to track pay ments. Processes live types of Loans, including Rule of 78 Produces Amortization Schedules. Payment Receights & Invoices, Late Notices, End. of Year Statements, Loan Collection Report, Labels, etc. PC/MS-DOS/256X Demo \$9.95 + \$2 s.h. Operation System \$595. ACMANCED DEBENDAMNICE INon The Software Place

156 Bay Area Place Webster, TX 77596, 713/338-2585 PC Magazine

2nd Color

Marketplace Option Available

INVESTOR'S ADVANTAGE

Chart Sincks and Market Indicators on EGA or CGA months High Low Close Movins Airs ages Volume Momentum Stortastics Wilder's RSLX more. Select the hest nedomers with the Relative Strength Report. Spreadsheel Export Manual or Automatic Update Easy to use communications included. Only \$99.95. Software Advantage Consulting Corporation 37346 Charter Daks Blvd MT Cleavers, MI 48043 (313) 463-4995

FLOWCHARTING

BETTER FLDWCHARTER

Know before you buy! EASYFLOW is the runeth

Bowcharling program chosen by over 30 000 users and very favorably reviewed in the March. 10th 1967 issue of PC Magazine. See the Index to Advertisers' under HAVENTREE to and our large display ad in this issue. Now assilable with 30-day MONEY-BACK quarantee HavenTree Software Limited Order Desk 1-800-267-0668 Information (613) 544-6035 Teletax (613) 544 9632

GRAPHICS

24 PIN PRINTER OWNERS TOP GRAPHICS S.T.R.E.T.C.H FROM VENTURA - AUTOCAD - PRINTSHOP AND 100's OF OTHER PROGRAMS. GIVES DARKER, DEMSER GRAPHICS 9 TO 24 PIN PRINTER TRANSLATOR

= 743-5315 S40 0

GRAFPLUS Only \$49.95

Certifica" name any IRM or o v Scale the amps to any one Process of the Nation

206-937-1080

GRAPHICS

Plot IT

Interactive Graphics & Statistics Create graphs the way you want them. 35 graph types can be used

to create numerous renditions Make posters and flow chartswith full screen editing of text. · Vary character fred size position color

· Stack and overlay graphs 3-Dimensional graphs: fishnet & contou · Linear & Non-Linear Regression Stochastic Distribution

Interendence Testino · Descriptive Statistics Contact: Scientific Programming

Enterprises, P.O. Box 669, Hasiett, MI 48840 (517) 339-9859 CIRCLE 778 ON READER BERVICE CARD

35mm SLIDES-In 24 Hours

We transform your PC-Graphies lifes into full rater 25mm #000 loss monistros elider nod ship within 24 hrs. All popular PC-Graphics Packages supported. Files accepted by modern FREE FEDERAL EXPRESS on all orders of 20 + slides! Only \$8 per slide

Accent Presentations, inc 990 Highland Drive. Ste 202 PO BOX 1303 Solara Beach, CA 92075 1-800-222-2590

35mm SLIDE FROM YOUR PC COMPUTER SLIDE EXPRESS converts graph His produced on the IBM PC into brilliant 25mm.

color sides with color resolution 400% better than your monitor Leave your printouts behind Use high resolution color slides up to 4000 line COMPUTER SLIDE EXPRESS SOCIIDE MISTING HORIZONS

Rochester NY 14623 (716) 424-5300

GRAPHICS LIBRARIES

+ \$30

Very Fast 20:30 Autoscaling Graphics for Microsoft Languages 30 Lines Use Color Fast Polygon Fill, Solid Wireframe Color Blinking Test X-Y Ray Contour & 30 Fishnet Graphs Supports CGA/EGA/VGA/Herc & Dot Matrix/ Laser Piotiers ov Full Resolution Print Screen Port \$140 NO ROYALTIES FORTRAN Source

CHRP TECHNICAL SERVICES P.D. Box 551 Del Mar CA 92014-0551 (619) 632 9510 (619) 259 6886



MARKETPLACE

GRAPHICS

DYNAMIC 3-D GRAPHICS

Using the battest video driver routines: ever written for the IBM PC, ACROSSIN allows you to dynamically notice translate and scale 3-to write frame objects and point clouds. Writis with most CAD Packages: Supports CGA-EGA-MCGA-VIGA-HERCULES on IBM poir through PS/2 \$30 x \$25th (+ sales tar for CA ris).

P.D. Box 1302 Menig Park, CA 94026-1302

RAINOROP"

HAINCHOP*

"ASS. Hearble, easy to use, compact I-S-R utility to send screen graphics to your 9 or 24 per dol matins, ink jet, or laser printer. Create quality low or color printer graphics born applications AND user written programs. Full 24 per support Many options. Complete driver bloary \$39.95

RAINBOW TECHNOLOGIES 8106 St David Court Springheld, VA 22153 203-440-0064

FORTRAN PASCAL GRAPHICS

(301) 593-0683

GRAFMATIC (screen) Microsoff Fortran-Pascal R-M. Lahey callable routines Graphics printifies, bild. 2- point support 3 Digitals solid models: EGA/GGA Hercules mono support HPHH politic? PLOIMATIC Lister, doi: matrix printer? PRINTIMATIC \$135 ca. Any 2, \$200 at 3, \$300 Ask about our 15 fonts MICROCOMPATIBLES, INC 301 Physice Driver Dept PC SHWS Serien Microsoff

PRINTED GRAPHICS WITH TURBO

GRAPHLINK does for your printer what TURBO PASCAL is BGI graphics does for your screen are utra-high resolution? GRAPHLINK commands work exactly life TURBO'S BGI commands, so address printed graphics capability to your programs is a snap? Supports IPE. Export. BM. Toshtea & Reit printers. ONLY 955 + 55 shirt if a sites tax for PM residents, MIC-VISA. WOSTECH SIDE YMME!

05 3807 Ridgewood Ct Pittsburgh: PA 15239 (412-733-4775)

HEALTH

SALEM, DR 97309 1503) 585-6242/7755

ANALYZE GIETS, MENUS & .

so much more with the FODD PROCESSOR IF This TOP-raids dothwer has the best disable of any spithm on the market obtay Accianned by schools colleges departed homes illness contest & businesses 2003-3009 foods 30 martiness 5250 IBM Apple-Macristoh CALL DR WINE FOWN FOR FIRE CEMO DISAY ESHA Research 70 RPW 3030B Boot M.

OIETWISE/ENERGYWISE

For Olet, Notifice, Frinces conscious people

DET Evaluation (children and adults)

MENU Analysis

RECIPE

BODY COMPOSITION

ENERGY EXPENDITURE
 MS-DOT \$39 \$120 (professional vers avail)
 NUTRITIONAL DATA RESOURCES
 P.O. Box 540

Ohin (216) 951-6593

INVENTORY

Willruphby Obio 44094

800-NOR-DIFT

****Kingwood Inventory****

"Kingwood Inventory"
A merul driven inventory system and much
more 'balance sheet, income shahrmen 'count quadries and recorables. Does ret income simulation by changing prolit margin'
requires (blace BI - Cost \$150.00 lbs & shipping incided Send shock or money order
Kingwood Accorcables
Ferbinosis Count
Princeton Jundisin, NJ 08550
609-275-4601

****dFELLER INVENTORY***

A business mention program written in modifiable (BMS2 source code). The mens-dawing mengram life spis locked fearths by written'ng rates or available of langs tasks of inequality prints, workers, awangs cod a diver information.

1 GELLER In mentiony \$150 Registers GRASE IIII of GELLER ASSOCIATION & POTENTIAL OF 1992 A PUT-PROUVER SERVICE III III PLUS (I/or stock norms) ELLER ASSOCIATION SERVICE III III PLUS (I/or stock norms) ELLER ASSOCIATION SERVICE III III PLUS (I/or stock norms) ELLER ASSOCIATION SERVICE III III PLUS (I/or stock norms)

"" (906) 486 6024 "" INVENTORY MANAGEMENT

INVENTION THAN INVENTION THAT IN STATE IN THE STATE IN TH

(714) 759,0502

INVENTORY

POINT OF SALE INVENTORY PROGRAM

Opens Cash Drawer Prints Sales tickets on 40 and 80 column Printers Fast, Easy to Use Supports Accts Receivables

and Mailing List programs \$89.50 35 inventory & UPS shipping programs

Cash drawers & receipt printers Freeman Software * Garland, Tx 800-426-6598

MAILING PROGRAMS

MAILING

PROGRAMS

Mail Master

Pre-Sort, Bulk & CAP-RT Sort
 UPS & Fed X Labels
 Custom & Pre-defined Labels
 User Defined Fields
 Advanced Query Capabilities
 Import/Export Data
 Supports Laser & Dot Matrix
 Easy to Use, Well Documented

Easy to Use, Well Documenter
 \$145.00, Visa/MstCd Accepted
 MailMaster + + P.O. Box 61

Solana Beach, CA 92075 (619) 755-1158

Speed Up UPS Shipping with ShipMate

Intro Offer \$395

UPS Approved—Prints COD tags, labels, and manifest. PC Synergy ● 1805 Cottonwood ● Carlsbad, CA 92009

nergy • 1805 Cottonwood • Carlsbad, CA 92 (619) 931-0350 "It's so easy—even the boss can use it!"

REDUCESHIPPING COSTS with SHIP•rite

 Computes UPS Ground, 2nd Day & Next Day Air Rates & Arrival Timer
 Handles All Insurance, C.O.D. and Pickup Fors

 Computes U.S. Post Office Express Mail, Priority Mail and Parcel Post Rates
 No Charts
 O A O O F

Required \$4995 Saves Time A Money CALL 313-585-6008

THE MAIL ORDER ACCOUNTANT Order tell.liment 1 ist management includes

Order half-linenet test management Includes container lesis lables in 6 ternals visibles in 6 ternals visibles visibles in 6 ternals visibles visibles in 6 ternals visibles vi

The Mail Order Wizard Is one very powerful program. It offers a catalog

business all the computing routines it needs and then somet gives new meaning to the hackneyed phrace loser threndy. Written in Assemblier it operates with liighting speed very serious software a must see "Catalog Age, 5970, Demo, \$12 The Missine Computation."

The Haven Corposition 802 Madison Dept M Evention, IL 60202 43121 969-3434 or (800) 782-8278

(312) 883-3434 Bt (600) 162-6216

IMPROVE YOUR PRODUCTIVITY New versafile MAL, saves time with many automatic leatures. Sensational searching and sorting imports any field of disase or ASCIIItile.

Prints labels, inflodex, envelopes, etc. Hotels 30.000 names Easy, quole foi learn S45 i 2.50: 51 Morey Back Guarantee Visa MC-Amee/DC Call Tax or write Phoenic Prince Soltware Corporation 7500 East Gelfring Drive Sarle 400 Scottsulle AZ 85360 BND-331-1811-660-4453-0001 or

PC Magazine

Marketplace 2nd Color

Option Available

MAILING PROGRAMS

POSTWARE MAILING SYSTEM Automate mail preparation. Cut postage costs by Se per since or mose Dely Profilibre relation address labels in bundle and bas, bulk marking order Not a useless all code sort. Prints address labels, bag tags tray labels. Calc postage Works with dBase III PLUS, DATAEASE PowerBase, Smart & others. Also ASCII • 1st & 3rd Class-\$195 • 2nd class-\$395 . Carrier Routs-\$300 . Dup Detector-\$200

515 Oivision Sites La Crosse. WI 54601-4544 800:831-MAII (6245) 608/784-3500

Postal Soft, Inc.

MANUFACTURING

pc MRP oc MRP can make life easier by tracking over aspect of your growing concern pc MRP's integrated modules include accounting, sales purchasing inventory, receiving, stockroom bills-ol-materials, invoicing/billing, and customer/vendor address book pc/MRP integrates information from each element of your business into a unified package

*Working Demo Pkn complete with manual \$25 "Single User Package \$395 00 Complete Multiuser Package \$695.00 Complete SOFTWARE ARTS CONSULTING P 0 BOX 3621

Santa Clara, CA 95051 (408) 248-6445 Call for free literature

THE FOREMAN

- Multi-user Now Aguitable
- Invertion/BOM/PO/Costing · MRP Invoicing/Ad hoc reports · Repetitive mlg or one time build
- · Entersive Cost Control Standard vs Actual · Automotive release interface · IRM PC NOVELL NATIOS
- DCM COMPUTER PRODUCTS, INC. 43700 Twelve Mile Road Novi MI 48050 (313) 347-9600

MEDICAL

Medic∧ide

- Open Item Billing System
- 99 Dodora 99 fee ôchedules
- · hearance Classe · Word Processing

\$199.00 ~ 30 Day Money Buck Currelice ~

(602) 421-1287

1975 America De Dalmas, Sailer Y Case Creede: NZ 89222 CIRCLE 793 ON READER SERVICE CARD

MEDICAL.

COMPUMEDIC "

PROVEN Practice Management System—in use 8 yrs Electronic claims, AR APSL scheduling, statements, insurance forms, gradice analysis, word processing, recall, delinquent tracking historical data. FLEXIBLE user designed forms mosts Call for prioring Dental (Dental Water *). eyecara lopiometry (EyeMait ") & Vet (Vot-Logc *) also and Dealer inquires invited. DATA STRATEGES INC 17150 Via Del Campo Sultr 203 San Giego, CA 92127 (619) 451-0480

STAT MEDICAL SYSTEMS STAT modular systems grow with your medical. dental or ophthalmic practice \$195 Base system patient data base, recalls.

report perceptor, letter writer & more 2005 Point of service transaction processing (superhills ligancial records recently \$395 Patient billing module (statements) \$695 Automatic 3rd party billing belorable

claim forms with ICO procedure codes hee Full featured demonstration disk & doc "30 day money back quarantee" GAMMA incorporated Three Gundee Park Andover MA 01810 (508) 470-0090

MUSIC



FORTE I/II MIDI Sequencers 16/32 tracks, 16 channels-track Records Playback 1,000,000 notes Most powerful Auto Punch, quantization, realtime playlack control, DOS shell New in FORTE II; System

MIDI edition Rhythrocally llevible Step entry exclusive storage, unlimited logging, SMPTE que list. Songlist. Accel/ritard \$150/\$250 LTA Productions P.O. Box 6623 Hamden, CT 06517

(203) 787-9857

MUSIC

PC/Musicpak_{tm}: 5249 Why settle for anything less?

Vovetra

SONGWRIGHT IV Music Processor brints professional sheet mu-

sic, songs, scores with lext, chords, symbols Compose, edit, copy, record, transcribe, play transpose to any key Bass/treble, multiple staves, all meters MICI colloral IBM Epson. Star printers, CGA Hercules graphics \$89.95 Send for live sample output SongWright Software Route 1 Rox 83

Lowetteouille, V& 22080 (703) 822-9068

PREVENTATIVE MAINTENANCE

Memory Minder Minder is the most compri

IM PC, XT, AT program and m ment Diskettes sold separatel 40 track, 5.25° 80 track 1.3

J&M Systems, Ltd 15100-A Central SE 1900, New Mexico 87123 505/292-4182 MasterCard and Visa

MAINTENANCE & INSPECTION An easy-to-use corpriseried method to organize operate, and control an effective preventive main

tenance system. Applicable to any type of business or industry Full screen input and displays, plus function key help command. Maintains hislinical data, creates work orders, and provides numerous reports. For info write to PENGLIN COMPUTER CONSULTANTS P.O. Rox 20485 San Jose, CA 95160 FAX 408-927-0570

Choosing your lirst music software package can turn state-of-the-art into a state of confusion. So, don't take a chance on products that may look good on paper. invest in ones that have proven themselves in the real world PC/Musicpak turns your music machine by offering

 V-4001: Industry-standard, MPU-compatiti interface with FSK tape sync (\$199 velus). Sequencer Plus Mk I: 16 treck, 60,000 event, sequencing software (\$129 value). Demo pack: for "test driving" our full the of music softwere (\$20 value) Sign-up fee waiver to the P.A.N. MIDI User's bulletin board (\$150 value) If you need a MIDI synthesizer, or music ogramming tools, we have those too And, whenever you're ready, our other products will turn your PC into an

integrated music workstation. Call or write for our free catalog and find out why Voyetra is the most respe-CIRCLE 785 ON READER SERVICE CAR

PROGRAMMERS TOOLS

SOURCE CODE NO ROYALTIES **BOSS INTEGRATED ACCOUNTING** VERSION 2.0

opment costs with BOSS AC count overlapment costs with BUSS AC-COUNTING Taily integrated modules in-cluding BL, AR, AP, RAYROLL and INVEN-TORY. Companies PASSWOOD SICILATIVE, MULTI USER VALTWOOK compatible BOSS is absoluble to DescABASIC 4 x or IBM BASCOM 2 & Feature clean well associated code: Easily modified. No licensing less. All missing possible on yours⁽³⁾

ONLY \$995.00 Ask about our

ISAM interlace to DurckBAStC 4.x

Vertical market applications

LAKESHORE COMPUTING, INC. 1105 North Front Street, Miles, MI 491 1-860-345-4214 in MI 616-684-5120 CALL TODAY

FREE BUYER'S GUIDE and applications specifically for IBM personal and applications specimeny or non-pro-computers and compatibles. While the world's leading independent dealer of programmer's development tools because we provide sound

or, low discount prices, test delivery, restic shipping and no hidden charges Programmer's Connection North Carton, Onio 44720 800-336-1166 USA

PROGRAMMERS TOOLS

QuickBASIC Programmers

ing publisher of Programmer's Tools for QB. Our spec is assembler subroutines, and we even have a package that lets you make

CIRCLE 788 ON READER SERVICE CARD

SOURCER...

MMENTING DISASSEMBLER

oping \$3 outside USA \$15 CARles add to 1-800-662-8266 V COMMUNICATIONS 3031 Fisch Way Suite 905 Dept PC an Jose: CA 95128 (408) 295: 4224

UNATTENDED FILE TRANSFER

. Error tree transfers between multiple sites conv eve standers between multiple site
 Schedule transfers eny time(s), any day
 Use stand alone or with other programs
 Ne complish confol languages to learn
 Easy set up commands like Send, Receiv
 LAN compatible, Multi-level security
 Auto recover from power dvis. notice, etc. . Use as com/server with other programs Shell to other programs & do translers
 Fast, versatile, reliable operation.

OEM inquiries invited. Call Wired Software \$75 per location

Box 531650 Grand Prairie, TX 75053 (800) 858-0411 (214) 264-2626

LE 700 ON READER SERVICE CAR C' DOCUMENTATION TOOLS

C-CAL (\$39) creates a graphic-tre-of the caller/called structures, and creates a files-is-procedures table of conferni. C-HDR (\$39) create procedure showing calles/called procedures showing calles/called procedures

nd identifiers.

-LIST (\$29) lists and action-lagrams, or retormats (incl. omment alignment).

-REF (\$29) gives cross-reterence in collisional price and elements.

REF (\$100) gives cross-reterence in retorial (\$79) all 4 programs plus (REF Integrated C-DOC program of DAM money-back guarantee. ARE BLACKSMITHS INC

CITICLE 750 ON READER SERVICE CARD

your GB programs memory-resident in as little as 9K of memory!
Call Toll Free or write for detailed information with no strings attached.
1800-922-9383 * 40,4552-555 * CALL MPR_S-9E Esstern Time
MicroHelp, Inc. * 4636 Huntridge Drive * Roswell, GA 30075

Opt-Tech Sort/Merge 3.0 Entremely last Sout Menne program Run as a DOS

command or CALL as a subroutine. Unlimited filesizes, most languages, datatypes & filetypes supported including Blance and dBASE II & III Actorpord leatures include moord selection, moand informatting & much more! Call or write for more info MS-DOS \$149 Zenix \$249 Ont-Tech Data Processing Zephyr Cove, NV 89448 (702) 588-3737

PUBLIC DOMAIN

FREE PUBLIC DOMAIN & SHAREWARE CATALOG

Lowest as \$1.50 per Disk Best Quality Fast Service

Over 1000 IBM Software On 5 1/4" and 3.5" format.

Wilte to: SOFTSHOPPE POB 709, Ann Arbor, MI 48105 CIRCLE 191 ON READER SERVICE CARD

DID. TIES W SOFTWARE CATALOG

over 32 pages!

Toll Free - 24 Hrs. 800-245-BYTE

PUBLIC DOMAIN



MATERIALISM SHE THE SECOND

FOR VER 1880 Mater program

3 COMPONENTS 20 (III COMPONENTS AND ADDRESS OF THE PARTY BASIS

MACOND VI A SALE OF SA THE CALC - VI. S. AND A SOL

MORD PROCESSING OF BOOK SAN THAN THE BOOK OF BOOK SAN TO SEN THE BOOK OF BOOK SAN TO SEN THE BOOK SAN THE BOOK S ACT VE 4,100 East to ser provider draw Brown by provider draw Brown by bertiese PROME THE SECTION

continent of the contract of t ---on these program to benefit your basis of his. Destroy, Value out, A his

Montage data next enter on the self-data in a set in 10 10 fe and . 3.5 mets 6.3 fe's and . 3.5 mets 6.3 fe's in . 4 fe's 10 fe's in . 4 fe's 10 fe's Cattleron Piez W. 1466 Springler Dr Drys N Franciste CA 53350 8000 273-0000 House M P 8 am - 4 pm Customer service 11 30 4 00 pr Call or winter fee a free cited long contamining over 1911 dish

Paces orders placed before 12 pm PST sent same 6ey. **Ⅲ ←** ∰ renzen CIRCLE 793 ON READER SERVICE CARD

FREE IBM SOFTWARE FREE Get 10-15 programs every month for only \$5.00 shipping and handling. Preferred annual membership only \$9.95.

Visa/Mastercard/Amex only. Join today. No gimmicks. SOFTWARE OF THE MONTH CLUB 511 encinitas blvd. encinitas ca 92024 toll free 800 669-2669 CIRCLE 794 ON READER RETRYCE CARD

75¢ 20 TOP IBM PC PD/SW DISKS (360K) ONLY \$15 + \$3 SBH

BRIGHT FUTURES Inc. Dept. FCM P.O. Box 1030 1-East Windsor, CT 06088 WRITE FOR FREE CATALOG or CIRCLE 795 ON READER SERVICE CARD

FREE Catalog on DISK

The BEST collection of public domain/shareware software for IBM & compat. HUNDREDS to choose from JDX DCS P.O. Box 1561

Corona, CA 91718 (714) 734-7075 Call or send for free disk now! Specify size: 5.25 or 3.50 CIRCLE 716 ON READER SERVICE CARD



MARKETPLACE

PUBLIC DOMAIN

1-800-999-0471 Call for FREE catalogi!!



IBM Shareware/Public-Domain collection conveniently available for only \$3.75/disk FULL!

Over 1900 selected programs PACKED together on just 340 describes each

Over 1900 selected programs PACKED together on just 340 distellers, each disteller made available for only \$1.79 four PREC assisting of programs exciting Windows PACCESSING, SURSE, PERSONAL PINNOVER, PROGRAMM, LIVEUMURE, PACCESTING UNITED STREET STREET, DAY, AND PRINCE, PACCESTING UNITED STREET, PROGRAMM, and much much moral stage. Distalkand Orders shipped on Visa, MassierCard, or COD—but the creation are foreit.

P.O. Box 171134, Memphis, TN 38187-1134

FREE IBM SOFTWARE CATALOG Detailed Descriptions

etailed Descriptions 1000's of Great Programs Only \$250 per Disk

Carefully Selected Fully Tested Includes Exclusive 2 FREE disk offer

Z FREE disk offer NATIONAL SOFTWARE LABS 13376 Washington Bi 17 Dept A Los Angeles, CA 90066 Write or Call [213] 827-7889

AS LOW AS \$1.75 PER DISK!

(915) 672-2901

Over 2 000 of the LATEST & BLST PD-Sharmware Programs, as described not set PD-BOK cataloff & low as \$2 per 5 52° diski Didess shaped in 24 hrst Grift care in MC-VKA COPRECT address & phone number is: GLW Software PD Box 14008 Armington, TX 76094-1008

(817) 265-2007 (24 hrs.) REAL ESTATE

L-PLOT. A Miles & Bounds program to plot point glats of any scale. Any decorption- use Any measurement Call rests, ence of closure plots multi facts. BM compat with monographics. October CEA capable, 9:390 Or send of Sis for soal working dema, extendibile with order Visaz MCCHA TeXT CALL SISTERS AND SISTE

REAL ESTATE

Comtronic PROPERTY MANAGER

The Most Advanced Dystem Available Every function & leature for Overers & Managers, Commercial Renal & Residential Easy to learn and use shimted owners, propersies, units & seniors

Cary to learn and use the country of
Constronic Systems 30005 First Way South, Suite 210 Federal Way, WA 80003 206-874-4034 Boots all requirements of the mate of Real Fester Mesonement

Institute of Real Estate Management CINCLE 796 ON READER SERVICE CARD

MANAGEMENT & ANALYSIS "Real Property Management" \$395-8595 for

residential & commercial properties and other blady if Flags delingt insults, prints budget, checks, involves is 1998. No eleging of recurring data "Real Avalgers" \$155, when checking buy-stell, exclusing, or relinance 30 day moting back guarantee REAL - C. DM P IN C PB Bis 1210 Cupprinto, CA 95015

PROPERTY MANAGEMENT

(408) 996-1160

Competence program for managing esidential and commercial properties. Many management and commercial properties is finally partial state operation and financiation register most Provise Control wifer, death concentition posting of late less, mounting expenses 565 (Investment Analysias - 245 17ABU STSTEMS, NIC 313 Reddisk S Santa Barbara, CA 93103 855-966-9666

REAL ESTATE

PROPERTY MANAGEMENT

Since 1978 over 6.500 users of our software have loans! I comprehensive. Textile and early losure. We offer spiciers to manage the following types of properties: COMMERCIAL:—RESIDENTIAL: COND DOMINIOUM HOMEOWNERS ASSOC::MINI STORAGE FACILITIES.
For more sitol and sample printfolis call.

REALTY AUTOMATION 11365 East Shore Drive Hayden Lake, 10 83835 (206) 772-3259

PROPERTY MANAGEMENT Rivital-Ease New state of the art property man

agement software Extensivy last and easy to use Everything is included, termal tracking, repairs and maintenance, income and expense, chack writing. No edits modulies to buy. This ultimate in property invalagment. 3655 conplete First blockure, Demo \$10 STARFEEC GFFTES SYSTEMS \$129 Mailard Circle Sandr UII 84939.

800 942-5784 or 801 942 5784

RELIGION

"Quick, Complete and Easy 3 reasons why Bible Quest is rated the hest software for Bible study

Bible Quest

 * search by word(s), phrase or reference Expand your knowledge
 * your request is located instantly in full context

Answers you've always wanted

works with most word processors:
 A unique learning tool
 requires 640K, 21 MB Hard Disk,
 and DOS 2.1 or later
 Unlock the potential of the
 Bible in your life

Bible Quest (King James Version)

An InfoQuest Product

Call 800-336-6644

Free color brochure
Order your own copy

599 + \$5 handling and shipping (Visa, MasterCard or American Express accepted) GROLE 800 ON HEADER SERVICE CARO

RELIGION

SCRIPTURE SCANNER BIBLE ON DISKS • Search the Bible an seconds

for key words or phrases.

• Print any list or portion.

• Write sermons, lessons, etc. from your word processor or ours with access to scripture.

Special: 399.95 & up.

CALL: 512-255-9569
OMEGA

lox 365. Round Rock. TX 7868
GRICLE BOT ON READER BERNICE CANC

CHURCH SOFTWARE

POWERCHURCH PLUS: 9
Fast, fearedy, relable church administrafast, fearedy, relable church administrapoursing, contributions, payroll, payables, multi-user support, & much more
- Aut, lor \$850 complete! Compare us
testur-for-feature against any ownproceducations. We're helping thousands
of churches with great sortware at a great
punce! FAST, pince support, not lime land;
when the procedure of the procedure of the pince of payroll processing, call
Gustomer Support.

your FREE full-working DEMO version, call Distomer Support. F1 S OF T W A R E PO BOX 3006 BEVEN Y HILLS, CA 90212 [273) 854-0855 CARCLE NO ON READER SERVICE CARD

PARISH DATA SYSTEM"

Campelheadie, consocionelibulios program Espi lo operati, reserva diferio Tamini, remobe, Espi lo operati, remosti diferio Tamini, remobe, lisanziali rifo & esporte lally integrated. Seleztive linds, labele, contributo nativision statiments personalized lethes; User can create our legoris. Lethes; Other chauch programs avoiable. Over 2000 usors Fiee railo. Parviro Dialo System, sinc 3031 W. Northern Avr. Surte 121 Photone AZ 8050.

PC Magazine Marketplace the ultimate target market

1602) 247-3341

The brand specifiers who read Pt Ragazine don't have the time to along around their only concern is perform what likey medas mittals as recoiled.

They'll DESETT their attention to PC Manusco Marketology

For them PT Regusine Norhetphore's lived Suspano-Voyley M Secusi repredendation of the Secusion of the Secudendation of product composition. They have it will have the products they need and the solemation Day start reparable price, where showests, specifications and delivery. If you disk that your business can benetic from the TRAME beated specifiery and need FT Negation. — NM RE SECUII.

So take DESET action and call (2005 MD-5415 or 1986 NS-448



SALES MARKETING

SaleMaker

Client Management & Telemarketing Software

. Very easy to leam & use . User-customizable for any b Lightning fast file access

· Schedules calls and call-backs Autodials your chose Tracks lead sources · Word processor built-in Instant follow-up letters & labe Mail merge for targeted direct marketing
 Generates outtom management reports

. Pop-up windows, full color screens Prop-up whower, tut color screens
 Unimited file capacity
 Imports & exports ASCII files
 Over 95 searchable data entry fields
 Single-user & true LAN versions available

for Technical Excellent duce costs. Increase Sales Call today for free informat 1-800-433-5355 (214) 264-2626 in Texas SaleMaker Software Box 531650 Grand Prairie TX 75053

Editor's Choice

ded system with broad

It is also fast and easy to o

SCIENTIFIC

TURN YOUR PC INTO A WEATHER STATION . . . IN MINUTES!

CINCLE MIS ON READER SERVICE CARD



Only \$249.00

RSA Digital Signature"

system for MS-DOS

onforceton between by most F MMT Sun

XM versions available for DOS and UNIX

\$750 per capy. Quantity discounts. Special

CALL FOR INTRODUCTORY OFFER

RSA DATA SECURITY, INC.

CHICLE HIS ON READER SERVICE CAN

415/595-8782

TMI, Inc. 00 Kraze Way Pt., 2 120, Lake Orwego, OR 17035 · · MADE IN U.S.A. · · "For lafe. & to Ovegos, call 505-635-7666 CINCLE BOX ON READER SERVICE CARD

SECURITY

PC Security Products Hardware/Software

LogSafe Access Protection WorkSafe Back-up Protection ComSafe Modern Protection CodeSafe H/W Copy Protection ViruSafe Virus Protection DataSafe Data Protection DemoSafe Demo Protection

Gamma Security Products 10 Wilshire Hvd., #609, Santa Monica California 90+01 Tel: 215/194-8622 EAX 213/395-4214 The 520600002"3

Brochures & Demos As allable CIRCLE BOS ON READER SERVICE CARE

SECURITY

HANDS OFF THE PRO PC SECURITY

advanced security techniques on PCs running PC-005 Vp3 or highwill the DOS PORMAT of Dove C is prevented while the PC is no set, the security manager is protected against Control Break and about him Rippy results in the automate between it Drise C. SE OFF THE PROD

Only and Execute Only pr

Price \$89.95 and 3.75—shapping hack Marray Order 175A, MC acco Systems Consulting Inc. 412-963-1624 But 11000, Products, Pt. 15230-000 NCLE BUT ON READER SER

The PC Protector Password \$99

VICE CA



Fax (204) 943-3702 NASDEC

2704 - 65 Gerry S

ULTIMATE VIRUS DETECTION! Detect wituses at work or unauthorized use of hies

on your IBM compatible's hard disks. Ever checks boot records! See mives in COMPLITE's COMPUTER VIPUSES took Download a free evaluation copy from our BBS at (213) 276-5263 Shit \$15-VSAMC--Includes 6 months "Virus Into Paladium" BBS membership Pft Rev 3831

Beverly Hills, CA 90212-0831 (213) 275-8006

With our Copy Protection Products. They really work and do not burden the honest user...

For Hardware Based Security (Parallel Port/ROM Socket Into STANDARD KEY TAG

 COUPON KEY TAG Limited executions

• DURATION KEY TAG Limited (days, hours, min.)



For Disk Security High Level Security PADLOCK II DISK
 SAFEGUARD DISKS
 COUPON DISKS

For Hard Disk Protection

Low Level Security PC-PADLOCK

The market is filled with copy protection products which burden the user or simply don't work. We have over 3500 satisfied software firms utilizing our systems. The high-level fingerprint has not required an update in over 3 years. Why should your valuable data or

useful software program become available in the Public Domain? Call or write for

more information. GLENCO ENGINEERING INC

(312) 364 SOFT FAX 364 7896 Telex 493-7105 Arington Hts. IL 60005

CIRCLE MIS ON BY ADER SERVICE CARD

SECURITY

The world's leading softdepend on Softguord copy protection systems. Your FREE DISKETTE introduces you to SuperLock " - invisibla copy protection for IBM-PC (and compatibles) T

- and Macintosh, Hord disk support · No source code chong Customized varsions LAN support
- New upgrades avoilable (408) 773-9680

SOFTGUARD SYSTEMS INC 710 Lakeway, Suite 200 nanyvole, California 94086 FAX (408) 773-1405



SOTECT YOUR

NVESTMENT

The protection can be led to and specific PC in a road or



Designed for user-transparency clone compatibility & strength. It features

 no need for damaged media or I O plugs . thwarts all Brt-copy Software supports all Hard & finesty Disk Increase restrict or allow Network Installs · allows protected upgrades by modern BBS . Land sengram use by Date or all secutor · remotely renet installs or Expresson

\$195 Starter Kill or \$495 with NO meter counts. Free mile & demo disk available Az-Tech Software, Inc. 305 East Franklin Richmond, MO 64085 (800) 227-0544 (818) 776-2700

BIT-LOCK* SECURITY

Piracy SURVIVAL 5 YEARS proves effectiveness of powerful multilayered secunity. Rapid decryp-Jion algorithms. Reliable security device transparent to PARALLEL or SERIAL port. Compli mented by low cost KEY-LDCK** multifeatured COMPILIOCK** Including countriown Inneout, data encoding & multi-product protection MICROCOMPUTER APPLICATIONS 3167 E. Otero Circle Littleton CO 80122 (303) 922-8410 or 770.1963

STATISTICS

NCSS plus-\$99

Easy-to-use menus & spread sheet Multiple COPS regression T-tests ANDVA (up to 10 factors, rep. measures, covenance: Forecasting Factor, clusler, & discriminant analysis. Nonparametrics Bridd, information 1 (00) 477-1987 Ext. 10. Substitution 1 (10) 544-1940, or 600-198-1980 Cross Tabulation Plots, histograms, box scatter stemical Sort Subset Transformations Reads ASCII New praghics Pkg \$58 CIRCLE 911 ON READER SERVICE CARD

865 East 400 North Kaysville, UT 84037 SOFTWARE COPY PROTECTION Phone 801-546-0445

. Instalts easily on your IBM PC software Deleats all disk copy software · Supports all Hard & Floggy disk formats · Regures NO special devices or disks · Invisible to your end user Eval disk protects one program of yours \$25 Starter krt & No meter count packages \$99 + L-Tech Corporation

relative programs can be

377 Route 17 South, Suite 618 Hasbrouck Herents NJ 07604 (201) 288 1608 (BBS 8-N-1), (201) 288-8795

statistical system for PC's Used by many universities, businesses, fed, and state governments and research organizations. Check us cul before you buy a statistics program, you'll agree SX is a "best buy"! Morey Back GUAR-ANTEEN For more into NH ANNI YTICAL SOFTWARE PO BOX 13204 Roseville, MN 55113 (612) 631-2852

STATISTIX - ONLY \$1891

STATISTIX is a powerful and very easy-to use

STATISTICS

High performance STATISTICAL SYSTEM



A powerful, elegant, and super-fast statist A power to, evaparis, and super-less statistical package integrated with complete delaimanagemant and dynamic graphs. Completensive selection of descriptive, inferential, and exploratory statistics with for acesting STATS+ features intelligent, two-way interfeces to data from Lotus Symphony, dBill+, and other programs. For more into look for our ads in most computer jours (+\$5 ship/handi).

∕ StatSoft 2325 E. 13th St., Tulsa, OK 74104 (918) 583-4149

FRG) ph 040-4200347 StarSett UK (Lor feibourne Australia) ph 612-497-4276 ON READER SERVICE CARD

RATS Version 3.00!!!

RATS is an integrated ata analysis, forecasting and graphics. Forecast with Box-Jenkins (ARIMA), exponential smoothing, vector autoregressions, large models and others. Choose from a wide variety of techniques to analyze your data, from stepwise regression to logit and probit, from two-stage least squares to spectral analysis. Generate reports using the excellent graphics and data-handling capabilities.

Our newest release (3.00) is more interactive than ever, with full help at the touch of <Ft>. The power of RATS, in a new, improved form, is still yours for only\$300!! Call or write for more information today.

VAR Economatrics PO Box 1818 Evension, IL 60204

(800) 822-8038 / (312) 864-8772 CIRCLE 814 ON READER SERVICE CARD

THE BASS SYSTEM "

DATA WTSTUDY.
INFILE WTSHTS;
LENDTH SEX S 1;
INPUT ADE 1-8 B 16 SEX S

PORMAT ADE S. B. MEIONT WEIONT 38-37.

PROC DEM DATA-WISTUDY: CLASS SEX. MODEL WEIGHT - HEIDHT ADE SEX.

The BASS SYSTEM (our product) took 25 seconds 384K, and 1 2 Meg of disk space II costs \$399 one time with occasional updates at \$35 Dataset was 1 000 observations capital and on separate segment of CIRCLE ASS ON READER SERVICE CARD BASS INSTITUTE, INC. P.O. BOX 349 CHAPEL HILL, NC 27514 (919) 489-0729



GO with SOLO

Ideal for researchers and busi-ness professionals. SOLO provides all the necessary state procedures. Incredibly easy to use. Inexpensive enough for a single project or occasional use. \$149 complete with graphics Call today. MC or VISA Satisfaction guaranteed!!

BMDP STATISTICAL 1440 Sepulveda Boulevard

geles, CA 90025 (213) 479-7799 LE SIT ON READER SERVICE CARD



STATISTICS

STAT PLAN H

Easiest to use statistics program available Complete range of statistics-curve fitting crosstatis correlation, multiple regression, T-tests, etc. Graphics with printer/plotter output Capable of handing over 50,000 data points, interfaced directly with lotus files. Demo diskete available MC/VISA Only \$179 THE FUTURES CROUP, STAT PLAN III 76 Eastern Blvd , Dept C Glastonbury, CT 06033-1264 (203) 633-3501

SURVEYS

THE SURVEY SYSTEM An easy to use menu driven system for the entry, editing, processing and presentation of questionnaire data. The system can produce carriera ready crosstabs and other tables in barner format. Also statistics and bar charts. Regression and open-end coding analysis op-

CREATIVE RESEARCH SYSTEMS 15 Lone Oak Ctr Dept P Petaluma, CA 94952

(707) 765-1001 TAXES

erai & State returns on ple diek-Only \$79.95. Easy to use es autometically, per plex "What if options, prints IRS-ap-proved forms, 25 States available. res Lotus 1-2-3 or compatible HES. VISANIC, \$4 sh chg. Als Professional package-\$119 mer-\$79.95, Corporate-\$149. ms-\$149.

Park Technologies, Inc. PO. Box 1317 Critical Park, NY 12065 5661 or 800-423-3189 o

CIRCLE BUS ON READER SERVICE CARD 1099'S-DN-01SK

5730 R Street Box 5577

i incoln NE 68505

Move IRS reas to frie 1099's on magnetic media Use your IBM Compatible PCs to prepare 51/2 diskette print forms and reports. For all 1099's, 1098, 5496 W-2G Fast, easy to learn and use manual included Not copy protected. Only \$69 plus \$3 S/H MC/V/SA accepted Our third year USTOM CRAFT SOFTWARE, INC.

(402) 464-3184

TAXES

AM-TAX

If you have a PC, this is the way you should be preparing your 1988 income tax return Fast, easy, & accurate. No spreadsheet software read. ousands of satisfied use

gular Version: Supports 18 schedules and forms (1040, A-SE, 2106, 2119, 2210, 2441, 3903, 4136, 4562, 6251, and 8615).

Prints IRS-approved forms and schedules, plus a graphic 1040 on Epson or IBM-type dot printers. Works with overlays and pin-fed forms. Requires IBM-comp. 256K.

Only \$45 NEW Advanced Version

NEW Advanced versions All of the regular features plus more forms (1040/ES, 3800, 4137, 4255, 4684, 8582), and laser printed 1040 and laser printed 1040 v/graphics on HP-type lasers. Req. 384K and two drives.

Only \$60 State programs for CA, NY, NJ, MD, MO, and VA. Data auto transferred from federal tax forms. \$30 each.

MC/Visa. 30-day guarantee

AM SOFTWARE P.O. Box 25010 Kansas City, MO 64119 (816) 241-0014

UTILITIES

Ammunition to conquer



 The Virtual Expanded Hemory Manager provides your EMS applications with up to eight megabytes of expanded memory It turns PC/AT or PS/2 ex tended memory into expanded It turns hard disk storage into expanded memory

 It's competitie with most EMS applications. Including 12-3 Only \$80 95 30-day V-FMM

CIRCLE BIR ON READER SERVICE CARE

UTILITIES

Fix common problems fast!

You don't need to be an expert to diagnose and correct prociems involving PC setup. All you need is HELPME™ software! More than 300 tests Quick identification of system configuration and compatibility \$99 + S/H. MC/VISA. California Software Products, Inc., 525 N Cabrillo Park Drive, Santa Ana, CA 92701, (714) 973-0440. CIRCLE 821 ON READER SERVICE CARD

Double the capacity of your hard disk with NewSpace — automatically!

automatically doubles the capacity of your hard disk. NEWSPACE doesn't your hard disk newshauc, doesn't change the way your system operates at all—you use all programs and DOS commends as before. Pries transferred to diskette or trensmitted to another computer arrive uncompressed. As an added benefit, NEWSPACE lets you recover any or all of the last five erased or overwritten files. Recovery is simple eutomatic, and foolproof

Runs on any single-tasking hard disk system using DOS 2.0 or above Only \$69.95 * 3.50 S&H Visa and MC NYS residents add sales tax "Nifty!" - John Dyorak

ISOGON CORPORATION New York NY 1000 (800) 662-6036

BREAK 640K1 Why buy expensive boards? VRAM " gives

your PC/XT/AT or PS/28 megabytes of memory by terrors risk enace into expanded memoral Use extended memory for expanded memory Create VERY LARGE worksheets FAST Auto matic Easy to use 640k not required. Money back guarantee \$49 + \$3 s/h BIOLOGIC.

THE SHOWCASE

FOR PRODUCTS

AND SERVICES

IN THE MS DOS

MARKET . . .

11982 Coverstone Cir. Suite 1622 Manassas, VA 22110 (703) 368-2949 (tax 703-361-6251)

E-X-T-R-A

A Menu System to Manage **Memory Resident Programs** ▲Fun as many as 25 memory residen

- programs using only the memory of the
- ▲ Menus provide easy set-up and single Abrity to remove all memory re

▲ Toll-free technical support From the makers of I

SUBGESTED \$99 Plus S CALL 1-800-242-6368 FOR THE DEALER NEAREST YOU



1621 WESTGATE ROAD EAU CLAIRE, WI 54703 TROLE 624 ON READER SERVICE CARD

SITBACK PC AND NETWORK BACK UP

N THE BACKGROUND

* Keeps new or changed files backed up automatically, w/o lifting a finger or exiting your application program

Makes Total and lacr, back ups in the background w/o interruption Works with any DOS storage device * Memory resident- Req's Only 13K " Compatible with all popular LAN's You will sever have to back up again * SitBack and Relax - Only \$99.00

lack Technologies, Inc. 913-894-0808 9290 Bond Suite 205 O.P.KS 66214 CIRCLE 825 ON READER SERVICE CARD

CONTRACTOR OF THE PROPERTY OF THE PROPERTY OF THE PARTY O

UTILITIES

AT'S DON'T NEED 360KB DRIVES

Allows copying of IBM AT files for use on IBM PCs. XTs. and compatibles with no hardware or software modification 360K floopy drive is not required "CPYAT2PC" may reside no CPYAT2PC may reside on your IBM AT hard disk and copies 1 file or entire subdirectiones in 1 step. Price \$79, + \$4 s/h

MICROBRIDGE COMPUTERS INTERNATIONAL INC. 655 Sky Way - Suite 125 San Carlos, CA 94070 1-800-523-8777



(CA) 415-593-8777 CIRCLE ESIS ON READER SE

SOFTWARE SIMPLE TO USE! lehder Minitext

lehdar Calculator 29 % and wour designer reinstators For PC/XT/AT/386/PS2 and competities

To Order Call: USA 1-800-663-6521 CANADA (604) 879-5445 Add \$4.00 Ship & Handling.

Degler & Dist. Please call (504) 879-5445. 14 E Broadway, 314 E Holly \$106 Vancouver, B.C. Bellingham, Systems Corp. VST 1V4 WA. \$6225 Visa, M.C. or Money Order

CIRCLE 827 ON READER SERVICE CARE

No 1 backup software 10 megs onto as few as 2 Received in A mint Companyages titles on to 90%. Copies to any DOS device (inc.) tapes All other fast backup programs bypass DOS and are unreliable and don't work wimaty clones Please compare Nothing else even comes

close Money back guarantee \$89 + \$3sh BIOLOGIC 11982 Coversione Hitl Circle, Suite 1622 Manassas VA 22110 (703) 368 2949 (tax 703 361-1251)

A BEAUTY FOR YOUR BEAST STILL RIVER SHELL a new ver25S powerlui "Point and Shool" DCS enhancement utility for blerdisk mant and DOS command interface Listed: 1967 & 1988 PC-SIG's TOP 100 pmlarnem on 361 this engineer 972 among United sale Inc \$390 PO.COO + \$8 MC VISA no lee 90 day No-Risk Guarantee

PO Box S7 Shit River MA 10467 508 456-3699

> TO PLACE YOUR AD IN PC Magazine Marketplace Call (212) 503-5115 or (800) 825-4ADS

FLEXMENU 3.1 ONLY \$19.95

Powerful menu program, provides a user friendly way to operate your programs. Passweet confection is available for EACH mean A telephone directory of fifty allows you to store. custom soft and print all your name, address and phone numbers. Flex menu even has a timed execution utility to run your programs even when you are not there! Main Mees Software 12700 Fast 8 Mile Board Detroit, MI 48205

(313) 372-3262 CHK MD C00 SUPER PC-KWIR

The industry's best disk cache. "Highly recommended" J Dvorsk " hold on to your eardrums because you've just faunched the word swoosh! may give you an idea." J Seymour You can't buy more performance for sust \$79.95 \$2 S/H VISA MC + \$2.50 it COD Multisoft Corporation 1S100 SW Kall Parkway #L

Beavedon OB 97006 503-644-5644 or 800-234-KWKK

RECALC 1-2-3 LIGHTNING FASTI 3-2-1 Riasolt speeds resides 4 years Compiles formulas into machine code newides new faster to functions, uses optimal recalc, minimues EMS overhead PC Mag S 31 88 "A 1-2-3 accriesator that really works. Cuts recald time by 50 to 90% "\$149.95 on VISA MC with 30-day money-back guarantee FRONTI INE SYSTEMS INC

140 University Avenue Suite 100 Pain Alth CA 94301 800 451-0303 Ext. 55, 916-677-7171

WORD PROCESSING

World's Billingual Word Quanglan, bilingual word processor for En gish and Armenian, Bengali, Euroltain, Greek, Hindi, Khmer, Lao, Puniabi, Russian, Sinhales Tamit. Thai. Viet \$109 + \$5 sth floreson + \$12 s.hi Fort editor included For IBM compatible with dol-matrix & Laseutel nonter Demn SS + S1 sth. MegaChemp Company 3524 Cottman Avenue Philadelphia, PA 19149-1606 USA 215-331-2748

NEW! PC-WRITE 3.0 Full leatured word processor for PC's Edits

base lifes and columns. Smell check mail merge ASCII and macros Easy to use Supports 500 printers. Software guide, and tutorial on diskelles \$16 Redistration with manual, tele-Support, newsletters and updates \$89.00 90 day moneyback guarantee OUTCKSOFT 219 First Ave. North #224 PMAC

Seattle WA 98109 1-800 888-8088 (206) 282-0452 Vise MC

WORD PROCESSING

DOCUMENT CONVERSIONS



WORD PROCESSORS and preserve all formatting! √ Over 75,000 copies in use

WORD FOR WORD by Mastersoft, Inc. 800-624-6107 \$149.00

\$299.00 LAN IBM Writing Asst., Microsoft Word, MultiMass, OfficeWriter, WordPerfect, Volkswriter, WordStar, XyWrite, DIF DCA/RFT(DeplayWrite), PFS: WRITE, S: First Choice, PFS: Pro Write Q & A Write, Samna, Microsoft RTF, Smart ASCIL EBCDIC CIRCLE ESI ON READER SERVICE CARD

√ Preserves all document features & formatting √ Menu-driven, easy to use √ Optional batch mode 30 Day Money Back Guarantee! Mastersoft, Inc.

√ Two-way conversions

4621 N. 16th St. Phoenix, AZ 85016 (602)277-0900

CompareRiteTM

"Outstanding software - the best of its kind... CompareRite compares documents in ways that I dish't think were possible. It's satterly amazing."

— John Doonak, PC Magazine, 3/15/88

CompareRite saves hours of editing by showing you how any two documents differ. Amazingly fast, CompareRite will create a complete comparison draft, ready for printing, or display the changes on the screen so you can scan them. The program shows changes in many user-selectable formats, and is com-

patible with all major word processing programs. CompareRite is perfect for attorneys, editors, proofreaders or anyone who has to make or compare drafts. Thousands in use.

Price - \$129.95 + \$5 shipping/handling JURISOFT

CIRCLE 819 ON 763 Massachusetts Avenue READER SERVICE CAPID Cambridge, MA 02139

(Outside MA) 800-262-5656 Ext. 10 (In MA) 617-864-6151 Ext. 10

XyMouse

XyWrite XYMOUSE... the lightning-lest enhancement - makes Xyerde in Plus even better!

XyMouse... moves the cursor and tent questy and neturally XYMOUSE... insteadly selects from dozens of commends eith eggy-to-use mouse windows XYMOUSE... accelerates both beginning and odvanced XyMriteral KM Support for "KuCoria" and melecula

CAL MOW for this feeting timesome GALACTIC SOFTWARE Inc. 2000 Shimmed Amenia, Suita 211 Heritogeten Velley, Fil. 11008 215–947–0930

PC Nagazine Marketplace the ultimate target market! The loand specifiers who must be Maple

one short have the time to shop around to core blo as remarkly

They'll DOGET their attretion to Margaine Marketplace For them Pf Magazine Mark-Optace's

Direct Response Display Ad formal repr with a line you and you effective method of product arounds on They know it will har the products flux good and the infornotice they want reporting prove velocate fit from the Statem brand specularly who

So take 10051T action and call 217) 543,5165 or 1900) 425-4484

MISCELLANEOUS/ACCESSORIES



CompuToes Dust Covers The ultimate in dust protection. Available in natural

canvas/brown from or new designer gray/black from (add \$2/cover). Our covers are lar superior to viny!

COMPARE OUR PRICES! KI, YBOARD 13,456 PRINTER (pench) 15,65 COMPATO(at 11,000 PRICES) KI, YBOARD 13,65 MONCPU 24,95 COMPATO(at 11,000 PRICES) KI, YBOARD 13,65 MONCPU 24,95 COMPATO(at 11,000 PRICES) CONTROL (SECONDARY SHOWN ANNUALIZE CONTROL (SECONDARY SHOWN ANN

CIRCLE 631 ON READER SERVICE CARD 1-800-227-TOGS

COMPUCOVER! COVER YOUR INVESTMENT

eShir * Keyboard Protectors 24 CALL FOR FREE CATALOG ORDER DESK (800) 874-6381

Customer Service (564) 862 8445 FAA (504) 863-2000 Lama Former Blog Section Baselin, Fr. 20040 CHICLE BY ON THACES SHEMCE CARD



For: Computers and Printers ISM. Eoson, AT&T, Leeding Edge, Compag (800) 826-5761 In CA (415) 759-1466 Contemporary ComputerWear 1320-35th Avenue San Francisco, CA 94122 CRICLE 833 ON READER SERVICE CARD

BAR CODING

BAR CODE & MAGNETIC STRIPE READERS for the IBM PC & PS/2

on a quick restantion descript software or port detail wand & case

TPS ELECTRONICS 1047 Transport Street Palo Alto, CA 94303 Telephone: 415-856-6833 Teles: (Esphini) 371-997 TPS PLA FAX: 415-350-3843 CLE 634 ON READER SERVICE CARD

BAR CODING

BAR CODES

PERCON E-Z-READER FAST . ACCURATE . RUGGED NO SOFTWARE CHANGES WITH FO NO SOFTWARE CHANGES WATER XTIAT and PSIZ, ATET 6300, Wyse 30x08SPCIAT, Kiriston KT-7PC, Link PCTermMCTMC3, Televideo PCSI/ 905/955 & DEC VTZ20 keyboards. Immediate shomeos

Free phone support · 2-year warranty Details or Questions? Call us. (503) 344-1189

Bar Code Solutions ON-LINE BAR CODE

READER NETWORK NEW PC-WAND 300 - up to 128 reader data collection system . Autodiscriminates . Collects formats and transmits to PC or host PC-WAND 800 WanderWand - programmable portable bar code readers PC-WAND 200 - terminal wedge on a

senal party into for min's PC-WAND 100 - emulates 2nd keyboard NEW - bar code printing software ackages for your poster DEALER INQUIRIES INVITED

INTERNATIONAL TECHNOLOGIES & SYSTEMS CORP PHONE: 714 990-1880

FAX 714 990-2503 LE 635 ON READER SERVICE CAP

BAR CODING





For DOT MATRIX and Laser Printers (Epson/IBM/Okidata and LaserJet)

 Flexible format • Any size label
 Labels for bins, shelves, inventory - name tags
 Big text readable up to 50 ft. inventory - name tags

Big text readable up to 50 ft.

Bar Codes: 2 of 5, UPC/EAN,

File Input
 Very fast • Easy

*ISIR COGRET 2015, UPC/EAR).

**HIR INDIV. AIAG, Code 39, etc. * Very feat *Easy
Labels above printed with Utility II - \$279.

Other menu driven programs from \$49. Unix & Xenix tool
User callable routines from \$159.

BAR CODE READERS



. Attaches as 2nd Keyboard No schware changes
 Reads 2 of 5, UPC/EAN,
 Codabar, Code 39
 Rugged metal pen & holder All models complete...\$399 ALSO: Lusers, Portables Meg. Stripe, Badge Readers

Direct From Manufacture 30 Day Money Back Guarantee!

DATA SOLUTIONS 417-A Ingails Street Santa Cruz, CA 95060

In CA 408/458-

PC Magazine Marketplace the ultimate target market! The brand aperifiers who read PC Magazine chin't have the time to shop around,

their only concern is getting what they need as quickly as possible They'll DIREXT their attention to PC Magazine Marketplace sents a fast, ever and cost effective method of product acquisition. They know it will

discounts, specifications and delivery.

If you think that your business can be self from the 700,000 be and specifiers who read PC Magazine ... YOU'RE RIGHT! So take DBEDIT action and call (212) 503-5115 or (800) 825-4ADS

BAR CODING

ZBarcode™ III II III

Bar Code Reader Model PC-WEDGE Reader or entireare changes necessary or PUXT/AT in compatible

Install at minute, without park Reads Unde 10 2 of 5 LPC, Codahar 1 PRoceeds 100 EZBarcode | Printing Utility • Pater and print Code Wand UPC-A

 Ive det maters and I averdet printe
 Vars but code beight, spacing, etc. EZBarcode II Printing Program 599 00 Keyboard or text life data orgat
 Prints Code 19 Intelligated 2 of 5.1 PC-4
 Automats, incrementing, multiple columns.

dBARLODE: Program prims har under Inother disast till Plus disast IV.... \$99.00 Videx Time Woods. Portable, credit card word has code resident
 Time stamps cach has code as it is read.

 We carry a complete line of Vides. TameWand products
 Content softman, deschipment as as I TimeKeeping Systems, Inc. ed • Circland OH ++III

(216) 229-2579 - Fax 12161 229-2571

BAR CODE READERS D SOFTWARE CHANGES REQUIRED

(BM PC / XT | AT PS '2 CLONES TANDY (0005X | 1200 / 3000 | 4000 ZENTH 138 | 148 | 151 | 158 | 248 EPSCN FOLITY | 6 III

ERMINALS: WYSE 50 60175
 KIMTRON KT TIPC
 CONTROL DATA VIKING 721
 TANDY OTTO0
 PS 232

C MS DOS BAR CODE PRINTING SOFTWARE

RESELLER DISCOUNTS AVAILABLE AMERICAN MICROSYSTEMS (500) 545-5402

> PC Magazine Marketplace 2nd Color Option Available

PrintBar III

BAR CODE PRINTING SOFTWARE Print Code 39, 2 of 5, UPC, and EAN ber codes directly from your own applications without copying deta to special print files IBM PC/XT/AT/PS2 and compatibles. Supports IBM Graphics, Epson and LeserJat printers and

PrintBar II Program \$295.00 PrintBar II Demo \$25.00 \$25.00 Other Bar Code products everlable for non-MS-DOS

Ber Code readers from \$395.00 FREE Brochure (919) 922-4640 FAX 916-622-4775

Bear Rock 4080 Frangues Dr. Pacerville CA 95667

CINCLE SIN ON READER SERVICE CARD

CODE MASTER

Compile Fast Bar Code Printing into your programs with Code Moster Prints UPC/EAN 2 of 5, 3 of 9 and more No Royalties *Supports Clienter C \$149.00 \$249.00-

Computer Connection P.O. Box 634, Eau Claire, WI 54702 (715) #33 2331 CROLE BIT ON READER SERMOS CARD

ROOKS CATALOGUES PUBLICATIONS

IBM PCjr SPECIALS
Full line of IBM PCjr Hardwore Memory Expansions to 640k * Second Floppy Drives . Parattel Printer Ports

. Full Size Keyboards * Modems, Int. & External * Jossticks, Serial Cables . PCgr Network eards . BASIC Cartridges, Mice PCir Tested Shareware

* Complete Computers * Repair Service Send for Catalog Today COMPUTER RESET Aite Date PC

PO Box 401782, Garland Texas 75 12141276-9072 CHICLE ESS ON READER SERVICE CARD

BOOKS CATALOGUES PUBLICATIONS

PCir Expansion Products

Possibly the largest selective of PCir products in the country. We don't just sell PC products, we design them espect i p Products Psychia DMA Carinday

Shound Hopps Dod Drops *PUr Optical Mac things blown by It's Parallel Preser Post-Planch Stabours Monte In. California Adaptives

Call or write to revene our less 32-page catalog of PCst Add-On products. For even faster results untile our reader service number PC Enterprises

"The jrProducts Group Box 292, Belmar, NJ 07719 (201) 280-0025 (800) 922-PCJR CHCLE 806 ON READER SERVICE CAR

COMPUTER INSURANCE



LE MIT ON READER SICINA TO PLACE YOUR AD IN

PC Magazine Marketplace

Call (212) 503-5115 or (800) 825-4ADS

COMPUTER INSURANCE



SAFEHARE INSURES YOUR COMPUTERS

purchased software As low as 5.39 yearly Covers fire, theft, power Surges other accidents Blanker coverage no list of equipment needed Call for information or £ 1-800-848-3469

Local (614) 262-055 SAFEWARE The Insurance Agency Inc. 2929 N High Street P.O. Box 02211

Columbus OH 43202 DIRCLE MI ON READER SERVICE CARE DATA CONVERSION

CONVERSION

DISK - DISK - TAPE - DISK OPTICAL SCANNING WORD PROCESSORS SPREADSHEETS DATA BASES, MAIL LISTS OVER 2,500 FORMATS

> IBM PS: WORDPERFECT LOTUS DBASE LANIER

(212) 463-7511 NATIONAL DATA CONVERSION INSTITUTE



and Optical Scanning Facility 84-SHoroce Hard Exp Fresh Meadows NY 17845 至 (718) 357-8700 ---MI ON READER SERVICE CARD

FOR MORE INFORMATION OR TO PLACE YOUR AD CALL 212 503-5115 . . .

DATA CONVERSION

THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

DISK/TAPE/OPTICAL SCANNING 33c per page typewritten text to disk in ASCII.

- WP formats available on reques . Scan Typeset text 6 to 24ot law rat
- Disk convert from IBM, WANG, XERCIX, MAC-MTOSH + 1000 other formals (hi-directional) Tape conversions (800, 1600, 3200, 6250 BPt) · Durk himsmand, Duality Guranteed
- 1st RUN COMPUTER SERVICES 1261 Broadway Suite 506 New York, NY 10001 (212) 779-0800

DATA RECOVERY SERVICES

ONTRACK 800-752-1333 DATA RECOVERY INC. 612-037-10

The Only Custom Data Recovery Experts

A service from the creators of Disk Manager! Your hard disk can't be booted Recommended by major drive manufacturers.

Call us when: You can't access a file · Your directories and/or FATs are scrambled or gone, etc.

For that critical moment when only the best will do.

DISK CONVERSION

TAPE/DISK CONVERSIONS /

Conversion services to or from over

• Magtapes • Mini Computers . Micro Computers . Typesetters Word Processors

CALL THE INDUSTRY LEADERS PIVAR COMPUTER SERVICES, inc.

(312) 459-6010 165 Arlangton Heights Rd #M Buffalo Grove, IL 60089

TOTAL SERVICE CONVERSIONS · OUR NAME SAYS IT ALL · Quality Service ●

 Ouck Turnaround ● Low Prices ● ● 1-890-5-COMVRT ●

 In CA 1,213,669,8134 TOTAL SERVICE CONVERSIONS INC. 1933 North Monon Street Las Argetes, CA 90027

· Formerly W/Text Sciences Corporation · 531 Main St., Suite 835 El Segundo, CA 92045 (213) 545-6551 • (213) 322-6319

TAPE-TO-FLOPPY FLOPPY-TO-TAPE TAPE DUPLICATION FLOPPY-TO-MICROFICHE LASER PRINTING

> 1-800-422-9622 (In OK: 918 254 9522)

BION DIST 6152 STREET BUSH, DIE 70128-1201 LE MA ON READER SERVICE CARD

CHANGING WORD PROCESSORS? Media transfer to or from BM. XEROX DEC WANG LANIER CPT. CT. MICOM NBI WORDSTAR WORDPERFECT MS/WRD DW3.

MUTIMATE SAMNA MASH OCA ******FREE TEST CONVERSION***** Conversion Specialists

> Issaguah WA 98027 100.255.3142.206.392.0906

DISKETTE COPY SERVICE

2495

New Datapath Diskette Duplication Systems



deplicating capacity you need

Diskette Duplicator -- st \$1995. It uses only one slot. myout PC and produces up to Adl copies perhour Orfor high-speed, unattended opera-5%" Deslarp transcrafer --

at just \$2405 pundable up to 8 deves. They run 51:1" and 51-1" drives simultaneously, and feature 915 651 5580. multiple formats - including PS 2 They're multi-tasking

to 8 different jobs at once For more information or to order, call today.

Datapath C 1948 Datapath Rehnologies Inc. +6710 Fremont Boulevard, Fremont, CA94538, 405-651 558

ORGLE ME ON BEADER SERVICE CARD

There is no substitute for experience! For software duplicaton backed by five years of experience, call the experts at Echo Datal Here's why we continue to be one of the nation's leading duplicators;

· Round-the-clock production facilities. Tough, 4 step quelity control process.

100% satisfection guerentee policy.

WE'RE THE EXPERTS IN 3.5" DUPLICATION. Echo Data Services, Inc.

Lionville, PA 19353 800-533-4188 215-363-2400 In PA

SOFTWARE PRODUCTION

. Disk duplication * All formets

- * EVERLOCK copy pro . Lebel/sleeve printing
- . Full peckeging services · Werehousing * Drop shipping
 - * Fulfillment * 48-hour delive * Consultation & o Star-Bute, Inc.

215-997-2470 CIRCLE MIS ON READER SERVICE CARD

DUPLICATION FROM 596 Alterdable rates only 59¢ for 5.25" & \$1.59 for 3.50" MS-DOS Ouglication Price includes: "Quality Brown Disc Media

Duplication with 100% verification *Label Application *Quick Turnaround & Guaranteed Products Rates go even lower as you continue DIVERSIFIED SYSTEMS GROUP INC PD Box 1114

31/2" DS/DD 1.15 LIFETIME WARRANTY

> 800-222-0490 In NJ 201-462-7628 FAX 201-462-5658

MEGASoft

TO PLACE YOUR AD IN PC Magazine Marketplace Call (212) 503-5115 or (800) 825-4ADS



MARKETPLACE

MAILING LISTS

FREE CATALOG

Over 2 million names on 75 owner user lists IBM Apple, man other resellers stems, WARS, chairs, mail order dealers, educational Unix. Pascal Cobol Lotus disase modern, investor, publications, clubs Call Wine for line catalog Note: We do not self handware or software UARGEED MARKELING INC. I to Brochmer UARGEED MARKELING INC. I to Brochmer

Ridgewood, NJ 07451 In NJ, 201 445-7196

NETWORKING

	CARD IINATOR
#151,000 \$150,000 \$25 #161 to 20% \$1 \$ 20 #161 to 20% \$99	20, 21, \$ 21 101, 27, \$ 20 1012, 577 \$ 99
WES OTHER	NATCHACK 105E PASSWEEDS ALL VERSION \$99
GET BIOS DRIVES 286 a 186 \$59	MOS TOOLS MOS SING TAKES INC. CETTER \$99
(713) 74	31-9268 NBS
HETWORK SUSINE	es systems

SUPPLIES



SOFTWARE PUBLISHING

(312) 364 SDF1

GDS offers a wide variety of services that will help get your software to the market. Address your needs with GDS • IBM style cloth why! 3-ring binders-slips • Labels steems disk pages, but it diskettes

Use duplication with 100% venification
 Strink wrapping and product assembly
 Duck tom around
 A well packaged product can make the dif-

A weil pockeyos product dan make the disference in making a sile. Call us now! VISA.MC. GLENCO GEVELOPMENT SYSTEMS 721 West Argonquin Rd Arlangon Rs. III. 60005

SUPPLIES

-TONER CARTRIDGES Remanufacturing \$44.50. PC \$34.50. Colors.
\$64.50. 100°G satisfaction. New cartridges.
from \$89.50. Series II, Bulk, 24 hours in & out.

RIBBONS

1-800-331-6841

1-513-252-1247 (Ohio)

Over 350 types

APPLE 4-COLOR

SON LX-80:90

PROM MY FY AD

EC P1, 2, 6

GOATA 82-92 1,15

CONSC KXP

Volume Discounts Available

* * Setisfaction Guaranteed * *
BLACK COLORS

2 60 3 60 - 8 95

4.95

DAYTON COMPUTER SUPPLY

PC Magazine

Marketplace

2nd Color

Option

Available

4.50

800-777-8444

TRAINING/

ANIMATED GRAPHICS

• Nazara to Professional programmers rigory

investigated and prefet amphire, applications

• I'll landers written refer six and internals.

90 Day Money Back Gacranier
To orier and Check or Maney Order to:
F11 Enterprises
F0. Box 5185
Bridgeport, CT 06610
For a free done disk call (201) 366-0255

For a Dree draw disk call (200) 366-02
ELSA Priviage and Eastlan.
Climitation plans and sud-suc-9-106

Completes plans and sud-suc-9-106

Completes plans and sud-suc-9-106

Complete state on Meaden Service CA.

LEARN PROGRAMMING 'Anyone can-learn' interactive diskettes over

TO open leaded «Samples and Source
OLF Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Filter Hills for CHEFFE (Instruction)
Fi



Get The Word Out! Your Product Has Been Chosen EDITOR'S CHOICE Let un take your article to its highest level of marketing potential with a reprint

To find out how you can have your article or review eleganth reprinted**
on 80 lb paper suck, in +color, 2-color or 1-color, call or write today

Jennifer Locke—Reprints Manager.

penture tocke—teepriss Manager. 28f Davis Publishing Gongam, One Park Incuae, New York, 3V 10010. 232-505-5+4* "Minimum quants. 500 reprise. PC Magazine Marketplace the ultimate target market!

The brand specifiers who read PC Magazine don't have the time to shop around, their only concern is getting what they need as quickly as possible.

They'll DIRECT their attention to PC Magazine Marketplace

For them PC Magazine Marketplace's Direct-Response/Display Ad format represents a fast, easy and cost effective method of product acquisition. They know it will have the products they need and the information they want regarding price, volume discounts, specifications and delivery.

If you think that your business can benefit from the 700,000 brand specifiers who read PC Magazine ... YOU'RE RIGHT!

So take DIRECT action and call (212) 503-5115 or (800) 825-4ADS



INDEX TO ADVERTISERS

RS#	ADVERTISERS		RS#	ADVERTISERS	PAGE	RS#	ADVERTISERS	PAGE
RS#	ADVERTISER			ifth Generation		358	Peachtree Software	
t 69	3 Lynx			ifth Generation		302	Peter Norton Computing	
234	3X USA	17		ormWorx Corp.		749	Plus Development	82-63
254	47th St. Computer			unk Software		499	Priam	
tt5	Accolade, Inc.			uture Computer		t 48	Primavera Systems	
175	Advanced Digital Corp			Sateway 2000		189 249	Quadram	
493 270	Advanced Logic Research			Solden Bow Systems		290	Rose Electronics	
179	Aftec Technology Amax Engineering	141		lammerly Computer Services		295	RP Systems	
336	Arlington Computer Products			lard Drives International		728	Safeware	
t66	AST Research			lauppauge Computer		131	Samna	
540	ATI Technologies			laventree Software		t50	Samsung Electronic Devices	
124	Attachmate			layes Microcomputer Products		470	SBT Corp	
509	Austin Computers			łelix Software			Seagate	
165	Autodesk			nnovative Technology	378	222	Setco	153
•	Bay Express	403	297 I	ntel	74-75	490	Seiko Instruments	199
356	BASF			omega		184	Shamrock	
172	Bay Technical Assoc.			rwin Magnetics		388	Sharp Electronics	
482	Bedford Software			lade Computer		•	Softline	
218	Bitstream			lameco		334	Softlogic Solutions	
116	Blaise Computing			Censington Software		375	Software Add-Ons	
t25	Boffin Limited			Ceytronics		271	Software Publishing	
137 377	Borland International		193 I 492 I	Cinson Products	181	27t 227	Sony Corporation of America	
328	Buffalo Products			ahey Computer Systems	259	390	Spield Computer Systems	140
48t	Buildog Computer Products	60.61		aserGo, Inc		16t	Storage Dimensions	
494	Buttonware			.ogitech		156	STSC	
292	Caere Corp			.ogitech		299	SWFTE International	37
120	Central Point Software			otus Development	76	736	Symantec Corp.	
139	Checkfree Technology, Inc		263 i	Macola, Inc.	302-303	173	Sysgen, Inc.	
318	Chinon			Manzana Microsystems Inc		241	Sun Flex Software	
343	Chip Soft			Maxell		289	Tandy Corp	349
134	Clarion Software	70	495	Maynard Electronics	156	22t	Tax Shop	164
t 88	Command Technology			Meridian Technology		501	Teac Corporation	
	51 Compact Disc Products			Metro Image Base		384	Tecmar Inc	
294	CompuAdd Corp			MHI Warehouse		740	Telebit	
300	Computability			MICRDBEST		206	Telemart	
246	Computer Direct	400		Micronics, Inc.		123	Telemart	
109 220	Computer Discount Warehouse			Microrim		135 259	The Complete PC	437
183	Computer Express Computer Mail Drder			Microsoft		353	The Laser Connection	
362	Computer Dutlet			Microsoft		529	The Public Software Library	
163	Computer Products United			Microway		393	The Software Link	
113	Concentric Data Systems			Mitsubishi Int. Corp		248	Timeworks, Inc.	
315	Concentric Data Systems			Montezuma Micro		321	Toshiba of America	
198	Core International	151	727	Mountain Computer Inc	167	23t	Touchbase Systems	26
371	Corel Systems	279	350	MSC Technologies	266	223	Traveling Software	92
194	Cougar Mtn Software		733	Natural Microsystems	341	735	Triton Products	90
278	Crosstalk/DCA		٠ ،	NEC Home Electronics	131-138	268	Tussey Computer Products	22-25
383	Cuesta Systems Corp			NEC Home Electronics		745	U.S. Robotics Inc.	377
486	Curtis Manufacturing			VEC Home Electronics		296	Unisys	
472	Curtis Manufacturing			Newbridge Networks Inc		367	Universal Data Systems	
277	D.M.S. Computer			Northgate Computer Systems		105	USA Flex	
118	Datapoint			Northgate Computer Systems		731 127	Ven Dex	
-	Dac Software			Norton-Lambert		537	Video-7 Inc.	
504	Datastorm Technologies			Novell Inc		171	Wang Micro Systems	
392	Datran			Olden Computers		5t5	Wells American	
536	Dell Computer Products			Dracle		238	Wells American	
539	Dell Computer Products			Orchid Technology		203	Wesson International	
256	Delta Technology			Para Systems, Inc		485	Westlake Data Corp.	
743	Digital Research	142		Paradise Systems		202	Willow Peripherals Inc.	
•	Dow Jones News Retrieval	87		PC Brand	246-247	508	Wordperfect Corp	346
217	Dual Group		303/30	PC Brand	242-243	744	Z-Soft	
379	Dyna Computers		309/30			721	Zeos International	
330	Dynamic Microprocessors	320		PC Connection		723	Zeos International	
t 76	Dynatech Computer Power Inc	190	395	PC Exchange	342	316	Zylab Corp	
363	Eastman Kodak			PC Exchange				
	Epson America FASTMICRD			PC Power & Cooling			Reader Service #. Please call	
352			145	PC SIG		advert	iser for information.	



EDITORIAL PRODUCT INDEX

READER SERVICE NUMBER	PRODUCT	COMPANY	PAGE	READER SERVICE NUMBER	PRODUCT	COMPANY		READER SERVICE NUMBER	PRODUCT	COMPANY	PAG
ADD-I	N BOARDS			DATA	BASE MANAGEN	IENT		687	Taxan UltraVision 1000	Taxan USA Corp.	23
141	Cumulus 80386SX Card	Cumulus Corp.	51	450	Computer Oatabase Plus	Information Access Corp.		SOFT			5
144	Everex PostCard Plus	Everex Corp	52	GRAP				437	BrainMaker	California Scientific Software	,
FTE	RHOURS					RIX SoftWorks Inc.	56	440	Mechanical	Iconnex Corp.	4
63	Critical Thinking I	Compns Inc.	439	435 457	ColorRIX Perspective Junior	Three O Graphics	33		Engineering		
65	KidWriter Golden	Spinnaker Software Corp.		453	Terrific! Organization	KO Systems Inc.		452	Workbench 3.5 Turbo EMS	Lantana Technology Inc.	
	Edition				Chart Maker	,		TRAIN		Lantana reciniology inc.	
67	Math and Me	Oavidson & Associates Inc.	442	LANG	UAGES			431		2 1 2	-
66	Math Rabbi1	The Learning Company	442	436	4c	Tri-Technology Systems	56	431	LaserJet Unlimited, Edition II	Peachpit Press	
51	Science Toolkit	Broderbund Software Inc.		MASS	STORAGE		_	UTILI			_
61	Simon & Schuster's Computer Study Guide for the SAT	Simon & Schuster Inc.	438	454	Irwn 280	Irwin Magnetic Systems Inc.	48	650	Compaq Disk-Cache	Compaq Computer Corp.	16
668	Stickybear Numbers	Optimum Resource	442	MONI	TOPS	IIIG.	-	649	Utility EMMCACHE	Available from PC MagNet	16
564	Tales of Adventure	Weekly Reader Software Scholastic Software	440	697	Aydin Controls Patriot	Aydin Controls		648	East Forward	and CompuServe Mark Williams Co.	
664	Tales from History	Scholastic Software	440	031	VGA 20	Ayun controls		647	Flash	Software Masters Inc.	16
662	Term Paper Writer	Activision	438	696	Electrohome ECM-	Electrohome Ltd.		438	Grammatik III	Reterence Software Inc.	- 3
ALTE	RNATE INPUT DE	VICES	_	005	1910	1014.0		646	IBMCACHE	IBM Corp.	17
686	Deoxa Mouse DLX	Dexxa International	250	695 694	IBM 8514 Color Osplay Microvitec 1019/SP	IBM Corp. Microvitec Inc.	211	645	Lightning	Personal Computer Support Group Inc.	17
676	E-Mouse	Mitsubishi International	262	693	Mitsubishi FA3425L9	Mitsubishi Electronics		644	Mace Utilities	Paul Mace Software Inc.	17
-00	Genius GM-6 Plus	Corp. KYE International Inc	252			America Inc.	1	432	OPTune	Gazelle Systems	
682 681	Genius GM-6 Plus Genius GM-6000	KYE International Inc.	252	445	NEC MultiSync 2A	NEC Home Electronics Inc.	51	643	PC Tools Deluxe	Central Point Software Inc.	17
685	IBM PS-2 Mouse	IBM Corp.	251	445	NEC MultiSync 30	NEC Home Electronics	51	642	PolyBoost II	Polytron Corp.	17
584	IMSI OptiMouse	IMSI	251	443	MEG MUNISYNC 30	Inc		641	Quickache II	P.R. Glassel and	18
683	Key Tronic	Key Tronic Corp.	252	692	NEC MultiSync XL	NEC Home Electronics	21B	100	D	Associates Inc.	
	Protessional Senes Mouse		- 1			(USA) Inc.		439 640	RightWriter 3.0 SMARTDrive	RightSoft Inc. Microsoft Corp.	1
680	Logitech HiRez Mouse	Logitech Inc.	253 262	690	Princeton Graphic Systems Max-15	Princeton Graphic Systems	222	639	Super PC-Kwik	Multisoft Corp.	18
669	Logitech Mouse	Logitech Inc.		691	Princeton Graphic	Princeton Graphic	223	638	Vcache	Golden Bow Systems	19
679	Logitech Serial Mouse	Logitech Inc.	253 253		Systems Ultra 16	Systems		WORD	PROCESSING		
678	Logitech Series 2 Mouse	Logitech Inc.	- 1	689	Seiko CM-1430	Seiko Instruments USA Inc.		455 451	Ami Manuscript Manager:	Samna Corp. Pergamon Software	3
672 671	Manager Mouse Manager Mouse	Numonics Corp. Numonics Corp.	268 268	688	Sony CPD-1302	Sony Corp. of America	230		APA Style	r organion continuo	
	Cordless										
677 675	Microsoft Mouse Mitsi Mouse	Microsoft Corp. Mitsubishi International	258 262	PROD	UCTIVITY						_
0/3	MILSI MOUSE	Corp.	202	DEPART		PROGRAM NAME/DESCRIPT	10W				PAG
674	Omnimouse	MSC Technologies Inc.	264	-							
673	PC Mouse II	MSC Technologies Inc.	264 268	Lab Note Utilities		A look at how CADD can en SMOOTH. COM lets you scr					27 28
670	Z-Nix Super Hi-Res Mouse	Z-Nix	268	Environ		A full explanation of Micros				ed	30
	MUNICATIONS			Power P	rogramming	A look at the limitations of 1	he FAT file	e system !	nelds insights into the fu	ture.	32
		W		Spreads		A macro that compensates					33
442	FeedThru Modem	Xecom Inc.	51	Spreads	heet Clinic	A nine-formula model that on Calculate the term of a loan	USIDALIO	e @TFRA	A function in 1-2-3		33
	UTERS			User-to-	User	Create a list of Nenames in	a useful 1	ormat with	hout editing.		34 34
660	ALR FlexCache	Advanced Logic Research	100	User-to-		SUBST rescues compilers f				ole.	34
659	253860T Compaq Deskpro 386	Inc. Compag Computer Corp.	106	User-to- User-to-	USBI	Set your computer to execu Copy floppies faster using a	ne a speci	mc task af	i a certain 1ime. Maliek		34 34 35 35 35 35 36
033	25	compay computer curp.	100	Power U		Save all tiles in all windows	automati	cally in M	crosoft Word.		35
449	CompuAdd 386 20	CompuAdd Corp.	52	Power U	lser :	Zip through text with a Goto	commar	nd vou ad	d to Microsoft Word.		35
658	Oell System 325	Dell Computer Corp.	109	Power U	iser lear	Two macros to speed up m Use the blank form feature	arking inc	dex entries	in Microsoft Word 4.0.	mark markers	35
657	Everex STEP 386-25	Everex Computer Systems	116	Power U		use the blank form leature i Branch to your choice of su					3
556	Hertz 386 25	Hertz Computer Corp.	121	Languag	es	Detect printer errors and sh	orten prin	nter timeo	ut in C.		31
555	IBM PS 2 Model 70-	IBM Corp.	124	Languag		Debug large programs with	Turbo Pa	ascal 5.0 a	ind Turbo Oebugger.		3
654	A21	Mines Cunrons Inc.	139	PC Tuto		Source code and machine of A way to modify a PC-XT to				mation.	3
PCC	Micro Express ME 386- 25	musu express inc.	139	PC Tuto	r	Memory options for dividin	g system	board RA	M can be limiting on son	ne AT compatibles.	37
	PC 8rand 386 25	PC 8rand Inc.	143	PC Tuto	r	WordPerfect can output dra	ft printou	its instead	of NLQ with the correct	printer driver.	37
	Swan 386/20	Tussey Computer	52	PC Tuto		An 80386 can speed up mo Interchanging the many ton	st ROM o	perations			37
		Products		PC Tuto		interchanging the many tor EGAs don't display wide bo	rders and	sometim	es don't work with scree	n-recall programs.	37
448	Vanday HaadStart										
448	Vendex HeadStart Zeos 386-25-V	Vendex Technologies Inc. Zeos International Ltd.	52 146	Connect	ivity Clinic	Writing code for IBM's HLL	API is eas	sier with a	model.		38
653 448 447 652	Zeos 386-25-V	Vendex Technologies Inc. Zeos International Ltd.	146	Connect	ivity Clinic	Updates for two favorite net	work time	ekeeping	programs, NETCLOCK as	nd SRVCLOCK.	38
448 447 652		Vendex Technologies Inc. Zeos International Ltd. Lantana Technology Inc.		Connect Connect Connect	ivity Clinic ivity Clinic	Writing code for IBM's HLL Updates for two favorite net Remote LAN connections a Getting back up to speed or	twork tim re easy us	ekeeping sing clusti	programs, NETCLOCK ar ered CPU cards.	nd SRVCLOCK.	3

COMING UP

OPERATING SYSTEMS

80386 microprocessors have some exciting capabilities for multitasking, but DOS by itself is unable to tap into most of them. Since it may be some time before a mature OS/2 is prevalent, today's multitasking solutions come from software developers who offer DOS additions, enhancements, and replacements to allow true multitasking on your 386 machine. To turn your computer into several simultaneously functioning PCs, take a look at the evaluations of Concurrent DOS 386, DESOview 386, Microsoft Windows/386, PC-MOS/386, and VM/386.

FAST AND CHEAP If you've considered purchasing a new 386 machine but thought you'd have to win the lottery to do so, our reviews of six 16-MHz 386s priced under \$3,500 may give you hope.

FILM RECORDERS Slide service bureaus can be an expensive headache. Why not use your creativity, your PC, and some digital technology to produce your own visual material at a fraction of the cost? Film recorders allow you to create vivid 35mm slides of graphics and text output for your presentations.

NEW WAVE ANALYSIS The first PCbased tools for financial analysis were spreadsheets, and they performed the task well. But if you're sick of the rows and rows of formulas and macros you have to write to create and compare "what-if" scenarios, shouldn't you look for a specialized program that automates the process? Financial Feasibilities' \$995 CFO Advisor is just that-and it may be pointing the way to the future of PC-based financial analysis. Mike Falkner investigates.

LAN MANAGER ARRIVES PC Magazine's LAN Labs examines 3Com's 3+Open LAN Manager, the first network operating system that allows users to connect both DOS- and OS/2-based workstations to OS/2-based servers. Find out why 3+Open LAN Manager poses a real challenge to Novell's NetWare in the PC LAN market. E0

PC MAGAZINE ADVERTISING SALES STAFF One Park Avenue, New York, N.Y. 10016 (212) 503-5100

National Advertising Director - Richard Marino Director of Sales & Business Development - Catherine Hennessey Director of Sales - Telemarketing - Nancy Newman Telemarketing Supervisor - Mary Jo Boudinot

> Senior Advertising Coordinator - Jane L. Gottlieb Advertising Coordinator - Ursula D. Eckel

Al Di Guido - Eastern Advertising Manager (212) 503-5310

MA, NH, VT, ME, RI, CT Sloan Seymour - District Manager Vickie Pinsky - District Sales Representative The Prudential Center 800 Boylston St., Ste. 575 Boston, MA 02199 (617)375-4690 Scott Budd - Account Representative (212)503-5132

NY, NJ, PA Joseph Gillespie - District Manager (212) 503-5294 Pat Toohey - District Sales Representative (212) 503-5149 One Park Avenue

New York, NY 10016 Jeannie Buechner - Account Representative (212) 503-5333 John McGuiness - Account Representative (212) 503-5227

DE, MD, DC, VA, WV, NC, SC, AL, MS, TN, AR, KY, GA, FL

Scott J. Seltz - District Manager Mary Arlotto - District Sales Representative 3405 Piedmont Road Atlanta, GA 30305 (404) 239-9780 Troy Masters - Account Representative (212)503-5130

David Fales - Central Advertising Manager (212) 503-5114

NE, WI, IL, IN, MN, MO, OH, MI, IA, ND, SD, Canada

Jim Stafford - District Manager Pete Foster - District Sales Representative 180 N. Michigan Avenue Suite 1400 Chicago, IL 60601 (312) 346-7666 Jay Overbye - Account Representative (212) 503-5126

TX, OK, LA, KS, UT, NM. CO Stephen Shore - District Manager Sandy Schackman - District Sales Representative 5956 Sherry Lane Suite 1330 Dallas, TX 75225

(214) 691-6934 Ilene Morris - Account Representative (212) 503-5104

Jonathan Lane - Western Advertising Manager (415) 378-5525

CA (San Francisco & North), ID, OR, WA Mike Kisseberth - District Manager (415) 378-5527 Debra Silver-District Sales Representative 110 Marsh Drive, Suite 103 Foster City, CA 94404 (415) 378-5520 Mark Crafts - Account Representative (212)503-5129

CA (Santa Barbara to So. San Francisco),

WY, MT, AK Gini Talmadge - District Manager (415) 378-5521 Steve Moorman - District Sales Representative Stathryn Mandahl - District Sales Representative 110 Marsh Drive, Suite 103 Foster City, CA 94404 (415) 378-5528 Richard Vandervoorn - Account Representative (212) 503-5041

CA (LA, San Diego & Orange County), AZ, NV, HI

Debra Huisken - District Manager Robin Kofsky - District Sales Representative David Lynn - District Sales Representative Paul Klein - District Sales Representative 18500 Von Karman Ave. Suite 510 Irvine, Ca. 92715 (714) 852-8001 Beth Gartenberg - Account Representative (212) 503-5040 Christina Lynch - Account Representative (212) 503-5113



ADVERTISERS PRODUCT INDEX PRODUCT PRODUCT INDEX

RS#	ADVERTISER	PRODUCT	PAGE#
ACC	DUNTING SOFTWARE		
482	Bedford Software Limited		Accounting Software
139	Checkfree Technology Inc.		Check Writing Software 84
194	Cougar Mt Software		Act 2 Accounting Software
330	DAC Software DMS Computers		Act 2 Accounting Software 66 DAC Easy 67 Accounting Software 320
263	Macola Inc.		Accounting Software 320
301	PC Exchange		Accounting Software
358	Peachtree Software		Double Bonus Bundle
470	SBT Corp.		Database Accounting
227	Sourcemate Information Systematics Systems	ems	Accounting Plus IV
	ABASE MANAGERS		
494 285	Buttonware Microrim		PC File
200	Dracle		Database Management Software 47
736	Symantec Corp.		O & A 63
529	The Public (Software) Library		Shareware Software
FILE	SYSTEMS & ACCESS I	METHODS	
529	The Public (Software) Library		Shareware Software
FINA	NCIAL PLANNING SOF	TWARE	
113	Concentric Data Systems		Worksheet R & R
315	Concentric Data Systems		Trend Setter Expert
	RMATION MANAGERS	·	
241	Sun Flex Software		Multi Plus
INTE	GRATED SOFTWARE		
•	Lotus Development		Symphony Integrated Software
LANG	GUAGES		
137	Borland International		Pascal
380	Hammerly Computer Services Hammerly Computer Services		Pro Bas 366 Pro Bas Tool Kit 366
380	Hammerly Computer Services		Pro Bas Tool Kit
291 280	Lahey Computer Systems Lasergo Inc.		Languages
200	Microsoft		Languages 182 Go Script 308 Quick Basic 373
331	Microway		Fortran Compiler
OPE	RATING SYSTEMS EN	IRONMEN	ITS
334	SoftLogic Solutions		Software Carousel
393	Software Link, Inc.		Lanlink
PRO	RAM DEVELOPERS/G	ENERATO	
380	Hammerly Computer Services		Pro Bas
380	Hammerly Computer Services		Pro Screen
529	The Public (Software) Library		Shareware Software
	JECT MANAGEMENT		
201 148	Haventree Software Primavera Systems		Project Management Software
	TISTICAL SOFTWARE		Project Management Sunware 241
113			Worksheet R & R 123
315	Concentric Data Systems Concentric Data Systems		Worksheet R & R
156	STSC		Stat Graphics
	EDITORS		
188	Command Technology Corp.		SPF/PC
	ITIES		
116	Blaise Computing		Programming Tools
120	Central Point Software		PC Tools 80-81
134 392	Clarion Software		PC Tools 80-81 Professional Developer 70
392	Datran		Disk Doubler
256 307	Delta Technology Future Computer		Direct Net/Direct Access
369	Golden Row Systems		V-Ont 4
380	Hammerly Computer Services		Pro Bas. 366
380	Hammerly Computer Services Hammerly Computer Services		Professional Developer. 7U Direct Netr/Direct Access 153 Fast Disk Caching. 159 V-Opt 4 Pro Bas. 366 Pro Screen 366
167	Helix Software		Headroom86
280 302	LaserGo Inc. Peter Norton Computing		GO SCRIPT
290	Peter Norton Computing Rose Electronics		Master Link 287
334	SoftLogic Solutions		Headroom 86 Go Script 308 DDS Shell Commander 304 Master Link 287 Software Carousel 39 39 39 39 39 39 39 3
223	Traveling Software		Cap Lilli
	D PROCESSING SOFT	WARE/AID	
218	Brtstream		Fontware 108
280	LaserGo Inc.		Go Script 308
249 131	Reference Software Samna		Grammatik III 376 Word Processing 294-295
508	WordPerfect Corporation		Word Processing
316	Zylab Corporation		Zy Index 218
CAD			-
165	Autodesk		Autosketch 64
	ADSHEET/TEMPLATE	S	
137	Borland International	-	Quattro
323	Funk Software		Allways C2-P1
•	MicroSoft		Spreadsheet

RS#	ADVERTISER	PRODUCT PAGE
DESK	TOP PUBLISHING	
218	Bitstream	Fontware
371		Graphic Software
743	Corel Systems Digital Research	Graphic Software 279 Gem Desktop Publisher 140 Go Script 300
280	LaserGo Inc.	Go Script30
155	Metro Image Base, Inc. SWFTE International, LTD	
744	Z-Soft	Glyphix
	ENTRY SOFTWARE	
174	Formworx Corp.	Formworx
	OFTWARE	FORTINGIA
		* 1. 7
343 221	ChipSoft Tax Shoo	Turbo Tax
248	Timeworks	Swift Tax34
VEDT	CAL MARKET SOFTWA	
523/261		CD-RDM
	RTAINMENT SOFTWAR	
115 203	Accolade, Inc. Wesson International	Entertainment Software
		Hacon
	DESIGNERS	
174	Formworx Corp.	Formworx 17
	UP SOFTWARE	
286	Fifth Generation	Fast Back Plus
485	Westlake Data Corp.	PC-Fullback
	BACKUP & TAPE DRIVE	
120	Central Point Software	PC Tools80-8
378 219	lomega Corp. Irwin Magnetics	Bernouilli Box
219 193	Kinson Products	Tape Backup
197	Manzana Microsystems	External Disk Drive34
•	Maxell	Tape Back Up 10
495	Maynard Electronics	Tage Back-up
727 279	Mountain Computer Inc. NEC Home Electronics Inc	CD DOM 10
173	Sysgen Inc	Bridge File
501	Teac Corporation	Bridge File
384	Tecmar Inc	Micro RAM/MASS Storage14
268	Tussey Computer Products	Mail Grder22-2
	DISKS	
392	Datran	Disk Doubler
217 351	Dual Group Hard Drives International	Peripherals 36 Hard Drives 37
351 749	Plus Development	Hard Card Micro Manager 82-8
499	Priam	Hard Disks
	Connata	Hard Disc Drives
161	Storage Dimensions/Maxtor	Penpnerals. 9-6 Hard Drives 37 Hard Card Micro Manager 82-8 Hard Drisks 300-30 Hard Disk Drives 17 Laer Star 18 Data Storage Products 17
501	Teac Corporation	Data Storage P700UCTS
	UTERS COMPATIBLES	
493	Advanced Logic Research	PC's
270 179	Aftec Technology Corp. Amax Engineering	PC Compatibles 11: Amax Computers 14
179 166	AMAX Engineering AST Research	
509	Austin Computers	Compatibles 2
481	Bull Dog Computer Products	Compatibles 21
294	Compu Add	Compatibles234-23
163	Computer Products United Dataworld	PC Compatibles
536	Dell Computer Corporation	Compatible
539	Dell Computer Corporation	Dell Computers367-36
379	DYNA Computers	30 MHZ 38622
213	Gateway 2000	
305 153	Innovative Technology NEC Home Electronics Inc.	Compatibles 37/ Computers 270-27:
133	NEC Home Electronics Inc. Northgate Computer Systems	Computibles 220.22
389	Olden Computers	PC's
303/308	PC Brand	Compatibles242-24
309/304	PC Brand PC Brand	Compatibles244-24
310/311 150	PC Brand Samsung Electronic Devices	DC Monitors
289	Tandy/Radio Shack	Compatibles 24
268	Tussey Computer Products	Mail Order
296	Unisvs Corp.	PC's
731	Ven Dex	Computers
731 537 515	Wang Micro Systems Wells American	Compu Star 1
238	Wells American	A*Star
	DEVICES	
NPLF		
292	Caere Corporation	Umnipage
INPUT 292 217 214	Caere Corporation Dual Group Key Tronic KYE International	Omnipage 8 Peripherals 36 Key Tronic Mouse 30

e	ADVERTISER PROC	HUCT	PAGE#	RS.F	ADVERTISER F	RODUCT	,
2	Logitech	Hi Resolution Mouse		290	Rose Fiertmeirs	Master Switch	
		Scanman	111	393	The Saftware Link, Inc.	Lanink	
	Microsoft Mitsubishi Int. Corp.	Moese	263	MICI	RO-MAINFRAME LINKS		
	MSC Technologies	MSC Mouse	9	124	Attachmete	Micro Mainframe Connectivi	e.
	Northgate Computer Systems	Keyboards	165	MOD		mer mention derivative	9
_	RAMMERS TOOLS UTILITIE		200	217	Dual Group	5-1-1-1-1	_
U	KAMMERS TOOLS UTILITIE			136	Haves Microcomputer Products	Perigherals Modern	164
	Bluise Computing PC Exchange	Programming Tools Programmer's Tools	370	733	Natural Microsystems	Watson	
		Programmer's 1001s	342	189	Quadram Corp.		
IL1	TIFUNCTION BOARDS			740	Telebe	Moderns .	
	Micronics, Inc.	386 Upgrade Motherboards	120	231	Touchbase Systems	Moderns	
ō	ON BOARDS			268	Tussey Computer Products U.S. Robotics Inc		
_	Intel	Connection Co-Processor	74-75	745	U.S. Robotics Inc Universal Data Systems	Modern	
	Manzana Microsystems	External Disk Orive	344		OTTYPISM DATA SYSTEMS	Moderns	
	Micronics, Inc.	SNS Upprode Motherboards	120		ETTES		
	Orchid Technology	VGA Ram Quest	383	356	BASF Corp.	3.5" Micro Diskette	
	Tecrnar Inc	Micro RAM MASS Storage	147	INS	JRANCE		
	Triton Products	Expansion Boards	90	728	Saleware	Insurance	
_	Video-7	Fastwrite VGA	336		ER PROTECTION	242240 2100110001100	21111111111
A	INERS DIGITIZERS			363			
	Caere Corporation	Omnipage	88	176	Cuesta Systems Corp.	Data Saver	
	Chinne	Scanners The Complete Scanner	339	533	Dynatech Computer Power Inc Kensington Microware Ltd.	Surge Suppressors	
	Complete PC	The Complete Scanner	437	361	Para Systems, Inc.	Minuteman	
	KYE International	Scanner	259	473	PC Power and Cooling	Power Supplies	
dM	TERS		_		URITY	009940	
	Eastman Kodak	Primers	10.11	241			
	Foson	Primers Epson Printers	350-351	501	Sun Rex Software Teac Corporation	Multi-Plus	
		Go Script	306			Oata Storage Products	
	Okodata	Printer	317		CCESSORIES		
_	The Laser Connection	Jetscript	5	486	Certis Manufacturing	PC Accessories	
721		Printers	.325-327	473	PC Power and Cooling	Cooling Devices	
	TER ACCESSORIES			RET	AIL/DISTRIBUTORS		
	Bay Technical Associates	Printer Sharing Device	360	222	SEFC0	Toshiba Products	
	Buttalo Products	Buttalo St. Penpherals	219		ORDER		
	Fifth Generation	Logical Connection	26	254	67 Street Computers	Maif Order	_
	Rose Electronics	Master Switch	287	336	Arlington Computer Products	Mail Order	204
	Rose Electronics Rose Electronics	Master Net	287	509	Austin Computers	Compatibles	
		Master Link	26/		Bay Express	Mail Order	
	ABLE/LAP COMPUTERS			125	Boffin Limited	Mail Order	
	Sharp Electronics Corp.	Hand Held Computer	126-127	481	Bull Dog Computer Products	Computer Accessories	(
	Toshiba of America	Systems Laptops	345	294 300	Compu Add	Mail Order	234
-FA	X			300	Computability	Mail Order	
-	Quadram Corp	JT Fax	379	246	Computer Direct Computer Discount Warehouse		
-	AYS MONITORS TERMINAL			220	Consenter Exposes	Mail Order	
317				220 362 352	Computer Express Corneyter Cutlet	Mail Order	
	3 Lyrex NEC Home Electronics Inc	Montors	221	352	Fast Micro		
	Samsung Electronic Devices	Monitors PC Monitors	192		Gentech		
	Seko Instruments	Color Monitors	199	351	Hard Orives International		
	Sony Corporation of America	Monitor	319	243	Jade Computer Products	Mail Order	
	HICS SOFTWARE			345	Jameco Electronics	Mail Order	
				357	MHI Warehouse, Inc. MICROBEST	Mail Order Mail Order	
	Corel Systems Formwork Corp.	Graphic Software Formworx	279	252	Michael Misso	Mail Ceder	
	Hammerly Computer Services	Pro BAS		***	Monteguma Micro PC Connection	Mail Order Mail Order	20
	Hammonty Computer Services	Pro Bas Telecom Tool Kit	366	145			
	Hammerly Computer Services Software Publishing	Harvard Graphics	117	295	PC Sig RP Systems	Mail Order	
	STSC	Stat Graphics	357	295 184		Med Order	
	Z-Soft	PC Parttrush Plus for Windows	s201		Soffine		
DE	GRAPHICS BOARDS			375	Software Add-Ons		
DE		MCA Minades	333	390 206/12	Spield Computer Systems 3 Telement		
	ATI Technologies Inc. Tuessey Computer Products	VGA Wonder	99,95	353	The New P.C. Network	Mail Order	221
	Tussey Computer Products Western Digital Paradise	Mail Order	217		Triton Products	Mail Order Expansion Boards	
	Willow Peripherals Inc.	VGA Board	194	268 105	Turssey Computer Products	Mail Order	
CE	LERATOR BOARDS			105	IISA Flore		
	Hauppaige	386 Motherhoards	22	171	Warehouse Data Products		313
		Jeo mutnerptoros	32	723/72		Mail Order	32
MI	MUNICATIONS SOFTWARE			ONL	INE DATABASES		
	3X USA	Communication Link	17		Dow Jones News Retneval	On-Line Outabase	
	Central Point Software	PC Tools Networking Solution	80-81	DIDE	CT MARKETING CONNECT	TION	
	Core International	Networking Solution	151	335	Arlington Computer Products	Mad Codes	386
	Crosstalk/DCA	Remote	274	350	Par Express	Mail Order	39.
	Data Storm Technologies Inc Dynamic Microprocessor Assoc.	Pro Comm	230	300	Bay Express Computability		
	Hammerly Computer Services	PC Anywhere III Pro Bas Telecom Tool Kit Carbon Copy Plus	366	245	Computer Direct	Mail Order	
	Mendian Technology	Carbon Copy Plus	352	109		Mad Order	
	Norton-Lambert	Closeup	103	220	Computer Express Computer Outlet	Mail Order	
	Rose Electronics	Closeup Master Net	387	362 243 346	Computer Outlet	Mail Order	
	Traveling Software	Lap Link	92	243	Jade Competer Products Jameco Electronics	Mail Order	
CA	L AREA NETWORKING			346 387	Jameco Electronics MHI Warehouse, Inc.	Mail Order	
-	Advanced Digital Corp	Ian	148,149	301	MHI Warenouse, Inc. MICROBEST	Mail Order	
		Lan	219	252	Michaella Micro	Mai Order	
	Crosstalk/DCA	Remote	274	389		Mail Order .	
	Datapoint		374	295	RP Systems	Mail Order	
	Newbridge Networks, Inc.	Lan	70	295 184		Mait Order	
	Novell Inc.		254-255	353	The New P C Network USA Flex	Mail Order Mail Order	
	Rose Flectronics	Master Net		105		Mail Order	398

AFTER HOURS



Computer Study Guide Offers Help in Making The Grade on the SAT

BY STEPHANIE IZAREK
Each year, millions of American tenangers take the SAT college entrance examinations. This year, your child may be one of them. If you want to spare him some of the mental anguish that incritably accompanies this undertaking, the \$33.95 Simon & Schuster's Computer Study Guide for the SAT can belin.

The Computer Study Guide mimics the actual SAT exam. The program's Exam disk contains two complete tests: each consists of two verbal sections that test basic grammar, vocabulary, reading comprehension, and knowledge of word relations-plus two math sections that test basic geometry, algebra, and quantitative comparisons. The Test of Standard Written English comprises the fifth portion of the exam. All questions are couched in a multiple-choice format.

The program also includes a disk with 500 practice questions to sharpen grammatical and mathematical skills further.

Simon & Schuster publishes

several books to help students prepare for the SAT, but these do not contain the extra features and special functions found in the Computer Study Guide. The Practice Question disk comes compilete with a calculator and pop-up help screens that offer hints. The Exam disk includes a pop-up begrate paid for making notes, and the software even isuses a warning beep to let a student know when the time is almost up.

The most valuable feature is the review section. The soft-ware takes a student through the questions in each section and furnishes a complete explanation of why an answer is right or wrong. The Computer Study Guide even analyzes the society and identifies weak areas so that a student can devote extra time to them. This is a feature you use cannot ext in an workbox

While using the Computer Study Guide will not guarantee students a perfect score of 1600, it will help familiarize them with the SAT format. That alone should help relieve some of the anxiety that is part of the SAT experience.

List Price: Simon & Schuster's Computer Study Guide for the SAT, 39.95. Requires: 256K RAM, DOS 2.0 or later. Simon & Schuster Inc., Computer Software Division, One Gulf + Western Plaza; New York, NY 10023: (212) 373-8000.

CIRCLE 661 ON READER SERVICE CARD





Science Toolkit's strip chart can graphically record data gathered by any of the sensory probes over a period of time up to 24 hours.



Science Toolkit Lets You Explore the World Of Physics

BY ALAN COHEN

Kitchen tables across America
are going to be a whole lot
cleaner from now on. That's because Science Toolkit, from
Broderbund Software, turns any
PC into a sophisticated, messfree home laboratory.

The Science Toolkit Master Module provides the budding rocket scientist with all the tools he needs to begin exploring the laws of physics. Two special probes are included: a thermistor to measure temperature and a photocell to measure light intensity. When plugged into the program's instrace box (which connects to a game port), these probes control the four on-screen instruments: a thermometer, a light meter, a timer, and a

strip chart.

The user guide carefully explains all the experiments, and it includes interesting sidebars that recount important scientific discoveries and facts.

The experiments themselves are not very exciting. There's a limit to the amount of fun one can have watching the tempera-

ture of hot water in a Styrofoam cup gradually drop. Luckily, Module 1: Speed and Motion (sold separately) livens things up. Two on-screen instruments—a speedometer and a tachometer—an additional photocell probe, and a balloon-

powered car are included.
As part of an experiment on acceleration, the two photo-cells, which will be used to control the speedometer, are inserted through sloss 6 inches part in a special cardboard stand. When the front wheels of the Lego-style car pass before the Lego-style car pass before the beam of light striking the probe and activate the speedometer's timer. When the wheels pass the second photocell, the timer stops and the speedometer category and the speedometer cat

culates the speed of the car. At \$79.95 for the Master Module and \$39.95 for Module 1, the program may be a bit pricey, but, hey, balloon-powered cars don't come chear List Price: Science Toolkit, Master Module, \$79.95; Module 1: Speed and Motion, \$39.95. Requires; 128K RAM, CGA or Hercules Graphics Card, DOS 2.0 or later. Game Control Adapter Card required for IBM/Tandy 3000 series and compatibles. Not copy protected. Broderbund Software tnc., 17 Paul Dr., San Rafael, CA 94903; (415) 492-3200. CIRCLE 651 ON READER SERVICE CARD











OUR NEW \$249 HAND SCANNER WILL CHANGE THE WAY YOU SEE THINGS.

MORE SHARPLY. The Complete Hand Scanner/
400" is the easy, affordable way to add extra

impact to newsletters, reports and documents. It gives you a choice of resolution: 200, 300, even a razor-sharp 400 dpi. It scans material up to 2½" wide by 14" long.

And it displays the image on the screen as you scan.

FROM ANOTHER PERSPECTIVE. Our SmartScan* software scales, rotates, crops, edits and resizes images from 10% to 200%.

IN PRINT. The SmartScan software also gives you total control of your layout.

Just scan and position your images anywhere on the page. Then add them to any of the most popular graphics, word processing and publishing programs: WordPerfect, Ventura Publisher,* PC Paintbrush +,"and PageMaker.*

AND BIGGER. For larger images, get The Complete Half-Page Scanner." You can scan an entire page in two quick passes, then combine them into one full-size image at a crisp 200 dpi. lust \$299.

Both scanners come with an easy-to-install interface card, SmartScan software, and a 2-year warranty. All you need is an MS-DOS* PC with a hard disk and a graphics card.

PC with a hard disk and a graphics card.
To find out more about the very best hand scanners you can buy, call our toll-free number today. 1-800-634-5558.

The Complete PC

521 Cottonwood Drive, Milpitas, CA 95035 (408) 434-0145 FAX (408) 434-1048.

© 1988 The Complete PC. The Complete PC, The Complete Ball-Days Scanner, and SmartScan are trademarks of The Complete PC. In

AFTER HOURS



Changing Your Thought Process for the Better

BY JENNIFER ZAINO Critical Thinking I, from Compris, challenges you to study and practice something you probably never thought you'd have to-thinking itself

The software makes use of artificial intelligence; your answers to questions determine the responses you will get. In its simplest form, it means that correct answers are met with praise while incorrect answers are followed by an explanation or a request to explain your response further. Of course, artificial intelligence is not perfect, and it's



easy to make a fool of the software by typing in inane answers

or gobbledygook. But for those who are really interested in improving their thinking skills, the program can be of enormous help. You come

you recognize Orwellian doublespeak ("an advanced downward adjustment" to describe a cut in social service funding). words that convey attitudes and prejudices as well as facts (one to understand the way words

can be used to confuse or prey

on people's emotions. It helps

person's "statesman" is another person's "party hack"), and the vagueness of abstract terms ("democracy" is a style of government claimed by both the Soviet Union and the U.S.).

Critical Thinking shows that you're not just a helpless victim of the way other people manipulate language, either. In fact, the course alerts you to the ways in which you yourself may sometimes be guilty of exploit-ing language. The software also effectively demonstrates how you can color others' words with your own ideas, and you begin to learn how to separate what someone is actually saying from what you think he is saying. You are also challenged to find the reasons behind the statements people make-an especially helpful exercise in an election year.

Users will have to deal with a rather quirky interface. While

BECAUSE YOU SELL ONE OF THESE...



YOU SHOULD SELL TH



■ ● Bring PC MAGAZINE, the "silent salesman," into your store and provide your customers with clearly written

comparative reviews of the hardware and software you carry! Knowledgeable PC users turn to PC MAGAZINE 22 times a year for in-depth evaluations conducted by PC Labs, our independent product testing laboratory

Increase the sales of your inventory and earn additional profits with PC MAGAZINE. For more information on how you can sell the profit leader, call 1-800-435-5003 or write:

Ziff-Davis Publishing Company Retail Sales Department One Park Avenue-5th Floor New York, NY 10016

PC MAGAZINE . FEBRUARY 14. 1989

you can type in answers that are more than one line long, words do not elegantly wrap to the next line. You must often type in the word Finish when you have completed a response, a method that seems archaic. You must reboot to exit; when you reenter, you are not at the screen where you left off. On top of that, I was unable to display the graphics portion of the program

on two different machines.

At \$275, the software seems fairly high-priced for a single user. The follow-up, Critical Thinking II, is only \$25 less.

Networked versions for institu-

tions are more reasonabe.

Critical Thinking I can improve a conscientious user's thinking skills. But, as the software mentions, there is a danger in this: "Thinking is upsetting—it tells you things you'd rather not know." It's probably a risk everyone should take.

List Price: Critical Thinking I, \$275. Requires: 256K RAM (512K RAM for color monitor), DOS 2.0 or later. Copy protected. Compris Inc., 6 Beechwood Ave., Ottawa, Ontario KIL 884, Canada; (613) 746,3526.

CIRCLE 663 ON READER SERVICE CARD



A Tool for Tackling Research Assignments

BY MARY KATHLEEN FLYNN

There's probably not a student in existence who has never felt stymied when faced with writing a ten-page term paper in as many days (or—horrors! hours). Now Term Paper Writer, \$52.95 from Activision, offers help by simplifying some daunting research-paper tasks.

The Notetaker module imitates index cards. It prompts you for source information and recognizes that different types of sources store information in different ways. If the source is a newspaper article, the Notetaker asks you to indicate which section; if it's an encyclopedia, Notetaker asks you which volume. Keywords that you deter-

mine allow you to search for your notes.

The Outliner facility is awkward and limits you to storing only one outline. The Writer module is a competent albeit colorless word processor.

Term Paper Writer's most useful feature is the Footnoter and Bibliography Compiler. It compiles the bibliography automatically from the information you've entered in the Notetaker. It writes all entries in the proper form according to the style that you choose (the MLA Handbook, for instance).

To create a footnote, just tell the Writer where to insert it and which note contains the source information. Numbering and renumbering of footnotes is automatic. If you change a note's source information, the program automatically corrects it in the footnotes and bibliography.

You can format pages with margin, line-spacing, and paper-length choices. Footnotes and bibliography look right, and quotations are indented.

List Price: Term Paper Writer.
\$2.95. Regulers: 256K RAM,
DOS 2.0 or later. One floppy disk needed for each term paper. Copp protected. Activision, 3885
Bohannon Dr., Menlo Park, CA

94025; (415) 329-0800.
CIRCLE 862 ON READER SERVICE CARD

This is what a year's worth of PC Magazine looks like.

...and PC Week, PC Tech Journal, MacUser, Government Computer News, Lotus Magazine, Digital Review, Microsoft Systems Journal, Communications of the ACM, and A+.

Introducing COMPUTER LIBRARY! IN COMPUTER LIBRARY in the ultimate desktop reference on computers and computing. It's a database containing the full text of a year's worth of these for locating computer, all on a convenient, monthly updated CD-ROM. And if that's not enough, it also includes abstracts of computer related articles from over 110 other periodicals like InfoWorld, Data Communications, Computer Resider News, and Datamation.

Altogether, each disc covers more than 43,000 articles that have appeared in the last 12 months.

Fast, Easy To Master!

Locating the exact information you need is a snap because COMPUTER LIBRARY includes Bluefish searchware from Lotus Development Corporation. Just enter the topic you're interested in. BlueFish rapidly locates all the articles that mention that topic and makes them avail.

and makes them available for your instant retrieval.

COMPUTER LIBRARY is designed to boost the productivity of anyone who is professionally involved with buying, managing, supporting, marketing, or developing computer hardware and software. Once you begin using it, you'll wonder how you ever got by without it.

Subscribe Now!
COMPUTER LIBRARY requires a CD-ROM
drive. If you don't already have one, we
can help you save money on a fast, reliable
Sony drive, complete with a 12-month

An annual subscription to COMPUTER LIBRARY costs only \$695. To subscribe or to get more information call (212) 503-4400 today.

> COMPUTER IDIB RANKY

CIRCLE 158 ON READER SERVICE CARD

AFTER HOURS



KidWriter Lets Budding **Authors Put Their** Imaginations to Work

BY LORI GRUNIN

Too often, educational software for children comes off as didactic, no matter how hard it tries to make learning fun. Spinnaker Software's KidWriter Golden Edition teaches writing skills. but it's as much fun as it is educational.

KidWriter, intended for 6- to 10-year-olds, enables children to write their own stories using the built-in word processor and illustrate them with pictures from the program's library

Your child begins to build a book by selecting one of 17 different backgrounds-anything from the inside of a house to the eruption of a prehistoric volcano. The scenery is changed by simply pointing to the Background icon with a mouse or the cursor keys.

By selecting the Picture icon and dragging their choices onto the background, children can populate these scenes with people, monsters, anthropomorphic flowers, and animals. Pictures can be flipped, but cannot be enlarged or shrunk.

The graphics present plenty

of ways to juxtapose the banal and the bizarre. The rock band looks as much at home on the moon as the astronaut. But if your kid isn't satisfied with the selection of over 200 pictures, KidWriter can import "stamps" (cutouts of pictures) from Spinnaker's Splash! VGA paint program.

KidWriter provides seven lines for text beneath illustrations and a plain white background for text-only pages. Your child can add as many

pages as he likes by clicking on the Page icon. When he is finished, he can just tell the software to Play and watch it scroll through the story accompanied by a tune. The story can be printed out on most dot matrix monochrome or color printers. Graphics are the strongest

feature, not only because the images are fun to create, but because they are inspirational. They provide a focal point for organizing thoughts: a child who can't think of a story to write might be able to explain how the dinosaur and the mermaid out stranded together on a desert island.

List Price: KidWriter Golden Edition, \$49.95, Requires: 256K RAM, IBM graphics board, DOS 2.1 or later. Copy protected. Spinnaker Software Corp., One Kendall Sq., Cambridge, MA 02139; (617) 494-1200.

CIRCLE 665 ON READER SERVICE CARD



EDUCATION

Tales of Adventure **Builds Reading** Comprehension Skills

BY ALAN COHEN

It used to be that the best way to improve one's reading skills was to pick up a book and, well . . . read it. There was a certain progression involved here, from Dr. Seuss, to Frank and Joe Hardy, to Stephen King, to Ernest Hemingway (and for many of us, back to Stephen King again).

But the PC has been intruding on the turf of the printed page-Scholastic Software's Tales of Reading Adventures series is a good example. These programs supplement rather than replace the novice reader's Dick and Jane books and tutorials. The programs are not just for children, either-they can also aid adults who want to improve their reading skills

Tales of Suspense and Tales from History, two titles in the series, each contain a pair of graphics-oriented adventures in which you must not only read the story but also make choices that determine the direction that the plot will take. Reaching a successful conclusion requires rending for detail as well as for

Tales of Suspense is made up

of "History Mystery," in which the goal is to find a priceless hourglass stolen by the infa-

mous Winsome Slugg, and "The Big Nap," in which one teams up with private eye Rusty Rayburn to unrayel the Computer Cowboy kidnapping. At various points in the

tales, decisions will have to be made and questions will have to be answered. All the information you need to make the correct choices and solve the puzzle is right there in the text. The Tales from History ad-

ventures also help develop mapreading skills. In each story, to move from point to point, you must make decisions and answer questions based on an onscreen map. Both of these packages suf-

fer from poor CGA graphics and the absence of a save-game feature. But at \$21.50 each, these witty programs are a good choice for the beginning reader. List Price: Tales of Suspense and Tales from History, \$21,50 each (price includes postage and

handline if ordered from Scholastic). Requires: 128K RAM, CGA, DOS 2.0 or later. Copy protected. Scholastic Software, P.O. Box 7502, 2931 E.

McCurty St., Jefferson City, MO 65102: (800) 541-5513, (800) 392-2179 in Missouri

CIRCLE 864 ON PIEADER SERVICE CARD



Golden Ediyour child the maker of his own book. He can put people, animals, and other objects into any of 17 different and then write a story to go with them.

THIS IS THE COURSE THAT JACK BUILT.









The off on the most challenging 18 holes of major championship eoif with the legend who handnicked each one-lack Nicklaus. Jack Nicklaus' Greatest 18 Holes Of Major Championship Golf** gives you the famous fairways.

bunkers and greens that have decided the four major championships of golf. There's even two







The 12th at St. Andrews



















lack Nicklaus

Golf in a mixed foursome or go head-to-head with the "Golden Bear"-a computerized Jack who possesses skills patterned directly after his own game. Select skins scoring or stroke play. Contend with gusting winds, rolling hills and random pin placement. It's you against the greatest

golfer of his time. Playing the greatest 18 holes in the world. How to order: Visit your favorite retailer or call 800-245-7744



AFTER HOURS



Fun with Math: Introducing Your Child to the World of Numbers

BY DONALD B. TRIVETTE Today's parents are often grooming Junior for Harvard before he graduates from kinderearten. While you may not be quite that pushy, you probably do want your child to begin developing learning skills at an early age and in an unpressured environment. In front of the PC in your home fills the bill. The three programs reviewed here are designed to gently introduce your child to the world of numbers. More important, they show that learning can be fun.

Stickybear Numbers

The \$39.95 Stickybear Numbers, part of the Weekly Reader family of educational software,

AFTER HOURS

KIDWRITER GOLDEN
EDITION
Unleash your child's storytelling powers
TALES OF
ADVENTURE
A fun way to build reading
comprehension skills
CRITICAL THINKING
Are you thinking as well as
you could be?
TERM PAPER WRITER
RESEARCH paper writing
made (almost) easy
COMPLIER STUDY

COMPUTER STUDY
GUIDE
Prepping for the SAT
SCIENCE TOOLKIT
Experiments for the aspfring
rocket scientist

is a counting and number-recognition program designed for children aged 3 to 6.

Even a very young child soon learns that pressing a number from 0 to 9 causes a corresponding number of objects to appear on the screen, and pressing the Spacebur causes objects to disappear one at a time. Cars and stars, planes and trains, ducks and trucks—and of course, bears—are part of the 250 different picture combinations.

Stickybear has its own operseries system, so all your child need do is insert the disk and turn on the PC. Like the other programs reviewed, Stickybear uses only CGA graphics, but it makes use of patterns so artfully that the pictures aren't notice-

ably three-color.

List Price: Stickybear Numbers,
539.95. Requires: 128K RAM.
CGA. Copy protected. Optimum
Resource/Weekly Reader
Software. 10 Station Pl., Norfolk.

CT 06058; (800) 327-1473, (203) 542-5553.

CIRCLE 666 ON READER SERVICE CARD

Math and Me

Davidson & Associates' \$39.95 Math and Me (also for 3- to 6-year-olds) offers instruction in shape, number, and pattern recognition and simple addition. Each area has three games arranged in order of increasing difficulty.

At the easiest level, a simple

the castes level, a simple but effective method is used to teach the relationship of form to objects. At the most advanced, the child must add two numbers and highlight the correct answer

before hot-air balloons float to the top of the screen—guaranteed to keep any youngster on his toes.

Younger children will require some adult help. Input is by cursor keys, the Esc key, and the Enter key. A mouse may be used in place of the cur-

In his quest to obtain the approval of the dancing Math Rabbit, he'll learn to count, grasp simple concepts about music, do simple addition and subtraction, improve number-matching skills, develop the idea of number series, and test his powers of



sor/Enter keys to highlight and select answers—an attractive option for young ones.

List Price: Math and Me, \$39,95.

Requires: 256K RAM, CGA, DOS gram w. 2.0 or later. Coop protected.

Davidson & Associates Inc., 3135 Kashiwa St., Torrance, CA 90505; (213) 534-4070, (800) 556-6141. CIRCLE 667 ON READER SERVICE CARD

Math Rabbit

The Learning Company's Math Rabbin, also priced at \$39.95, is aimed at the 4- to 7-year-old crowd. The program moves beyoud the other two by offering customization options that let you alter the speed, numbers, mathematical relationships, and other parameters of games to increase the challenge.

Before you do any customizing, your child will want to work his way through each game's four levels of difficulty.

concentration. (The last few tasks offer a real challenge even for adults.)

Your child can use the program with a keyboard, but the choice of a joystick rather than a mouse as an optional input device requires him to have some manual dexterity.

manufacture of the comparation o

852-2255, (415) 792-2101. CIRCLE 566 ON READER SERVICE CARD

WHY YOU SHOULD CONSIDER THE NEW DELL 386 SYSTEMS, DESPITE THEIR SUSPICIOUSLY LOW PRICES.



ur new 386-based systems are among the fastest available. With more advanced high performance features than you'd get in comparable systems that list for up to \$3000 more.

Like Compaq's.

For instance, our 20 MHz System 310 offers you the most extraordinary value available in any 386-based system. In fact, PC Magazine (6/14/88) describes it as "fast enough to burn the sand off a desert floor."

And if that sounds fast, wait till you see our new System 325.

At 25 MHz, it offers you the highest possible performance in a 386. Like the System 310, it utilizes the latest technology, including the Intel 82385 Cache Memory Controller, advanced 32-bit architecture and high perfor-

mance drives. And of course, both systems are fully IBM PC compatible.

More importantly, we can configure either system unit to your exact needs, then burn-in everything, add-in boards and all, to make sure the entire system works perfectly. And to keep it working perfectly, we give you Dell toll-free technical support and a full year of on-site service-included in the system price. Plus a 30-day money-back guarantee and a one-year limited warranty. Also included in the low system price. And you buy direct from our manufacturing facility in Austin, Texas. Which climinates dealer markups.

call toll-free to order the system that's right for you.





